




in
govt Lots:
2 W 1/2 NE
3 NE 1/4
4 NW 1/4
(See Attachment
G in new
transfer)
TYN
RIE

map is
from transfer
file

Transfo = River water for irrig
New right = shallow ground water
for amenity

I own map 11/9/98 per consultant's info
CPSA photo, IR photo previous xfer (T. 3326
in 1987)


MICROFILMED
JUN 09 1999

STREAMSIDE SUBDIVISION

BEING THAT PORTION OF GOVERNMENT LOTS 2, 3, AND 4, SECTION 20, T.4N., R.1E., B.M., CITY OF EAGLE, ADA COUNTY, IDAHO, LYING SOUTH OF THE SOUTH CHANNEL OF THE BOISE RIVER, TOGETHER WITH ACCRETION LAND SITUATED IN AND ADJACENT TO LOTS 2, 3 AND 4 AS DESCRIBED IN STATE OF IDAHO DISCLAIMER OF INTEREST NO. 93

map ce from transfer file →

Attachment E
(5 pgs)



RECORDED
PLAT
OF
PROPERTY

NOTES

THIS PLAT IS SUBJECT TO COMPLIANCE WITH IDAHO CODE, SECTION 31-3803. PRESSURE RIGORATION WILL BE PROVIDED TO EACH LOT.
LOTS 1 AND 43, BLOCK 1 SHALL HAVE DRIVEWAY ACCESS RESTRICTED TO WEST BANKSIDE DRIVE. LOT 10, BLOCK 3 AND LOT 1, BLOCK 3 SHALL HAVE DRIVEWAY ACCESS RESTRICTED TO WEST BOGUS VIEW DRIVE.

LOT 10, BLOCK 1; LOT 11, BLOCK 2; AND LOT 2, BLOCK 3 ARE NON-BUILDABLE THE HOMEOWNERS ASSOCIATION. LOT 10, BLOCK 3 AND LOT 1, BLOCK 3 ARE TRAFFIC CONTROLLED BY THE HOMEOWNERS ASSOCIATION. EASEMENTS OF THE UNIFORM CITY OF EAGLE.

SETBACK

BE IN ACCORDANCE WITH THE CITY OF EAGLE'S BUILDING PERMIT

VENANTS

SUBDIVISION SHALL CONFORM TO STRICTIVE COVENANTS AS FILED

ICATE

IS RECORDED UNDER THE PROVISIONS OF IDAHO CODE 30-1201, 30-1202, 30-1203 AND 30-1204. THAT ALL INTERIOR MONUMENTS WILL BE SET WITHIN ONE YEAR FROM THE RECORDING DATE OF THIS PLAT.



pencil notes by
JC 11/9/98

EASEMENTS

1. ALL LOTS HAVE FIVE (5) FOOT WIDE EASEMENTS CONTIGUOUS TO SIDE LOT LINES AND (10) FOOT WIDE EASEMENTS CONTIGUOUS TO FRONT AND REAR LOT LINES FOR DRAINAGE AND UTILITIES UNLESS SHOWN OTHERWISE.
2. ALL LOT LINES COMMON TO PUBLIC RIGHTS-OF-WAY SHALL HAVE A (10) FOOT WIDE EAGLE CITY STREET LIGHT EASEMENT.
3. LOTS 29 THROUGH 41, BLOCK 1, HAVE A 25 FOOT WIDE STATE OF IDAHO AND EAGLE CITY PUBLIC PATHWAY EASEMENT CONTIGUOUS WITH THE REAR LOT LINES. INSTRUMENT NO. 97091645.
4. LOT 42, BLOCK 1, HAS A 15 FOOT WIDE STATE OF IDAHO AND EAGLE CITY PUBLIC PATHWAY EASEMENT CONTIGUOUS WITH THE SOUTH SIDE LOT LINE. INSTRUMENT NO. 97091645.
5. ALL LOT LINES OF LOT 1 AND LOT 11, BLOCK 2, THAT ARE COMMON WITH PUBLIC RIGHTS-OF-WAY, HAVE A 10 FOOT WIDE STATE OF IDAHO, ADA COUNTY HIGHWAY DISTRICT AND EAGLE CITY PUBLIC PATHWAY EASEMENT. INSTRUMENT NO. 97091645.
6. ALL LOT LINES OF LOT 1 AND LOT 2, BLOCK 3, THAT ARE COMMON WITH PUBLIC RIGHTS-OF-WAY, HAVE A 10 FOOT WIDE STATE OF IDAHO, ADA COUNTY HIGHWAY DISTRICT AND EAGLE CITY PUBLIC PATHWAY EASEMENT. INSTRUMENT NO. 97091645.
7. A 25 FOOT WIDE STATE OF IDAHO AND EAGLE CITY PUBLIC PATHWAY EASEMENT IS CENTERED ON THE ENTIRE LOT LINE COMMON TO LOTS 28 AND 29, BLOCK 1. INSTRUMENT NO. 97091645.
8. ALL LOT LINES OF LOT 19, BLOCK 1, THAT ARE COMMON WITH PUBLIC RIGHTS-OF-WAY, HAVE A 10 FOOT WIDE STATE OF IDAHO, ADA COUNTY HIGHWAY DISTRICT AND EAGLE CITY PUBLIC PATHWAY EASEMENT. INSTRUMENT NO. 97091645.
9. LOTS 20, 21, AND 22, BLOCK 1, HAVE A 15 FOOT WIDE STATE OF IDAHO AND EAGLE CITY PUBLIC PATHWAY EASEMENT AS DEPICTED ON SHEET 3 OF 3 OF THE PLAT. INSTRUMENT NO. 97091645.
10. LOTS 21 AND 22, BLOCK 1, HAVE ACCESS BY EASEMENT THROUGH LOT 20, BLOCK 1. LOT 22, BLOCK 1 HAS ACCESS BY EASEMENT THROUGH LOT 21, BLOCK 1.

LEGEND

- FOUND 1/2" PIN W/972 CAP REPLACE WITH 5/8" PIN W/8023 CAP
- 5/8" PIN W/8023 CAP TO BE SET
- FOUND 1/2" PIN W/972 CAP
- 1/2" PIN W/8023 CAP TO BE SET
- SET 5/8" PIN OFFSET CORNER PLACED 2" ALUM CAP MKD "RM" ON PIN
- FOUND BARE 5/8" PIN OFFSET CORNER PLACED 2" ALUM CAP MKD "RM" ON PIN
- FOUND BRASS CAP MONUMENT
- FOUND ALUMINUM CAP MONUMENT
- CORNER NOT SET
- (100.00') RECORD DATA
- PROPERTY LINE
- - - SETBACK LINE
- - - EASEMENT LINE
- SET 5/8" PIN W/8023 CAP
- FOUND 1 1/2" PIPE, SET 5/8" PIN INSIDE PIPE PLACED 2" ALUM CAP MKD "RM" ON PIN

GRAHAM GILBERT DITCH

1997 water from transfer of C3-001448


TOOTHMAN-ORTON ENGINEERING COMPANY

8777 CHINDEN BLVD
BOISE, IDAHO 83714
(208) 323-2288

SHEET NO. 1 OF 5

NEW Right = shallow ground water c 2 ponds for amenity

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - Storage only




T4N
R1E
Sec. 20
NWNE, Lot 2
NENW, Lot 3

STREAMSIDE SUBDIVISION

BEING THAT PORTION OF GOVERNMENT LOTS 2, 3, AND 4, SECTION 20, T.4N., R.1E., B.M. CITY OF EAGLE, ADA COUNTY, IDAHO, LYING SOUTH OF THE SOUTH CHANNEL OF THE BOISE RIVER, TOGETHER WITH ACCRETION LAND SITUATED IN AND ADJACENT TO LOTS 2, 3 AND 4 AS DESCRIBED IN STATE OF IDAHO DISCLAIMER OF INTEREST NO. 93

MAP CE from
Transfer file

Attachment E
(5 pgs)



RECORDED
PLAT
OF
PROPERTY

THIS PLAT IS SUBJECT TO COMPLIANCE WITH IDAHO CODE, SECTION 31-3005. PRESSURE IRRIGATION WILL BE PROVIDED TO EACH LOT.
LOTS 1 AND 43, BLOCK 1, SHALL HAVE DRIVEWAY ACCESS RESTRICTED TO WEST BAYSHORE DRIVE. LOT 10, BLOCK 2, AND LOT 1, BLOCK 3, SHALL HAVE DRIVEWAY ACCESS RESTRICTED TO WEST BAYSHORE DRIVE.
LOTS 10, BLOCK 2, AND LOT 2, BLOCK 3, ARE NON-BUILDABLE. THE HOMEOWNERS ASSOCIATION, NOW LOT 10, BE OWNED BY THE HOMEOWNERS OF 20 5, AND LOT 1, BLOCK 3, ARE TRAFFIC TO BE OWNED BY THE HOMEOWNERS ASSOCIATION.
EASEMENTS OF THE UNIFORM CITY OF EAGLE.

SETBACK
BE IN ACCORDANCE WITH THE CITY OF EAGLE.

COVENANTS
SUBDIVISION SHALL CONFORM TO STRUCTURE COVENANTS AS FILED.

NOTES
AS RECORDED UNDER THE PROVISIONS OF IDAHO CODE 30-1-101, 30-1-102, 30-1-103 AND 30-1-104, ALL INTERIOR MONUMENTS WILL BE SET WITHIN ONE YEAR FROM THE RECORDING DATE OF THIS PLAT.

pencil notes by
JC 11/9/98

63-12477


NEW Right = shallow ground water c 2 ponds for amenity



TOOTHMAN-ORTON ENGINEERING COMPANY

9777 CHURCH BLVD
BOISE, IDAHO 83714
(208) 323-2288

SHEET NO. 1 OF 5



L of 4



Concrete
Box at
Bogus
View
Dr.
for 18"
irrigation
water
pipe.



P/O
P/u
Pond 1



View
Looking
West

63-12477

2 of 4



Outlet
Control
Structure
for
Pond 1



P/O
P/A

Pond 2

View
Looking
West

Irrigation Pump
House at West End

63-12477

3 of 4



Irrigation
Pump
House
at
West
end
of
Pond 2

outlet control
Structure by Pump
House



outlet
Control
Structure
at
Pond 2

63-12477

4 of 4

out fall
at
Boise
River
from
Pond 2



out fall
pipe
at
Boise
River



63-12477

FOR OFFICE USE ONLY

Amt. of Fee \$: 100 -

Receipt No. 100

Receipt No. 445
Received By 2112

Receipt By: E. J. S.
 Date Received: 12/1/88

RECEIVED

JUN 08 1999

The Idaho Department of Water Resources considers this form a statement that the permit holder has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12477 Telephone No. (208) 286-9551
2. Name(s) of Permit Holder(s): Starwood of Eagle *STREANIDE HOA*
3. Mailing Address: 7701 W. Moon Valley Rd., Eagle, ID 83616
4. Source of Water: Boise River If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____
Graham/Gilbert Ditch
- a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____
- b. OPTIONAL:
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 27.3 Other: Irrigation Storage (Aesthetic)

5. Total rate of diversion and/or volume for which proof is submitted: 0.81 cfs OR 133.9 acre feet

- 7. Measuring Device Requirement:** (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional). Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No X

Has the measuring device been installed? Yes X or No

Flow Measurement Port: Is a flow measurement port required? Yes or No X

Has the measurement port been installed? Yes or No X

3. Fee Enclosed: \$ 100.- (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Walt Gann Telephone Number: 338-9915

Address: 821 Wyndemere Drive, Boise, ID 83702

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

(include your title, if on behalf of company or organization)

Date: _____

MICROFILMED

ALL INFORMATION CONTAINED

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12477

Proposed Priority: November 9, 1998

Maximum Storage Volume:

11.0 AF

This is to certify, that STARWOOD OF EAGLE
7701 W MOON VALLEY RD
EAGLE ID 83616

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
ARSTHETIC STORAGE	01/01 to 12/31		11.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2 (NWNE), Sec. 20, Township 04N, Range 01E
Lot 3 (NENW), Sec. 20, Township 04N, Range 01E
ADA County

PLACE OF USE: AESTHETIC STORAGE

TWN RGE SEC


04N 01E 20 Lot 2 (NWNE) Lot 3 (NENW)

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 2000.
2. Subject to all prior water rights.
3. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
4. This permit does not authorize the construction of any new well or the deepening or enlargement of any existing well.
5. Places of use are located within Lot 11, Blk. 2, and Lot 2, Blk. 3; Streamside Subdivision.
6. Rights 63-00144D and 63-12477 when combined shall not exceed a total storage volume of 11.0 AF.
7. Aesthetic storage use is for two ponds.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

27th day of April, 1999.


Karl J. Dreher, Director

for

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

DEC 14 1998

DEPARTMENT OF WATER RESOURCES

Contract =
David Powell P.E.
Tookman Atan

1. Name of Applicant Starwood of Eagle Phone 286-9551
Post Office address 7701 W. Moon Valley Rd., Eagle, ID 83616
2. Source of water supply groundwater which is a tributary of (See Remarks)
3. Location of point of diversion is - 1/4 of NW 1/4 of NE 1/4, Govt. Lot 22
Sec. 20 Township 4N Range 1E B.M. Ada County; additional points of
diversion if any: NENW Same Section (Gov't Lot?) = 3
4. Water will be used for the following purposes:
Amount 11 for Aesthetic Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) - and/or (b) 11
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 2 Excavated, interconnected ponds with emergency outlet for flood control
- b. Height of storage dam N/A feet; active reservoir capacity 11 acre-feet; total
reservoir capacity 11 acre-feet; period of year when water will be diverted to storage:
 to inclusive.
- c. Proposed well diameter is N/A inches; proposed depth of well is feet.
- d. Is ground water with a temperature of greater than 85°F being sought? No
- e. If well is already drilled, when? N/A; Drilling firm
Well was drilled for (well owner)
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity if KW.
b. Stockwatering; list number and kind of livestock.
c. Municipal; show name of municipality.
d. Domestic; show number of households.
e. Other; describe fully. Year round amenity for Streamside Subdivision

MICROFILMED
JUN 09 1999

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	1E	20		X			X												
				L2			L3												

Total number of acres to be irrigated -

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? > Applicant (per telegram w/ consultant 11/9/98 -sc)

b. Who owns the land to be irrigated or place of use?

c. If the property is owned by a person other than the applicant, describe the arrangement enable the applicant to make this filing:

12. Remarks: Shallow g.w. considered tributary to Boise River. Ponds to be built on wetland - see pending transfer of 63-00144B (irrigation right). Same ponds filled by river water in irrigation season - that will cover consumptive use aspects. Consumptive use outside of irrigation season is de minimus. Since no increased consumptive use: Local

13. MAP OF PROPOSED PROJECT ATTACHED ✓ Show clearly the proposed point of diversion, place of use, section number, township and range number.

See transfer appt. for map etc. - co's attached

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

processing moratorium plus "future mitigation" issue (snake river flows for anadromous fish migration) N/A. Pond sites are Lot 11, BL 2 & Lot 2, BL. 3 Streamside Subdivision.

Walter E. Cannon Officer
(Applicant) & Title

MICROFILMED

Received by AK Date 10/13/98 Time 8:15 Preliminary check by sc
Fee \$ 100.50 Receipted by sc # W024571 Date 11-10-98
Publication prepared by sc Date 11-12-98 Published in Statesman
Publication approved sc Date 12-7-98 11-19-98

DATE OF CHECK REC'D 11/9/98 although receipted 11/10.
Priority: D.O.P is 11/9/98.

SEE O'BASE REMARKS; COMMENTS FOR MORE COMPLETE INFO

Comments: Date: 11/10/1998 User-ID: SLESTER

Subject: ADDITIONAL INFORMATION

APPLICANT'S INFORMATION: 2 interconnected ponds with emergency outlet for flood control. Ponds cover 2.7 acres. Same ponds noted in pending T.5344 (use ditch water to fill ponds and continue to irrigate balance of subd. area). New right covers year around amenity. Ponds in L11, B1 2 and L2, B1 3, Streamside Subd. Starwood of Eagle is Matthew Thomas (Pres.), Bill Selvage & Walt Gann (Directors).


IDWR INFORMATION: Return flows (when needed) to river via SCA 63-S-1297 (currently valid through 12-98 so will need extension). Note gov't lot etc. explanations filed in T.5344. Ponds will be on previously irrigated land per 63-00144B. All consumptive use will be covered by irrigation right, which renders Basin 63 and "future mitigation" (anadromous fish flows) issues moot: there is nothing to mitigate for the proposed new use.

No well drilling should be authorized by this right. Water bearing zone is best described as shallow ground water tributary to river. Watermaster control should be included. See T.5344 for complete details for the subdivision development.

Contact person is Dave Powell at Toothman-Orton Engineering in Boise (tel. 323-2288).

MICROFILMED

JUN 09 1999



in
govt Lots:
2 w 1/2 NE
3 NE 1/4
4 NW 1/4
(see Attachment
G in new
transfer)
TYN
RIE

map is
from transfer
file

Transfo = River with for irrig
NEW right = shallow ground water
for amenity

IOWE map 11/9/98 per consultant's info
CFAA photo, IR photo previous xfer (T. 3326
in 1987),
-SZ

MICROFILMED


JUN 09 1999

STREAMSIDE SUBDIVISION

BEING THAT PORTION OF GOVERNMENT LOTS 2, 3, AND 4, SECTION 20, T.4N, R.1E, B.M. CITY OF EAGLE, ADA COUNTY, IDAHO, LYING SOUTH OF THE SOUTH CHANNEL OF THE BOISE RIVER, TOGETHER WITH ACCRETION LAND SITUATED IN AND ADJACENT TO LOTS 2, 3 AND 4 AS DESCRIBED IN STATE OF IDAHO DISCLAIMER OF INTEREST NO. 93

MAP CC from Transfer file →

Attachment E
(5 pgs)



RECORDED
PLAT
OF
PROPERTY



penal notes by
JR 11/9/98

NEW Right = shallow ground water c 2 ponds for amenity

RECEIVED

MAR 7 2000

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-12477

1. Owner: Sterwood of Eagle Phone No. (208) 286-9551

Current Address: 7701 W. Moon Valley Rd, Eagle, ID 83616

2. Accompanied by: Walt Gann EXAM DATE: 8-10-99

Address: Same Phone No. 338-9915

Relationship to Permit Holder: Development Manager

3. Source: Groundwater tributary to

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-001440

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion: 2 Ponds


[illegible]

2. Place(s) of Use:

Indicate Method of Determination Site Visit

[illegible]

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - Storage only


E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for Aesthetic Storage in 2 ponds in the Streamside Subdivision. The ponds are filled with groundwater from the shallow water zone in the Boise River flood plain. The ponds also receive water from the Graham - Gilbert Ditch under WR 63-00144D. This was WR 63-00144B, and was split to -C, unchanged, and -D for Starwood.
 2. A concrete diversion box at the Ditch has a 18" pipe to the first pond, a 2" pipe service to the south, and a 18" pipe overflow to the north, and back to the river.
 3. At the end (west) of the second pond, there is an Irrigation System Pump House, which provides irrigation water to the subdivision. Adjacent to the pump house is a concrete outlet structure w/ ck boards, which conveys pond water back to the river through an 18" pipe that has 4 concrete boxes on it.
 4. The consumptive use of the ponds is covered under the irrigation right. The ponds are regulated with the check board outlet structures, and are normally kept full throughout the year.
- Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached



G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses: *Aes. Storage*

$$\text{Pond 1; Vol.} = \left(\frac{1}{2} \right) (900' + 950') (90') (5' \text{ depth}) \frac{AF}{(66)(66)(10) + 3} = 9.6 \text{ AF}$$

$$\text{Pond 2; Vol.} = \left[\left(\frac{1}{2} \right) (650' + 625') (120') (5') + \left(\frac{1}{2} \right) (220' + 250') (50') (5') \right] \frac{AF}{(66)(66)(10)} = \frac{10.1 \text{ AF}}{19.7 \text{ AF}}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Allow 11.0 AF

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Aesthetic Stor.</i>	<i>01/01</i>	<i>12/31</i>		<i>11.0</i>
Totals:				<i>11.0</i>

2. Recommended Amendments


☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name *Dan Tomel* Date *12-7-99*

Reviewer _____ Date _____

SEAL




T4N
R1E
Sec. 20
NWNE, Lot 2
NENW, Lot 3



L of 4

Concrete
Box at
Bogus
View
Dr.

for 18"
irrigation
water
pipe.



P/D
P/u
Pond 1




View
Looking
West



63-12477

2 of 4

outlet
Control
Structure
for
Pond 1



P/D
P/A

Pond 2

View
Looking
West



Irrigation Pump
House at West End

63-12477



Irrigation
Pump
House
at
West
end
of
Pond 2


outlet control
Structure by Pump
House




outlet
Control
Structure
at
Pond 2

4 of 4

out fall
at
Boise
River
from
Pond 2



out fall
pipe
at
Boise
River



63-12477

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-12477 Reviewed by Jay Date 7-8-99

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Irr. storage

Correct Uses? NO

SOURCE OF WATER

 Surface water source

✓ Ground water source

NO Drilling permit required?

 Copy in the file? Drilling Permit No.

 Amount paid for permit Correct?

 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
100- Amount Submitted
NO Correct?

MEASURING DEVICE

NO Required?
yes Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>
Date proof due	<u> </u>
No. of days late	<u> </u>
Priority Date	<u> </u>
New Priority Date	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Refund \$50.00 of Exam fee Inform Permit holder the
✓ 8/1/99 for 63-001440.

~~Proof acceptable~~ Returned for clarification on Info.

Refund \$50.00 of exam fee

Proof Acceptable

DATA ENTRY

New Address X Proof Made 6-8-99



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

July 30, 1999

Starwood of Eagle
7701 W Moon Valley Rd
Eagle ID 83616

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12477

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

You filed proof for 11.0 acre feet of storage and submitted a license examination fee of \$100.00. The license examination fee for a storage rate of 11.0 acre feet is \$50.00. Therefore, I have initiated the process to refund the excess \$50.00 exam fee submitted. The refund should arrive in seven (7) to ten (10) business days under separate cover.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **WESTERN** Regional Office of the department in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH, Administrative Assistant
Water Allocation Bureau

c: IDWR - Regional Office
Brenda Corbett - Fiscal

MICROFILMED

AUG 3 9 1999

To: Water Right File No. 63-12477
From: Julie L. Yarbrough
Subject: Proof of B/U
Date: July 30, 1999

MEMORANDUM

On this date I spoke to Dave Powell (Toothman Orton Engineering) concerning the total rate of diversion for which proof was submitted. He informed me that the rate of diversion on the proof was incorrect and asked that I change the proof to reflect the correct volume. I corrected the proof to reflect 11.0 acre feet.

NOT RECORDED
AUG 09 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

July 20, 1999

Starwood of Eagle
7701 W Moon Valley Rd
Eagle ID 83616

RE: Permit No. 63-12477

Dear Permit Holder:

I have returned the Proof of Beneficial Use Statement you submitted for the above referenced water right for clarification of the nature of use and rate of diversion information.

Permit No. 63-12477 (copy enclosed) authorizes storage of 11.0 acre feet for aesthetic purposes, however, you indicate on the proof statement a rate of diversion of 0.81 cfs for irrigation. I have also enclosed a copy of a profile report for decreed right no. 63-00144D which authorizes a rate of diversion of 0.81 cfs for irrigation purposes.

If you have completed development of this permit, please correct the proof statement to reflect the correct information and return it to my attention within **sixty (60) days** of receipt of this letter.

You may contact me directly at (208)327-7953 if you have any questions regarding this matter.

Sincerely,

JULIE L. YARBROUGH, Administrative Assistant
Water Allocation Bureau

Enclosures

c: IDWR - Regional Office

MICROFILMED

AUG 28 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 28, 1999

DIRK KEMPTHORNE
GOVERNOR

STARWOOD OF EAGLE
7701 W MOON VALLEY RD
EAGLE ID 83616

KARL J. DREHER
DIRECTOR

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12477

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.


Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device and lockable controlling works that will enable the watermaster to control the rate of diversion.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,


Shelley W. Keen
Water Rights Supervisor

SK:klc
Enclosures

MICROFILMED


JUN 08 1999

CERTIFICATE OF MAILING

I hereby certify that on the 28th day of April, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 63-12477

STARWOOD OF EAGLE
7701 W MOON VALLEY RD
EAGLE ID 83616



Kari Lynn Townsend
Secretary

MICROFILMED

JUN 09 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED
JUN 6 9 1995

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by *Andy Jones*

No.: 103-12477 Name: Starwood Date: 1/25/99 Ad OK? ☒ Gvmt Lts: ☒

AREA OF CONCERN:

- No/Yes: 3RD Mor / GWMA / Trust / Non-trust

PROTESTED:

- 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

> 1 year

- 26A-P17

≤ 1 year/no proof

- P16

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT:

All wells (✓ WDQ3)

- 046-P23

In Basin 34?

- 085

Irr. within WD

- P05 (new well location)

WMD (✓ MAP)

- North / East / West

> 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

WMD Supplemental use

- 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)

> 0.24 cfs/5 acres

- 01M (report when notified)

≤ 0.24 cfs/5 acres

- No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED:

- Yes / No; WHEN: _____ RESPONSE: _____

IN/ABOVE MIN. STR. FLOW (✓ MAP)

- *WB9

WD (✓ MAP & LISTING)

- R04 (WD # 63)

> 0.10 cfs

- 01H-P08 (MD & LD)

≤ 0.10 cfs

- 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

> 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres

- 01M or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

In-stream dev.

- P52 (stream channel alteration)

RIVER BASINS: (*Surface water):

Snake R (01)

- *W22 -P04, NA

(02/03-irr)

- 007 (w/ remark *WB9 if above Weiser), NA

Payette R(65)

- *W22 (regulated uses), 047-P04 (Payette Lake), NA

Salmon R (70's)

- 029 (fish screens), NA

Weiser R (67)

- 086, 087

USE:

Storage (✓ 3 compo.)

- 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

Irr ≤ 5 acres

- R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)

> 5 acres

- R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)

Stockwater

- R37 (BLM/USFS); NA

Mining

- 054(req)-081-P10

Fish Propagation

- 029(70's only)-007-042(req)-081 (WQ)-P10

Heating/Cooling

- R07 (injection well)

Power

- 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use);

Municipal

17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

Domestic surface

- 022, 075, 004 (+memo?), NA (not in restricted area)

>1 in rest. area

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA

Fire Protection

- 071-070

- 077

LOCATION:

Boise Front LoGeo

- 058 (<85° GW temp only)

Mitigation

- 120

42-248 area

- P84 (in 20/30/40/50/60/70/80 (87) basin)

SWAN FALLS FLAG (See Code Chart)

Trust

- 051-052-053-P74 (Consumptive Uses), NA

Non-Trust (1)

- 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU)

OTHER CONDITIONS:

- 076 068

STANDARD REMARKS:

- 1 W60 2 W35

BENEFICIAL USE DUE:

- 2 / 1 / 2000

COMMENTS:

-

STATE OF IDAHO
WATER DISTRICT #63
LEE SISCO
6616 OVERLAND RD., BOISE, IDAHO 83709
PHONE 378-0246 FAX 378-1274

FAX TRANSMITTAL MEMO

TO:

COMPANY/AGENCY NAME:

ATTENTION: *Pam Skaggs*

DATE:

TIME:

NO. OF PAGES: /

COPY

MICROFILMED

JUN 04 1999

01-99

State of Idaho
Department of Water Resources

RECOMMENDATION OF WATERMASTER

Application No:

*Application 63-12477**#5344 Transfer 630014413*

Applicant's Name:

Starwood of Eagle

Watermaster's Recommendation:

a) ☐ I do not oppose approval of this application.b) ☒ I do not oppose approval of this application if it is conditioned as*+ Transfer*
follows: *Standard Watermaster Conditions*
*on both the Transfer & Application*c) ☐ I oppose approval of this application for the following reasons:

d) Additional Comment:

Dated this *22* day of *Jan* 1999Water District No: *63**Lee Liron*
Watermaster's Signature

Use reverse side of page if you need more space.

MICROFILMED

JUN 8 1999

RECEIVED

DEC 14 1998

IDaho DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

ok to process

DEPARTMENT OF WATER RESOURCES
INITIAL REVIEW BY: *JK*

DATE: *11/10/98*

APPLICATION: *63-12477*

REQUIRED INFORMATION

- see d'base comments*
- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
 - ☒ Address:
 - ☒ Source: (See USGS Quad for names of water sources)
 - ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
 - ☒ County:
 - ☒ Quantity: (flow and/or volume)
 - ☒ Period of use:
 - ☒ Nature of proposed use: (Include description of use)
 - ☒ Description of diverting works:
 - ☒ Time required for beneficial use of water:
 - ☒ Place of use or acres irrigated:
 - ☒ Map: (show T, R, S, QQ &/or QQQ)
 - ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
 - ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
 - ☒ Correct fee paid

Gov't. Lots:

Y P/D
P/U

ADDITIONAL INFORMATION

yes ADVERTISE REMARK(S)
(Reviewer identify which remarks)

all

N/A T FLAG CHANGED TO P FLAG

YES NO

- ☒ ☐ Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☒ ☐ Overlapping point of diversion.
- ☐ ☒ Critical groundwater area:
- ☐ ☒ Groundwater management area:
- ☐ ☒ 1992 moratorium:
- ☐ ☒ Surface water source, IDFG letter needed.
- ☐ ☒ Bull trout impact area, IDFG letter needed
- ☒ ☐ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☒ ☐ E-mail to Dam Safety staff: (for any storage) *excavated ponds so N/A*
- ☒ ☐ Mitigation plan: Check any that apply.
 - ☒ immediate = acceptable plan required and submitted. *see T. 5344*
 - ☒ *N/A* future = open areas, acceptance of condition of approval is in file.
- ☐ ☒ Send power requirement letter &/or fish farm requirement letter.
- ☐ ☒ Power residency affidavit:
- ☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☐ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED

DEC 14 1998

Department of Water Resources

63-5-1297

NOTE - storage w/ this right is T. 5344 (63-001448) is limited to 11 Af (capacity of 2 ponds).

Date Requested _____ Date Response Received _____

PROCESSING

APP. NO.

63-12477

YES NO

☒ ☐ In form for advertising:
☒ ☐ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES ☒ NO☒ YES NO

☐ ☒ I.D. Health & Welfare
☐ ☒ I.D. District Health
☐ ☒ I.D. Fish & Game
☐ ☒ I.D. Lands

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☒ ☐ Water Dist. # 63
☐ ☒ Other _____

Send

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☒ ☐ Publication dates and paper recorded on application:
☐ ☒ Final date for protest 12-7-98
☐ ☒ Protests received.
☐ ☒ Recommendations attached:
☐ ☒ Measuring device required:
☐ ☒ Water delivered by water master? District # _____
☒ ☐ Special conditions of approval or cover letter: 120

for copy of Appl. - we original with
 its 2 map plus cc of
 Comments pg. from d'entry version

See below for additional information

Recommended Date or Priority 11-9-98 when payment received -FL
 Recommended by: Gay S Date: 12/9/98

ADDITIONAL INFORMATION:

The only overlap is irrigation water via 63-001448 (Boise R.). See
 T. 5344 for same applicant. Transfer will provide split: 63-001440 for
 subd. ponds to be part of irrig. for subd. New permit filed to provide
 protection for year around amenity for shallow g.w.
 See D'BASE copy of Application for add'l info & possible approval:
 watermaster, SEA, well drilling, govt lot etc. factors.
 OK to process w/o more BS. 63 & "future mitigation" details since
 no new consumptive use involved.
 CONTACT CONSULTANT if need more info from Applicant.

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707-0040

LEGAL ADVERTISING INVOICE

Amount Due

\$141.00

Account Number/Trans. #		Identification	
047628		APPLICATION FOR WATER RIGHT	
Ordered By	P.O. Number	Rate	Run Dates
SUE TAYLOR		NT	NOVEMBER 19, 26, 1998
STATE OF IDAHO DEPT. OF WATER RESOURCES WESTERN 2735 AIRPORT WAY BOISE, IDAHO 83705		Estimated Inches	Real Inches
		# Affidavits	Legal Number
		1	2741

RECEIVED

DEC 04 1998

WATER RESOURCES
WESTERN REGION

JANICE HILDRETH, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for TWO

☒ consecutive weekly

☐ single

☐ consecutive daily

☐ odd skip

insertion(s) beginning with the issue of

NOVEMBER 19, 1998

and ending with the issue of

NOVEMBER 26, 1998

Janice Hildreth


STATE OF IDAHO)

ss.

COUNTY OF ADA)

MICROFILMED

JUN 15 1999



On this 26TH day of NOVEMBER in the year of 1998, before me, a Notary Public, personally appeared

JANICE HILDRETH known or identified

to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Jan English

Notary Public for Idaho

Residing at:

Boise, Idaho

My commission expires:

02/28/02

LEGAL NOTICE
NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12471

COUNTY OF ADA
PARKS & WATERWAY DEPT
4049 SECKERT RD
BOISE, ID 83706

Source: GROUNDWATER

Diversion Pt: NWSE

Sec 30 T 03N R 03E in ADA County.

Use: IRRIGATION

(0.130 CFS)

Total Diversion

(0.130 CFS)

Date Filed: 9/1/1998

In: ADA County

T03N R03E S30

NWSE

4.2 ACRES TOTAL

Water bearing zone for existing well to be used for Barber Park is from 52 to 58 feet. Applicant proposes to mitigate this new use from canal shares and therefore seeks waiver to local processing moratorium

63-12477

STARWOOD OF EAGLE
7701 W MOON VALLEY RD
EAGLE, ID 83616

Source: GROUNDWATER

Diversion Pt: LOT 2 (NWNE)

Sec 20 T 04N R 01E in ADA County.

LOT 3 (NENW)

Sec 20 T 04N R 01E in ADA County.

Use: AESTHETIC STORAGE

(11.00 AF)

Total Diversion:

(11.00 AF)

Date Filed: 11/9/1998

In: ADA County

T04N R01E S20 Lot 2 (NWNE) Lot 3 (NENW)

Shallow water bearing zone (excavated ponds) to be appropriated for non-consumptive use in Streamside Subdivision. Consumptive use covered by Transfer #5344 (Irrigation water, Boise River), and applicant seeks waiver from local processing moratorium based on these details.

Permit will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, ID 83705-5082, together with a protest fee of \$25 on or before December 7, 1998. The protestant must also send a copy of the protest to the applicant.

Karl J. Dreher, Director


Pub. Nov. 19, 26, 1998

2741

RECEIVED

DEC 04 1998

WATER RESOURCES
WESTERN REGION





State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 16, 1998

LEE SISCO
WATER DISTRICT 63
6616 OVERLAND RD
BOISE ID 83709

Re: Applications for Permit Nos. 63-12477 in the Name of Starwood of Eagle and 63-12471 in the Name of County of Ada, Parks & Waterway Dept. and Application for Transfer of application 63-00144B in the Name of Starwood of Eagle

Dear Sir:

Enclosed are copies of the above-referenced applications for water right within your district. Also, enclosed are forms for your recommendation concerning these applications.

Please review the applications and submit any comments you may have within two weeks. If you have any questions or need information, feel free to contact this office.

Sincerely,

Gary Spackman

GS:st

Encl.

MICROFILMED

JUN 09 1999

63-12477

STARWOOD OF EAGLE
7701 W MOON VALLEY RD
EAGLE, ID 83616

Source: GROUNDWATER

Diversion Pt: LOT 2 (NWNE) Sec 20 T 04N R 01E in ADA County.
LOT 3 (NENW) Sec 20 T 04N R 01E in ADA County.

Use: AESTHETIC STORAGE	(	11.00 AF)
Total Diversion:	(	11.00 AF)

Date Filed: 11/ 9/1998

In: ADA County
T04N R01E S20 Lot 2(NWNE) Lot 3(NENW)

Shallow water bearing zone (excavated ponds) to be appropriated for non-consumptive use in Streamside Subdivision. Consumptive use covered by Transfer #5344 (irrigation water, Boise River), and applicant seeks waiver from local processing moratorium based on these details.

MICROFILMED

JUN 09 1998

From: DWR80::SLESTER 10-NOV-1998 11:14:57.44
To: GGIBSON
CC: SLESTER -*fl*
Subj: STARWOOD APPL. 63-12477

Gene - Starwood of Eagle has appl. 63-12477 for ground water ponds in Streamside Subd., and application is now being processed. Consultant Dave Powell of Toothman-Orton mentioned SCA permit. Our records show 63-S-1297 for this project, and that permit expires 12-98. Applicant also has companion Transfer #5344 for irrigation water from Graham-Gilbert Ditch (right 63-00144B).

Both applications might need your review to see if more SCA factors are involved. Sue will have files by 11-12-98 for advertising if you need to look at the applications.

-- Steve

63-12477

5

T. 5344

*email to Region SCA
staff for comments*

~~WILE LESTER~~ ✓

\$50 -

Idaho Dept Water Resource

93056-40-108

MICROFILMED

JUN 09 1998

Application for Permit

RECEIVED

NOV 09 1998

WATER RESOURCES
WESTERN REGION

63-12477