




OCT 27 1998

MICROFILMED

09/08/98 09:16 63-12468 463 4210 ACTION SIGNS INC 10003

RECORD OF SURVEY

LOT LINE ADJUSTMENT

SITUATED IN THE SOUTHWEST 1/4 OF THE NORTHWEST 1/4 OF SECTION 4
TOWNSHIP 2 NORTH, RANGE 2 WEST, BOISE MERIDIAN
CANYON COUNTY, IDAHO.
1998


**PRELIMINARY
DRAWING**

LEGEND:

- FOUND BRASS CAP MONUMENT
- FOUND 3/8" IRON PIN
- FOUND 1/2" IRON PIN
- SET 5/8" IRON PIN W/PLASTIC CAP PLS 6373
- BOUNDARY LINE
- ORIGINAL PARCEL LINE
- - - ADJUSTED PARCEL LINE
- - - EASEMENT
- +—+— IRON FENCE
- +—+— CHAIN LINK FENCE

INFO PER
APPLICANT'S 10/1/98
office visit

- 52



NOTE:

FISCHER LAND SURVEYING AND 2nd K LAND SURVEYING ASSUMES NO LIABILITY FOR PRESENT OR FUTURE COMPLIANCE OR NON-COMPLIANCE WITH COUNTY PLANNING AND ZONING ORDINANCE RESTRICTIONS AS THEY PERTAIN TO VARIOUS PERIODS AND THE ISSUANCE THEREOF.

BASIS OF BEARINGS:

THE BASIS OF BEARINGS FOR THIS DRAWING IS THE SOUTH LINE OF THE NORTHWEST 1/4 OF SECTION 4, TOWNSHIP 2 NORTH, RANGE 2 WEST, BOISE MERIDIAN, I.e.: S 89°44'20" W.

SURVEY FOR

ANNETTE PASCOE
PO BOX 2, MIRAMONTE BLVD.
KAMPA, ID. 83628
(208) 466-0726

SURVEYOR'S CERTIFICATE

I, FOREST J. KEARNES, duly registered professional land surveyor in and for the state of Idaho, do hereby attest that this record of survey accurately depicts the survey herein as performed and marked upon the ground under my supervision in accordance with Idaho Code governing land surveying.



98046.DWG

AUGUST 1998

PAGE 1 OF 1

Fischer Land Surveying

2nd K Land Surveying



404 So. Washington Ave.
Emmett, Idaho 83617
(208) 365-4146
Fax: 365-4183



INDEX No. 224-04-4-3-00-00

JOB No. 98046

63-12468 f 63-12469

1600 ft² per lot will use well water for lawn patch, balance will be ditch water

these 2 are also 350'x82'

back portions of lots will use ditch water

RET 27 1998
MICROFILMED
from 2nd Subd. Section Line

Dorley Rd


S 89°42'20" W
BASIS OF BEARINGS

X = WELLS

NO lot/block/subd. designations

10/22/98: Per Annette Pascoe, Rets 1-3, Bk 2, Pascoe Subd.

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Lot 4, BIK 1	Franklin	2	2823018110	Grundfos	
one well,	Franklin	5	2821139310	Grundfos	
2 pumps					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None: Op. Press. 50-65 psi; 50 psi on gage.

MICROFILMED

APR 26 2001



Pasco Subdivision

RECORD OF SURVEY

LOT LINE ADJUSTMENT

SITUATED IN THE SOUTHWEST 1/4 OF THE NORTHWEST 1/4 OF SECTION 4
TOWNSHIP 2 NORTH, RANGE 2 WEST, BOISE MERIDIAN
CANYON COUNTY, IDAHO
1998

PRELIMINARY DRAWING

LEGEND:

- FOUND BRASS CAP MONUMENT
- FOUND 3/8" IRON PIN
- FOUND 1/2" IRON PIN
- SET 3/8" IRON PIN W/ PLASTIC CAP PLS 6373

- BOUNDARY LINE
- ORIGINAL PARCEL LINE
- - - ADJUSTED PARCEL LINE
- - - EASEMENT
- WIRE FENCE
- CHAIN LINK FENCE

NOTE:

FISCHER LAND SURVEYING AND 2nd K LAND SURVEYING ASSURES NO LIABILITY FOR PRESENT OR FUTURE COMPLAINT OR NON-COMPLIANCE WITH COUNTY PLANNING AND ZONING ORDINANCE RESTRICTIONS AS THEY RELATE TO BUILDING PERMITS AND THE ASSURANCE THEREOF.

BASIS OF BEARINGS:

THE BASIS OF BEARINGS FOR THIS DRAWING IS THE SOUTH LINE OF THE NORTHWEST 1/4 OF SECTION 4, TOWNSHIP 2 NORTH, RANGE 2 WEST, BOISE MERIDIAN, Co.: S 89°48'20" W.

SURVEY FOR

ANNETTE FISCHER
FISCHER & ASSOCIATES
IDAHO, ID.: 83888
(208) 460-0728

Total

8 Lots

[one well]

SURVEYOR'S CERTIFICATE

I, FOREST J. KEHRES, duly registered professional land surveyor in and for the State of Idaho, do hereby attest that this record of survey accurately depicts the survey herein as performed and marked upon the ground under my supervision in accordance with Idaho Code governing land surveying.



98048.DWG

AUGUST 1998

PAGE 1 OF 1

Fischer Land Surveying

2nd K Land Surveying

104 So. Washington Ave.

Emmett, Idaho 83617

(208) 365-4148

Fax: 365-4183

INDEX No. 224-04-4-J-00-00

JOB No. 98048

BLK 2; Lot 3 Not on Water System

INFO. PER APPLICANTS 10/1/98 office visit

1600 ft² per lot will use well water for lawn patch, balance will be ditch water

These 2 are also 350' x 82'

back portions of lots will use ditch flow
411 Alum.
Pipe Section

Lots 1, 2 BLK 2 63-12469

North portion of 211 lots; irrigated Pasture.
63-02388 Boise-Kuna I. D. Water

63-12468 Lots 1-6 BLK 1

Plb, well; BLK 1 Well House

This well Dooley Rd not drilled. Dooley Rd.

x = wells (yellow) no lot/block/subd. designation

2nd prep p.w

63-12468 & 63-12469

2nd prep p.w

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This well is located in Lot 4, BLK 1, Pascoe Subdivision, and serves lots 1-6, BLK 1, and lots 1 + 2, BLK 2. Lot 3, BLK 2 ~~was~~ is not on this well.

Dan Tomich, Water Rights Examiner
Signature of Dept. Representative & Title

2-17-00
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



ROFILMED

APR 26 2001

1 of 3

P/D


Well +
Well House

Plu

Lots

looking

West.



P/D

Well +
Well House.

Lots -

Plu

Looking

East.



↑ Note Value Box
for Lot 4, B/K 1.

MICROFILMED
APR 26 2001


63-12468

63-12469

2 of 3

P/D
well
House.

2" mainline
West + East
is 2" PVC
Pipe w/
Blue Valves.



P/u
Lots are
divided at
fence line.
Note 4"
Alum. irrigation
pipe by fence
for irrigated
pasture on
Northern
portion of lots.

View Looking North
from Lot 4, BIK 1.

MICROFILMED
APR 26 2001

63-12468

63-12469

3 of 3

P/u

Lots +
Homes

Looking
West



P/u

Lots and
Home

Looking
East.



MICROFILMED

APR 26 2001

63-12468

63-12469

PRELIMINARY DRAWING

LOT LINE ADJUSTMENT

SITUATED IN THE SOUTHWEST 1/4 OF THE NORTHWEST 1/4 OF SECTION 4
TOWNSHIP 2 NORTH, RANGE 2 WEST, BOISE MERIDIAN
CANYON COUNTY, IDAHO.
1998

LEGEND:

-  FOUND IRON PIN MONUMENT
 FOUND 3/8" IRON PIN
 FOUND 1/2" IRON PIN
 SET 3/8" IRON PIN W/PLASTIC CAP PLS 6372

 BOUNDARY LINE
 ORIGINAL PARCEL LINE
 --- ADJUSTED PARCEL LINE
 EASEMENT
 --- IRON FENCE
 CHAIN LINK FENCE

NOTE:

FISCHER LAND SURVEYING AND 2ND K LAND SURVEYING ASSUMES NO LIABILITY FOR PRESENT OR FUTURE COMPLIANT OR NON-COMPLIANCE WITH COUNTY PLANNING AND ZONING ORDINANCE RESTRICTIONS AS THEY PERTAIN TO DUALING PERMITS AND THE ASSUMPTION THEREOF.

BASIS OF BEARINGS:

THE BASIS OF BEARINGS FOR THIS DRILLING IS THE
SOUTH LINE OF THE NORTHWEST 1/4 OF SECTION 4,
TOWNSHIP 2 NORTH, RANGE 2 WEST, DOSE MERIDIAN,
I.e.: S 89°42'20" W.

SURVEY FOR

JANNETTE PASCO
2802 S. WILLOW DR. W.D.
KALAPA, ID. 83628
(208) 466-0728

SURVEYOR'S CERTIFICATE

A FORREST J. KEARNES, DULY REGISTERED PROFESSIONAL LAND SURVEYOR
IN AND FOR THE STATE OF IDAHO, DO HEREBY ATTEST THAT THIS RECORD
OF SURVEY ACCURATELY DEPICTS THE SURVEY HEREBY AS PERFORMED AND
MADE UPON THE GROUND UNDER HIS SUPERVISION IN ACCORDANCE WITH
IDAHO CODE GOVERNING LAND SURVEYING.



98046.DWG

AUGUST 1998

PAGE 1 OF 1

Fischer Land Surveying

2 MP K Land Surveying

404 So. Washington Ave.

404 So. Washington Ave.
Emmett, Idaho 83617

(208) 365-4146

Fox: 365-4183

INDEX No. 224-04--1-3-00-00

JOB No. 98046

86/80/60

09:16

208 463 4210

ACTION SIGNS INC.

003

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-12469

Priority: August 22, 1998

Maximum Diversion Rate: 0.06 CFS
Maximum Diversion Volume: 2.4 AF

It is hereby certified that BILL PASCOE And/Or ANNETTE PASCOE
2802 S MIDLAND BLVD
NAMPA ID 83686 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated August 21, 1998; and have
submitted Proof of Beneficial Use on November 02, 1999. An examination indicates that the works have
a diversion capacity of 0.25 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

BENEFICIAL USE

DOMESTIC

PERIOD OF USE

01/01 to 12/31

DIVERSION RATE

0.06 CFS

**ANNUAL
DIVERSION VOLUME**

2.4 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 4, Twp 02N, Rge 02W, B.M., CANYON County

PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N	02W	4																	

CONDITIONS OF APPROVAL

1. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.
2. Domestic use is for 2 homes.
3. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
4. The irrigation occurring under this domestic use shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed. This right does not provide for irrigation of common areas or for irrigation of lots upon which homes have not been constructed.

MICROFILMED

APR 27 1997

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-12469

5. Right 63-12468 is also diverted through the point of diversion described above.
6. Point of diversion is located within Lot 4, Blk. 1, Pascoe Subdivision.
7. Place of use is located within Lots 1 and 2, Blk. 2, Pascoe Subdivision.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 23RD day of April, 2001.

Acting for

KARL J. DREHER
Director

MICROFILMED

APR 24 2001

IN THE MATTER OF PERMIT NO. 63-12469)
)
IN THE NAME OF BILL & ANNETTE PASCOE)
)

**ORDER OF

REINSTATEMENT**

MICROFILMED
JAN 28 2000

RECEIVED

NOV 02 1999

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

NOV 3 1999

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12469 Telephone No. 208-466-07262. Name(s) of Permit Holder(s): Bill + Annette Pascoe3. Mailing Address: 2802 S. Midland Nampa ID 836864. Source of Water: Groundwater (well) If **GROUNDWATER** (well), Date Drilled: mo. 11 / yr. 98a. Well Driller: Sylvan Adamson/Domestic Pump Drilling Permit Number: 63-98C0779 000b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 2 homes + yards (1 home site was not developed)
Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 10 cfs OR _____ acre feet

Point of diversion is located in within Lot 4, Blk 1, Pascoe Subdivision

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No ✓

Has the measuring device been installed?

Yes _____ or No ✓

Flow Measurement Port: Is a flow measurement port required?

Yes _____ or No ✓

Has the measurement port been installed?

Yes _____ or No ✓8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Annette Pascoe Telephone Number: 208-466-0726Address: 2802 S. Midland Nampa ID 83686

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Annette Pascoe
(include your title, if on behalf of company or organization)Date: 10/14/99

MICROFILMED

JAN 28 2000

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-12469

Proposed Priority: August 21, 1998

Maximum Diversion Rate:

0.10 CFS

This is to certify, that **ANNETTE PASCOE**

BILL PASCOE

2802 S MIDLAND BLVD

NAMPA ID 83686

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.10 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 4, Township 02N, Range 02W
CANYON County

PLACE OF USE: DOMESTIC

TWN RGE SEC

02N 02W 4

SWNW

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **November 1, 1999.**
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
5. The irrigation occurring under this domestic use shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed. This right does not provide for irrigation of common areas or for irrigation of lots upon which homes have not been constructed.
6. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary for this purpose will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
7. Point of diversion is located within Lot 3, Blk. 2, Pascoe Subdivision.
8. Places of use are located within Lots 1-3, Blk. 2, Pascoe Subdivision.
9. Domestic use is for 3 homes.
10. Water bearing zone to be appropriated is from 40 to 60 feet.

RECEIVED
JUL 27 1998

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12469

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

23 day of October, 1998.

Karl J. Dreher
for Karl J. Dreher, Director



6032100-1
10/27/98

RECEIVED

OCT 19 1998

FORM 202

1/96

DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO

Ident. No. 63-12469

RECEIVED

AUG 21 1998

WATER RESOURCES
WESTERN REGION

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

AUG 21 1998

Department of Water Resources

1. Name of Applicant Annette & Bill Pascoe Phone 466-0726
Post Office address 2802 S. Midland, Nampa ID 83686
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SW 1/4 of NW 1/4, Govt. Lot _____
Sec. 04 Township 2N Range 2W B.M. Canyon County; additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .10 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .10 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pipeline to homes

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
c. Proposed well diameter is 6" inches; proposed depth of well is 200 feet.
d. Is ground water with a temperature of greater than 85°F being sought? No
e. If well is already drilled, when? _____; Drilling firm _____:
Well was drilled for (well owner) _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity if KW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. _____
d. Domestic; show number of households. 3 Homes with up to a total of 1/2 acre irrigation.
e. Other; describe fully. _____

MICROFILMED

OCT 27 1998

to Comments
2/26/98

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	2W	4							D										

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? "

c. If the property is owned by a person other than the applicant, describe the arrangement enable the applicant to make this filing: _____

12. Remarks: Water bearing zone to be appropriated is from 40 to 60 feet.
Applicant agrees to mitigate consumptive use in the future as needed.

13. MAP OF PROPOSED PROJECT ATTACHED ☒ Show clearly the proposed point of diversion, place of use, section number, township and range number.

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Cinnette Pascoe
 (Applicant) MICROFILMED

OCT 27 1998

Received by CS Date 8-21-98 Time 9:50 AM Preliminary check by SL
 Fee \$ 50.00 Receipted by RF # 0043189 Date 8-21-98
 Publication prepared by AT Date 9-9-98 Published in Press-Tribune
 Publication approved AT Date 10-6-98 9-17 & 24-98

* Per Applicant's info provided on 9/8/98.

-SL



RECORD OF SURVEY

LOT LINE ADJUSTMENT

SITUATED IN THE SOUTHWEST 1/4 OF THE NORTHWEST 1/4 OF SECTION 4
TOWNSHIP 2 NORTH, RANGE 2 WEST, BOISE MERIDIAN
CANYON COUNTY, IDAHO
1998

PRELIMINARY

DRAWING

INFO. PER
APPLICANTS 10/1/98
office visit

- LEGEND:
- FOUND BRICK CAP MONUMENT
 - FOUND 3/4" IRON PIN
 - FOUND 1/2" IRON PIN
 - SET 5/8" IRON PIN W/PLUMB CAP PL 6373

- BOUNDARY LINE
- ORIGINAL FACELINE
 - ADJUSTED FACELINE
 - EASEMENT
 - RAIL FENCE
 - CHAIN LINK FENCE

NOTE:
FISCHER LAND SURVEYING AND 2 IN K LAND SURVEYING ASSUMES NO
LIABILITY FOR PRESENT OR FUTURE COMPLAINTS OR NON-COMPLIANCE
WITH COUNTY PLANNING AND ZONING ORDINANCE RESTRICTIONS AS THEY
PERTAIN TO BUILDING PERMITS AND THE EASEMENT HEREIN.

BASIS OF BEARINGS:

THE BASIS OF BEARINGS FOR THIS DRAWING IS THE
SOUTH LINE OF THE NORTHWEST 1/4 OF SECTION 4,
TOWNSHIP 2 NORTH, RANGE 2 WEST, BOISE MERIDIAN
T.A. 5 89° 47' 20" W

SURVEY FOR

ANNETTE PASCOE
AND 2 IN K LAND SURVEYING
PL 6373
(708) 365-4148

SURVEYOR'S CERTIFICATE

I, FISCHER LAND SURVEYING, A REGISTERED PROFESSIONAL LAND SURVEYOR
IN AND FOR THE STATE OF IDAHO, DO HEREBY CERTIFY THAT THE
FORWARDING OF THIS DRAWING TO THE PUBLIC REPRESENTS A COMPLETED AND
FINAL ORDER OF LAND SURVEYING.




980-16-080 AUGUST 1998 PAGE 1 OF 1

Fischer Land Surveying

2 IN K Land Surveying
404 So. Washington Ave.
Eagle, Idaho 83617
(208) 365-4148
Fax: 365-4183

PROJECT No. 224-04-4-3-00-00 JOB No. 98048



No lot/block/subd. designation
10/22/98: Per Annette Pascoe, Rets 1-3, Bt 2, Pascoe Subd.

x = wells

63-12468 & 63-12469

Data Entry

Jan 5, 1998
 CANYON COUNTY - Planning & Zoning
 RECEPTION

PZFM001

Assessor's Account 8R29270000 0		Owner(s) PASCOE, WILLIAM C PASCOE, ANNETTE-H/W	
Applicant - Name and Address Last First MI PASCOE WILLIAM		Legal Description 04-2N-2W NW Bldg Cls MH? N TAX 39 IN SWNW	
Company Adrs DOOLEY LN City NAMPA St ID Zip 83651 Home (208) 466-0726 Wk () -			
Applicant's Consultant Company Adrs City St ID Zip Home Wk		Acres 7.97 Parcel 02N02W044190 Site DOOLEY LN NA Subdivision	
		Date Jan 5, 1998 Time 2:09 pm Reception No 6509	

Information/Notes
 LOT SPLIT.

Clerk DEW

Data Available?

Case No 986509A04-2N-2W	
N	Zoning Compliance
N	Zoning and C.U.P.
N	Subdivision
N	Parcel Division
N	Enforcement

Office Visit(s) -	Date	Zoning Officer	Note
	Jan 5, 1998	JERRY	

MICROFILMED

OCT 27 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

April 24, 2001

BILL PASCOE
ANNETTE PASCOE
2802 S MIDLAND BLVD
NAMPA ID 83686

RE: License No. 63-12469 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

APR 25 2001

CERTIFICATE OF MAILING

I hereby certify that on April 24, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 63-12469

**BILL PASCOE
ANNETTE PASCOE
2802 S MIDLAND BLVD
NAMPA ID 83686**

A handwritten signature in cursive script, reading "Kari Lynn Townsend", written over a horizontal line.

**Kari Lynn Townsend
Secretary**

MICROFILMED

APR 24 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
APR 25 1985

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 7, 2000

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-12468
63-124691. Owner: Annette & Bill Pascoe Phone No. (208) 466-0726Current Address: 2802 S. Midland Blvd., Nampa, ID 836862. Accompanied by: Annette + Bill Pascoe EXAM DATE: 2-17-00Address: Same Phone No. SameRelationship to Permit Holder: Same3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: Boice-Kuna I.D.; 63-023882. Other water rights with the same point of diversion: one well for both permits

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion: one well: Lot 4, BIK 1.

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NW	4	2N	2W	Canyon	Site Visit, map

2. Place(s) of Use:

Indicate Method of Determination


Site Visit, map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	2W	4							D										

MICROFILMED

JUN 25 2000

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Lot 4, BIK 1	Franklin	2	2823018110	Grundfos	
one well,	Franklin	5	2821139310	Grundfos	
2 pumps					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None: op. Press. 50-65 psi; 50 psi on gage.

MICROFILMED

APR 26 2001

6. Cond. 10 - Water bearing zone; 40' to 60'.
Well screens at 192' to 202' !
E. NARRATIVE/REMARKS/COMMENTS

1. Both of these permits are for Domestic use in the Pascoe Subdivision. One well with 2 pumps in Lot 4, B1K1, serves 8 lots in the subdivision through a 2" mainline and 1" service lines, w/ valves, to each lot. At the time of the exam, all the lots had water service - the system is ~~complete~~ Complete - and homes were built on 3 lots.
2. Originally, the subdivision was to be developed with 2 wells - one in Lot 3, B1K2, and the other in Lot 4, B1K1. 63-12468 was for lots 1-6, B1K1, and 63-12469 was for lots 1-3, B1K2. Only the well for Lot 4, B1K1 was drilled, and since it had enough water; 2 pumps were installed to serve the entire subdivision from one system. The well for Lot 3, B1K2 was not drilled, and Lot 3, B1K2 is not on the water system.
3. About 150' of the South Portion of the subdivision is served by the domestic system. The North Portion is still an irrigated pasture served from a 4" Alum. pipe from a lateral of Boise-Kuna I.D. located by Midland Rd.
4. The owners own the lots, but private homes are being built on them. The owners are still farming the North Portion of the subdivision and the land to the North West.
5. The well water is only used for irrigation + external domestic on the South Portion of the lots.

Have conditions of permit approval been met? ~~yes~~ yes ☒ no (see 6. - Cond. 10)

APR 26 2009

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: None: Theoretical, Cal.:

8 lots, one system

one well, 2 pumps: @ 50 PSI

$$Q_1 = \frac{(8.8)(2 \text{ HP})(702)}{54' + (50 \text{ PSI}) \left(\frac{34'}{14.7 \text{ PSI}} \right)} = 0.07 \text{ cfs}$$

$$Q_2 = \frac{(8.8)(5 \text{ HP})(702)}{54' + (50 \text{ PSI}) \left(\frac{34'}{14.7 \text{ PSI}} \right)} = 0.18 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$


$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

$$Q_{\text{allowed}} = 0.13 \text{ cfs}$$

63-12468; 0.14 cfs
63-12469; 0.10 cfs
(9 lots) 0.24 cfs
(Permits)

2. Volume Calculations for Other Uses:



Domestic: Internal + External

12468

63-12468: 6 Homes @ 1.2 AFA = 7.2 AFA

63-12469: 2 Homes @ 1.2 AFA = 2.4 AFA

Div. Rate: Allowed:

63-12468: 6 Homes @ 0.11 cfs

63-12469: 2 Homes @ 0.06 cfs

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

63-12468, Domestic

63-12469, Domestic

Period of Use

From

To

Rate of Diversion

Q (cfs)

Annual Volume

V (afa)

0/01

12/31

0.11

7.2

01/01

12/31

0.06

2.4

Totals:

2. Recommended Amendments

✓ Change P.D. as reflected above

✓ Change P.U. as reflected above

Add P.D. as reflected above

✓ Add P.U. as reflected above

None

Other

From 3 lots to 2 lots

for 63-12469

Add 2 lots to

63-12468.

Total Div. Rate, both permits, should not exceed 0.13 cfs.

I. AUTHENTICATION

Field Examiner's Name

L. J. J. J. J.

Date

1-22-00

Reviewer

Date

MICROFILMED

APR 26 2005


1) only one well for both permits.

2) Plu; entire subdivision.

SEAL

one system.

8 lots.



North Portion
Boise-Kuna I.D.
63-02368

P/u, 8 lots
[South Portion,
Pascoe Subdivision]

P/O
Well

T2N
R2W
Sec. 4
SW NW

No Gov. Lots
in SWNW

63-12468
63-12469

MICROFILMED
10 10 2001

Pascoe Subdivision

RECORD OF SURVEY

LOT LINE ADJUSTMENT
SITUATED IN THE SOUTHWEST 1/4 OF THE NORTHWEST 1/4 OF SECTION 4
TOWNSHIP 2 NORTH, RANGE 2 WEST, BOISE MERIDIAN
CANYON COUNTRY, IDAHO.
1998

PRELIMINARY

DRAWING

BLK. Lot 3 Not
2, on water
System

五

1600 ft² per lot will use well water for lawn patch, but will be ditch

there 2 are
Also 350' x 82'

lots 1,2
BUX
63-12469

back portions of
lots will use

411 Alum. 

This well Droley Rd

not drilled. Dooley Rd.

$$x = wells$$

2017 60' 8 Lots/Homes

(yellow) no lat/blk/subd. designations

NOTE:

PROSECUTOR AND 2 OF K AND SUPERVISOR ASSURES NO LIABILITY FOR PRESENT OR FUTURE COMPLAINT OR NON-COMPLAINT SINCE COUNTRY PLANNING AND ZONING COMMISSIONER RESPECTS AS THEY WORKING TO MANAGE MEMBERS AND THE ASSUMED THREAT.

BASIS OF BEARINGS:

THE BUSH OF DEARNESS FOR HIS DRAWING IS THE
SOUTH LINE OF THE NORTHWEST 1/4 OF SECTION 4,
TOWNSHIP 2 NORTH RANGE 2 WEST, BUSH MEADOW
Co. 5 65-41-20 W.

SURVEY FOR
ANNETTE PISCO
PO BOX 2, NICKAWOOD MO
MILLERS, MO. 63120
(200) 480-0726

SURVEYOR'S CERTIFICATE

1. FOREST: A NEGATIVE ONLY REGISTERED PROFESSIONAL LAND SURVEYOR IN AND FOR THE STATE OF OREGON, DO HEREBY CERTIFY THAT THE RECORD OF SURVEY ACCURATELY REFLECTS THE SURVEY DESIGN AS ENTERED AND ISSUED UPON THE GRANTED INSTRUMENT SUPERSEDED BY ACCORDANCE WITH LAND CODE GOVERNING LAND SURVEYING.

lot 4
P/D, well; BIK-1
Well House

00000000

PAGE 1 OF 1

Fischer land Surveying

2 **Land Surveying**

DEK

For: J65-418J

INDEX No. 224-04-1-J-00-00

92048

✓ 63-12468 i 63-12469

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

- 63-12468
1. DRILLING PERMIT NO: 63-98-C-0772-000 OTHER APPLICABLE NO: 63-12468
2. OWNER: Annette & Bill Pascoe Phone: (208) 466-0726
Address: 2802 S. Midland Blvd., Nampa, ID 83686
3. WELL LOCATION: Twp 2N, Rge. 2W, Sec. 4, SW 1/4 NW 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Domestic Pump & Drilling Lic. No. 483
When Drilled? 11/1/98 to 11/5/98
5. WELL CONSTRUCTION:
Casing Diameter 8 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 191 ft. Method Drilled Air Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe New
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving New
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 54 ft. Water Temperature 59 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☒ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This well is located in Lot 4, BLK 1,
Pascoe Subdivision, and serves lots 1-6, BLK 1,
and lots 1 + 2, BLK 2. Lot 3, BLK 2 ~~was~~ is
not on this well.

Don Tomich, Water Rights Examiner
Signature of Dept. Representative & Title

2-17-00
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



ROUTED

APR 26 2001



1 of 3
 P1D
 Well +
 Well House
 Plu
 Lots
 looking
 West.



P1D
 Well +
 Well House.
 Lots -
 plu
 Looking
 East.

↑ Note Value Box
 for Lot 4, BIK 1.

MICROFILMED
 APR 25 1987

63-12468
 63-12469


2 of 3

P/D

well

House.

2" mainline
West + East
is 2" PVC
Pipe w/
Blue valves.



P/u
lots are
divided at
fence line.
Note 4"
Alum. irrigation
pipe by fence
for irrigated
pasture on
Northern
portion of lots.

View looking North
from lot 4, BIK 1.

MICROFILMED
SEP 26 1980

63-12468

63-12469

3 of 3

P/u

Lots +
Homes

Looking
West



P/u

Lots and
Home

Looking
East.



MICROFILMED

SEP 26 1971

63-12468

63-12469

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-12469 Reviewed by Jay Date 12-17-99

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? dom.
yes Address same as permit?
no Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓
 Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 63-98-C-0778-000
200- Amount paid for permit yes Correct?
no Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received 11-2-99
Date proof due 11-1-99 -
No. of days late 1 =
Priority Date 8-21-98 +
New Priority Date 8-22-98

> 8/22/98

DEFICIENCIES OR ACTION ITEMS

Runstate & advance priority to Aug 22, 1998.
Proof Acceptable

DATA ENTRY

New Address X Proof Made 11-2-99



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

December 27, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

BILL AND ANNETTE PASCOE
2802 S MIDLAND BLVD
NAMPA ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12469

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

Enclosed is an order reinstating the permit since proof was submitted after the proof due date. Please note that the priority date has been advanced to August 22, 1998, pursuant to Section 42-218a, Idaho Code.

Please be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. If you have questions concerning the field examination, please contact the **WESTERN** Regional Office of the department in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH, Administrative Assistant
Water Allocation Bureau

Enclosure

c: IDWR - Region

MICROFILMED

JAN 28 2000

August 31, 1999

ANNETTE PASCOE
BILL PASCOE
2802 S MIDLAND BLVD
NAMPA ID 83686

PROOF DUE NOTICE

RE: PERMIT NO. 63-12469

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1999.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

JAN 28 2000





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 26, 1998

ANNETTE PASCOE
BILL PASCOE
2802 S MIDLAND BLVD
NAMPA ID 83686

PERMIT APPROVAL NOTICE

RE: PERMITS 63-12468/63-12469

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permits authorizing you to establish new water rights. Please be sure to thoroughly review the conditions of approval and remarks listed on your permits.

The permits are preliminary orders issued by IDWR pursuant to section 67-5243, Idaho Code. They can and will become final orders without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed are forms entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop these permits into licensed water rights. Also enclosed are forms entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit these forms immediately.

The right to drill a well is not a part of these permits to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

NOT RECORDED
OCT 27 1998

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

MICROFILMED
OCT 27 1988

CERTIFICATE OF MAILING

I hereby certify that on the 26th day of October, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDERS (Approved Permits) to the person(s) listed below:

Water Rights 63-12468/63-12469

ANNETTE PASCOE
BILL PASCOE
2802 S MIDLAND BLVD
NAMPA ID 83686


Kari Lynn Townsend
Secretary

MICROFILMED
OCT 27 1998

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

OCT 27 1998

Ident. No. 63-98-C-0778-000
Well Tag No. D0000623
Water Right No. 63-12469

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR DRILLING PERMIT

1. Name: BILL PASCOE O 208-466-0726
Address: 2802 S MIDLAND
NAMPA ID 83686

Name: ANNETTE PASCOE O 208-466-0726
Address: 2802 S MIDLAN
NAMPA ID 83686

2. Proposed Well Location: Township 02N, Range 02W, Sec. 4, SWSW
CANYON County

Street Address of Well Site: DOOLEY LANE
NAMPA ID

3. Proposed Use of Well: Other
3 HOMES AND MINOR IRRIGATION

4. Well Construction Information:

- A. NEW WELL
 - B. Proposed Surface Diameter 6 In. Proposed Maximum Depth 200 Ft.
 - C. Anticipated Bottom Hole Temperature: 85 F or less (Cold water well)
- (NOTE: Construction diagrams and/or other information may be requested for monitor, low temperature geothermal, municipal and artesian wells.)

5. Construction Start Date: 10/25/1998

6. Anticipated Well Driller: DAVIS WELL DRILLING & PUMP CO (No. 0101)
NOTE: The actual well driller must be identified to IDWR prior to drilling commencement.

7. Applicant's Signature Annnette Pascoe Date Oct 23 1998
Title Owner
(Owner, Firm Representative, Other)

Fee \$ 400.00 Received by _____ No. W024460 Date 10/ 1/1998

MICROFILMED

OCT 27 1998

(Continued)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This permit is **APPROVED**

Date: 10/23/1998

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. **READ CAREFULLY!**

CONDITIONS OF APPROVAL:

1. This drilling permit is valid for two (2) months from the approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required prior to construction of this well. The local Health Department should be contacted for septic tank/drainfield locations. Domestic wells must not be drilled closer than 100' from any drainfield and 50' from any septic tank. Public Water Supply wells must not be drilled closer than 100' from any drainfield or septic tank.
3. The well shall be constructed by a driller currently licensed in the state of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If a bottom hole temperature of 85 Degrees F (29.44 oC) or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
8. Idaho Code, S 55-2201 - 55-2210 requires the applicant and/or his contractors to contact "Digline" (DigLine is a one-call center for utility notification) not less than 2 working days prior to the start of any excavation for this project. The "Dig Line " Number for your area is 1-800-342-1585.
9. The screened, perforated, filterpacked or otherwise open and commingled strata shall not exceed 25% of the total well depth as measured from the bottom of the open interval to the top of the open interval(s). If, however, through geophysical logging of the well (or other means), it can be demonstrated the aquifers to be produced from are under similiar hydraulic head, temperature and quality and are not subject to waste or contamination this may be waived and a greater open (screened or filterpacked section) may be approved.
10. Each casing string shall be sealed into an aquitard (confining layer). Prior to the commencement of drilling through the aquitard in which the casing string was set, the integrity of the seal shall be tested. The means of testing shall be through a baildown test or other acceptable method with a maximum leakage rate considered.

(Continued)

MICROFILMED

10/27/1998

Ident. No.
Well Tag No.

63-98-C-0778-000
D0000623

CONDITIONS OF APPROVAL:

11. The screened, perforated, filterpacked or otherwise open and commingled strata which are to be produced from, shall be of similiar hydraulic head, temperature and quality. If there are notable variations encountered as the well is drilled and/or developed, the Department will be notified for evaluation.
12. Proper casing and sealing procedures of this well may require pressure grouting and/or multiple casing strings to protect the resource. Casing shoe seals made by installing multiple casing strings shall be tested by bailing or pumping the hydrostatic head and observing any water level changes over a predetermined time interval. A maximum leakage rate may be considered.



Signature of Authorized Dept. Representative



Title

EXTENSION OF DRILLING PERMIT

Extension Approved by: _____

Approval Date: _____

Expires On: _____

MICRO FILMED

OCT 27 1968

WELL DRILLER: PLEASE COMPLETE FOR VERBAL

IDWR Employee Issuing Verbal: _____

Verbal Issued Date: _____ Time: _____

Appl. pending

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT
(FOR THE CONSTRUCTION OF A WELL)

1. Applicant (please print): ANNETTE & Bill Pascoe

2. Mailing Address: 2802 S. Midland

City & State NaNPA ID Zip Code 83686 Telephone 466-0726

☒ Well Owner ☐ Well Operator ☐ Contractor or Other, specify _____

3. Proposed Well Location: Twp. 2N, Rge. 2W, Sec. 04, - 1/4 SW 1/4 NW 1/4;

Gov't Lot No. - County Canyon Lat. _____ : _____ : _____ Long. _____ : _____ : _____

Street Address of Well Site on Dooly Ln. City NaNPA

Give at least name of road + Distance to Road or Landmark

Lot, block and subdivision _____

4. Proposed Use of Well:

- ☐ DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock (1,000 head or less) and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

NON-DOMESTIC: ☐ Irrigation ☐ Municipal ☐ Industrial
☐ Stock ☐ Test ☒ Other multiple domestic
(Over 1,000 Head) (Describe) hookups

☐ INJECTION

☐ MONITORING: A well bore schematic and map is required for each blanket permit.
No. of proposed wells: _____ (3 homes w/ minor irrigation)

5. Well Construction Information:

A. ☒ New well ☐ Modify ☐ Replace

B. Proposed Casing Diameter 6" Proposed Maximum Depth 200'

C. Anticipated bottom hole temperature:
☒ 85°F or less ☐ 85°F to 212°F ☐ 212°F or more
(Cold Water Well) (Low Temp. Geo. Well) (Geothermal Well)

6. Construction Start Date: ASAP MICROFILMED

7. Anticipated Well Driller: Davis Drilling Driller's Lic. No. 1081
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's Signature Annette Pascoe Date 10/1/98

Title Owner

(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is _____ Date _____

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. **READ CAREFULLY!**

GENERAL CONDITIONS:

1. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum of 50 feet and 100 feet respectively from a septic tank.
3. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS:

Signature of Authorized Department Representative _____ Title _____

Receipt No. W024460 Received by RL Fee \$200 Date 10/1/98

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension expires: _____

MICROFILMED
OCT 27 1998

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by *Cindy*No.: 63-12469 Name: Passioe Date: 10/22/98 Ad OK? / Gvmt Lts:

AREA OF CONCERN:

- No/Yes: Mor / GWMA / Trust / Non-trust

PROTESTED:

- 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

> 1 year

- 26A-P17

≤ 1 year/no proof

P16

GROUNDWATER: (✓ FLO-CH)

WMD (✓ MAP)

- North / East / West

> 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

WMD Supplemental use

- 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)

> 0.24 cfs/5 acres

- 01M (report when notified)

≤ 0.24 cfs/5 acres

- No MD

DRILLING PERMIT:

All wells (✓ WDAQ3)

046(P23)

In Basin 34?

- 085

Irr. within WD

- P05 (new well location)

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED:

- Yes / No; RESPONSE:

IN/ABOVE MIN. STR. FLOW (✓ MAP)

- *WB9

WD (✓ MAP & LISTING)

- R04 (WD #)

> 0.10 cfs

- 01J-P08 (MD & LD)

≤ 0.10 cfs

- 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

> 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres

- 01M or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

RIVER BASINS: (*Surface water):

Snake R (01)

- *W22 -P04, NA

(02/03-irr)

- 007 (w/ remark *WB9 if above Weiser), NA

Payette R(65)

- *W22 (regulated uses), 047-P04 (Payette Lake), NA

Salmon R (70's)

- 029 (fish screens), NA

Weiser R (67)

- 086, 087

USE:

Domestic surface

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA

>1 in rest. area

- 071-070

Fire Protection

- 077

Fish Propagation

- 029(70's only)-007-042(req)-081 (WQ)-P10

Heating/Cooling

- R07 (injection well)

Irr ≤ 5 acres

- R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)

> 5 acres

- R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)

Mining

- 054(req)-081-P10

Municipal

- 022, 075, 004 (+memo?), NA (not in restricted area)

Power

- 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use);

17G (FERC) or 17M (FERG); 18B-P09; >25 cfs-P18

Stockwater

- R37 (BLM/USFS); NA

Storage (✓3 compo.)

- 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

LOCATION:

42-248 area

P84 (in 20/30/40/50/60/70/80 (87) basin)

Boise Front LoGeo

- 058 (<85° GW temp only)

In-stream dev.

- P52 (stream channel alteration)

Mitigation

- 120

SWAN FALLS FLAG (See Code Chart)

Trust

- 051-052-053-P74 (Consumptive Uses), NA

Non-Trust (1)

- 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU)

OTHER CONDITIONS:

STANDARD REMARKS:

- ① W59 ② W60 ③ W61/3

BENEFICIAL USE DUE:

- 11/1/ 1999

COMMENTS:



Larry S. Peterson, P.E., Regional Manager-Engineering

(208) 373-0252 email: lpetersc@deq.state.id.us

Division of Environmental Quality
Boise Regional Office

October 23, 1998

To: Cindy Zimmerman, IDWR (via FAX 327-7866)

Re: Annette Pasco Project

This will confirm that recently I had a conversation with Annette Pasco about a subdivision project she is planning. We discussed the requirements for her well and the water system to remain unregulated as a public water system. I told her the well and water system would be regulated only if she had TEN or more connections in the configuration and property ownership she is planning.

If you have any questions regarding this please call me.

docid: h:\mydocs\deskmemo

63-12468 & 63-12469

MICROFILMED
OCT 27 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED

OCT 19 1998

DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW BY: FL

DATE: 9/6/98

APPLICATION: 63-12469

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)

Address:

Source: (See USGS Quad for names of water sources)

Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)

County:

Quantity: (flow and/or volume)

Period of use:

Nature of proposed use: (Include description of use)

Description of diverting works:

Time required for beneficial use of water:

Place of use or acres irrigated:

Map: (show T, R, S, QQ &/or QQQ)

Subdivision plat: (for > 1 home in restricted area, $\geq$ 5 homes in non-restricted area)

Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)

Correct fee paid

Gov't. Lots:

N P/D
P/U

ADDITIONAL INFORMATION

yes ADVERTISE REMARK(S)

(Reviewer identify which remarks)

N/A T FLAG CHANGED TO P FLAG

YES NO

☒ Overlapping place of use: (Describe source & relationship to present application on next page.)

☒ Overlapping point of diversion. } WR+AJ RSC lands:

☒ Critical groundwater area: • irrig. Dist. water in this area

☒ Groundwater management area: • no community wells or irrig. from wells

☒ 1992 moratorium: • Applicant has R63-26514 older D/I well for own residence.

☒ Bull trout impact area

☒ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).

☒ E-mail to Dam Safety staff: (for any storage)

☒ Mitigation plan: Check any that apply.

N/A immediate = acceptable plan required and submitted.

yes future = open areas, acceptance of condition of approval is in file.

☒ Send power requirement letter:

☒ Send fish farm requirement letter:

☒ Power residency affidavit:

☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach

Large Diversion supplementary analysis sheet.)

☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

* Subl. plat & completed "Request to process" from applicant per telecon & FAX communication 9/1 & 9/2/98. Verbal ok to add "future irrigation" remarks given 9/1/98.

Date Requested 9/1 & 9/2/98

Date Response Received Partial response on 9/8/98

Completed 10/1/98

and 9/22/98

PROCESSING

APP. NO.

63-12469

YES NO

☒
☐
☒

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES NO

☒
☒
☐
☐

I.D. Health & Welfare

I.D. District Health

I.D. Fish & Game

I.D. Lands

YES NO

☐
☐
☐
☐

U.S. BLM

U.S. Forest Service

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒
☒

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒

Publication dates and paper recorded on application:

Final date for protest 10-5-98

Protests received.

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter: 046, 120 (if limiting for domestic use)

W01 (3 homes), 041, 071,

See below for additional information

Recommended Date of Priority 8/21/98

Recommended by: Amy

Date: 10/16/98

STATE OFFICE REVIEW

See below for additional information. By Date

ADDITIONAL INFORMATION:

2 filings made for separate but adjoining systems:

1 well for 3 homes w/ 1/2 ac. total yards;

1 well for 6 homes w/ 1 ac. total yards.

Each case rate ok per domestic chart plus minor amount yard use.

"Future mitigation" applies since some cons. use in each case.

SEE 9/29 & 10/1 cons. memos & 10/1 plat & layout, surface water, drilling permit

CONVERSATION MEMORANDUM

DATE 10/1/98

FILE 63-12468

NAME OF PARTY ANNETTE PASCOE

EMPLOYEE R

63-12469

RE: Processing Info - Office Visit

① Drilling Permits - 2 appls. filed & paid for,
SEE file.

② Plots - map delivered, shows lots per well.

③ Surface water - land now served with ditch water. Most of irrigated land in proposed subdivisions will retain surface water. Well water will only be used on very minor parts of yards (SHE estimates c 40'x40' patch per home).

if $40' \times 40' \times 9$ (total # homes) = $\frac{1}{3}$ Acres total
43560 ft²/Ac Served by ground water.

it should not be problematic if surface water is not used on these 40'x40' patches of yard. Surface water will be retained (gravity system) on balance of plots.

see plat for overview.

MICROFILMED

OCT 27 1998

CONVERSATION MEMORANDUM

DATE 9/29/98FILE 63-12468NAME OF PARTY ANNETTE PASCOE 466-072663-12469
RECEIVEDEMPLOYEE RZ

OCT 19 1998

RE: EXPEDITED PROCESSING

Department of Water Resources

Called to request every effort to Expedite - said has all other necessary approvals except IOWR. Reiterated that received incorrect advice previously & IOWR, which delayed the entire project. Asked for expedited effort now due to bad advice she said IOWR provided.

She might contact paper to expedite affidavit of publication. She will visit Region on 10/1 to fill out 2 drilling permit apps. (\$400 total) so everything will be ready once W.R. Appl. processing completed.

I will notify S.O. to watch for protests for 10/5 protest deadline.

ONCE APPLS. REACH S.O. -

if water rights approval, also issue drilling permits at same time. Then call her to let her know - she'll probably pick up the approval documents to save some time.

OCT 27 1998

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12468

PASCOE, ANNETTE

PASCOE, BILL

2802 S MIDLAND

NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: SWNW Sec 4 T 02N R 02W in CANYON County.

Use: DOMESTIC (0.140 CFS)

Total Diversion (0.140 CFS)

Date Filed: 8/21/1998

In: CANYON County

T02N R02W S04 SWNW

Water bearing zone to be appropriated is from 40 to 60 feet. Applicant agrees to mitigate consumptive use in the future as needed.

63-12468

PASCOE, BILL

PASCOE, ANNETTE

2802 S MIDLAND

NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: SWNW Sec 4 T 02N R 02W in CANYON County.

Use: DOMESTIC (0.100 CFS)

Total Diversion (0.100 CFS)

Date Filed: 8/21/1998

In: CANYON County

T02N R02W S04 SWNW

Water bearing zone to be appropriated is from 40 to 60 feet. Applicant agrees to mitigate consumptive use in the future as needed.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before OCTOBER 5, 1998. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

September 17, 24, 1998

7679

✓
RECEIVED

SEP 25 1998

WATER RESOURCES
WESTERN REGION

MICROFILMED

OCT 27 1998

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS.
County of Canyon)

Carolyn Roberson

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Twice

— in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
September 17 and 24, 1998

RECEIVED

SEP 25 1998

WATER RESOURCES
WESTERN REGION

Carolyn Roberson

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 24th day of September
in the year of 1998 before me, a Notary
Public, personally appeared Carolyn Roberson,
known or identified to me to be the person whose
name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he/she
executed the same.

MICROFILMED

OCT 27 1998

James Lusk
Notary Public for Idaho
Residing at Nampa
BY COMMISSION EXPIRES
JUNE 21ST, 2000



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

September 28, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

ENVIRONMENTAL HEALTH
SOUTHWEST DISTRICT HEALTH DEPT
920 MAIN
CALDWELL ID 83605

Re: Applications for Water Right Permits Nos. 63-12468 and 63-12469 in the Name of Bill
&/or Annette Pascoe

Dear Sir:

Enclosed is a copy of the above-referenced application for water right which may be of
interest to you.

Please review the application and return any comments you might have.

A protest must be received with a \$25.00 protest fee on or before October 5, 1998. If you
do not wish to protest, informal comments should still be submitted by the end of the protest
period.

Sincerely,

Gary Spackman

GS:st

Encl.

MICROFILMED

OCT 27 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

September 22, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

ANNETTE PASCOE
2802 S MIDLAND
NAMPA ID 83686

RE: APPLICATIONS FOR PERMIT NOS. 63-12468 & 63-12469

Dear Annette:

Thank you for your fax letter dated September 8, 1998 regarding the above referenced water right applications. The applications are being published in the legal notices at this time.

You sent a plat map in your fax. Is the map (copy attached) for both developments or just for one? If the latter case is correct, please send another plat for the other development. In either case, please mark on the plat(s) the well locations and which lots are to be served by which well.

Your response within thirty (30) days will be helpful.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Steve Lester'.

Steve Lester
Water Rights Supervisor

Enclosure

MICROFILMED

OCT 27 1998

facsimile transmittal

To: Steve Lester *SL* Fax: 334-2348
Department of Water Resources

From: Annette Pascoe Date: 09/08/98

Re: Water users permit Pages: 3

CC:

☐ Urgent ☐ For Review ☐ Please Comment ☐ Please Reply ☐ Please Recycle

Here is the information we discussed. The well man said our water bearing zone is at the 40' to 60' level. I hope this is all you need to process our request. Please let me know if you need anything more.

Annette Pascoe

RECORDED

OCT 27 1998

- Water bearing zone
- Request to process form
- subdivision plat

63-12468 + 63-12469

09/01/1998 10:54 2083342348

IDWR WESTERN

PAGE 02

REQUEST TO PROCESS

COMPLETE REQUEST IF YOU WANT YOUR APPLICATION TO BE PROCESSED USING ONE OF THE THREE ALTERNATIVES BELOW

Name of Applicant

ANNETTE & Bill Pascoe

Mailing Address

2802 S. MIDLANDNAMPA ID 83686Application No.
(if known)63-12468 & 63-12469

↑ SL 9/10/98

* SL note 9/10/98

IN LOCAL PUBLIC INTEREST

Yes, I want my application processed and before it is advertised, I will amend my application to demonstrate that the proposed appropriation is in the local public interest including the need to preserve flows in the Snake River during the migration periods of anadromous fish.

PROPOSE MITIGATION NOW

Yes, I want my application processed and before it is advertised, I will amend my application to include proposed mitigation to offset anticipated depletions in the Snake River during periods of anadromous fish migration.

✓ WILL AGREE TO MITIGATION IN THE FUTURE IF NECESSARY

Yes, I want my application processed at this time, and I will accept a condition of approval that will require mitigation should the Director of the Idaho Department of Water Resources determine that mitigation is necessary to offset depletions from this appropriation to flows in the Snake River during periods of anadromous fish migration. I understand that mitigation is not required now but may be needed in the future. I also understand that the Director will not require mitigation until I have an opportunity to review the process by which the need for mitigation is established and the amount of water required is quantified.

Signature

Annette Pascoe

Date

Sept 5 1998

Please return this form to:

OCT 27 1998

Idaho Dept. of Water Resources
Western Regional Office
2735 Airport Way
Boise, ID 83705-5082

* No # issued yet - this form applies to 2
Applications : 1 well = 3 homes } both with
1 well = 6 homes } limited yard irrigation

003



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

✓
FAX TRANSMITTAL COVER SHEET

FAX # (208) 334-2348

DATE: 9/2/98

TO: ANNETTE PASLOE

FROM: Steve L.

fax 463-4210

DOCUMENT DESCRIPTION: Idaho Code 42-203A -
identifies 6 evaluation criteria (see items 5a-
5f on pg. 31) & protests.

TOTAL PAGES SENT: 3 + COVER SHEET

CONTACT: _____

MICROFILMED

OCT 27 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

fax sent per following to call today -

FAX TRANSMITTAL COVER SHEET

FAX # (208) 334-2348

DATE: 9/1/98

TO: ANNETTE PASCOE

FROM: Steve Loster

fax 463-4210

DOCUMENT DESCRIPTION: TO PROCESS 2 Applications:
① i.d. "water bearing zone" to be developed in aquifer.
② signed "Request to process" form showing which option
you chose (3rd one is recommended).
③ Plot showing lot sizes for each proposal.

TOTAL PAGES SENT: 01 + COVER SHEET

CONTACT: _____

If Return info to me by this Friday, I'll
make sure it is in newspaper for next
advertising (3rd + 4th weeks of September).

MICROFILMED

SEP 27 1998

REQUEST TO PROCESS

COMPLETE REQUEST IF YOU WANT YOUR APPLICATION TO BE PROCESSED USING ONE OF THE THREE ALTERNATIVES BELOW

Name of Applicant

ANNETTE i/m Bill Pascoe

Mailing Address

2802 S. MIDLAND

NAMPA ID 83686

Application No.
(if known)

* See
note
9/1/98
SL

___ IN LOCAL PUBLIC INTEREST

Yes, I want my application processed and before it is advertised, I will amend my application to demonstrate that the proposed appropriation is in the local public interest including the need to preserve flows in the Snake River during the migration periods of anadromous fish.

___ PROPOSE MITIGATION NOW

Yes, I want my application processed and before it is advertised, I will amend my application to include proposed mitigation to offset anticipated depletions in the Snake River during periods of anadromous fish migration.

___ WILL AGREE TO MITIGATION IN THE FUTURE IF NECESSARY

Yes, I want my application processed at this time, and I will accept a condition of approval that will require mitigation should the Director of the Idaho Department of Water Resources determine that mitigation is necessary to offset depletions from this appropriation to flows in the Snake River during periods of anadromous fish migration. I understand that mitigation is not required now but may be needed in the future. I also understand that the Director will not require mitigation until I have an opportunity to review the process by which the need for mitigation is established and the amount of water required is quantified.

Signature

Date

Please return this form to:

Idaho Dept. of Water Resources
Western Regional Office
2735 Airport Way
Boise, ID 83705-5082

* NO # issued yet - this form applies to 2
Applications : 1 well = 3 homes } both with
1 well = 6 homes } limited yard irrigation



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

SEPTEMBER 9, 1998

Legal Notices Department
Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 5, 1998.

Yours truly,

SUE TAYLOR
Secretary/Office Coordinator

Encl.

RECEIVED
SEP 17 1998

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

APPROPRIATION

NO. 27 898

• • •

PASCOE, BILL
PASCOE, ANNETTE
2802 S MIDLAND
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: SWNW Sec 4 T 02N R 02W in CANYON County.

```

Use: DOMESTIC          (          0.100 CFS)
      Total Diversion: (          0.100 CFS)

```

Date Filed: 8/21/1998

In: CANYON County
T02N R02W S04 SWNW

Water bearing zone to be appropriated is from 40 to 60 feet. Applicant agrees to mitigate consumptive use in the future as needed.

[illegible]

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before OCTOBER 5, 1998. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 9/17/1998 & 9/24/1998

MICROFILMED

SEP 27 1998