




Radio Range Station

Pleasant View Sch (Alon'd)

BEACON

ROAD

COMPANY

FLOATING

FEATHER

MIDDLETON

MIDDLETON

MILL

RIVER

EAGLE


EUREKA

PHYLLIS

MICROFILMED
SEP 22 1998

100K map per applicant's
maps & info.

63-12462



GENERAL SITE

1. REFER TO CIVIL DRAWING AND DRAINAGE.
2. ALL PARKING AREAS ARE
3. ALL SURFACE DRAINAGE ON SITE. REFER TO CIVIL
4. ALL LANDSCAPE AREAS AUTOMATIC UNDERGROUND DESIGN OF SYSTEM TO BE SPECIFICATION CRITERIA
5. ALL PLANTS SHALL CONF AMERICAN ASSOCIATION STANDARDS IN TERMS OF REFER TO LANDSCAPE 6 AND SHRUB PLANTING DI
6. INSTALL 4" MINIMUM FINE PLAY AREA.

63-12462

TE HIGHWAY

NO.


44

Type	WR #	Owner	Source	TRS	NENE	NNNE	SWNE	SENE	NENW	NNNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
Claim	63 124N	MIDDLETON MILL DITCH CO.	BOISE RIVER	04N01W11			38	13	26	38	39	39	39	38	38	38	38	39	37	20	480
Claim	63 125B	NEW DRY CREEK DITCH CO.	BOISE RIVER	04N01W11	37	6				33	40										116
Claim	63 125G	MIDDLETON MILL DITCH CO.	BOISE RIVER	04N01W11			38	13	26	38	39	39	39	38	38	38	38	39	37	20	480
Claim	63 126B	NEW DRY CREEK DITCH CO.	BOISE RIVER	04N01W11	37	6				33	40										116
Claim	63 126E	MIDDLETON MILL DITCH CO.	BOISE RIVER	04N01W11			38	13	26	38	39	39	39	38	38	38	38	39	37	20	480
Claim	63 1523B	BALLENTYNE DITCH COMPANY LTD.	BOISE RIVER	04N01W11				30													30
Claim	63 161L	NEW DRY CREEK DITCH CO.	BOISE RIVER	04N01W11	37	6				33	40										116
Claim	63 161X	MIDDLETON MILL DITCH CO.	BOISE RIVER	04N01W11			38	13	26	38	39	39	39	38	38	38	38	39	37	20	480
Claim	63 168B	MIDDLETON IRRIGATION ASSOCIATION,	BOISE RIVER	04N01W11			38	13	26	38	39	39	39	38	38	38	38	39	37	20	480
Claim	63 168D	MIDDLETON MILL DITCH CO.	BOISE RIVER	04N01W11			38	13	26	38	39	39	39	38	38	38	38	39	37	20	480
Claim	63 173	MIDDLETON MILL DITCH CO.	BOISE RIVER	04N01W11			38	13	26	38	39	39	38	38	38	38	38	39	37	20	480
Claim	63 1746B	NEW DRY CREEK DITCH CO.	BOISE RIVER	04N01W11	37	6				33	40										116
Claim	63 195	BALLENTYNE DITCH COMPANY LTD.	BOISE RIVER	04N01W11				30													30
Claim	63 198AA	BALLENTYNE DITCH COMPANY LTD.	BOISE RIVER	04N01W11				30													30
Claim	63 198AC	MIDDLETON IRRIGATION ASSOCIATION,	BOISE RIVER	04N01W11			38	13	26	38	39	39	39	38	38	38	38	39	37	20	480
Claim	63 205	NEW DRY CREEK DITCH CO.	BOISE RIVER	04N01W11	37	6				33	40										116
Claim	63 206	NEW DRY CREEK DITCH CO.	BOISE RIVER	04N01W11	37	6				33	40										116
Claim	63 207	NEW DRY CREEK DITCH CO.	BOISE RIVER	04N01W11	37	6				33	40										116
Claim	63 234	BALLENTYNE DITCH COMPANY LTD.	BOISE RIVER	04N01W11				30													30
Claim	63 254	MIDDLETON IRRIGATION ASSOCIATION,	BOISE RIVER	04N01W11			38	13	26	38	39	39	39	38	38	38	38	39	37	20	480
Claim	63 255	MIDDLETON IRRIGATION ASSOCIATION,	BOISE RIVER	04N01W11			38	13	26	38	39	39	39	38	38	38	38	39	37	20	480
Claim	63 258A	BALLENTYNE DITCH COMPANY LTD.	BOISE RIVER	04N01W11				30													30
Claim	63 258B	NEW DRY CREEK DITCH CO.	BOISE RIVER	04N01W11	37	6				33	40										116
Claim	63 259	NEW DRY CREEK DITCH CO.	BOISE RIVER	04N01W11	37	6				33	40										116
Claim	63 260B	BALLENTYNE DITCH COMPANY LTD.	BOISE RIVER	04N01W11				30													30
Claim	63 263	NEW DRY CREEK DITCH CO.	BOISE RIVER	04N01W11	37	6				33	40										116
Claim	63 264	BALLENTYNE DITCH COMPANY LTD.	BOISE RIVER	04N01W11				30													30
Claim	63 285	BALLENTYNE DITCH COMPANY LTD.	BOISE RIVER	04N01W11				30													30
Claim	63 286	NEW DRY CREEK DITCH CO.	BOISE RIVER	04N01W11	37	6				33	40										116
Claim	63 288B	NEW DRY CREEK DITCH CO.	BOISE RIVER	04N01W11	37	6				33	40										116
Claim	63 28977	NEW DRY CREEK DITCH CO.	BOISE RIVER	04N01W11	37	6				33	40										116
Claim	63 370	MIDDLETON MILL DITCH CO.	BOISE RIVER	04N01W11			38	13	26	38	39	39	39	38	38	38	38	39	37	20	480
Right	63 198AA	EDWARD L MC CLINTOCK,	BOISE RIVER	04N01W11			X														0
Claim	63 16571	VIRGINIA MAE LEE, WILLIAM D LEE,	GROUND WATER	04N01W11													X				0
Claim	63 17234	VIRGINIA L MUNDY,	GROUND WATER	04N01W11																7.5	7.5
Claim	63 17900	CECIL W STANLEY,	GROUND WATER	04N01W11														X			0
Claim	63 18724	RANDALL L HELTON, EVA O HELTON, ANITA A KEENEY, JOHN E HELTON,	GROUND WATER	04N01W11														X			0
Claim	63 18724	RANDALL L HELTON, EVA O HELTON, ANITA A KEENEY, JOHN E HELTON,	GROUND WATER	04N01W11														X			0
Claim	63 18724	RANDALL L HELTON, EVA O HELTON, ANITA A KEENEY, JOHN E HELTON,	GROUND WATER	04N01W11															2		2
Claim	63 19155	GIRDNER AND JONES PARTNERS,	GROUND WATER	04N01W11															X		0
Claim	63 20034	MONTY MILBURN, DENISE MILBURN,	GROUND WATER	04N01W11	X																0
Claim	63 20127	DOROTHY S RHODES,	GROUND WATER	04N01W11														X			0
Claim	63 20127	DOROTHY S RHODES,	GROUND WATER	04N01W11														X			0
Claim	63 22450	WILLIAM A BROOKS, JUANITA BROOKS,	GROUND WATER	04N01W11											X						0
Claim	63 22450	WILLIAM A BROOKS, JUANITA BROOKS,	GROUND WATER	04N01W11											X						0
Claim	63 22453	JUANITA BROOKS, WILLIAM A BROOKS,	GROUND WATER	04N01W11											X						0
Claim	63 22646	PAMELA A HANLEY LOUCKS, ANTHONY LOUCKS,	GROUND WATER	04N01W11				X													0
Claim	63 22947	VIRGINIA L MUNDY,	GROUND WATER	04N01W11				X												X	0
Claim	63 2543	DEAN L QUENZER, RON L QUENZER, MARV E QUENZER,	GROUND WATER	04N01W11														X			0
Claim	63 2813A	ARTHUR SNYDER, ELEANOR V SNYDER, VIRGINIA M LEE,	GROUND WATER	04N01W11					5									15			20
Claim	63 4091	MAURICE MC CLUE,	GROUND WATER	04N01W11																7	7
Claim	63 4315	GIRDNER AND JONES PARTNERS,	GROUND WATER	04N01W11																7	7
Claim	63 4315	GIRDNER AND JONES PARTNERS,	GROUND WATER	04N01W11															X		0
Claim	63 4315	GIRDNER AND JONES PARTNERS,	GROUND WATER	04N01W11															X		0
Claim	63 5092	QUARTER CIRCLE DJ RANCH,	GROUND WATER	04N01W11	24																24
Claim	63 5093	QUARTER CIRCLE DJ RANCH,	GROUND WATER	04N01W11		X															0
Claim	63 7278	QUARTER CIRCLE DJ RANCH,	GROUND WATER	04N01W11	25																25
Claim	63 7278	QUARTER CIRCLE DJ RANCH,	GROUND WATER	04N01W11	X																0
Claim	63 7847	QUARTER CIRCLE DJ RANCH,	GROUND WATER	04N01W11		30			28	28	36	36									158
Claim	63 8303	MARV E QUENZER, DEAN L QUENZER, RON L QUENZER,	GROUND WATER	04N01W11			X														0
Permit	13 12462	HOPE LUTHERAN CHURCH,	GROUND WATER	04N01W11																	5
Right	63 10824	MAURICE MC CLUE,	GROUND WATER	04N01W11																	7

Idaho Dept. of Water Resources
Place of Use Comparison Report

Right	63 12462	HOPE LUTHERAN CHURCH,	GROUND WATER	04N01W11																	2.5	2.5
Right	63 2393	CRAWFORD MOORE,	GROUND WATER	04N01W11		25			5													30
Right	63 2543	ERSHAL L HARRIS,	GROUND WATER	04N01W11														40				40
Right	63 2813A	HERBERT H BAYER,	GROUND WATER	04N01W11					5									15				20
Right	63 2813B	LAWRENCE L COPE,	GROUND WATER	04N01W11														11				11
Right	63 2813C	E L HARRIS,	GROUND WATER	04N01W11				40					40					24.7	24.8			129.5
Right	63 3030	CONRAD E HAWKINS,	GROUND WATER	04N01W11																	8	8
Right	63 3265	EARL O WOLFE,	GROUND WATER	04N01W11		25																25
Right	63 4091	EST OF SARA JANE SMITH,	GROUND WATER	04N01W11																	7	7
Right	63 4315	MARVIN I EARL, BONITA EARL,	GROUND WATER	04N01W11																	7	7
Right	63 5092	QUARTER CIRCLE D J RANCH,	GROUND WATER	04N01W11		24																24
Right	63 5093	QUARTER CIRCLE D J RANCH,	GROUND WATER	04N01W11		X																0
Right	63 7278	QUARTER CIRCLE D J RANCH,	GROUND WATER	04N01W11		23																23
Right	63 7847	QUARTER CIRCLE D J RANCH,	GROUND WATER	04N01W11		36			35	32	36	36										175
Right	63 8303	CARYL LE ROY HARRIS, ANNA HARRIS,	GROUND WATER	04N01W11				20														20
Right	63 8327	WILLIAM A BROOKS, JUANITA L BROOKS,	GROUND WATER	04N01W11											X							0
Right	63 2512	EARL O WOLFE,	UNNAMED STREAM	04N01W11		40																40
Claim	63 21502	MIDDLETON MILL DITCH CO, MIDDLETON IRRIGATION ASSN,	WASTEWATER	04N01W11				38	13	26	38	39	39	39	38	38	38	38	39	37	20	480
Claim	63 376	QUARTER CIRCLE DJ RANCH,	WASTEWATER	04N01W11		26				40	40	40	40									186
Right	63 2406	DRAINAGE DISTRICT NO 2,	WASTEWATER	04N01W11		38	38	40	39	40	40	40	40	39	40	40	40	39	39	38	40	630
Right	63 376	QUARTER CIRCLE D J RANCH,	WASTEWATER	04N01W11		28				40	40	40	40									186

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

model

Well or Diversion Identification No.*	Motor Make	Hp	<u>Model</u> Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	3	282302	Sta-Rite	L50 P4HH-03
			8310		

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - System was off for season

MICROFILMED
SEP 19 2001



IRISH ACRES SUBDIVISION

BING ALL OF LOT 3, COMPTON ANDREWS TRACT AND A PORTION OF THE NE 1/4 SE 1/4, SECTION 11.
T.4N. R.1W. B.M.
ADA COUNTY, IDAHO
1994

This sketch is for location purposes only. The Company assumes no liability for variations.

PIONEER TITLE COMPANY
of Ada County

NOTES:


1. BUILDING SETBACKS AND DIMENSIONAL STANDARDS IN THIS SUBDIVISION SHALL COMPLY WITH THE APPLICABLE ZONING REGULATIONS OF ADA COUNTY, IDAHO.
2. LOT LINES COMMON TO A PUBLIC RIGHT-OF-WAY HAVE A 12' WIDE PERMANENT PUBLIC UTILITIES WEGATION AND DRAINAGE EASEMENT.
3. SETBACKS TO COMPLY TO APPLICABLE STANDARDS IN EFFECT AT THE TIME OF ISSUANCE OF BUILDING PERMITS.
4. EACH SET OF COMMON LOT LINES HAS A 6' FOOT WIDE PERMANENT PUBLIC UTILITIES, WEGATION AND DRAINAGE EASEMENT.
5. RESPONSIBILITY FOR ALL DRAINAGE FACILITIES LOCATED OUTSIDE THE PUBLIC RIGHT-OF-WAY IS HELD WITH THE LOT OWNER(S) ON WHOSE LAND SAID DRAINAGE FACILITIES ARE CONSTRUCTED.
6. ANY RESUBDIVISION OF THIS PLAT SHALL COMPLY WITH THE APPLICABLE ZONING REGULATIONS IN EFFECT AT THE TIME OF RESUBDIVISION.
7. DEVELOPER SHALL COMPLY WITH IDAHO CODE 31-3005 PERTAINING TO WEGATION WATER. WEGATION WATER IS AVAILABLE TO EACH LOT.
8. LOTS 1, 3, 5 AND 7 ARE DEED RESTRICTED LOTS AND MAY ONLY BE USED FOR OPEN SPACE AS DEFINED IN THE NON-FARM DEVELOPMENT SECTION OF THE ADA COUNTY CODE, SECTION 8-42-7 AND THE PLANNED DEVELOPMENT PROVISIONS OF THE ADA COUNTY CODE FOUND IN THE TITLE 8, CHAPTER 9, THE DEED RESTRICTED LOTS MUST ALSO BE USED IN THE MANNER SPECIFIED IN THE CONDITIONS OF APPROVAL ISSUED BY ADA COUNTY'S DEPARTMENT OF DEVELOPMENT SERVICES. THESE LOTS MUST BE USED IN UNRESTRICTED MANNER FOR A PERIOD OF NOT LESS THAN FIFTEEN (15) YEARS FROM THE RECORDING DATE OF _____.

LEGEND

- WC WITNESS CORNER
- SET 1/2" x 24" RICH PIN W/PLASTIC CAP
- SET 3/8" x 30" RICH PIN W/PLASTIC CAP
- END, HIGHWAY RIGHT-OF-WAY MONUMENT BRASS CAP SET IN 6" x 6" CONCRETE
- PROPERTY BOUNDARY
- LOT LINE
- CENTERLINE
- 12' PERMANENT PUBLIC UTILITIES WEGATION AND DRAINAGE EASEMENT (UNLESS OTHERWISE NOTED)

CURVE DATA

CURVE	RADIUS	DELTA	CHORD	CHORD BEG.	ARC	TANGENT
C-1	77918.31'	119.02'	526.90'	5.7703720°W	526.92'	263.47'



Hope Lutheran Church } = SESE S. 11.
Lots 7 and 8
per topo



7/27/98

J.L. HOWARD, ENGINEER
BOISE, IDAHO

63-12462

63-12462

UNPLATTED

LOT 4 COMPTON ANDREWS TRACT

SEP 19 2001

RECORDED

UNPLATTED

UNPLATTED

CPY NO. 8017704

STATE HIGHWAY NO. 44

DRAINAGE DISTRICT NO. 2
EASEMENT 20' WIDE
PERMANENT DRAINAGE
EASEMENT. NO TREES
BUSHES OR STRUCTURES
ARE TO BE ERECTED
WITHIN SAID EASEMENT.

BLOCK 1

Lot 8 Plu

Lot 7 Plu

Plu Well

ACCEPTED AND USED AS
INITIAL POINT MONUMENT
(INSTALLED BRASS CAP)

Hope Lutheran Church
331 N. Linder Rd.

514' (Lot Dim.)

63-12462

585' (Lot Dim.)

Berm

331

Septic mound

Plu, field

United Water
Test Wells

SEP 19 2001

MICROFILMED

00

Plu
field

Gravel Pad

P/O Well

Parking

265'

30' x 30'

360'

Plu, yard

Church
Building

Plu
yard

Plu, yard

Sprinkler
Line

Sprinkler Line

NN

Middleton Mill Canal

Hwy 44

Fire

Hydr.

Fire Hydrant

Plu, yard

Sprinkler Lines

250' (Lot Dim.)

N. Linder Rd.

6' Conc. Pipe

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This "well" is used to irrigate the grounds of the Hope Lutheran Church and is located at 331 N. Linden Rd. / Hwy 44, adjacent to the Middleton Mill Canal. It is not a true well. A short length of casing was used to install a pump to obtain ground water just below the surface. The well is only used during the irrigation season.

Don Tomich Water Rights Examiner


Signature of Dept. Representative & Title

2-16-00

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

The Church uses United Water Service for the building.



MICROFILMED
SEP 19 2001

2 16 00

1 of 3

P/D
"well"



P/D
"well"
in back-
ground by
fence.

Plu, yard
by fence.

Middleton
Mill Canal
or Ditch

View Looking West

MICROFILMED
SEP 19 2001

63-12462



2 of 3

P/O

"well"
by fence

P/u

Church
field +
yard



P/u

Church
yard

MICROFILMED

SEP 19 2001

63-12462

3 of 3

P/u

Church
yard

by

drive-way



P/u

Field West
of Church.

Note 2

United Water

Test Wells

at left-


Center in

field.



MICROFILMED
SEP 19 2001

63-12462



GENERAL SITE NO.

1. REFER TO CIVIL DRAWINGS FOR SITE AND DRAINAGE.
2. ALL PARKING AREAS ARE TO BE PA
3. ALL SURFACE DRAINAGE IS TO BE C ON SITE. REFER TO CIVIL DRAWINGS
4. ALL LANDSCAPE AREAS ARE TO REQ AUTOMATIC UNDERGROUND SPRINKL DESIGN OF SYSTEM TO BE BY INSTAL SPECIFICATION CRITERIA.
5. ALL PLANTS SHALL CONFORM TO THE AMERICAN ASSOCIATION OF NURSER STANDARDS IN TERMS OF SIZE AND C REFER TO LANDSCAPE SCHEDULE AN AND SHRUB PLANTING DETAILS ON S
6. INSTALL 4" MINIMUM FINE SAND IN FE PLAY AREA.

TE HIGHWAY NO. 44

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-12462

Priority: June 25, 1998

Maximum Diversion Rate: 0.08 CFS
Maximum Diversion Volume: 11.3 AF

It is hereby certified that HOPE LUTHERAN CHURCH
331 N LINDER RD
EAGLE ID 83616 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated June 25, 1998; and has
submitted Proof of Beneficial Use on August 02, 1999. An examination indicates that the works have a
diversion capacity of 0.22 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

BENEFICIAL USE

IRRIGATION

PERIOD OF USE

03/01 to 11/15

DIVERSION RATE

0.08 CFS

**ANNUAL
DIVERSION VOLUME**

11.3 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 11, Twp. 04N, Rge 01W, B.M., ADA County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	01W	11																	2.5
																			2.5

Total Acres: 2.5

CONDITIONS OF APPROVAL

1. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
2. Five (5) shares of the Middleton Irrigation Association must be owned and retained by the right holder and must be delivered into the Middleton Mill Ditch when water is being diverted pursuant to this right.
3. Water can be diverted pursuant to this right only when Middleton Irrigation Association rights are being delivered in the Middleton Mill Ditch.

MICROFILMED

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-12462

4. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 12th day of July, 2001.

Billy D. Fleener for
Acting for **KARL J. DREHER**
Director

MICROFILMED

SEP 5 8 2005

7/94

FOR OFFICE USE ONLY

Amt. of Fee \$: 50.00Receipt No. 0040167Receipt By: KLDate Received: 8-2-91

RECEIVED

AUG 02 1999

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12462 Telephone No. 939-91812. Name(s) of Permit Holder(s): HOPE LUTHERAN CHURCH3. Mailing Address: 331 N. LINDER RD EAGLE, ID 836164. Source of Water: GROUNDWATER If GROUNDWATER (well), Date Drilled: mo. 03 / yr. 98a. Well Driller: Spiers Excavation Drilling Permit Number: - - - - -b. OPTIONAL:
Pump Horsepower: 3 HP Pressure (psi): - - - - - Dynamic pumping level (ft): - - - - -

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): - - - - - Stockwater (No. and type of stock): - - - - -Irrigation (No. of acres): 5.0 Other: - - - - -6. Total rate of diversion and/or volume for which proof is submitted: .10 cfs OR - - - - - acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes - - - or No XHas the measuring device been installed? Yes - - - or No - - -Flow Measurement Port: Is a flow measurement port required? Yes - - - or No XHas the measurement port been installed? Yes - - - or No - - -8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Kent Johnson Telephone Number: 789-3424 (W)
778-0462 (H)Address: 3952 N. JAMISON RD BOISE, ID 83702

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Treasurer, Hope Lutheran Church Date: 2-25-17-99
(include your title, if on behalf of company or organization)

MICROFILMED

1272 1995



CARON PUMP COMPANY
11026 CULDESAC WAY
BOISE, ID 83703
(208) 939-9198

Invoice

RECEIVED

AUG 02 1999

Department of Water Resources

DATE

INVOICE #

9/25/98

7261

BILL TO:

HOPE LUTHERAN CHURCH
MR. KEN JOHNSON
331 N. LINDER RD.
EAGLE, ID 83616

P.O. NUMBER	TERMS	PROJECT
KENT JOHNSON	DUE ON REC	

QUANTITY	DESCRIPTION	RATE	AMOUNT
	C/O IRRIGATION PUMP SYSTEM WE INSTALLED A NEW STA-RITE 3 HP., 50 SERIES SUBMERSIBLE PUMP WHICH WILL PRODUCE 50 GPM @ 60 PSI. THIS PUMP IS SET INSIDE OF A 6" STEEL WELL CASING FOR ADEQUATE COOLING OF THE MOTOR. WE HAVE ALSO INSTALLED AN #M-150 FILTER WITH A 1/32" SLOTTED SCREEN. THIS SYSTEM ALSO INCLUDES A LOW LEVEL FLOAT ASSEMBLY TO PROTECT THE PUMP FROM RUNNING DRY. YOUR PUMP AND MOTOR INCLUDE A FIVE YEAR WARRANTY AND CARON PUMP COMPANY WILL WARRANTY ALL WORKMANSHIP FOR ONE YEAR FROM DATE OF INSTALLATION.		
	TOTAL COST OF SYSTEM - PER QUOTE		3,100.00
THANK YOU FOR THE OPPORTUNITY TO BE OF SERVICE! WE APPRECIATE YOUR BUSINESS!		MICROFILMED	
		TOTAL	3,100.00

Less Payments Received

0.00

TERMS OF SALE: Net payable to be made within 30 days of sale. Service charge at the rate of 2% per month (24% per year) or a minimum of 50c per month will be added on all past due accounts. If collection becomes necessary, purchaser will pay court costs, collection costs and reasonable attorney fees.

Balance Due

3,100.00

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-12462

Proposed Priority: June 25, 1998 Maximum Diversion Rate: 0.10 CFS

This is to certify, that **HOPE LUTHERAN CHURCH**
331 N LINDER RD
EAGLE ID 83616

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.10 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SESE , Sec. 11, Township 04N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N 01W 11	SESE 5.0			5.0

Total number of acres irrigated: 5.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1999**.
2. Subject to all prior water rights.
3. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
4. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
5. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary for this purpose will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
6. Five (5) shares of the Middleton Irrigation Association must be owned and retained by the right holder and must be delivered into the Middleton Mill Ditch when water is being diverted pursuant to this right.
7. Water can be diverted pursuant to this right only when Middleton Irrigation Association rights are being delivered in the Middleton Mill Ditch.
8. Failure to comply with the conditions of this right is cause for the Director to cancel this right.
9. Water bearing zone to be appropriated is from 5 to 15 feet.

MICROFILMED
SEP 22 1998

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12462

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

11 th day of September, 1978.

Karl J. Dreher
Karl J. Dreher, Director
for



MICROFILMED

SEP 27 1978

Ident. No. 63-12462

RECEIVED
SEP 8 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED
JUN 25 1998

WATER RESOURCES
WESTERN REGION

DEPARTMENT OF WATER RESOURCES

1. Name of Applicant Hope Lutheran Church Phone 939-9181
Post Office address 331 N. Linder Road Eagle, ID 83616
2. Source of water supply Ground water (5-15') which is a tributary of N/A
3. Location of point of diversion is 1/4 of SE 1/4 of SE 1/4, Govt. Lot
Sec. 11 Township 4N Range 1W B.M. ADA County; additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 21.9 AF for irrigation purposes from MARCH 15 to MAY 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .10 and/or (b) 21.9
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Swamp pump & pipelines
(pump is next to ditch)
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is 30" inches; proposed depth of well is 15 feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? NO
 - e. If well is already drilled, when? 4-6-98; Drilling firm Spiers Excavation
Well was drilled for (well owner) Hope Lutheran Church
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity if KW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. _____
 - e. Other; describe fully. _____

MICROFILMED

SEP 22 1998

* P/O per maps
Season " Iowa standards } all confirmed per
diver works per Appl. info } tel call w/ Kent Johnson.
Amount - gr 7/27/98

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	1W	11																5.0	5.0

Total number of acres to be irrigated 5.0

10. Describe any other water rights used for the same purposes as described above. Surface water rights from Middleton Irrigation Association, Certificate # 760 - 5 shares - 5 inch

11. a. Who owns the property at the point of diversion? Hope Lutheran Church

b. Who owns the land to be irrigated or place of use? Hope Lutheran Church

c. If the property is owned by a person other than the applicant, describe the arrangement enable the applicant to make this filing: _____

12. Remarks: See Attached (Comments).

Water bearing zone to be appropriated is 5-15'. Applicant * proposes to mitigate this use with ditch shares and therefore seeks waiver from local processing monitoring.

13. MAP OF PROPOSED PROJECT ATTACHED ☒ Show clearly the proposed point of diversion, place of use, section number, township and range number.

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Theresa A. P.

THREASURER

(Applicant)

MICROFILMED

SEP 22 1998

Received by Kh Date 10/25/98 Time 10:34 Preliminary check by R
 Fee \$ 400.00 50.00 Received by Kh # W024060 Date 10/25/98
 Publication prepared by ST Date 7/29/98 Published in Idaho State on 8/6/98
 Publication approved ST Date 8/26/98

* per Appl. info & prior discussion with IOWA
 -82 7/27/98


* refund processed for overpayment.

Enter as database comments

12. Remarks: Although the well was developed into shallow ground water, the use of that ground water will be mitigated by our Middleton Irrigation Association surface water irrigation water right. The Middleton Mill Ditch runs alongs 500 plus feet of the southern boundary of the property and the shallow ground water (depth approximately 5 feet) is closely tied to the water level in the ditch. It is estimated that virtually all the water taken from the shallow ground water will be "replaced " by water seeping from the Middleton Mill Ditch. Under this assumption we will be utilizing our surface water right from the Middleton Irrigation Association as we pump from our shallow well. We would propose that the minor amount of ground water used from the shallow well could be mitigated by using surface water irrigation flow to occasionally flood the storm water detention ponds located on the east end of our property.

MICROFILMED
SEP 27 1988

63-12462



4N 1W
5.11
SESE
NO govt lots
-82 7/27/98

pld 3 pln

TOUR map per Applicant
maps & info.

63-12462

IRISH ACRES SUBDIVISION

BEING ALL OF LOT 3, COMPTON ANDREWS TRACT AND A
PORTION OF THE NE 1/4 SE 1/4, SECTION 11.

T. 4N. R. 1W. S. 11.
ADA COUNTY, IOWA
1994

NOTES:

1. BUILDING SETBACKS AND DIMENSIONAL STANDARDS IN THIS SUBDIVISION SHALL COMPLY WITH THE APPLICABLE ZONING REGULATIONS OF ADA COUNTY, IOWA.
2. LOT LINES COMMON TO A PUBLIC RIGHT-OF-WAY HAVE A 12' WIDE PERMANENT PUBLIC UTILITIES, IRRIGATION AND DRAINAGE EASEMENT.
3. SETBACKS TO CONFORM TO APPLICABLE STANDARDS IN EFFECT AT THE TIME OF ISSUANCE OF PLACING PERMITS.
4. EACH SIDE OF COMMON LOT LINES HAS A 6 FOOT WIDE PERMANENT PUBLIC UTILITIES, IRRIGATION AND DRAINAGE EASEMENT.
5. RESPONSIBILITY FOR ALL DRAINAGE FACILITIES LOCATED OUTSIDE THE PUBLIC RIGHT-OF-WAY IS HELD WITH THE LOT OWNER(S) ON WHOSE LAND SAID DRAINAGE FACILITIES ARE CONSTRUCTED.
6. ANY RESUBDIVISION OF THIS PLAT SHALL COMPLY WITH THE APPLICABLE ZONING REGULATIONS IN EFFECT AT THE TIME OF RESUBDIVISION.
7. DEVELOPER SHALL COMPLY WITH IOWA CODE 51-3605 PERTAINING TO IRRIGATION WATER. IRRIGATION WATER IS AVAILABLE TO EACH LOT.
8. LOTS 1, 3, 5 AND 7 ARE DEED RESTRICTED LOTS AND MAY ONLY BE USED FOR OPEN SPACE AS DEFINED IN THE NON-FARM DEVELOPMENT SECTION OF THE ADA COUNTY CODE, SECTION 8-13-7 AND THE PLANNED DEVELOPMENT PROVISIONS OF THE ADA COUNTY CODE (FIND IN THE TITLE 8, CHAPTER 9, THE DEED RESTRICTED LOTS MUST ALSO ONLY BE USED IN THE MANNER SET FORTH IN THE CONDITIONS OF APPROVAL ISSUED BY ADA COUNTY'S DEPARTMENT OF DEVELOPMENT SERVICES. THESE LOTS MUST BE USED IN A FORESTED MANNER FOR A PERIOD OF NOT LESS THAN FIFTEEN (15) YEARS FROM THE RECORDING DATE OF _____.

This sketch is for location purposes
only. The Company assumes no
liability for variations.


PIONEER TITLE COMPANY
of Ada County

LEGEND

WC	WITNESS CORNER
•	SEE 1/2" X 24" IRON PIN W/PLASTIC CAP
○	SEE 3/8" X 30" IRON PIN W/PLASTIC CAP
⊕	END, HIGHWAY RIGHT-OF-WAY MONUMENT BRASS CAP SET IN 6" X 6" CONCRETE
---	PROPERTY BOUNDARY
---	LOT LINE
---	CENTERLINE
---	12' PERMANENT PUBLIC UTILITIES IRRIGATION AND DRAINAGE EASEMENT (UNLESS OTHERWISE NOTED)

CURVE DATA

CURVE	RADIUS	DELTA	CHORD	CHORD BEC.	ARC	TANGENT
C-1	72916.31'	119.03'	526.40'	5.770370"W	526.92'	263.47'




GRAPHIC SCALE



1 inch = 100 ft.

Hope Lutheran Church } = SESE S. 11
Lots 7 and 8
pg topo
- 7/27/98



J.J. HOWARD, ENGINEER
DAVID L. HOWARD


SHEET 1 OF 2

UNPLATTED

UNPLATTED

UNPLATTED

LOT 4 COMPTON ANDREWS TRACT



Hope Lutheran Church Fax: 2089395499

Jun 24 '98 10:11

P. 02/02

29421-39

HOPE LUTHERAN CHURCH

331 N. Linder Rd.
Eagle, ID. 83616
(208) 939-9181

Pastor Scott Berner

June 10, 1998

Below is a list of the officers of Hope Lutheran Church.

<u>Office Held</u>	<u>Name</u>	<u>Address</u>	
Pastor	Scott Berner	4436 Oxbow	Boise, ID, 83704
President	Paul Unger	4115 N. Sage Hill Lane	Eagle, ID. 83616
Vice President	Donna Malany	204 Mango Dr.	Eagle, ID. 83616
Treasurer	Kent Johnson	3952 N. Samson Pl.	Boise, ID. 83704
Financial Secretary	Lloyd Young	4340 W. Quail Point Ct.	Boise, ID. 83703

MICROFILMED
SEP 22 1998

63-12462



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

July 13, 2001

HOPE LUTHERAN CHURCH
331 N LINDER RD
EAGLE ID 83616

RE: License No. 63-12462 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


SEP 19 2001

CERTIFICATE OF MAILING

I hereby certify that on July 13, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 63-12462

**HOPE LUTHERAN CHURCH
331 N LINDER RD
EAGLE ID 83616**


Kari Lynn Townsend
Secretary

MICROFILMED

SEP 10 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

LICENSE REVIEW CHECKLIST

Permit No. 63-12462 Date: 7-6-2001 Reviewer: Kay Walker

topo X7

Change/OK

Name/Address

OK

Source

OK

Point of Diversion:

OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use

OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s): Middleton Mill-
File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.10 cfs

Fee Limit 0.20 cfs

Measured _____ cfs

Theoretical 0.22 cfs

Recommended Total Diversion Rate 0.08

Water Uses

OK

Change (P46)

Season of Use per new Standards

3/1 11/15

Irrigation 0.08 cfs 11.3 af

Stockwater _____ cfs _____ af

Domestic _____ cfs _____ af

_____ cfs _____ af

_____ cfs _____ af

Total 0.08 cfs 11.3 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

Supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

51 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Firs (077)

Water Quality (081/R07)

Bayette - (W22/047/27A)

Stockwater for US (R37)

$2.5 \times 0.03 = 0.075 \approx 0.08 \text{ cfs}$

Volume Determination

$0.08 \text{ cfs} \times 1.9835 \times 260 \text{ days} = 41.3 \text{ af}$ (vs) $2.5 \text{ acres} \times \frac{4.5}{3.5(\text{con})} (\text{FHR}) = 11.3 \text{ af}$

Remarks:

Additional Conditions Yes Watermaster Control 63
_____ GW Measurement/Measuring Device
_____ Other
Trust R55 - remove 051)
Non-trust (048/049)

GW Dist? _____
Water Msmt. Dist? _____
Crit. GWMA? _____
GWMA? _____
Government Lots? _____

Advance Priority? yes If yes, explain why below.
no

SRBA Claim?

Not req'd

Adjust memo

*allow 0.03 cfs/ac since system can produce & under 5 acres.

Amend Letters

P87, S06

Second Amendment Notice

S06


Type	WR #	Owner	Source	TBS	NENE	NNNE	NNNW	NNWV	NNWW	NNWN	NNWS	NNSW	NNSS	NNSE	NNSE	NNSE	NNSE	NNSE	Total
Claim	63 124N	MIDDLETON MILL DITCH CO.	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	20	489
Claim	63 125B	NEW DRY CREEK DITCH CO.	BOISE RIVER	04ND1W11	.37	6	.	.	.	.	.	.	.	.	.	.	.	118	489
Claim	63 126G	MIDDLETON MILL DITCH CO.	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	20	489
Claim	63 126E	NEW DRY CREEK DITCH CO.	BOISE RIVER	04ND1W11	.37	6	.	.	.	.	.	.	.	.	.	.	.	118	489
Claim	63 128E	MIDDLETON MILL DITCH CO.	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	20	489
Claim	63 1523B	BALLENTYNE DITCH COMPANY LTD.	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	30	489
Claim	63 181L	NEW DRY CREEK DITCH CO.	BOISE RIVER	04ND1W11	.37	6	.	.	.	.	.	.	.	.	.	.	.	118	489
Claim	63 181X	MIDDLETON MILL DITCH CO.	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	20	489
Claim	63 189B	MIDDLETON IRRIGATION ASSOCIATION,	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	20	489
Claim	63 189D	MIDDLETON MLL DITCH CO.	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	20	489
Claim	63 173	MIDDLETON MLL DITCH CO.	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	20	489
Claim	63 1746B	NEW DRY CREEK DITCH CO.	BOISE RIVER	04ND1W11	.37	6	.	.	.	.	.	.	.	.	.	.	.	116	489
Claim	63 195	BALLENTYNE DITCH COMPANY LTD.	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	30	489
Claim	63 198AA	BALLENTYNE DITCH COMPANY LTD.	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	30	489
Claim	63 198AC	MIDDLETON IRRIGATION ASSOCIATION,	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	20	489
Claim	63 205	NEW DRY CREEK DITCH CO.	BOISE RIVER	04ND1W11	.37	6	.	.	.	.	.	.	.	.	.	.	.	118	489
Claim	63 206	NEW DRY CREEK DITCH CO.	BOISE RIVER	04ND1W11	.37	6	.	.	.	.	.	.	.	.	.	.	.	116	489
Claim	63 207	NEW DRY CREEK DITCH CO.	BOISE RIVER	04ND1W11	.37	6	.	.	.	.	.	.	.	.	.	.	.	116	489
Claim	63 234	BALLENTYNE DITCH COMPANY LTD.	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	30	489
Claim	63 254	MIDDLETON IRRIGATION ASSOCIATION,	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	20	489
Claim	63 255	MIDDLETON IRRIGATION ASSOCIATION,	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	20	489
Claim	63 258A	BALLENTYNE DITCH COMPANY LTD.	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	30	489
Claim	63 258B	NEW DRY CREEK DITCH CO.	BOISE RIVER	04ND1W11	.37	6	.	.	.	.	.	.	.	.	.	.	.	118	489
Claim	63 259	NEW DRY CREEK DITCH CO.	BOISE RIVER	04ND1W11	.37	6	.	.	.	.	.	.	.	.	.	.	.	116	489
Claim	63 280B	BALLENTYNE DITCH COMPANY LTD.	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	30	489
Claim	63 283	NEW DRY CREEK DITCH CO.	BOISE RIVER	04ND1W11	.37	6	.	.	.	.	.	.	.	.	.	.	.	116	489
Claim	63 284	BALLENTYNE DITCH COMPANY LTD.	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	30	489
Claim	63 285	BALLENTYNE DITCH COMPANY LTD.	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	30	489
Claim	63 286	NEW DRY CREEK DITCH CO.	BOISE RIVER	04ND1W11	.37	6	.	.	.	.	.	.	.	.	.	.	.	118	489
Claim	63 289B	NEW DRY CREEK DITCH CO.	BOISE RIVER	04ND1W11	.37	6	.	.	.	.	.	.	.	.	.	.	.	116	489
Claim	63 28977	NEW DRY CREEK DITCH CO.	BOISE RIVER	04ND1W11	.37	6	.	.	.	.	.	.	.	.	.	.	.	116	489
Claim	63 370	MIDDLETON MILL DITCH CO.	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	20	489
Right	63 198AA	EDWARD L. MC CLINTOCK	BOISE RIVER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	30	489
Claim	63 18571	VIRGINIA MAE LEE, WILLIAM D LEE,	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	7.5	7.5
Claim	63 17234	VIRGINIA L. MUNDY	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	0	0
Claim	63 17800	CECIL W STANLEY	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	0	0
Claim	63 18724	RANDALL L. HELTON, EVA O HELTON, ANITA A KEENEY, JOHN E HELTON,	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	0	0
Claim	63 18734	RANDALL L. HELTON, EVA O HELTON, ANITA A KEENEY, JOHN E HELTON,	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	0	0
Claim	63 18724	RANDALL L. HELTON, EVA O HELTON, ANITA A KEENEY, JOHN E HELTON,	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Claim	63 19155	GIRDNER AND JONES PARTNERS	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	X	5
Claim	63 20034	MONTY MILBURN, DENISE MILBURN,	GROUND WATER	04ND1W11	X	.	.	.	.	.	.	.	.	.	.	.	.	0	0
Claim	63 20127	DOROTHY S RHODES,	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	X	0
Claim	63 20127	DOROTHY S RHODES,	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	X	0
Claim	63 22450	WILLIAM A BROOKS, JUANITA BROOKS,	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	0	0
Claim	63 22450	WILLIAM A BROOKS, JUANITA BROOKS,	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	0	0
Claim	63 22453	JUANITA BROOKS, WILLIAM A BROOKS,	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	0	0
Claim	63 22848	PAMELA A HANLEY LOUCKS, ANTHONY LOUCKS,	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	0	0
Claim	63 22947	VIRGINIA L. MUNDY	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	0	0
Claim	63 2543	DEAN L QUENZER, RON L QUENZER, MARV E QUENZER,	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	0	0
Claim	63 28134	ARTHUR SNYDER, ELEANOR V SNYDER, VIRGINIA M LEE,	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	15	20
Claim	63 4091	MAURICE MC CLUE	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	0	0
Claim	63 4315	GIRDNER AND JONES PARTNERS	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	7	7
Claim	63 4315	GIRDNER AND JONES PARTNERS,	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	0	0
Claim	63 4315	GIRDNER AND JONES PARTNERS,	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	X	0
Claim	63 5092	QUARTER CIRCLE DJ RANCH,	GROUND WATER	04ND1W11	.24	.	.	.	.	.	.	.	.	.	.	.	.	0	24
Claim	63 5093	QUARTER CIRCLE DJ RANCH,	GROUND WATER	04ND1W11	X	.	.	.	.	.	.	.	.	.	.	.	.	0	0
Claim	63 7276	QUARTER CIRCLE DJ RANCH,	GROUND WATER	04ND1W11	.25	.	.	.	.	.	.	.	.	.	.	.	.	0	25
Claim	63 7276	QUARTER CIRCLE DJ RANCH,	GROUND WATER	04ND1W11	X	.	.	.	.	.	.	.	.	.	.	.	.	0	0
Claim	63 7847	QUARTER CIRCLE DJ RANCH,	GROUND WATER	04ND1W11	.	.30	.	.	.	.	.	.	.	.	.	.	.	0	158
Claim	63 8363	MARV E QUENZER, DEAN L QUENZER, RON L QUENZER,	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	0	0
Right	63 19824	MAURICE MC CLUE	GROUND WATER	04ND1W11	.	.	.	.	.	.	.	.	.	.	.	.	.	0	0

Idaho Dept. of Water Resources
Place of Use Comparison Report

[illegible]

2000 10 10 10:00

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for Irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

model

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	3	282302 8310	Sta-Rite	L50 P4HH-03

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - System was off for season

MICROFILMED

SEP 10 2004

6. Lots 7 + 8 are in the Irish Ac. Subdivision.

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for irrigation of the yards and a field at the Hope Lutheran Church at 331 N. Linde Rd.

2. The total acres of Lots 7 + 8 of the Church Grounds is 5.13 Ac. The Church building, parking, a gravel pad, and other non-irrigated land is 2.62 Ac.; leaving 2.51 Ac. of irrigated ground.

3. A "well" pump is used to provide water to sprinkler systems in a field to the west of the Church, and to various yard tracts around the building.

4. The "well" consists of a short length of 6" casing used to house the pump and motor. The pump takes water from the groundwater just below the surface. The "well" is adjacent to the Middleton Mill Canal and the Church has 5 shares in the Middleton Irrigation Association. It's possible that the well pump would draw water from the canal seepage zone. The groundwater in this area is very near the surface, and would probably rise during the irrigation season when the canal is full.

Have conditions of permit approval been met? ☒ yes ☐ no

5. Domestic water to the Church building and 2 fire hydrants is from another system - ^{MICROFILMED} by the United Water.

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: None - System off for the season.

$$Q = \frac{(8.8)(340)(702)}{5' + (35 \text{ psi}) \left(\frac{34'}{14.7 \text{ psi}} \right)} = 0.22 \text{ cfs} > 0.05 \text{ cfs}$$

$$Q_{\text{allowed}} = (0.02 \frac{\text{cfs}}{\text{Ac.}})(2.5 \text{ Ac.})$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

2.5 Ac.

= 0.05 cfs.

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (2.5 \text{ Ac.})(4.5 \frac{\text{AFI}}{\text{Ac.}}) = 11.25 \text{ AFI}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.05)(260)(1.9835) = 25.79$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} = 11.25 \text{ AFI}$$

2. Volume Calculations for Other Uses:

Irrigated Acres:

$$1) \text{ Lots 7+8: } \text{Ac.} = (1/2)(514' + 250') / (585') \frac{\text{Ac.}}{(66)(66)(10) \text{ ft}^2} = 5.13 \text{ Ac.}$$

$$2) \text{ Building, parking, gravel pad, etc.} = \left[(50' \times 360') + (265' \times 360') + (30' \times 30') \right] \frac{\text{Ac.}}{(66)(66)(10)}$$

H. RECOMMENDATIONS

= 2.62 Ac.

1. Recommended Amounts

$$\text{Irrigated Ac.} = 5.13 - 2.62 = 2.51 \text{ Ac.}$$

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>03/01</u>	<u>11/15</u>	<u>0.05</u>	<u>11.25</u>
Totals:			<u>0.05</u>	<u>11.25</u>

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

1) New irrigation season should be 3/1 to 11/15.

I. AUTHENTICATION

Field Examiner's Name

Dan Zmich

Date

2-18-00

2) Only 2.5 Ac.

Reviewer


Date

SEAL

is irrigated.

MICROFILMED

SEP 12 2000



IRISH ACRES SUBDIVISION

BING ALL OF LOT 3, CORTON ANDREWS TRACT AND A PORTION OF THE NE 1/4 SE 1/4, SECTION 11.

T.W. R.W. D.M.
ADA COUNTY, IOWA
1994

NOTES

1. BUILDING SETBACKS AND DIMENSIONAL STANDARDS IN THIS SUBDIVISION SHALL COMPLY WITH THE APPLICABLE ZONING REGULATIONS OF ADA COUNTY, IOWA.
2. LOT LINES COMMON TO A PUBLIC RIGHT-OF-WAY HAVE A 12' WIDE PERMANENT PUBLIC UTILITIES, IRRIGATION AND DRAINAGE EASEMENT.
3. SETBACKS TO COMPLY TO APPLICABLE STANDARDS IN EFFECT AT THE TIME OF ISSUANCE OF BUILDING PERMITS.
4. EACH SIDE OF COMMON LOT LINES HAS A 6 FOOT WIDE PERMANENT PUBLIC UTILITIES, IRRIGATION AND DRAINAGE EASEMENT.
5. RESPONSIBILITY FOR ALL DRAINAGE FACILITIES LOCATED OUTSIDE THE PUBLIC RIGHT-OF-WAY IS HELD WITH THE LOT OWNER(S) ON WHOSE LAND SAID DRAINAGE FACILITIES ARE CONSTRUCTED.
6. ANY RESUBDIVISION OF THIS PLAT SHALL COMPLY WITH THE APPLICABLE ZONING REGULATIONS IN EFFECT AT THE TIME OF RESUBDIVISION.
7. DEVELOPER SHALL COMPLY WITH IOWA CODE 31-3605 PERTAINING TO IRRIGATION WATER, IRRIGATION WATER IS AVAILABLE TO EACH LOT.
8. LOTS 1, 3, 5 AND 7 ARE DEED RESTRICTED LOTS AND MAY ONLY BE USED FOR OPEN SPACE AS DEFINED IN THE NON-FARM DEVELOPMENT SECTION OF THE ADA COUNTY CODE, SECTION 8-13-7 AND THE PLANNED DEVELOPMENT PROVISIONS OF THE ADA COUNTY CODE FOUND IN THE TITLE 8, CHAPTER 9. THE DEED RESTRICTED LOTS MUST ALSO COMPLY WITH THE PROVISIONS SPECIFIED IN THE COVENANTS OF APPROVAL ISSUED BY ADA COUNTY'S DEPARTMENT OF DEVELOPMENT SERVICES. THESE LOTS MUST BE USED IN A MANNER CONSISTENT WITH THE COVENANTS FOR A PERIOD OF NOT LESS THAN FIFTEEN (15) YEARS FROM THE RECORDING DATE OF _____.

This sketch is for location purposes only. The Company assumes no liability for variations.


PIONEER TITLE COMPANY
of Ada County

LEGEND

- WC WITNESS CORNER
- SET 1/2" x 24" RICH PN W/PLASTIC CAP
- SET 5/8" x 30" RICH PN W/PLASTIC CAP
- ⊙ FND. HIGHWAY RIGHT-OF-WAY MONUMENT BRASS CAP SET IN 6" x 6" CONCRETE
- PROPERTY BOUNDARY
- LOT LINE
- CENTERLINE
- 12' PERMANENT PUBLIC UTILITIES, IRRIGATION AND DRAINAGE EASEMENT (UNLESS OTHERWISE NOTED)

CURVE DATA


CURVE	EASIS	DELTA	CHORD	CHORD BEG.	ARC	TANGENT
C-1	77°48.31'	114°02'	526.90'	5.770370°W	526.92'	263.47'



Hope Lutheran Church
331 N. Linder Rd.

Hope Lutheran Church } = SESE 5.11.
Lots 7 and 8
per topo

63-12462




J.J. HOWARD, ENGINEER
CLASS, IOWA

UNPLATTED

LOT 4 CORTON ANDREWS TRACT


SEP 10 2004

63-12462



- GENERAL SI**
1. REFER TO CIVIL DRAWING AND DRAINAGE.
 2. ALL PARKING AREAS A
 3. ALL SURFACE DRAINAGE ON SITE. REFER TO CIV
 4. ALL LANDSCAPE AREAS AUTOMATIC UNDERGROU DESIGN OF SYSTEM TO SPECIFICATION CRITERI
 5. ALL PLANTS SHALL COM AMERICAN ASSOCIATION STANDARDS IN TERMS C REFER TO LANDSCAPE AND SHRUB PLANTING C
 6. INSTALL 4" MINIMUM FINE PLAY AREA.

63-12462
TE HIGHWAY NO. 44



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

Well < 18'

1. DRILLING PERMIT NO: None OTHER APPLICABLE NO: 63-12462
2. OWNER: Hope Lutheran Church Phone: (208) 939-9181
Address: 331 N Linder Rd., Fesc, ID 83616
3. WELL LOCATION: Twp 4N, Rge. 1W, Sec. 11, SE 1/4 SE 1/4
County Ada (Provide sketch map and photo on reverse.)
4. DRILLER: _____ Lic. No. _____
When Drilled? 1999
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☐ No
Casing ≥ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing About 12 ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving New
Auger to a depth of 10-12 ft. Evidence of Annular Seal ☐ Yes ☒ No
Are there obvious constuction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION: Possible
Depth to Static Water 5 ft. Water Temperature Cold °F
? Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: MICROFILM

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:


This "well" is used to irrigate the grounds of the Hope Lutheran Church and is located at 331 N. Linden Rd. / Hwy 44, adjacent to the Middleton Mill Canal. It is not a true well. A short length of casing was used to install a pump to obtain ground water just below the surface. The well is only used during the irrigation season.

Don Tomich Water Rights Examiner
Signature of Dept. Representative & Title

2-16-00
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

The Church uses United Water Service for the building.




MICROFILM
SEP 19 2001

1 of 3

P/D

"well"



P/D

"well"
in back-
ground by
fence.

Plu, yard
by fence.

Middleton
Mill Canal
or Ditch



View Looking West

MD 11-11-01

SEP 13 2001

63-12462

2 of 3

P/O

"well"

by fence

P/u

Church

field +

yard



P/u

Church

yard



MICROFILMED

SEP 1 1985

63-12462

3 of 3

P/u

Church
yard


by

drive-way



P/u

Field West
of Church.



Note 2

United Water

Test Wells

at left-

Center in

field.

MICROFILMED

SEP 11 2001

63-12462



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

January 4, 2000

HOPE LUTHERAN CHURCH
331 N LINDER RD
EAGLE, ID 83616

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12462

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **WESTERN** Regional Office of the department in Boise at (208) 334-2190.

Sincerely,

L. GLEN SAXTON, Chief
Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

JAN 28 2000

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-12462 Reviewed by Wt Date 1-04-00

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
NO Drilling permit required? Shallow Sump - 15'
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50.00 Amount Submitted
yes Correct?
NO Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

acknowledge proof

DATA ENTRY

New Address Proof Made 8-02-99

June 30, 1999

HOPE LUTHERAN CHURCH
331 N LINDER RD
EAGLE ID 83616

PROOF DUE NOTICE

RE: PERMIT NO. 63-12462

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1999. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

JAN 28 2006





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 11, 1998

PHILIP E. BATT
GOVERNOR

HOPE LUTHERAN CHURCH
331 N LINDER RD
EAGLE ID 83616

KARL J. DREHER
DIRECTOR

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12462

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt
Enclosures

MICROFILMED


SEP 27 1998

CERTIFICATE OF MAILING

I hereby certify that on the 11th day of **September, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved Permit)** to the person(s) listed below:

Water Right No. 63-12462

**HOPE LUTHERAN CHURCH
331 N LINDER RD
EAGLE ID 83616**


Kari Lynn Townsend
Secretary

MICROFILMED
SEP 22 1998

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED
SEP 22 1998

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

SEP 08 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

OK to process

INITIAL REVIEW BY: SR DATE: 7/28/98 APPLICATION: BS-12462

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.) *attached in appl.*
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map: (show T, R, S, QQ &/or QQQ)
Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Correct fee paid - *overpaid, refund being processed*

Gov't. Lots:
N P/D
P/U

ADDITIONAL INFORMATION

yes ADVERTISE REMARK(S)
(Reviewer identify which remarks) = *all*

N/A T FLAG CHANGED TO P FLAG

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on next page.)
☒ ☐ Overlapping point of diversion.
☐ ☒ Critical groundwater area:
☐ ☒ Groundwater management area:
☐ ☒ 1992 moratorium:
☐ ☒ Bull trout impact area
☐ ☒ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
☐ ☒ E-mail to Dam Safety staff: (for any storage)
☒ ☐ Mitigation plan: Check any that apply.
☐ ☒ immediate = acceptable plan required and submitted.
☐ ☒ N/A future = open areas, acceptance of condition of approval is in file.
☐ ☒ Send power requirement letter:
☐ ☒ Send fish farm requirement letter:
☐ ☒ Power residency affidavit:
☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

** OK to process w/ proposal immediate mitigation plan. Dept. has approved similar proposals. "Future mitigation" & salmon flows therefore N/A.*

Date Requested Date Response Received

YES NO

☒ ☐
☒ ☐
☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES ☒ NOYES ☒ NO
☐ ☒ I.D. Health & Welfare
☐ ☒ I.D. District Health
☐ ☒ I.D. Fish & Game
☐ ☒ I.D. Lands

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☐ ☒ Water Dist. #
☒ ☐ Other See attached for info

e ditch company

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☐

Publication dates and paper recorded on application:

Final date for protest 8-24-98
☐ ☒

Protests received.

☐ ☒

Recommendations attached:

☐ ☒

Measuring device required:

☐ ☒

Measuring port required:

☐ ☒

Water delivered by water master? District #

☒ ☐

Special conditions of approval or cover letter.

See memo dated 9/1/98

See below for additional information

Recommended Date or Priority 6/25/98Recommended by: DanDate: 8/31/98

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION:

Mitigation plan - See Applicant's info in d'base Comments plus Kent Johnson's 3/6/98 letter. Ditch water only available e every 10 ± days, need more constant supply for proposed sprinklers for very shallow g.w. sump next to ditch. Comment letter sent to ditch co. since have not heard from co. (See Applicant's 6/23/98 letter e that). Overlap: just ditch co. H2o for this land (AQ4). Few other g.w. rights but are for other lands in AQ.

MEMORANDUM

To: File no. 63-12462 in the name of Hope Lutheran Church
From: Gary Spackman *Gary*
Date: September 1, 1998

Re: Conditions of Approval

I recommend the following conditions of approval for application no. 63-12462:

1. Five shares of the Middleton Irrigation Association must be owned and retained by the water right holder and must be delivered into the Middleton Mill Ditch when water is being diverted pursuant to this water right.
2. Water can be diverted pursuant to this water right only when Middleton Irrigation Association water rights are being delivered in the Middleton Mill Ditch.
3. Failure to comply with the conditions of this water right is cause for the director to cancel the water right.
4. (120)

MICROFILMED

SEP 22 1998

LEGAL NOTICE
NOTICE APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12462

HOPE LUTHERAN CHURCH
331 N LINDER RD
EAGLE, ID 83616

Source: GROUNDWATER

Diversion Pt: SESE Sec 11 T 04N R 01W in ADA County.

Use: IRRIGATION (0.100 CFS)
Total Diversion: (0.100 CFS)

Date Filed: 6/25/1998

In: ADA County
T04N R01W S11 SESE
5.0 ACRES TOTAL

Water bearing zone to be appropriated is from 5 to 15 feet. Applicant proposes to mitigate this use with ditch shares and therefore seeks a waiver from local processing moratorium.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Department of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 together with a protest fee of \$25.00 on or before August 24, 1998. The protestant must also send a copy of the protest to the applicant.

Karl J. Dreher, Director

Pub. August 6, 13, 1998

1970

MICROFILMED

27 12 1998

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707-0040

LEGAL ADVERTISING INVOICE

Amount Due

\$93.00

Account Number/Trans. #		Identification	
047628		NOTICE OF APPLICATION FOR WATER RIGHT	
Ordered By	P.O. Number	Rate	Run Dates
SUE TAYLOR		NT	AUGUST 6, 13, 1998
IDAHO DEPT. OF WATER RESOURCES WEST 2735 AIRPORT WAY BOISE, IDAHO 83705		Estimated Inches	Real Inches
		# Affidavits	Legal Number
		1	1970

RECEIVED

AUG 19 1998

WATER RESOURCES
WESTERN REGION

JANICE HILDRETH, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for TWO

☒ consecutive weekly single
consecutive daily odd skip
insertion(s) beginning with the issue of
AUGUST 6, 1998
and ending with the issue of
AUGUST 13, 1998


Janice Hildreth

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 13TH day of AUGUST in the year of 1998, before me, a Notary Public, personally appeared JANICE HILDRETH known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.



MICROFILMED
SEP 22 1998

Janie Modie
Notary Public for Idaho
Residing at: Boise, Idaho
My commission expires: 5703

RECEIVED

JUL 01 1998

WATER RESOURCES
WESTERN REGION

FRANK W. STOPPELLO
JERRY A. KISER

FRANK W. STOPPELLO
ATTORNEYS AND COUNSELORS AT LAW
620 WEST HAYS STREET
BOISE, IDAHO 83702

TELEPHONE (208) 336-1020
FACSIMILE (208) 336-1027

June 30, 1998

Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705


Re: Application for Water Right Permit -
Submitted by Hope Lutheran Church
331 North Linder Road, Eagle, Idaho

Dear Water Right Application Examiner:

I write as attorney for Middleton Mill Ditch Company and Middleton Irrigation Association regarding the water right permit application submitted to your Department by Hope Lutheran Church on Linder Road on or about June 23, 1998. This letter is to advise you that the foregoing canal companies do not oppose Hope Lutheran Church's application so long as the Church recognizes the canal companies' existing right of way along the canal for purposes of cleaning, maintaining and repairing the canal. Also, if this approval is premised on the Church's application being consistent with the draft application previously provided to the canal companies, a copy of which is enclosed.

If you have any questions regarding this matter, please feel free to contact me.

Sincerely,


Jerry A. Kiser
Attorney at Law

JAK/mac

Enclosure

cc: Jane Foote

MICROFILMED
SEP 21 1998

RECEIVED

FORM 202

1/96

JUL 01 1998

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Ident. No. _____

1. Name of Applicant Hope Lutheran Church Phone 939-9181
Post Office address 331 N. Linder Road Eagle, Id
2. Source of water supply Ground water (5-15') which is a tributary of N/A
3. Location of point of diversion is _____ 1/4 of _____ 1/4 of SE 1/4, Govt. Lot _____
Sec. 11 Township 4N Range 1W B.M. ADA County; additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 21.9 AF for irrigation purposes from April 1 to Oct 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) _____ and/or (b) 21.9
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
c. Proposed well diameter is 30" inches; proposed depth of well is 15 feet.
d. Is ground water with a temperature of greater than 85°F being sought? NO
e. If well is already drilled, when? 4-6-98; Drilling firm Spier's Excavation
Well was drilled for (well owner) Hope Lutheran Church
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity if KW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. _____
d. Domestic; show number of households. _____
e. Other; describe fully. _____

MICROFILMED
SEP 22 1998

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	1W	11																5.0	5.0

Total number of acres to be irrigated 5.0

10. Describe any other water rights used for the same purposes as described above. Surface water rights from Middleton Irrigation Association, Certificate # 760 - 5 shares - 5 inch

11. a. Who owns the property at the point of diversion? Hope Lutheran Church

b. Who owns the land to be irrigated or place of use? _____

c. If the property is owned by a person other than the applicant, describe the arrangement enable the applicant to make this filing: _____

12. Remarks: See Attached

13. MAP OF PROPOSED PROJECT ATTACHED _____ Show clearly the proposed point of diversion, place of use, section number, township and range number.

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Received by AO Date 7-1-98 Time 11:20 Preliminary check by _____
 Fee \$ _____ Received by _____ # _____ Date _____
 Publication prepared by _____ Date _____ Published in _____
 Publication approved _____ Date _____

MICROFILMED
SEP 28 1998

MEMORANDUM

TO: DEBBIE ALLEN

FROM: STEVE LESTER *SL*

DATE: JULY 28, 1998

RE: REFUND

Hope Lutheran Church filed Application for Permit No. 63-12462 on 6-25-98 and paid \$100. The application only required a \$50 fee.

Please process a \$50 refund based on that. The receipt number is identified for your convenience.

ACTION - Issue \$50 refund

REASON - Overpayment

RECEIPT - W024060

MAIL TO - ATTN. Kent Johnson
Hope Lutheran Church
331 N. Linder Rd.
Eagle, ID 83616

✓ c: Application File 63-12462

MICROFILMED
SEP 22 1998

SD-0604-2 Township: 04N			Range: 01W		Section: 11		Tract: SESE		Lot: 49	
S	L		STATE		O	S	Max #	Records		
E	O	Water	Name		W	T	Priority	Use		
L	Tract	Right No.	Last, First		N	AC	G	Date	Code	Desc
SESE		63-02406	DRAINAGE DISTRICT NO.		C	40	L	07/05/1965	01	IRR
SESE		63-03030	HAWKINS, CONRAD E.		C	8	L	03/15/1955	01	IRR
									43	DOMEST
SESE		63-04091	SMITH, EST. OF SARA JA		C	7	S	06/01/1920	01	IRR
									04	STOCK
SESE		63-04315	EARL, MARVIN I.		C	7	S	06/01/1948	01	IRR
			EARL, BONITA		C				04	STOCK
									43	DOMEST
SESE		63-10824	MC CLUE, MAURICE		C	7	L	06/21/1989	01	IRR
									43	DOMEST

(Enter=Continue)

(GOLD 7=This Query)

(Menu _____)

P/D

3 other g.u rights but not for
church property it appears.

AJQ4 lists Middleton Mill Ditch Area is
this tract (20 AC SESE).

7/27/98

P/h

MICROFILMED

SEP 22 1998

RECEIVED

JUN 25 1998

WATER RESOURCES
WESTERN REGION

HOPE LUTHERAN CHURCH
331 NORTH LINDER ROAD
EAGLE, IDAHO 83616

June 23, 1998

Western Region
Idaho Dept. of Water Resources
2735 Airport Way
Boise, ID 83705


Dear Water Rights Group:

Enclosed please find an Application for Permit for a water right and a check for the \$100 application fee, for our new developed property at Linder and State Street just west of Eagle, Idaho. This is a formal application as a result of the March 18, 1998 Steve Lester response to my March 6 letter inquiring whether we could develop a "ditch bank" well for irrigating our property.

Our draft application has been shared with the Middleton Irrigation Association / Middleton Mill Ditch board. They will be supporting this application, in writing, to IDWR in a separate mailing.

If you have any questions, please call me at 384-3926 at work, or 378-0962 at home.

Sincerely,



Kent A. Johnson, Treasurer

xc: N. Jane Foote, Middleton Mill Ditch
Jerry Kiser, Middleton Mill Ditch

IDWRAPP

MICROFILMED

SEP 22 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

March 18, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

ATTN KENT JOHNSON
HOPE LUTHERAN CHURCH
223 N EAGLE RD
EAGLE ID 83616

Post-it® Fax Note 7671		Date 3/18	# of pages 01
To KENT JOHNSON		From HOPE L.	
Co./Dept.		Co.	
Phone #		Phone #	
Fax # 384-3999		Fax #	

RE: PROPOSED IRRIGATION SYSTEM

Dear Kent:

I reviewed your letter of March 6 that proposes another method to irrigate the church property. Your letter described land in the SE 1/4 Section 11, T4N R1W Ada County. The land is now served via surface water from Middleton Mill Ditch Company.

The proposed shallow ground water diversion system to be located next to the delivery ditch would be best covered by a new water right permit. The new right would be based on using existing surface water delivered to the site to mitigate use of ground water. The ground water diversion would constitute another method of utilizing the surface water, in a manner of speaking.

Enclosed is an application for permit that can be used to start the new appropriation process. It should be submitted with a mitigation plan that describes how surface water shares delivered by the ditch company will be introduced into the shallow aquifer. The amount of surface water, including rate of flow in cubic feet per second and estimated annual volume in acre feet, to be introduced into the aquifer should be documented. Comments from the ditch company should also be included.

Please allow about two months for application processing to be completed. Diversion of ground water to irrigate the church property cannot occur until water right approval is secured.

I will be glad to provide more help if I can. Please contact me at your convenience.

Sincerely,

Steve Lester
Water Rights Supervisor

Enclosure

MICROFILMED
SEP 27 1998

CONVERSATION MEMORANDUM

DATE 3/17/98

FILE _____

NAME OF PARTY Kent Johnson 384-3926

EMPLOYEE JZ

RE: Hope Lutheran Church - Irrig. Proposal

Sounds like new W.R. is best option where
propose mitigation plan re surface water to offset
ground water pumping.

AJQ4 Middleton Mill covers 38 ac NESE 24N1W
20 ac SESE S 511

WRQ4 " " does not show up SE²⁴ (that's
not unusual).

Transfer is another option but could get more
complex (ditch w. - verification of ass etc.).

Send info up Kent let to church address.

MICROFILMED

SEP 22 1998

HOPE LUTHERAN CHURCH
223 North Eagle Road
Eagle, Idaho 83616

RECEIVED
MAR 09 1998
WATER RESOURCES
WESTERN REGION

March 6, 1998

Steve Lester
Idaho Department of Water Resources
2735 Airport Way
Boise, Idaho 83705

Per our telephone conversation last week, Hope Lutheran Church is considering options for providing irrigation water in the future on the property at Linder and Highway 44, east of Eagle. The property is the 7 acres in the NW quadrant of the Linder and Highway 44 intersection. We are currently completing a new building on that site. Enclosed is a copy of the site plan for the building.

We would like to maintain our surface water right for the property, but we have a restriction from Central District Health on using flood irrigation because of the high ground water on the site and the sewer disposal system we will be installing (a sand mound). We intend to develop a sprinkler based irrigation system for the property, but the current delivery of water to the property of every 10 days will not supply a sprinkler system well.

We are proposing to develop a sump along the south property line of our property adjacent to the canal which runs along Highway 44. I have noted the general location of this sump system on the site plan enclosed. By a "sump" I mean installing a bottomless concrete vault or a vertical large diameter perforated pipe surrounded with clean rock. We would install it at a depth less than 18 feet so it would not fall under the definition of a well. We would place it close to the canal so we could consider the canal as the primary source of water to the sump, and therefore consider the water pumped from the sump as our surface water irrigation water. This installation it is hoped, would allow us to avoid installing filtration equipment and allow us to pump directly from the sump into our sprinkler system.

As mentioned before, the groundwater on the property is shallow, and is affected by the level of water in the canal and irrigation activities on and near the property. It is acknowledged that our sump will penetrate the shallow ground water table, but again, we would like to be able to consider the water produced from the sump to be primarily from the canal, and therefore surface water.

So based on the proposed installation, we are asking the Idaho Department of Water Resources if this would be an acceptable installation and if the water produced can be considered delivery of


MICROFILMED

SEP 22 1998

our surface irrigation water right. We also realize that this installation will also have to be agreed upon by the Middleton Mill Ditch Company. We have already contacted them informally, but wanted to obtain your response to our proposed installation before we formally presented it to the Ditch Company.

Please contact me at work (384-3926) if you have any questions.

Sincerely,

A handwritten signature in dark ink, appearing to read "Kent A. Johnson, P.E.", with a stylized flourish at the end.

Kent A. Johnson, P.E.

xc: Larry Laraway
Loren Evans

MICROFILMED

SEP 22 1998



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JULY 29, 1998

Legal Notices Department
THE IDAHO STATESMAN
PO BOX 40
BOISE, ID 83707

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 24, 1998.

Yours truly,

SUE TAYLOR
Secretary/Office Coordinator

Encl.

MICROFILMED

AUG 2 1998

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED
SEP 22 1998

63-12462

HOPE LUTHERAN CHURCH
331 N LINDER RD
EAGLE, ID 83616

Source: GROUNDWATER

Diversion Pt: SESE Sec 11 T 04N R 01W in ADA County.

Use: IRRIGATION (0.100 CFS)
Total Diversion: (0.100 CFS)

Date Filed: 6/25/1998

In: ADA County
T04N R01W S11 SESE

5.0 ACRES TOTAL

Water bearing zone to be appropriated is from 5 to 15 feet.
Applicant proposes to mitigate this use with ditch shares and
therefore seeks a waiver from local processing moratorium.

MICROFILMED

SEP 22 1998

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before AUGUST 24, 1998. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 8/ 6/1998 & 8/13/1998

MICROFILMED

SEP 22 1998