

1971

513

50'


514

515


516

47' 30"

GREEN
3.3 M



AUG 21 1998
LIZARD




MICROFILMED

AUG 21 1998

7/6/1964


Photo copy taken from Aerial Slide July of 1980
Mike Anderson Program Assistant from Service Agency

CANYON COUNTY TPA COMMITTEE
610 ARTHUR ST.
CALDWELL, ID 83605



MICROFILMED
AUG 21 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well Pump	Newman Electric	30	SN X 030310	Jacuzzi	Model # 10MS44 WE 17597237
Booster Pump		15	5K215JN19A	Cornell	SN 16303-6 3/4

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

AC. Measurement from FSA Photo.

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Planimeter	Mech.	Lasico	42P	B-90848		

MICROFILMED

2. Measurements:


None - System off for season.


55-60 psi operating pressure

FEB 04 2002

T3N, R4W, Sec. 10

7.5





T5171 H/NW T5505 T4490 H/NW

374 2 375

940 T4563 NW T5171 63-12453 H/NW H/NW

SWNW 1.0 Ac.
SE NW 3.0 Ac.
NE SW 3.5 Ac.
NWSW 7.5 Ac.
P/u 15.0 Ac.

P/D well

8.8 T5170 NW 37.2 P/u 37.3

102 T2548 H/NW H/NW NW T2531

10.5 H/NW H/NW

T5163 NW 16.4 19.5

23.0 Ac 1.0 Ac 23.0 Ac 23.0

34 7.5 Ac 3.5

P/u
63-03194
23.0 Ac.

Total Ac.
= 38.0
under
A63-03194

T3N
R4W
Sec. 10

MICROFILMED
FEB 04 2002

63-12453

CURVE NO
18-061
6-1-77

No. Stages	Eff. Change	MATERIAL	Eff. Change
1	-	IMP.—C.I.	-2
2	-2	IMP.—NI-RI	-1
3	-1	BOWL—BRZ.	-1
4	0	BOWL—NI-R.	-1

10 RKLC

1760

R.P.M.


SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS. EFFICIENCY SHOWN FOR 4 OR MORE STAGES. HORSE POWER SHOWN FOR ONE STAGE BASED ON 4 STAGE EFFICIENCY. CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL.

ONE STAGE STAGES

(8) @ 3.75 HP Ea

30 HP, 8 stages

TDH = 200' @ 60 PSI




Head per
Stage =
200/8
= 25'

N.P.S.H. REQUIRED — FEET

THRUST FACTOR

EYE AREA — SQ. IN.	= 10.15	IMPELLER WT.-LBS.	= 10.1
WR ² PER IMPELLER	= 0.44 LB.-FT ²	ONE STAGE WT.-LBS.	= 185
MAX. SPHERE SIZE	= 0.47 in.	ADD'L STAGE WT.-LBS.	= 67
MAX. NO. STD. STAGES	= 29	IMPELLER NUMBER	= 5RK13
MAX. OPERATING P.S.I.	= 700	DISCH. SIZES	= 5, 6, 7, 8
STD. LATERAL	= 0.92 in.	SUCTION SIZES	= 6
STD. SHAFT DIA.	= 1.500 in.	MAX. LATERAL	= ----- in.
MAX. SHAFT DIA.	= 1.687 in.	BOWL CONN.	THREADED-COLLAR
MIN. SUBMERGENCE	= 13 in.	ADD 7-7/16"	PER ADDITIONAL STAGE.



MICROFILMED

FEB 04 2006 3-12453

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This well was drilled to replace an irrigation well drilled in 1960. The 1960 well pumped too much sand and was abandoned. The 1960 well was located about 300' SE of this well in the same 1/4 1/4 - SWNW Sec. 10. Both the 1960 well and this well serve the same irrigated land, 38 Ac. Total.

Dan Tomack Water Rights Examiner
Signature of Dept. Representative & Title

2-17-99
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED
FEB 04 2002



View Looking South

1 of 2
P/D
well
Plu
Irrigated
land in
background.
Plum Rd.
on right.
Mora
Canal in
foreground.



View Looking North

P/D
well
Booster
Pump is
under
white
board
stand.

MICROFILMED
FEB 04 2002

63-12453

2 of 2

Plu

Fruit trees.

More (2nd)
on right.

View

Looking

Northwest.



Plu

Fruit trees.

View looking

West along

South

boundary
of 38 Ac.
tract.



Chalk Hills
on left

MICROFILMED

FEB 04 2002

63-12453

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-12453

Priority: February 26, 1998

Maximum Diversion Rate: 0.28 CFS
Maximum Diversion Volume: 63.0 AF

It is hereby certified that S RICHARD ROBISON
15591 SUNNY SLOPE RD
CALDWELL ID 83605 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated February 26, 1998; and has
submitted Proof of Beneficial Use on November 27, 1998. An examination indicates that the works have
a diversion capacity of 0.93 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	03/01 to 11/15	0.28 CFS	63.0 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NW $\frac{1}{4}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 10, Twp 03N, Rge 04W, B.M., CANYON County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N 04W 10							23.0	2.0	4.0		8.0						37.0

Total Acres: 37

CONDITIONS OF APPROVAL

1. Right 63-3194 is also diverted through the point of diversion described above.
2. Rights 63-3194 and 63-12453 when combined shall not exceed the irrigation of 37 acres.
3. This right is limited to the irrigation of 14 acres within the place of use described above in a single irrigation season.
4. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
5. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.

MICROFILMED


State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-12453

6. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 14TH day of DECEMBER, 2001.


Acting for **KARL J. DREHER**
Director

MICROFILMED

RECEIVED

DEC 13 2001

State of Idaho
 Department of Water Resources
APPLICATION FOR AMENDMENT

Department of Water Resources

(For Licensing Purposes)
WATER RIGHT NO. 63-12453

Date of Priority: February 26, 1998

Maximum Diversion Rate: 0.28 CFS

Maximum Diversion Volume: 63.0 AF

Comes now S RICHARD ROBISON
 15591 SUNNY SLOPE RD
 CALDWELL ID 83605 and represents to the Director of the Idaho Department
 of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the
 State of Idaho No. 63-12453, and requests that the permit be changed as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 11/15	0.28 CFS	63.0 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NW¼SW¼NW¼ Sec. 10, Twp 03N, Rge 04W, B.M.
 CANYON County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N 04W 10							23.0	2.0	4.0	8.0							37.0

Total Acres: 37

Permit holder asserts that no one will be injured by such change and that such change will be made at
 permit holder's own risk. Signed this 12 day of December, 2001.

S. Richard Robison
 (Signature)

MICROFILMED

DEC 13 2002

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-12453

FOR DEPARTMENT USE ONLY

Preliminary check by Wk Fee \$50.00 Received by J. Man # 0058476 Date 12-13-01

ACTION OF THE DEPARTMENT OF WATER RESOURCES


I, Karl J. Dreher, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-12453 with the following:

CONDITIONS OF APPROVAL

1. Right 63-3194 is also diverted through the point of diversion described above.
2. Rights 63-3194 and 63-12453 when combined shall not exceed the irrigation of 37 acres.
3. This right is limited to the irrigation of 14 acres within the place of use described above in a single irrigation season.
4. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
5. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
6. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

Witness my hand this 14TH day of DECEMBER, 2001.

Acting for


KARL J. DREHER
Director

MICROFILMED

DEC 9 4 2002

RECEIVED

NOV 27 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12453 Telephone No. 459-7022
2. Name(s) of Permit Holder(s): S. Richard Robison
3. Mailing Address: 15591 Sunny Slope Rd Caldwell, ID 83605
4. Source of Water: Groundwater If **GROUNDWATER** (well), Date Drilled: mo. April / yr. 1960
 - a. Well Driller: B+M Equipment Drilling Permit Number: - - -
 - b. **OPTIONAL:**
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): Stockwater (No. and type of stock):
Irrigation (No. of acres): 15 Other:
6. Total rate of diversion and/or volume for which proof is submitted: 0.30 cfs OR acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u> </u>	or	No <u>X</u>
	Has the measuring device been installed?	Yes <u> </u>	or	No <u> </u>
Flow Measurement Port:	Is a flow measurement port required?	Yes <u> </u>	or	No <u>X</u>
	Has the measurement port been installed?	Yes <u> </u>	or	No <u> </u>
8. Fee Enclosed: \$ 100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Same as above Telephone Number:
Address:

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: S. Richard Robison Date: 11-28-98
(include your title, if on behalf of company or organization)

JAN 04 1999

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12453

Proposed Priority: February 26, 1998 Maximum Diversion Rate: 0.30 CFS

This is to certify, that **S RICHARD ROBISON**
15591 SUNNY SLOPE RD
CALDWELL ID 83605

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.30 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWNW , Sec. 10, Township 03N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	04E	10	SWNW 1.0	SENEW 3.0	NESW 3.5	
			NWSW 7.5			15.0

Total number of acres irrigated: 15.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1998.**
2. Subject to all prior water rights.
3. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
6. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary for this purpose will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
7. This permit does not authorize the construction of any new well or the deepening or enlargement of any existing well.
8. This right does not authorize the irrigation of land not previously irrigated.

MICROFILMED

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12453

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

17th day of August, 1998.


for
Karl J. Dreher, Director



MICROFILMED

SEP 2 1998

RECEIVED

FEB 26 1998

RECEIVED

FEB 26 1998

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Ident. No. 63-12453

RECEIVED

JUL 28 1998

DEPARTMENT OF WATER RESOURCES

1. Name of Applicant S. Richard Robison Phone 459-7022
Post Office address 15591 Sunny Slope Rd. Caldwell, ID 83605
2. Source of water supply Ground water which is a tributary of _____
3. Location of point of diversion is SW 1/4 of NW 1/4 of _____ 1/4, Govt. Lot _____
Sec. 10 Township 03N Range 04W B.M. Canyon County; additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 3 for Irrigation purposes from 03/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 3 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 30 H.P. Pump, 6 in. Mainline
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is 12 3/4 inches; proposed depth of well is 263 feet.
 - d. Is ground water with a temperature of greater than 85° F being sought? No
 - e. If well is already drilled, when? 4/21/1960; Drilling firm B & M Equipment Co:
Well was drilled for (well owner) Lawrence Ball
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity if KW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. _____
 - e. Other; describe fully. _____

MICROFILMED

AUG 27 1998

MICROFILMED
JUN 21 1998

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
23N	04W	10							1										1
										3									3
											3.5								3.5
												7.5							7.5

Total number of acres to be irrigated 15.0 A.

10. Describe any other water rights used for the same purposes as described above. 63-03194

11. a. Who owns the property at the point of diversion? S. Richard Robison

b. Who owns the land to be irrigated or place of use? S. Richard Robison

c. If the property is owned by a person other than the applicant, describe the arrangement enable the applicant to make this filing: _____

12. Remarks: These acres are covered by the S.R.B.A. but I am applying for additional water

13. MAP OF PROPOSED PROJECT ATTACHED _____ Show clearly the proposed point of diversion, place of use, section number, township and range number.


BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

S. Richard Robison
(Applicant)

Received by RTT Date 2/26/1998 Time 11:54 Preliminary check by g
 Fee \$ 100- Receipted by RTT # W023471 Date 02/26/1998
 Publication prepared by ST Date 6/11/98 Published in Press-Tribune 6-18&25-98
 Publication approved ST Date 7/21/98

MICROFILMED
JUN 21 1998

T03N R04W S. 10
Robison
POD: NWSWNW
51C 47'30" 5



1971

513

50'


514

515

516

47' 30"

GREEN
3.3 M





United States
Department of
Agriculture

Farm
Service
Agency

Aerial
Photography
Field Office

May 5, 1998

S Richard Robison
15591 Sunny Slope Rd
Caldwell ID 83605

Dear Mr. Robison:

This is to certify that the following enlargements were made from FSA aerial Film which were secured while photographing Canyon County, Idaho. The film is on file at the Aerial Photography Field Office, FSA, USDA, Salt Lake City, Utah.

ENLARGEMENTS

DHV-1DD-216B

DATE

July 6, 1964

Linda McDonald, Chief
Sales Branch

MICROFILMED

AN EQUAL OPPORTUNITY EMPLOYER

2222 West 2300 South
Salt Lake City, UT 84119-2020





MICROFILMED

AUG 21 1968

7/6/1
1964



RECEIVED
JUL 21 1980

PK above canal

CANYON COUNTY PSA COMMITTEE
510 ARTHUR ST.
CALDWELL, ID 83605

*photocopy taken from Aerial Slide July of 1980
Mike Anderson Program Assistant Farm Service Agency*



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

December 17, 2001

S RICHARD ROBISON
15591 SUNNY SLOPE RD
CALDWELL ID 83605

RE: License No. 63-12453 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a copy of the approved Application for Amendment.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)


MICROFILMED
FEB 04 2002

CERTIFICATE OF MAILING

I hereby certify that on December 17, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 63-12453

**S RICHARD ROBISON
15591 SUNNY SLOPE RD
CALDWELL ID 83605**


Kari Lynn Townsend
Secretary

MICROFILMED
FEB 9 4 2002

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

November 29, 2001

S RICHARD ROBISON
15591 SUNNY SLOPE RD
CALDWELL ID 83605

RE: Water Right Permit No. 63-12453

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

 Point(s) of Diversion

 X Place(s) of Use

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

Enclosure(s)

MICROFILMED

NOV 30 2001

Comment Report

63-12453

1. skeen 11/28/2001 License Review

Comment: License review by S. Keen on 11/28/2001. Point of diversion and place of use overlaps are right 63-3194 and beneficial use claim 63-30542.

Heads up digitizing resulted in 37 acres total, not the 38 claimed. The recommended diversion rate and volume have been adjusted accordingly.

Amendment of the permit is required to incorporate the permissible place of use.

2. LGRAVES 6/8/1998 OVERLAPPING RIGHTS

Comment: P/U irrigated prior to 1987 per attached supporting map and photos. This application is for additional water to be used with license 63-03194.

MICROFILMED

SEP 04 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 1999
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-12453

1. Owner: S. Richard Robison Phone No. (208) 459-7022

Current Address: 15591 Sunny Slope Rd., Caldwell, ID 83605

2. Accompanied by: Richard Robison EXAM DATE: 2-17-99

Address: (Same) Phone No. _____

Relationship to Permit Holder: (Same)

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-03194 / A63-03194

2. Other water rights with the same point of diversion: 63-03194 / A63-03194

C. DIVERSION AND DELIVERY SYSTEM

(23 Ac.)

(38 Ac.)

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NW	10	3N	4W	Canyon	Site Visit, Map


2. Place(s) of Use:

Indicate Method of Determination Site Visit, Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	4W	10							1.0	3.0	3.5	7.5							15.0

MICROFILMED

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well Pump	Newman Electric	30	SN X 030310	Jacuzzi	Model # 10M544 WE 17597237
Booster Pump		15	5K215JN19A	Cornell	SN 16303-634

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

AC. measurement from PSA Photo.

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Planimeter	Mech.	Lasico	42P	B-90848		
						MICROFILMED

2. Measurements:

None - System off for season.

55-60 psi operating pressure

FEB 04 2002

6. The 38 Ac. is outside of the project lands under the Wilder Irrigation District.

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for 15 Ac. of irrigation in a 38 Ac. tract that has been irrigated from a well since 1960. WR 63-03194, priority date 4-21-60, Licensed 8-28-79, is for 23 Ac. in the SWNW, and this permit is for the remainder portion of 15 Ac.

2. The first well was drilled in 1960, and the site is located about 300' SE of the present well. The 1960 well had a lot of sand problems, and was abandoned after a replacement well was drilled in 1965. The 1965 well now used, supplies water for the 38 Ac. through a 6" steel mainline. Sprinkler handlines are used to irrigate the tract now planted with young trees.

3. The well site has a 15 Hp Booster pump to increase the operating pressure to 55-60 psi. There is no flow measuring device in the system.

4. The 1965 well (12" casing) was pumped tested on 3-12-65 at 630 GPM (1.4 cfs), and had a draw down of 30' from a static water level at 60' in the well.

5. The total diversion rate allowed for the 38 Ac. is 0.76 cfs for the combination of: 63-03194, 0.46 cfs

Have conditions of permit approval been met? ☒ yes ☐ no
A 63-03194, 63-12453, 0.30
0.76 cfs

The adjudication claim filed by the owner for the 38 Ac. shows a diversion rate of only 0.46 cfs. This was a mistake that should be corrected. Also, 133 AFA should be 171 AFA for ad. cl. in

Additional Computation Sheets Attached

For 38 Ac.,

From Pump Perf. Curve to RKLC:

$$Q = \frac{(8.8)(304\text{r})(702)}{60' + (60\text{psi})\left(\frac{34'}{14.7\text{psi}}\right)}$$

$$= \underline{0.93 \text{ cfs}} > 0.76 \text{ cfs}$$

$$TDH = 200' @ 60 \text{ PSI} + 60'$$

8 stage pump in well

Head per stage = 25'

$$G = 435 \text{ Grm} = \underline{0.97 \text{ cts}}$$

$$Q = (0.02 \frac{\text{cfs}}{\text{ft}}) (38)$$
$$= 0.76 \text{ cfs}$$

Total

Allow

$$Q = (0.02)(15 \text{ A.c.})$$
$$= 0.30 \text{ cfs}$$

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{(15 \text{ Ac.}) (4.5 \frac{\text{AF-A}}{\text{Ac.}})}{1} = 67.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.30)(246)(1.9835) = 146$$

$$V = \text{Smaller of } V_{IB} \text{ and } V_{DB} =$$

for this
permit

2. Volume Calculations for Other Uses:

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03/15	11/15	0.30	67.5
Totals:			0.30	67.5

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

None

Change P.U. as reflected above

Add P.U. as reflected above

Other

Note: A63-03/94

Should 2/1 cw

0.76 cfs, 171 AFA,

for the full

38 A.

under this
well.

I. AUTHENTICATION

Field Examiner's Name

Date 2-18-99


Reviewer

Date _____

MICROFILMED SEAL

FEB 9 1992

7.5



T-4490

374

37.5

9/10

T4563

DT 5163-12453 H/NW

H/N 14

P/D
well

T5170

NNW

102

T2548-HA

10.5

NW 1238

T 5 6 3

31
46.4

12
19.5

23.6

1.0

7.5 AC

34

P/u

63-03194

23040

70427 AC

= 38.0

under

A63-03194

T3N

R Y W

Sec. 10

MICROFILMED

63-12453

CURVE NO
18-061
6-1-77


No. Stages	Eff. Change	MATERIAL	Eff. Change
1	-	IMP.—C.I.	-2
2	-2	IMP.—NI-RI	-1
3	-1	BOWL—BRZ.	-1
4	0	BOWL—NI-R.	-1

10 RKLC


1760 R.P.M.

SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS. EFFICIENCY SHOWN FOR 4 OR MORE STAGES. HORSE POWER SHOWN FOR ONE STAGE BASED ON 4 STAGE EFFICIENCY. CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL.

ONE STAGE (8) @ 3.75 HP Ea 30 HP, 8 stages TDH = 200' @ 60 PSI



EYE AREA — SQ. IN. = 10.15	IMPELLER WT.-LBS. = 10.1
WR ² PER IMPELLER = 0.44 LB.-FT. ²	ONE STAGE WT.-LBS. = 185
MAX. SPHERE SIZE = 0.47 in.	ADD'L STAGE WT.-LBS. = 67
MAX. NO. STD. STAGES = 29	IMPELLER NUMBER = 5RK13
MAX. OPERATING P.S.I. = 700	DISCH. SIZES = 5, 6, 7, 8
STD. LATERAL = 0.92 in.	SUCTION SIZES = 6
STD. SHAFT DIA. = 1.500 in.	MAX. LATERAL = — in.
MAX. SHAFT DIA. = 1.687 in.	BOWL CONN. THREADED COLL.
MIN. SUBMERGENCE = 13 in.	ADD 7-7/16" PER ADDITIONAL STAGE.



3-12453

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: None found OTHER APPLICABLE NO: 63-12453
+ 63-03194
2. OWNER: S. Richard Robinson Phone: (208) 459-7022
Address: 15591 Sunny Slope Rd., Caldwell, ID 83605
3. WELL LOCATION: Twp 3N, Rge. 4W, Sec. 10, SW 1/4 NW 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Unknown Lic. No. _____
When Drilled? March, 1965 pump Test on 3-12-65
5. WELL CONSTRUCTION:
Casing Diameter 12 inches Water tight cap? ☐ Yes ☒ No Access Port: 2" ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 260 ft. Method Drilled Unknown
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe w/ concrete block on
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No Top.
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No Not Sure
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 60 ft. Water Temperature Cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

MICROFILMED

SEP 8 2002

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This well was drilled to replace an irrigation well drilled in 1960. The 1960 well pumped too much sand and was abandoned. The 1960 well was located about 300' SE of this well in the same 1/4 1/4 - SW NW Sec. 10. Both the 1960 well and this well serve the same irrigated land, 38 Ac. Total.

Dan Tomach Water Rights Examiner
Signature of Dept. Representative & Title

2-17-99
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED
FEB 04 2002



View Looking South

Lot 2

P/O

well

Plu

Irrigated
land in
background.

Plum Rd.
on right.

Mora
Canal in
foreground.



View Looking North

P/O

well

Booster
pump is
under
white
board
stand.

MICROFILMED

SEP 14 2012

63-12453

2 of 2

P/u

Fruit trees.

Moza (2nd)
on right.

View

Looking

Northwest.



P/u

Fruit trees.

View looking

West along

South

boundary
of 38 Ac.
tract.



Chalk Hills
on left

Microfilm

63-12453

63-12453

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 03-12453 Reviewed by Jeff Date 12-3-98

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
NO Drilling permit required? 1900
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
100- Amount Submitted
yes Correct?
NO Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received
Date proof due
No. of days late
Priority Date
New Priority Date

DEFICIENCIES OR ACTION ITEMS

Proof Acceptable

DATA ENTRY

New Address Proof Made 11-27-98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 7, 1998

S Richard Robison
15591 Sunny Slope Rd
Caldwell ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12453

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **WESTERN** Regional Office of the department in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED
JAN 04 1999

September 30, 1998

S RICHARD ROBISON
15591 SUNNY SLOPE RD
CALDWELL ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-12453

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1998. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
JAN 04 1999





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 12, 1998

S RICHARD ROBISON
15591 SUNNY SLOPE RD
CALDWELL ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12453

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

AUG 21 1998

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

MICROFILMED


AUG 21 1986

CERTIFICATE OF MAILING

I hereby certify that on the 12th day of August, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 63-12453

S RICHARD ROBISON
15591 SUNNY SLOPE RD
CALDWELL ID 83605


Kari Lynn Townsend
Secretary

REC'D. LMD

AUG 21 1998

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

AUG 21 1998

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by Cindy LouNo.: 63-12453 Name: Robison Date: 8/3/98 Ad OK? ☒ / Gvmt Lts: ☒AREA OF CONCERN: pre'87 - No/Yes: BRD Mor / GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

- > 1 year - 26A-P17
- ≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)

- WMD (✓ MAP) - North / East / West
- > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD
- WMD Supplemental use - 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)
- > 0.24 cfs/5 acres - 01M (report when notified)
- ≤ 0.24 cfs/5 acres - No MD

DRILLING PERMIT:

- All wells (✓ WDQ3) - 046-P23
- In Basin 34? - 085
- Irr. within WD - P05 (new well location)

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

- IN/ABOVE MIN. STR. FLOW (✓ MAP) - *WB9
- WD (✓ MAP & LISTING) - R04 (WD #)
- > 0.10 cfs - 01J-P08 (MD & LD)
- ≤ 0.10 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)
- WMD (✓ MAP) - 067 or No MD (in-stream stock or power)
- > 0.24 cfs/5 acres - No MD
- ≤ 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

- > 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (*Surface water):

- Snake R (01) - *W22 -P04, NA
- (02/03-irr) - 007 (w/ remark *WB9 if above Weiser), NA
- Payette R(65) - *W22 (regulated uses), 047-P04 (Payette Lake), NA
- Salmon R (70's) - 029 (fish screens), NA

USE:

- Domestic surface - *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- >1 in rest. area - 071-070
- Fire Protection - 077
- Fish Propagation - 029-007-042(req)-081 (WQ)-P10
- Heating/Cooling - R07 (injection well)
- Irr ≤ 5 acres - R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- > 5 acres - R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- Mining - 054(req)-081-P10
- Municipal - 022, 075, 004 (+memo?), NA (not in restricted area)
- Power - 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use); 17G (FERC) or 17M (FERG); 18B-P09; >25 cfs-P18
- Stockwater - R37 (BLM/USFS); NA
- Storage (✓ 3 compo.) - 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

LOCATION:

- 42-248 area - P84 (in 20/30/40/50/60/70/80 (87) basin)
- Boise Front LoGeo - 058 (<85° GW temp only)
- In-stream dev. - P52 (stream channel alteration)
- Mitigation - 120

SWAN FALLS FLAG (See Code Chart)

- Trust - 051-052-053-P74 (Consumptive Uses), NA
- Non-Trust (1) - 048-049 (Consumptive Uses), NA

OWNERSHIP:

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

- 074 068

- 12/1/998

MEMORANDUM

DATE: August 11, 1998
TO: File No. 63-12453
FROM: Cindy Zimmerman
SUBJECT: Overlapping Right 63-03194 *3*.

This application is based on pre-1987 irrigation in excess of license 63-03194. License No. 63-03194 was permitted for 23 acres in SWNW and 10 acres in NWSW, S10, T03N, R04W. Proof submitted in April 1965 identifies 23 acres in SWNW was developed. The field exam conducted in October 1965 verified irrigation of the 23 acres. A license to irrigate the 23 acres in the SWNW, S10, was issued October 22, 1965.

This file contains aerial photography from 1964, 1971, and 1980 which shows irrigation in excess of the 23 acres licensed under 63-03194.

MICROFILMED

AUG 21 1998

MEMORANDUM

DATE: August 3, 1998
TO: File No. 63-12453
FROM: Cindy Zimmerman 
SUBJECT: Telephone Conversation

This application is silent about overlapping surface water rights. The USGS topographic map shows the Mora Canal Extension runs along the northeast border of the field. The database is not clear as to which acres within section 10 receive canal water.

I called the applicant, Rich Robison, asking if they use surface water on that field. Mr. Robison said that the field was uphill of the extension and canal water is not available to them. Mr. Robison hoped that someday there would be shares available for them to purchase and use on the field but did not know when that might be.

MEMORANDUM

AUG 21 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
JUL 28 1998
DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW BY: 6 DATE: 6/8/98 APPLICATION: 63-12453

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Correct fee paid

Gov't. Lots:
☒ P/D
☒ P/U

ADDITIONAL INFORMATION

☒ ADVERTISE REMARK(S) (data entered
(Reviewer identify which remarks only) *remarks only*)

done T FLAG CHANGED TO P FLAG

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☒ Overlapping point of diversion.
- ☒ Critical groundwater area:
- ☒ Groundwater management area:
- ☒ 1992 moratorium: pre 1987 - proof attached
- ☒ Bull trout impact area
- ☒ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☒ E-mail to Dam Safety staff: (for any storage)
- ☒ Mitigation plan: Check any that apply.
- ☐ immediate = acceptable plan required and submitted.
- ☐ future = open areas, acceptance of condition of approval is in file.
- ☒ Send power requirement letter:
- ☒ Send fish farm requirement letter:
- ☒ Power residency affidavit:
- ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

pre 1987 proof of irrigation

Date Requested 2/21/98 Date Response Received 6/1/98

PROCESSING

APP. NO.

63-12453

YES NO

☒
☒
☒

☒
☒
☒

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES NO

☐
☐
☐
☐

☒
☒
☒
☒

I.D. Health & Welfare

I.D. District Health

I.D. Fish & Game

I.D. Lands

YES NO

☐
☐
☐
☐

☒
☒
☒
☒

U.S. BLM

U.S. Forest Service

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒
☒

☐
☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒

☐

Publication dates and paper recorded on application:

Final date for protest

7-6-98

Protests received.

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

120

See below for additional information

Recommended Date or Priority

2/26/1998

Recommended by:

Cary

Date:

7/25/98

STATE OFFICE REVIEW

See below for additional information. By

Date

ADDITIONAL INFORMATION:

overlaps - 63-03194 - Same R/D + acres

63-02388 - surface water

other rts listed N/A

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12451

MIDDLETON CEMETERY DISTRICT

C/O LLOYD MURRAY

8310 PURPLE SAGE RD

MIDDLETON, ID 83644

Source: GROUNDWATER

Diversion Pt: SENE Sec 1 T 04N R 03W in CANYON County.

Use: IRRIGATION (0.200 CFS)

Total Diversion (0.200 CFS)

Date Filed: 5/21/1998

In: CANYON County

T04N R02W S06 Lot 5(SWNW)

R03W S01 SENE

10.0 ACRES TOTAL

Applicant requests processing based on local public interest criteria. Applicant agrees to mitigate consumptive use in the future as needed. Water bearing zone to be appropriated is from 30 to 150 feet.

63-12453

ROBISON, S RICHARD

15591 SUNNY SLOPE RD

CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: SWNW Sec 10 T 03N R 04W in CANYON County.

Use: IRRIGATION (0.300 CFS)

Total Diversion (0.300 CFS)

Date Filed: 2/26/1998

In: CANYON County

T03N R04E S10

SWNW

SENW

NESW

NWSW

15.0 ACRES TOTAL

Application reflects existing use developed prior to Nov., 1987.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before JULY 6, 1998. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

June 18, 25, 1998

7247

RECEIVED

JUN 26 1998

WATER RESOURCES
WESTERN REGION

MICROFILMED

JUN 27 1998

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS.
County of Canyon)

Carolyn Roberson

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Twice

— in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

June 18 and 25, 1998

Carolyn Roberson

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 25th day of June
in the year of 1998 before me, a Notary
Public, personally appeared Carolyn Roberson
known or identified to me to be the person whose
name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he/she
executed the same.

MICROFILMED

AUG 21 1998

Jane S. L. B.
Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JUNE 21ST, 2003

RECEIVED
JUN 26 1998
WATER RESOURCES
WESTERN REGION

ROBISON, S RICHARD
15591 SUNNY SLOPE RD
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: SWNW Sec 10 T 03N R 04W in CANYON County.

```
Use:  IRRIGATION      (      0.300 CFS)
      Total Diversion: (      0.300 CFS)
```

Date Filed: 2/26/1998

In: CANYON County
T03N R04E S10

15.0 ACRES TOTAL

Application reflects existing use developed prior to Nov., 1987.

MICROFILMED

100