





State St.

40' WIDE ASPHALT SURFACE
STATE HIGHWAY STATE STREET

PHASE #1


Short Ln.



Moon Valley Rd.

MOON VALLEY ROAD (OLD SH-44)
20' WIDE ASPHALT SURFACE

THIS AREA SOUTH OF
MOON VALLEY ROAD
NOT INCLUDED IN
APPLICATION.



SITE PLAN

PHASE #2

JAMES GIPSON ASSOCIATES

architecture • planning

P.O. Box 219
38 North First Street, Eagle, Idaho 83616
phone (208) 939-0238

EAGLE CHRISTIAN CHURCH

Eagle, Idaho

No. 9735 10-10-97

REV. 10-19-97



MICROFILMED

AUG 10 1998

Longhorn

C-2

RR

RR

Palmer

R1

RR

Moon Valley

Short

R1

SITE

State ST (HWY 44)

R1

R1

Emmett HWY

RR

RR

MICROFILMED

AUG 10 1998

63-12444
4N 1W S15
(no gov lts)




0.1 0 0.1 0.2 Miles

A scale bar with four segments, labeled 0.1, 0, 0.1, and 0.2 Miles.

-  Well
-  Church
-  Section Line
-  1/41/4 Line




63-12444
4N 1W S15
(no gov lts)



0.1 0 0.1 0.2 Miles

-  **Well**
-  **Church**
-  **Section Line**
-  **1/41/4 Line**


MICROFILMED
APR 23 2002




State St.

40' W ASPHALT SURFACE
STATE HWY 44 STATE STREET

PHASE #1



Short Ln.




PHASE #2

MOON VALLEY RD.

MOON VALLEY ROAD (OLD SH-44)
20' WIDE ASPHALT SURFACE

THIS AREA SOUTH OF
MOON VALLEY ROAD
NOT INCLUDED IN
APPLICATION.




SITE PLAN MICROFILMED

APR 23 2002

JAMES GIPSON ASSOCIATES
architecture • planning
P.O. Box 219
38 North First Street, Eagle, Idaho 83616
phone (208) 939-0238

EAGLE CHRISTIAN CHURCH
Eagle, Idaho
No. 9735 10-10-97
REV. 10-19-97





Longhorn

C-2

RR

RR

Palmer

R1

RR

Moon Valley

Short

R1

SITE

State ST (HWY 44)

Emmett Hwy

R1

R1

RR


RR

MICROFILMED

APR 23 2002

10, 15, 20 and 30 GPM 4" Submersible Pumps

Pump Performance – 20 GPM



Tested and rated in accordance with Water Systems Council standards.

NOTE: Pumps installed with a CON-AIRE® tank require a 100 PSI relief valve. Pumps installed with a conventional tank require a 75 PSI relief valve. Relief valve must be capable of relieving entire flow of pump at relief pressure.



MICROFILMED

APR 23 2002

STA-RITE. Built On Commitment.



P/D



P/u

MICROFILMED

APR 23 2002

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-12444

Priority: May 10, 1998

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 0.7 AF

It is hereby certified that EAGLE CHRISTIAN CHURCH
100 SHORT LN
EAGLE ID 83616-1363 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated April 20, 1998; and has
submitted Proof of Beneficial Use on May 10, 2001. An examination indicates that the works have a
diversion capacity of 0.06 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	0.7 AF

LOCATION OF POINT OF DIVERSION:

GROUND WATER NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 15, Twp 04N, Rge 01W, B.M., ADA County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
04N 01W 15					X												

CONDITIONS OF APPROVAL

1. Domestic use is for a church.
2. The daily diversion volume for the domestic use authorized under this right shall not exceed 2,500 gallons per day.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 18th day of APRIL, 2002.

Acting for 
KARL J. DRENER
Director

MICROFILMED

RECEIVED

MAY 10 2001

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

10 ✓ KJ
FOR OFFICE USE ONLY

Amt. of Fee \$: _____
Receipt No. _____
Receipt By: _____
Date Received: _____

RECEIVED

PROOF OF BENEFICIAL USE

MAY 10 2001

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 63-12444 Telephone No. 286-0879

RECEIVED

2. Name of Permit Holder(s):
EAGLE CHRISTIAN CHURCH

MAY 14 2001

3. Mailing Address: 100 Short Lane

Department of Water Resources

City EAGLE State ID Zip 83616

4. Source of Water: Well If **GROUNDWATER** (well), Date Drilled: mo. 8 / yr. 99

Well Driller: WES Phipps Drilling Drilling Permit Number: 0009938

63

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 = CHURCH Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .04 cfs OR _____ acre-feet

(20 gallon a minute pump)

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is **not** optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Has the measuring device been installed?

Yes ☒ or No ☒
Yes ☒ or No ☐
Flow meter

8. Fee Enclosed: \$ 50.00 NONE REQUIRED (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: STEVE CRANE (minister) Telephone Number: 286-0879

Address: 100 Short Lane

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Steve Crane, MINISTER Date: 5-8-01

(include your title, if on behalf of company or organization)

MICROFILMED

MAY 08 2001

RECEIVED

LAWTON

JUL 21 1999

Fax : 208-939-7605

Jul 16 '99 13:39 P03

Form No. 204
7/94

Department of Water Resources

\$50 Fee Received by
Date 7/22/99
Receipt No. CO46075STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESREQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 63-12444Name(s) of Permit Holder: EAGLE CHRISTIAN CHURCHMailing Address: PO Box 1363 EAGLE, ID 83616-1363Date Proof is Due: July 1, '99 Telephone No. 939 3749

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

None - well is due to be drilled within
2 wks of today 7-16-99

Costing \$Apr 62,000

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

plan preparation and review has taken
longer than anticipated

Permit holder(s) request an extension to July 16, ~~2000~~ 2001

FEE: \$50.00

(Signature)

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to July 1, 2001.

IT IS FURTHER ORDERED that the permit is REINSTATED and the date of priority is advanced to May 10, 1998.

Signed this 23rd day of December, 19 99

MICROFILMED

JAN 28 2000

A. Glen Saxton
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12444

Proposed Priority: April 20, 1998

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **EAGLE CHRISTIAN CHURCH**
STEVE CRANE
PO BOX 1363
EAGLE ID 83616-1363

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 15, Township 04N, Range 01W
ADA County

PLACE OF USE: DOMESTIC

TWN RGE SEC

04N 01W 15


NWNW

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1999.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The daily diversion volume for the domestic use authorized under this right shall not exceed 2,500 gallons per day.
5. Domestic use is for a church.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

25th day of June, 1998.


Karl J. Dreher, Director
for

WICR000-1560

04/20/98

RECEIVED

APR 20 1998

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

JUN 19 1998

DEPARTMENT OF WATER RESOURCES

1. Name of Applicant Eagle Christian Church - Steve Crane Phone 376-7731
Mailing address P.O. Box 1363 Eagle Id 83614
2. Source of water supply Ground Water which is a tributary of —
3. Location of point of diversion is Township 4N Range 1W Sec. 15 in the — 1/4,
NW 1/4, NW 1/4, Govt. Lot —, B.M., ADA County;
additional points of diversion if any: —
4. Water will be used for the following purposes: Domestic
Amount 0.04 for Church Use purposes from JAN 1st to Dec 31st (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) —
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source A Well is to be
used to supply water
b. Height of storage dam — feet; active reservoir capacity — acre-feet; total
reservoir capacity — acre-feet
c. Proposed well diameter is 6" inches; proposed depth of well is To Be Determined feet
d. Is ground water with a temperature of greater than 85°F being sought? No
e. If well is already drilled, when? —; Drilling firm —
Well was drilled for (well owner) —; Drilling Permit No. —
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity in KW. —
b. Stockwatering; list number and kind of livestock. —
c. Municipal; show name of municipality. —
d. Domestic; show number of households. —
e. Other; describe fully. Church Facility - which will seat 440 people

APPROVED
JUN 10 1998

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	01W	15					D												

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. N/A

11. a. Who owns the property at the point of diversion? Eagle Christian Church

b. Who owns the land to be irrigated or place of use? _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

Comments 12. Remarks: Domestic use is for one church building. *


13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.



Signature of Applicant (and title, if applicable)
MINISTER
AUG 10 1998

Received by Kb Date 4/20/98 Time 12:48 Preliminary check by DT
Fee \$ 500 Receipted by Kb # W023768 Date 4/20/98
Publication prepared by St Date 4-30-98 Published in Idaho Stateman 5-7-14-98
Publication approved Kb Date 5/22/98

* As per conversation with Steve Crane 04/23/1998, 177.



Short Ln.



PHASE #1

PHASE #2

JAMES GIPSON ASSOCIATES
architecture • planning


P.O. Box 219
38 North First Street, Eagle, Idaho 83616
phone (208) 939-0238

EAGLE CHRISTIAN CHURCH
Eagle, Idaho

No. 9735 10-10-97
REV. 10-19-97

SITE PLAN

APPROVED
AUG 14 1997



Longhorn

C-2

RR

RR

Palmer

R1

RR

Moon Valley

Short

R1

SITE

R1

R1

Emmett Hwy

RR

RR

APR 18 1964

2/25 1 1/2 2-3



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

April 19, 2002

EAGLE CHRISTIAN CHURCH
100 SHORT LN
EAGLE ID 836161363

RE: License No. 63-12444 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

APR 22 2002

CERTIFICATE OF SERVICE

I hereby certify that on April 19, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 63-12444

**EAGLE CHRISTIAN CHURCH
100 SHORT LN
EAGLE ID 836161363**


**Kari Lynn Townsend
Secretary**

MICROFILMED

APR 23 2002

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

APR 23 2002

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- I. A hearing was held,
- II. The final agency action was taken,
- III. The party seeking review of the order resides, or
- IV. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

APR 1 1992

LICENSE REVIEW CHECKLIST

Permit No. 63-12444

Date: 4-16-02

Reviewer: Kay Walker

Change/OK

Name/Address

OK

Source

OK

Point of Diversion:

OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44)

Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use

OK

Change (P41/P49) Add (P41/P44)

Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s):

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.04 cfs

Fee Limit N/A cfs

Measured _____ cfs

Theoretical 0.04 cfs

Recommended Total Diversion Rate 0.04

Water Uses

OK

Change (P46)

Season of Use per new Standards

Irrigation _____ cfs _____ af

Stockwater _____ cfs _____ af

Domestic 0.04 cfs 0.7 af

_____ cfs _____ af

_____ cfs _____ af

Total 0.04 cfs 0.7 af

Irrigation - overlap(R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (106/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

_____ cfs x 1.9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks:

Additional Conditions

_____ Watermaster Control

_____ GW Measurement/Measuring Device

_____ Other

Trust R55 - remove 051)

Non-trust (048)

GW Dist? _____

Water Msmt. Dist? _____

Crit. GWMA? _____

GWMA? _____

Government Lots? _____

Advance Priority? _____

yes

no

If yes, explain why below.

SRBA Claim?

NO

Adjust memo

Amend Letters

P87, S06

Second Amendment Notice

S06

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 20 2001
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-12444

1. Owner Eagle Christian Church Phone No. 286-0879

Current Address: 100 Short Ln Eagle ID 83616-1363

2. Accompanied by: Steve Crane EXAM DATE : 10/15/01

Address: same Phone No.

Relationship to Permit Holder: Manager/Minister

3. Source: Ground water tributary to

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None
2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	15	4N	1W	Ada	USGS Quad, Exam

2. Place(s) of Use:

Indicate Method of Determination same as above

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
								D											

MICROFILMED

NOV 20 2001

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Y Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

N Aerial Photo Attached (required for irrigation of 10+ acres).

Y Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1.5	Submersible	Sta-Rite	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Attached pump curve supplied by Caron Pump, who installed the system.

E. NARRATIVE/REMARKS/COMMENTS

A 6" well equipped with a 1.5 hp submersible pump supplies water to a church for domestic uses. The church has seven restrooms, however only two are primarily used. There are 4 full time church employees during the week and one church service on Sunday for up to 800 parishioners. Pioneer Irrigation District water is used for the lawn and landscaping. No other rights are used.

Use of this water for the church is limited to 2500 gpd.

Have conditions of permit approval been met? X yes ___ no

MICROFILMED

APR 23 2009

F. FLOW CALCULATIONS

Measured Method:

___Y___ Additional Computation Sheets Attached
(pump curve)

Pump Curve shows pumping capacity at 27 gpm = .06 cfs
(based on 130' Total Head @ 50 psi per pump installer)

Allow .04 cfs per permit

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

800 parishiners x 5 gpd x 52 wks = 208,000/325,850 = .6 afa

4 full time x 15 gpd x 5 dys x 52 wks = 15,600/325,850 = .05 afa

.6 + .05 = .7 afa

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period Of Use		Rate Of Diversion Q (CFS)	Annual Volume V (AFA)
	From	To		
Domestic	1/1	12/31	.04	.7
TOTAL			.04 cfs	.7 afa

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None

___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Lori Graves -Senior Agent

Field Examiner's Name

Lori Graves

Date

10/16/01

Reviewer

Date

MICROFILMED

SEAL


NOV 23 2002

● 63-12444 ●
4N 1W S15
(no gov lts)




0.1 0 0.1 0.2 Miles

- Well
- ▨ Church
- ▭ Section Line
- ▭ 1/41/4 Line




● 63-12444 ●
4N 1W S15
(no gov lts)



- Well
- ▨ Church
- Section Line
- 1/4 1/4 Line

MICROFILMED
APR 13 1982



40' W ASPHALT SURFACE
STATE HIGHWAY STATE STREET

PHASE
2

JAMES GIPSON ASSOCIATES
architecture • planning
P.O. Box 219
100110

EAGLE CHRISTIAN CHURCH
Eagle, Idaho.
No. 9735 10-10-97
REV. 10-19-97

Short Ln.


Moon Valley Rd.

MOON VALLEY ROAD (OLD SH-44)
20' WIDE ASPHALT SURFACE

THIS AREA SOUTH OF
MOON VALLEY ROAD
NOT INCLUDED IN
APPLICATION.

SITE PLAN





Longhorn

C-2

RR

RR

Palmer

R1

RR

RR

Moon Valley

Short

R1

SITE

R1

R1

Emmett Hwy

RR


RR

MICRON

APR 23 2007

10, 15, 20 and 30 GPM 4" Submersible Pumps

Pump Performance – 20 GPM



Tested and rated in accordance with Water Systems Council standards.

NOTE: Pumps installed with a CON-AIRE® tank require a 100 PSI relief valve. Pumps installed with a conventional tank require a 75 PSI relief valve. Relief valve must be capable of relieving entire flow of pump at relief pressure.



UNPROCESSED

6-2-2007

STA-RITE. Built On Commitment.

10, 15, 20 and 30 GPM 4" Submersible Pumps

Pump Performance — 20 GPM (Capacity in Gallons Per Minute)

		Pumping Depth in Feet																								Shutoff Head		
HP	PSI	20	40	60	80	100	125	150	175	200	250	300	350	400	450	500	550	600	650	700	750	800	850	900	950	1000	Feet	PSI
3/4	0	—	30.9	28.9	26.4	23.9	20.4	15.0	15.0																		181	78
	20	28.2	25.8	23.1	20.3	16.5	7.1																					
	30	25.1	22.6	19.7	15.2	7.7																						
	40	22.4	19.4	14.7	7.0																							
	50	18.6	13.2	4.9																								
	60	12.0																										
1	0	—	31.9	30.6	29.1	27.5	25.2	22.8	20.3	17.1	2.1																255	110
	20	30.2	28.8	27.0	25.1	23.3	20.8	17.9	12.5	4.5																		
	30	28.4	26.7	24.8	22.9	20.9	18.0	13.0	5.0																			
	40	26.4	24.7	22.7	20.7	18.4	14.0	5.9																				
	50	24.2	22.4	20.1	17.9	14.1	6.1																					
	60	21.9	19.9	17.2	13.0	6.7																						
1-1/2	0	—	—	31.6	30.4	29.3	27.7	25.9	24.2	22.2	18.0	8.9															325	141
	20	31.2	30.2	29.0	27.6	26.2	24.5	22.7	20.6	18.5	10.1																	
	30	30.0	28.8	27.4	26.0	24.7	22.8	20.9	18.7	15.3	3.0																	
	40	28.6	27.2	25.8	24.3	22.9	21.0	18.8	15.4	11.2																		
	50	27.0	25.7	24.1	22.7	21.1	18.9	15.5	11.5	5.0																		
	60	25.2	23.9	22.3	20.9	19.1	16.1	9.5	5.5																			
2	0	—	—	—	31.5	30.7	29.7	28.6	27.3	26.0	23.2	20.2	16.2	8.5													435	188
	20	—	31.3	30.5	29.7	28.8	27.5	26.1	24.9	23.4	20.6	16.7	9.5															
	30	31.1	30.3	29.5	28.7	27.6	26.2	25.0	23.5	22.1	19.1	13.8	4.8															
	40	30.2	29.4	28.5	27.5	26.4	25.1	23.7	22.2	20.8	17.2	10.1																
	50	29.3	28.3	27.2	26.1	25.1	23.8	22.3	20.9	19.3	14.0	5.7																
	60	28.1	27.1	26.0	25.0	23.9	22.4	21.0	19.4	17.3	10.8																	
3	0	—	—	—	—	31.9	31.1	30.6	29.7	29.0	27.2	25.3	23.5	21.3	19.1	16.0	11.3	3.6									615	266
	20	—	—	31.7	31.1	30.7	29.9	29.1	28.3	27.3	25.4	23.6	21.6	19.3	16.1	12.0	5.0											
	30	—	31.7	31.0	30.6	29.9	29.2	28.5	27.4	26.6	24.8	22.7	20.6	18.1	14.5	9.0												
	40	31.6	31.0	30.5	29.8	29.2	28.6	27.5	26.7	25.5	23.8	21.7	19.6	16.8	12.5	5.3												
	50	30.9	30.4	29.7	29.1	28.6	27.6	26.7	25.6	24.9	22.8	20.8	18.5	15.0	9.5													
	60	30.3	29.6	29.1	28.5	27.7	26.8	25.7	24.9	23.9	21.8	19.8	16.9	12.7	5.6													
5	0	—	—	—	—	—	—	31.7	31.1	30.5	29.5	28.5	27.5	26.5	25.2	24.0	22.8	21.5	20.2	18.9	17.0	14.3	11.0	6.8	2.0	1050	455	
	20	—	—	—	—	—	31.7	31.2	30.9	30.6	29.5	28.6	27.6	26.6	25.3	24.1	22.9	21.6	20.3	19.0	17.3	14.0	11.2	7.3	2.6			
	30	—	—	—	—	31.8	31.3	30.9	30.7	30.0	29.0	28.0	27.1	26.0	24.9	23.5	22.2	21.0	19.9	18.2	16.2	13.3	9.5	5.2				
	40	—	—	—	31.7	31.4	31.0	30.7	30.0	29.6	28.7	27.7	26.7	25.4	24.2	22.9	21.7	20.4	19.1	17.5	14.4	11.5	7.7	3.1				
	50	—	32.0	31.7	31.2	31.0	30.8	30.0	29.6	29.1	28.1	27.2	26.0	25.0	23.6	22.3	21.1	20.0	18.4	16.3	13.5	9.9	5.7					
	60	31.9	31.6	31.2	30.9	30.8	30.1	29.7	29.1	28.8	27.8	26.8	25.5	24.3	23.0	21.8	20.5	19.2	17.7	14.9	12.0	8.0	3.7					
		Pumping Depth in Feet																Shutoff Head										
HP	PSI	200	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500	1600	Feet	PSI										
7-1/2	0	—	—	—	28.7	27.3	25.7	24.3	23.1	21.5	19.9	16.4	11.3	4.1														
	20	—	—	—	28.3	26.7	25.3	23.7	22.3	20.8	18.9	14.7	8.5	1.3														
	30	—	—	—	28.0	26.5	25.1	23.5	22.1	20.6	18.3	13.4	7.0															
	40	—	—	29.2	27.5	26.3	24.7	23.3	21.7	20.2	17.3	12.1	5.3															
	50	—	—	28.7	27.3	25.7	24.5	22.7	21.3	19.7	16.0	10.6	3.6															
	60	—	—	28.4	26.9	25.5	24.3	22.5	21.0	19.3	15.1	9.5	2.1															
10	0	—	—	—	—	—	28.0	26.8	25.7	24.7	23.7	22.6	21.6	20.7	19.5	17.1												
	20	—	—	—	—	28.6	27.5	26.4	25.3	24.4	23.3	22.1	21.3	20.1	18.5	16.0												
	30	—	—	—	—	28.4	27.3	26.2	25.0	24.1	23.0	21.9	21.0	19.9	18.0	15.0												
	40	—	—	—	—	28.0	27.0	25.7	24.9	24.0	22.8	21.7	20.8	19.7	17.6	14.7												
	50	—	—	—	29.2	27.8	26.7	25.5	24.7	23.6	22.5	21.5	20.6	19.4	17.0	14.0												
	60	—	—	—	28.7	27.5	26.4	25.3	24.4	23.3	22.2	21.3	20.2	18.5	16.1	12.5												

CAUTION: DO NOT use pump at flow rates indicated by the symbol '—'. To do so can cause premature failure of unit. Pump warranty void when failure occurs under these conditions.

Tested and rated in accordance with Water Systems Council Standards.

NOTE: Pumps installed with a CON-AIRE® tank require a 100 PSI relief valve. Pumps installed with a conventional tank require a 75 PSI relief valve. Relief valve must be capable of relieving entire flow of pump at relief pressure.



MICROFILM

10 1 2002

STA-RITE. Built On Commitment.

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-98-W-0650 OTHER APPLICABLE NO: 63-12444

2. OWNER: Eagle Christian Church Phone: 286-0879
Address: 100 Short Ln

3. WELL LOCATION: Twp 4N, Rge. 1W, Sec. 15, NW 1/4 NW 1/4
County Ada (Provide sketch map and photo on reverse.)

4. DRILLER: Phipps Lic. No. 311
When Drilled? 8/7/99

5. WELL CONSTRUCTION:

Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No

Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____

Depth of Casing 138 ft. Method Drilled Wing Rotary

Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe _____

Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No

Condition of Piping and Valving good

Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No

Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water +2 ft. Water Temperature cold °F

Flowing Artesian ☒ Yes ☐ No Pressure: 40-60 (psi)

Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____

Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☒ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

APR 21 2002

8.

POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? [] Yes ☒ No

If yes, is there a check-valve present? [] Yes ☒ No

Is there a possible source of contamination nearby? [] Yes ☒ No

If yes, what Type?

How far away from the well is this source?

9.

REMARKS:

Signature of Dept. Representative & Title

Inspection Date

10/12/01

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

APR 11 2002
MICHAEL

IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

Office Use Only			
Inspected by _____			
Twp _____	Rge _____	Sec _____	
1/4 _____		1/4 _____	
Lat: _____	: _____	Long: _____	: _____
☒ Air ☐ Flowing Artesian			

1. WELL TAG NO. D 0609938
 DRILLING PERMIT NO. 63-98-W-0650-000
 Other IDWR No. _____

2. OWNER: Eagle Chuck L
 Name _____
 Address P.O. Box 1363
 City Eagle ID State _____ Zip 83616

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

	Twp. <u>4</u>	~~NORTH~~ or South ☐
	Rge. <u>1</u>	East ☐ or West ☒
	Sec. <u>15</u>	<u>1/4 NW</u> <u>1/4 NW</u> <u>1/4 NW</u> <u>1/4</u>
	Gov't Lot _____	County <u>Ada</u>
Lat: _____		Long: _____
Address of Well Site <u>SE corner of Section 15</u>		
City <u>Eagle</u>		

(Give at least name of road + Distance to Road or Landmark)

Li. _____ Blk. _____ Sub. Name _____

4. USE:

☐ Domestic ☒ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

Material	SEAL/FILTER PACK		Amount Sacks or Pounds	Method
	From	To		
Cement 6-10"	#1	30-450 Gal	Pump	
Cement 10-16"	#1	20-250 Gal	Pump	

Was drive shoe used? ☒ N Shoe Depth(s) 135

Was drive shoe seal tested? ☒ N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
10"	#1	30	25	Steel	☒	☐	☒	☐
6"	#2	135	280	Steel	☒	☐	☒	☐
16"	Temp	Cased			☐	☐	☐	☐

Length of Headpipe 10 Length of Tailpipe 0

9. PERFORATIONS/SCREENS

Perforations Method Wash
 Screens Screen Type Johnson

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
142	147	26" A		5"	SS	☒	☒

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

72 ft. below ground Artesian pressure _____ lb.
 Depth flow encountered _____ ft. Describe access port or control devices: _____

11. WELL TESTS:

☐ Pump ☐ Bailor

Yield gal/min.	Drawdown	Pumping Level	Time
807		140'	4 hr

Water Temp. _____ Bottom hole temp. _____
 Water Quality test or comments: 5 PPM IRON 56 GRAMS HCL

12. LITHOLOGIC LOG: (Describe repairs or abandonment) Water

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
16"	0	4	TOP SO.		
16"	4	20	RIVER RUN		
10"	20	29	Gravel & SAND	X	
10"	29	30	CLAY		
6"	30	39	CLAY & SAND	X	
	33	53	Gravel CLAY		
	53	56	SAND & CLAY	X	
	56	61	CLAY		
	61	66	SAND & CLAY	X	
	66	78	CLAY & SAND	X	
	78	83	SAND & CLAY	X	
	83	88	CLAY		
	88	98	ST. CLAY CLAY		
	98	103	CLAY		
	103	106	SAND	X	
	106	130	SAND & CLAY	X	
	130	135	CLAY & SAND	X	
	135	140	CLAY		
	140	147	SAND	X	

RECEIVED

SEP 13 1999

WATER RESOURCES
WESTERN REGION

Completed Depth 147' (Measurable)
 Date: Started 8/3/99 Completed 8/7/99

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name PHIPPS Drilling Firm No. 311
 Firm Official Wesley A. Phipps Date 9-12-99
 and Andy Phipps
 Driller or Operator Date 8/18/99
 (Sign once if Firm Official & Operator)



P/D

P/u





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

May 14, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

EAGLE CHRISTIAN CHURCH
100 SHORT LANE
EAGLE ID 83616

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12444

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to contact you to schedule a field examination to determine and confirm the use being made of the water, and that it meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **Western** Regional Office of the department in Boise at (208) 334-2190.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office

MICROFILMED

MAY 09 2001

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 63-12444

Reviewed By: dgibson

Date: May 14, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?	X	
License examination fee required?		X	Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:			Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?		X	Measuring device installed?	X	
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received		05/10/2001
Date proof due	-	07/01/2001
Lapse notice sent	-	
No. of days late	=	0
Holiday allowance	+	
Priority date	+	05/10/1998
New priority date	=	05/10/1998

Deficiencies of Actions Items

Update address. Acknowledge proof.

April 30, 2001

EAGLE CHRISTIAN CHURCH
STEVE CRANE
PO BOX 1363
EAGLE, ID 836161363

PROOF DUE NOTICE

RE: PERMIT NO. 63-12444

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 01, 2001. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


Sincerely,

Deborah J. Gibson, Administrative Assistant
Water Allocation Bureau

Enclosures

MICROFILMED

MAY 03 2001





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

December 23, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

Eagle Christian Church
PO Box 1363
Eagle ID 83616

RE: Permit No. 63-12444

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time submitted in connection with the above referenced permit which extends the time within which to submit proof of beneficial use to **July 1, 2001**. Please note that the department has granted this extension based on **due diligence**. It is important that you work diligently toward the completion of the development during the construction period allowed since the department **will not** be able to grant additional extensions based on due diligence.

Be advised that since the extension request was received after the proof due date, it was necessary for the department to reinstate the permit and advance the date of priority to **May 10, 1998**.

Section 42-248, Idaho Code, which became effective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner.

Please contact me at (208)327-7953, if you have any questions regarding this matter

Sincerely,

JULIE L. YARBROUGH, Administrative Assistant
Water Allocation Bureau

Enclosure

c: IDWR - Regional Office

MICROFILMED

JAN 28 2000

ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 63-12444 Reviewed by JJ Date 12-3-99

BASIC INFORMATION

7-21-99 Date stamp received
NO Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
NO Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?
_____ Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____
_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____
_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN Run state + advance to May 10, 1998.
Extend to July 1, 2001, on basis of due diligence

PRIORITY CALCULATION

Date extension received	<u>7-21-99</u>	=	_____
Proof due date	<u>7-1-99</u>	=	_____
Number of days late	<u>20</u>	=	_____
Priority date	<u>4-20-98</u>	=	_____
New Priority Date	<u>5-10-98</u>	=	_____

DATA ENTRY

New Address X
Change Proof Due Date 7-1-2001
Change Priority Date X

July 21, 1999

EAGLE CHRISTIAN CHURCH
STEVE CRANE
PO BOX 1363
EAGLE ID 836161363

LAPSE NOTICE

RE: PERMIT NO. 63-12444

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated April 30, 1999. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

MICROFILMED

JAN 28 1999

CERTIFICATION OF MAILING

I hereby certify that on 7/21/99
~~a copy~~ an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

J.ley

April 30, 1999

EAGLE CHRISTIAN CHURCH
STEVE CRANE
PO BOX 1363
EAGLE ID 836161363

PROOF DUE NOTICE

RE: PERMIT NO. 63-12444

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1999.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

JAN 28 2000





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 25, 1998

EAGLE CHRISTIAN CHURCH
STEVE CRANE
PO BOX 1363
EAGLE ID 83616-1363

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12444

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.

NOTED - LMB

AUG 10 1998

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures


REC-10-10-10
JUN 10 1996

CERTIFICATE OF MAILING

I hereby certify that on the **25th** day of **June, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved Permit)** to the person(s) listed below:

Water Right No. 63-12444

**EAGLE CHRISTIAN CHURCH
STEVE CRANE
PO BOX 1363
EAGLE ID 83616-1363**


Kari Lynn Townsend
Secretary

APPROVED - 10/22/98

006 10 1998

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

WYOMING - 123456

AUG 10 1997

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by *Cindy Lou*

No.: 63-12444 Name: Eagle Christian Church Date: 6/22/98 Ad OK? ☒ ☒ Gvmt Lts: ☒

AREA OF CONCERN:

- No/Yes: BRD Mor / GWMA / Trust / Non-trust
- 020 (Protest Agreement) or *W19 (Order)

PROTESTED:

SYSTEM COMPLETED:

- > 1 year
≤ 1 year/no proof
- 26A-P17
- P16

GROUNDWATER: (✓ FLO-CH)

WMD (✓ MAP)

- > 0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

WMD Supplemental use

- > 0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

- North / East / West
- 067 or No MD (in-stream stock or power)
- No MD
- 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)
- 01M (report when notified)
- No MD

DRILLING PERMIT:

All wells (✓ WDQ3)

In Basin 34?

Irr. within WD

- 046-P23
- 085
- P05 (new well location)

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

IN/ABOVE MIN. STR. FLOW (✓ MAP)

WD (✓ MAP & LISTING)

- > 0.10 cfs
≤ 0.10 cfs

WMD (✓ MAP)

- > 0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

- *WB9
- R04 (WD #)
- 01J-P08 (MD & LD)
- 01H-P01 (LD), 01P or No MD (in-stream stock)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

- > 0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

- 01M or No MD (in-stream stock or power)
- No MD

RIVER BASINS: (*Surface water):

Snake R (01)

(02/03-irr)

Payette R(65)

Salmon R (70's)

- *W22 -P04, NA
- 007 (w/ remark *WB9 if above Weiser), NA
- *W22 (regulated uses), 047-P04 (Payette Lake), NA
- 029 (fish screens), NA

USE:

Domestic surface

>1 in rest. area

Fire Protection

Fish Propagation

Heating/Cooling

Irr ≤ 5 acres

> 5 acres

Mining

Municipal

Power

Stockwater

Storage (✓3 compo.)

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- 071-070
- 077
- 029-007-042(req)-081 (WQ)-P10
- R07 (injection well)
- R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- 054(req) -081-P10
- 022, 075, 004 (+memo?), NA (not in restricted area)
- 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use);
17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18
- R37 (BLM/USFS); NA
- 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

LOCATION:

42-248 area

Boise Front LoGeo

In-stream dev.

Mitigation

SWAN FALLS FLAG (See Code Chart)

Trust

Non-Trust (1)

- P84 in 20/30/40/50/60/70/80 (87) basin
- 058 (<85° GW temp only)
- P52 (stream channel alteration)
- 120

OWNERSHIP:

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

1wd 2wo

- 7/1/ 1999



Eagle Christian Church

PO Box 1363 - Eagle, Idaho 83616 - 939-6013 or 376-7731

Steven A. Crane, Minister - crane@integrityonline4.com

June 22, 1998

Cindy Zimmerman
327-7866

Corporate Officers for Eagle Christian Church are as follows:

President –	Steven A. Crane 248 S. Kestrel Eagle, ID 83616
Vice-President/ – Treasurer	Scott Ohlsen 1484 N. Weldon Pl Eagle, ID 83616
Secretary –	Steve Yundt 12175 W. Band Star, ID 83669
Director of – Membership	Walt Costello 300 Dicky Drive Eagle, ID 83616

Eagle Christian Church was incorporated on May 30, 1995.

See our web site at www.integrityonline4.com/crane

MICHAEL W. CRANE

AUG 10 1998

TOTAL P.01

PROCESSING

APP. NO.

63-12444

YES NO

- ☒ ☐ In form for advertising:
☐ ☒ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES NO

- ☐ ☒ I.D. Health & Welfare
☒ ☐ I.D. District Health *CENTRAL*
☐ ☒ I.D. Fish & Game *DISTR.*
☐ ☒ I.D. Lands *HEALTH*

YES NO

- ☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☐ ☒ Water Dist. # _____
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW:

YES NO

- ☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

- ☒ ☐ Publication dates and paper recorded on application:
☐ ☐ Final date for protest 5-26-98
☐ ☒ Protests received.
☐ ☒ Recommendations attached:
☐ ☒ Measuring device required:
☐ ☒ Measuring port required:
☐ ☒ Water delivered by water master? District # _____
☐ ☒ Special conditions of approval or cover letter: 046

See below for additional information

Recommended Date or Priority 2/20/98Recommended by: Gandy Date: 6/17/98**STATE OFFICE REVIEW**

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION:

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707-0040

LEGAL ADVERTISING INVOICE

Account # /Trans # 047628	Identification APPLICATION FOR WATER RIGHT			Amount: \$113.00
Ordered by: SUE TAYLOR	P.O. Number	Rate TT	Run Dates: MAY 7, 14, 1998	
ID DEPT OF WATER RESOURCES WEST 2735 AIRPORT WAY BOISE, IDAHO 83705-5082			Estimated Inches	Real Inches
			Affadavit: 1	Legal Number: 1297

JANICE HILDRETH, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended for TWO

X consecutive weekly single
 consecutive daily odd skip

RECEIVED

MAY 20 1998


WATER RESOURCES
WESTERN REGION

insertion(s) beginning with the issue of: MAY 7, 1998
and ending with the issue of: MAY 14, 1998

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

On this 15 TH day of MAY in the year
of 1998, before me, a Notary Public, personally appeared Janice Hildreth
known or identified to me to be the person whose name subscribed to the
within instrument, and being by me first duly sworn, declared that the
statements therein are true, and acknowledged to me that she executed
the same.

Janice Modie
Notary Public for Idaho
Residing at: Boise, Idaho
My commission expires: 5/03



RECEIVED
MAY 10 1998

RECEIVED
MAY 20 1998
WATER RESOURCES
WESTERN REGION

LEGAL NOTICE
NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

CHURCH OF JESUS CHRIST OF LATTER-DAY
SUITE 200
2710 SUNRISE RIM RD
BOISE, ID 83703
Source: GROUNDWATER
Diversion Pt: NENENE
Use: DOMESTIC
Total Diversion: FIRE PROTECTION
Date Filed: 2/4/1998
In: ADA County
T02N R01W S28
Water bearing zone to be appropriated is 270 to 310 feet.
63-12442

EAGLE CHRISTIAN CHURCH
STEVE CRANE
PO BOX 1363
EAGLE, ID 83616
Source: GROUNDWATER
Diversion Pt: NWNW
Use: DOMESTIC
Total Diversion: { 0.040 CFS }
Sec 15 T 04N R 01W in ADA County.
In: ADA County
T04N R01W S15
NWNW

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before MAY 26, 1998. The protest must also send a copy of the protest to the applicant.
KARL J. DREHER, Director
Pub. May 7, 14, 1998



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 8, 1998

CENTRAL DISTRICT HEALTH
ATTN: ENVIRONMENTAL HEALTH
707 ARMSTRONG PLACE
BOISE ID 83704

Re: Applications for Permit Nos. 63-12442 in the Name of the Church of Jesus Christ of Latter-Day Saints and 63-12444 in the Name of Eagle Christian Church

Dear Sir:

Enclosed are copies of the above-referenced applications for permit which may be of interest to your agency. Please review the applications and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest along with the \$25.00 protest fee must be received in this office by May 26, 1998.

If you have any questions regarding the applications, please contact this office.

Sincerely,

Gary Spackman

GS:st

Encl.

MIC:35 - 300

400 10 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED

JUN 19 1998

DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW BY: RR DATE: 04/20/1998 APPLICATION: 63-12444

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☐ Place of use or acres irrigated:
- ☐ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Correct fee paid

Gov't. Lots:

NO P/D

NO P/U

NO ADVERTISE REMARK(S)

(Reviewer identify which remarks)

ADDITIONAL INFORMATION

N/A T FLAG CHANGED TO P FLAG

YES NO

- ☐ ☒ Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☐ ☒ Overlapping point of diversion.
- ☐ ☒ Critical groundwater area:
- ☐ ☒ Groundwater management area:
- ☐ ☒ 1992 moratorium: N/A - detrimental use
- ☐ ☒ Bull trout impact area
- ☐ ☒ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☐ ☒ E-mail to Dam Safety staff: (for any storage)
- ☐ ☒ Mitigation plan: Check any that apply.
- ☐ ☐ immediate = acceptable plan required and submitted.
- ☐ ☐ future = open areas, acceptance of condition of approval is in file.
- ☐ ☒ Send power requirement letter:
- ☐ ☒ Send fish farm requirement letter:
- ☐ ☒ Power residency affidavit:
- ☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

04/20/1998: Clarification guse - church bldg only? Future use?
left tel msg. 04/20/1998, S. Crane indicate use for church only. He
understands that any add'l use may require a

Date Requested 04/23/1998 Date Response Received 04/23/1998 water right 177

EAGLE CHRISTIAN CHRUCH
STEVE CRANE
PO BOX 1363
EAGLE, ID 83616

Source: GROUNDWATER

Diversion Pt: NWNW Sec 15 T 04N R 01W in ADA County.

```

Use: DOMESTIC      (          0.040 CFS)
      Total Diversion: (          0.040 CFS)

```

Date Filed: 4/20/1998

In: ADA County
T04N R01W S15 NWNW

MICROFILMED
 AUG 10 1998