

4836

TO4N
R42E
S-29

NE 1/4
(160)

NO
6007

LOT 4834

77N

29102/1995

1:20,000
FLEET



REC 11 1997


63-

TO4N
R02E
S-29
NENWNE
(POD)
NWNE
(POU)

NO GOVT
LOT

DN
05/08/1997

X9
BOIX NORTH
1972




43° 37' 30" 116° 15' 370 000 FEET STATE CAPITOL 2.5 MI. DEC 10 1997 12° 30" 564

Mapped, edited, and published by the Geological Survey

Control by USGS and NOS/NOAA

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 5 Gal. Bucket at storage tanks.


$Q = 5 \text{ Gal} / 15 \text{ sec} = 20 \text{ GPM} = 0.04 \text{ cfs}$

MODIFIED

DEC 29 1999



No Gov. Lots



(CLOVERDALE)
2771 III SE

563
MICROFILMED
Survey 63-12409
DEC 29 1999

GN MN
0°34' 18½°
10 MILS 329 MILS

Projection and 10,000-foot grid ticks: Idaho coordinate

L of 3



P/D

Right "wing"
Area of
Spring
Development



P/D

Left "wing"
area of spring
development
in background

2-1200
Gal. Storage
tanks and
place of
Measurement.

MICROFILMED
DEC 29 1999

63-12409

2 of 2

Storage
Tanks
and
P/u -
House in
background.



P/u
Home



PHOTOGRAPHED
2 9 1999

63-12409

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-12409

Priority: August 27, 1997

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that LIZA M GOUL

PO BOX 2584

BOISE ID 83701

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 27, 1997; and has submitted Proof of Beneficial Use on September 11, 1998. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from:

SPRING

tributary to **SINKS**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENWNE , Sec. 29, Township 04N, Range 02E
ADA County

PLACE OF USE: DOMESTIC

TWN RGE SEC

04N 02E 29


NWNE

CONDITIONS OF APPROVAL AND REMARKS

1. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 31st day of

DECEMBER, 1999.


Acting for KARL J. DREHER, Director

RECORDED

DEC 21 1999

RECEIVED

SEP 11 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12409 Telephone No. 344-4998

2. Name(s) of Permit Holder(s): Liza M. Goul

3. Mailing Address: P.O. Box 2584 Boise, ID 83701 ^{new} address

4. Source of Water: Spring If **GROUNDWATER** (well), Date Drilled: mo. ____ / yr. ____

a. Well Driller: ____ Drilling Permit Number: ____ - ____ - ____ - ____

b. **OPTIONAL:**
Pump Horsepower: ____ Pressure (psi): ____ Dynamic pumping level (ft): ____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): ____

Irrigation (No. of acres): ____ Other: ____

6. Total rate of diversion and/or volume for which proof is submitted: .04 cfs OR ____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes ____ or No X

Has the measuring device been installed? Yes ____ or No X

Flow Measurement Port: Is a flow measurement port required? Yes ____ or No X

Has the measurement port been installed? Yes ____ or No X

8. Fee Enclosed: \$ \$50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Howard Goul Telephone Number: 343-1591

Address: 3003 Bogus Basin

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 9/7/98
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-12409

Proposed Priority: August 27, 1997

Maximum Diversion Rate:

0.04 CFS

This is to certify, that LISA M GOUL
1602 N 13TH
BOISE ID 83702

has applied for a permit to appropriate water from:
SPRING tributary of SINKS

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NENWNE , Sec. 29, Township 04N, Range 02E
ADA County

PLACE OF USE: DOMESTIC

TWN RGE SEC

04N 02E 29

NWNE

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1998.
2. Subject to all prior water rights.
3. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

7th day of November, 1997.

Karl J. Dreher
Karl J. Dreher, Director

for

APPROVED
SEP 11 1997

RECEIVED

AUG 27 1997

Ident. No. 63-12409

STATE OF IDAHO

RECEIVED WATER RESOURCES
WESTERN REGION

DEPARTMENT OF WATER RESOURCES

OCT 31 1997

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of Applicant LIZA M. GOUR Phone 344-6967
Mailing address 11002 N 13TH, BOISE, ID 83702
2. Source of water supply SPRING which is a tributary of SINKS
3. Location of point of diversion is Township 4N Range 2E Sec. 29 in the NE 1/4, NW 1/4, NE 1/4, Govt. Lot AOA, B.M., AOA County; additional points of diversion if any: _____
4. Water will be used for the following purposes:
 Amount .04 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 and/or (b) _____
 cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source SPRING WILL BE DUG OUT, GRAVEL PACKED WITH PIPELINE TO 1,000-1,500 GALLON STOR. TANK W/ PUMP & PIPE TO HOME.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm _____
 Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in KW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. ONE HOME W/ LAWN IRRIGATION
 - e. Other; describe fully. _____

RECEIVED
DEC 10 1997

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	2E	29		D															

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: _____

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
Signature of Applicant (and title, if applicable)

MICROFILMED
DEC 10 1997

Received by RG Date 8/27/97 Time 2:50 Preliminary check by TTN
 Fee \$ 500.00 Received by RG # WO 22981 Date 8/27/97
 Publication prepared by ST Date 9-10-97 Published in Stateman 9-18-97
 Publication approved _____ Date 10-7-97

T04N
R02E
S-29

NE
(10)


NO
60V7

LOT 434
77N
29102/1995

1:20,000
FEET



X9
Boix North
1972





* O O B R E A K O O *



* O O B R E A K O O *



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 3, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

LIZA M GOUL
PO BOX 2584
BOISE ID 83701

RE: WATER RIGHT NO. 63-12409

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
DEC 29 1999

CERTIFICATE OF MAILING

I hereby certify that on the 3rd day of January, 2000, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 63-12409

LIZA M GOUL
PO BOX 2584
BOISE ID 83701


Kari Lynn Townsend
Secretary

MICROFILMED
DEC 29 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED
DEC 29 1993

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

LICENSE REVIEW CHECKLIST

Permit No. 63-12409

Date: 12/29/99

Reviewer: Kay Walker

Change/OK

Name/Address

change per exam

Source

Point of Diversion:

OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44)

Feds (P43)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use

OK

Change (P41/P49) Add (P41/P44)

Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s):

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate

0.04 cfs

Fee Limit

0.04 cfs

Measured

0.04 cfs

Theoretical

_____ cfs

Recommended Total Diversion Rate 0.04

Water Uses

OK

Change (P46)

Irrigation _____ cfs _____ af

Stockwater _____ cfs _____ af

Domestic 0.04 cfs 1.2 af

_____ cfs _____ af

_____ cfs _____ af

Total 0.04 cfs 1.2 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/079)

overlap spec combined rts (W35)

>1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (081/R07)

Payette - (W22/047/27A)

Volume Determination

_____ cfs x 1.9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks:

Wb1

Additional Conditions

NO Watermaster Control

NO GW Measurement/Measuring Device

NO Other

Trust (052/R55 - remove 051)

Non-trust (048/049)

Government Lots? NO

Advance Priority? _____ yes

no

If yes, explain why below.

SRBA Claim?

N/A

Adjust memo

NO

Amend Letters


P87, S06

Second Amendment Notice

S06

100-443887-100

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 5 Gal. Bucket at storage tanks.

$Q = 5 \text{ Gal} / 15 \text{ Sec} = 20 \text{ GPM} = 0.04 \text{ cfs}$

RECORDED

DEC 29 1999

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for one home domestic use, internal + external - yard irrigation.
2. A single spring was developed with 4" port. pipe, gravel pack and geo textile fabric wrap. The spring water is conveyed through a 4" pipe to two 1200 Gal. plastic storage tanks. A 35 GPM pump by the tanks supplies pressure for the home use, through a 2" PE mainline to the air tank in the garage.
3. The home is not on United Water Service, and the spring is the only source of water.
4. The City of Boise required that the water system supply 35 GPM for 10 min. for fire protection. This was a condition of the building permit.
5. The address of the home is 4522 N. Kitson St., Boise.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

DEC 28 1995

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: 5 Gal. Bucket at Storage tank inflow.

$$Q = \frac{5 \text{ Gal.}}{15 \text{ Sec.}} = 20 \text{ Gpm}$$

$$= \underline{0.04 \text{ cfs}}$$

Allow Domestic
@ 0.04 cfs.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

Domestic
Internal 0.6
External 0.6
1.2 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>01/01</u>	<u>12/31</u>	<u>0.04</u>	<u>1.2</u>
Totals:			<u>0.04</u>	<u>1.2</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Jan Zambich Date 2-4-99

Reviewer _____ Date _____

SEAL


MICROFILMED

DEC 29 1999

N. Kitsap St

T4N
R2E
Sec. 29

No Gov. Lots



Mapped, edited, and published by the Geological Survey

Control by USGS and NOS/NOAA

Topography by photogrammetric methods from aerial
photographs taken 1971. Field checked 1972

Supersedes map dated 1954

Projection and 10,000-foot grid ticks: Idaho coordinate


(CLOVERDALE)
2771 III SE

63-12409

23 1970

GN MN
0°34' 18 1/2°
10 MILES 329 MILES

L of 3



P/D

Right "wing"
Area of
Spring
Development



P/D

Left "wing"
area of spring
development
in background

2-1200
Gal. Storage
tanks and
place of
Measurement.

63-12409

2 of 2

Storage

Tanks

and

P/u -

House in

background.



P/u

Home



**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 03-12409 Reviewed by Chy Date 10-22-98

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
 Ground water source
 Drilling permit required?
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
✓ Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received
Date proof due
No. of days late
Priority Date
New Priority Date

DEFICIENCIES OR ACTION ITEMS

Proof Acceptable

DATA ENTRY

New Address P.O. Box 2584 Proof Made 9-11-98
Boise, 83701



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

**PHILIP E. BATT
GOVERNOR**

October 22, 1998

**KARL J. DREHER
DIRECTOR**

Lisa M Goul
PO Box 2584
Boise ID 83701

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12409

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **WESTERN** Regional Office of the department in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED
OCT 27 1998

August 31, 1998

LISA M GOUL
1602 N 13TH
BOISE ID 83702

PROOF DUE NOTICE

RE: PERMIT NO. 63-12409

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1998. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
OCT 27 1998





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 7, 1997

LISA M GOUL
1602 N 13TH
BOISE ID 83702

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12409

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

MICROFILMED

DEC 10 1997

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

REC'D - 11/17/73


DEC 10 1973

CERTIFICATE OF MAILING

I hereby certify that on the 7th day of November, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 63-12409

LISA M GOUL
1602 N 13TH
BOISE ID 83702


Kari Lynn Townsend
Secretary

RECEIVED
DEC 10 1997

APPLICATION FOR PERMIT STATE OFFICE REVIEW

by *Cindy Lou*
 No.: 63-12409 Name: Goul Date: 11/6/97 Ad OK? ✓ Gvmt Lts: ✓
AREA OF CONCERN: spr/sks.

PROTESTED:

SYSTEM COMPLETED:

1 year/no proof

>1 year

GROUNDWATER: (✓ FLO-CH)

WMD (✓ MAP)

>0.24 cfs/5 acres

≤ 0.24 cfs/5 acres

WMD >0.24 cfs

>5 a.

≤ 0.24 cfs/5 acres

DRILLING PERMIT:

Existing well

Included w/permit

No drilling permit?

irr. in WD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

IN/ABOVE MIN. STR. FLOW (✓ MAP)

WD (✓ MAP & LISTING)

Pumped >0.20 cfs

WMD (✓ MAP)

> 0.24 cfs/5 acres

≤ 0.24 cfs/5 acres

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres

≤ 0.24 cfs/5 acres

RIVER BASINS: (*Surface water):

Snake R (01)

(02/03-irr)

Payette R(65)

Salmon R (70's)

USE:

Domestic surface

>1 in rest. area

Fish Propagation

Heating/Cooling

Irr ≤ 5 acres

> 5 acres

Mining

Muni (in restricted areas)

Power

Stock

Storage (✓3 compo.)

LOCATION:

42-248 area

Boise Front LoGeo

In-stream dev.

Irr Dist/Canal Co.

SWAN FALLS FLAG (See Code Chart)

Trust

Non-Trust (1)

OWNERSHIP:

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

- No/Yes: BRD Mor / _____ GWMA / Trust / Non-trust

- 020 (Protest Agreement) or *W19 (Order)

P16

- 26A-P17

- 067 or No MD (in-stream stock or power)

- No MD

- 01M (report when notified)

- 01M; 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)

- No MD

- NA (pre 7/1/87; ✓ WDQ3)

- Permit No. _____ - _____ - _____ - _____, P99

- 046-46B-P23 (post 7/1/87)

- P05 (new well location)

- *WB9

- R04 (WD # _____)-01J-P08 (MD)

- 01H-P01 (LD & MD) or No MD (in-stream stock)

- 067 or No MD (in-stream stock or power)

- No MD

- 01M or No MD (in-stream stock or power)

- No MD

- *W22 -P04, NA

- 007-P07 (w/ remark *WB9 if above Weiser), NA

- *W22 (regulated uses), 047-P04 (Payette Lake), NA

- 029 (fish screens), NA

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA

- 071-070-P53

- 029-007-042(req)-081-R07 (WQ)-P10; ~~044 (N of 1000 Springs)~~

- R07 (injection well)

- R49/R50/R51/R52 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)

- R29/R30/R31/R32 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)

- 054(req)-081-R07-P10

- 022, 075, 004 (+memo?), NA (not in restricted area)

- 17H/17K(+uses)-08A-025-01N(P19)-028-081-R07(P10); 027 (if no other cons. use);

17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

- R37 (BLM/USFS); NA

- 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

P84 (in 20/30/40/50/60/70/80 (87) basin)

- 058 (<85° GW temp only)

- P52 (stream channel alteration)

- 023 (Twin Falls area)

- 051-052-053-P74 (Consumptive Uses), NA

- 048-049 (Consumptive Uses), NA

- 004 (PD/PU)

- 01W01/1

- 12/1/ 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
OCT 31 1997
DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW BY: TR DATE: 09/08/1997 APPLICATION: 63-12409

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- Fee:
- ☒ Yes ☐ No* In form to receipt:

Gov't. Lots:
NO P/D
NO P/U

ADDITIONAL INFORMATION

YES NO

- ☒ ☐ Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☐ ☒ Overlapping point of diversion.
- ☐ ☒ Field check required: Field check by: _____
- ☐ ☒ Field report attached:
- ☐ ☒ Critical groundwater area:
- ☐ ☒ Groundwater management area:
- ☐ ☒ 1992 moratorium:
- ☐ ☒ Copy to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☐ ☒ Copy to Dam Safety staff: (for any storage)
- ☐ ☒ Mitigation plan: where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge
- ☐ ☒ Send power requirement letter:
- ☐ ☒ Send fish farm requirement letter:
- ☐ ☒ Power residency affidavit:
- ☐ ☒ Power efficiency form:
- ☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☐ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED _____

ADDITIONAL INFORMATION ON REVERSE SIDE:

PROCESSING

APP. NO. 63- 12409

YES NO

☒ ☐ In form for advertising:
☐ ☒ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO:

YES NO

YES NO

☐ ☒ I.D. Health & Welfare
☐ ☒ I.D. District Health
☐ ☒ I.D. Fish & Game
☐ ☒ I.D. Lands
☐ ☒ Adjudication Bureau

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☐ ☒ Water Dist. # _____
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☒ ☐ Publication dates and paper recorded on application:
☐ ☒ Protests received. Final date for protest 10-6-97
☐ ☒ Protest dates, resolution of protest recorded on application:
☐ ☒ Recommendations attached:
☐ ☒ Measuring device required:
☐ ☒ Measuring port required:
☐ ☒ Water delivered by water master? District # _____
☐ ☐ Special conditions of approval or cover letter: None

See below for additional information

Recommended Date or Priority 8/27/97Recommended by: Davis Date: 10/29/97

STATE OFFICE REVIEW _____

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION:

63-10538 is a license for dom. use of a spring in NW 1/4 S.29.
Different name and address. Other gw rights in RR. Dom. use
includes 1/2 acre of irrigation. rrr 09/08/1997

RECEIVED

SEP 30 1997

WATER RESOURCES
WESTERN REGIONThe Idaho
Statesman

P.O. BOX 40, BOISE, IDAHO 83707-0040

LEGAL ADVERTISING INVOICE

Amount Due

\$69.00

Account Number/Trans. #

Identification

047628

Notice Of Application For Water Right

Ordered By

P.O. Number

Rate

Run Dates

Jennifer Damm

NT

September 18, 25, 1997

Dennis M. Davis

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

WESTERN REGION

2735 AIRPORT WAY

BOISE, ID 83705-5082

Estimated inches

Real inches

Affidavits

Legal Number

1

8591

LEGAL NOTICE

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12407

DWINC
WOOD, DAN
13141 W. Bluebonnet Ct.
Boise, ID 83713

Source: GROUNDWATER
Diversion Pt:

NESW Sec 2 T 03N R 01W in ADA County.
SESW Sec 2 T 03N R 01W in ADA County.
Use: DOMESTIC (0.140 CFS)
Total Diversion: (0.140 CFS)

Date Filed: 7/17/1997

In: ADA County,

T03N R01W S02, NESW, SESW
Water bearing zone to be appropriated for
lawn irrigation at Devilin Place Subdivision is
40 to 100 feet.

63-12409

GOUL, LISA M
1602 N. 13th
Boise, ID 83702

Source: SPRING
Tributary: SINKS
Diversion Pt:

NENWNE Sec T 04N R 02E in ADA County.
Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)

Date Filed 8/27/1997

In: ADA County,

T04N R02E S29 NWNE

Permits will be subject to all prior water rights.
Protests may be submitted based on the
criteria of Sec. 42-203A, Idaho Code. Any protest
against the approval of this application must
be filed with the Director, Dept. of Water Re-
sources, Western Region, 2735 Airport Way,
Boise, Idaho 83705 together with a protest fee
of \$25.00 on or before OCTOBER 6, 1997. The
protestant must also send a copy of the protest
to the applicant.

Pub. September 18, 25, 1997

8591

JANICE HILDRETH

, being duly

sworn, deposes and says: That she is the Principal Clerk of The
Idaho Statesman, a daily newspaper printed and published at Boise,
Ada County, State of Idaho, and having a general circulation therein
and which said newspaper has been continuously and uninterruptedly
published in said County during a period of twelve consecutive
months prior to the first publication of the notice, a copy of which is
attached hereto; that said notice was published in The Idaho
Statesman in conformity with Section 60-108, Idaho Code as
amended, for two

☒ consecutive weekly

single

consecutive daily

odd skip

insertion(s) beginning with the issue of

September 18

, 1997

and ending with the issue of

September 25

, 1997

Janice Hildreth

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 25th day of September in the year of
1997, before me, a Notary Public, personally appeared
JANICE HILDRETH known or identified
to me to be the person whose name subscribed to the within instrument,
and being by me first duly sworn, declared that the statements therein
are true, and acknowledged to me that she executed the same.

Notary Public for Idaho

Residing at:

Boise, Idaho

My commission expires:

MICROFILMED

SEP 10 1997

63-12409

GOUL, LISA M
1602 N 13TH
BOISE, ID 83702

Source: SPRING

Tributary: SINKS


Diversion Pt: NENWNE Sec 29 T 04N R 02E in ADA County.

Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)

Date Filed: 8/27/1997

In: ADA County
T04N R02E S29 NWNE

RECORDED
DEC 10 1997



* 0 0 B R E A K 0 0 *



* 0 0 B R E A K 0 0 *