


T04N, R03W




T4N
R3W
5.16
NO govt lots
N 1/2

8/2/25/97


MILITARY ZONE
APR 1997

Plat Map

Real Estate Graphics Inc. COPYRIGHT 1998



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Briggs & Stratton	5	Model 1.35232	Pacer	Model SEBZUL FSC
			code 96052340		code 121701


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - System operator at 45 psi.



8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☒ Yes ☐ No

If yes, what Type? Truck Service + Repair Shop + fueling

How far away from the well is this source? About 150'

9. REMARKS:

This well was drilled to provide
fire protection for the Motor West Trucking
Facilities and to irrigate the lawn area.

Dan Tomich Water Rights Examiner
Signature of Dept. Representative & Title

6-17-98
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



L of 2

P/D

Well and
pump unit.

P/u

Office and
Truck Shop
in
back ground.

View
Looking
South



P/D

Well and
pump
unit.

2½" Fire
Hose
fitting
(left),
and
2" PVC
irrigation
line.



63-12379



2 of 2

P/u

office and
Truck
Shop.

Irrigated
yard.

View
Looking

Northwest



P/u

Irrigated
yard.

Note 3
2" pvc
lateral
pipes
and
valves.

View Looking West

63-12379

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

APR 01 1998

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12379 Telephone No. 454-9238
2. Name(s) of Permit Holder(s): MOTOR WEST, INC.
3. Mailing Address: P. O. BOX 1178 - CALDWELL, ID 83606-1178
4. Source of Water: GROUNDWATER If GROUNDWATER (well), Date Drilled: mo. 03 / yr. 1997
- a. Well Driller: SOS WELL DRILLING & PUMP CO. Drilling Permit Number: NOT REQUIRED - SEE ATTACHED
- b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
SPRINKLERS
Irrigation (No. of acres): 13,056 SQ FT Other: FIRE PROTECTION
6. Total rate of diversion and/or volume for which proof is submitted: .56 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- | | | |
|--|--------------------------|----------|
| Measuring Device: Is a measuring device required? | Yes _____ or No <u>X</u> | |
| Has the measuring device been installed? | Yes _____ or No _____ | |
| Flow Measurement Port: Is a flow measurement port required? | Yes _____ or No <u>X</u> | SEE |
| Has the measurement port been installed? | Yes _____ or No _____ | ATTACHED |
8. Fee Enclosed: \$ 100 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
- Name: DENNIS MOSS Telephone Number: 454-9238
MAIL: P.O. BOX 1178 - CALDWELL, ID 83606
Address: STREET: 15101 GREEN RD. - CALDWELL, ID
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature]

PRESIDENT

Date: 3/31/98

(include your title, if on behalf of company or organization)

MICROFILMED

MAY 18 1998

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12379

Proposed Priority: February 13, 1997 Maximum Diversion Rate: 0.56 CFS

This is to certify, that MOTOR WEST INC
PO BOX 1178

CALDWELL ID 83606-1178

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

FIRE PROTECTION

01/01 to 12/31

0.56 CFS

LOCATION OF POINT(S) OF DIVERSION:

NENE, Sec. 16, Township 04N, Range 03W
CANYON County

PLACE OF USE: FIRE PROTECTION

TWN RGE SEC

04N 03W 16


NENE

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1998.
2. Subject to all prior water rights.
3. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The right holder shall comply with Idaho well construction standards when constructing a well pursuant to this right.
6. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
7. Water bearing zone to be appropriated is 0 to 20 feet.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

16th day of April, 1997.


for Karl J. Dreher, Director

RECEIVED
APR 17 1997

RECEIVED
APR 6 8 1997

RECEIVED

MAR 31 1997

Department of Water Resources

Ident. No. 63-12379

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: MOTOR WEST INC
Address: PO BOX 1178
CALDWELL ID 83606
208-454-9238
2. Source: GROUNDWATER
3. Location of Point of Diversion: NWNENE Sec. 16, Township 04N, Range 03W
CANYON County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
FIRE PROTECTION	01/01	12/31	0.560		
5. Total quantity to be appropriated is:
0.560 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
CITY FIRE HYDRANT
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).
8. Place of Use: FIRE PROTECTION

TWN RGE SEC
04N 03W 16

NENE

REC'D 11/17

APR 13 1997

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
MUNICIPAL

10. Remarks:

Water bearing zone to be appropriated is 0 to 20 feet.

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ _____ Receipted by _____ # _____ Date _____

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

RECEIVED - 11-1-63

APR 22 1967

Ident. No. 63-12379

Comments: Date: 2/26/1997 User-ID: STAYLOR

Subject: Well Type

This will be an artesian well.

Comments: Date: 2/26/1997 User-ID: STAYLOR

Subject: Officers

President: Dennis B. Moss
Sec./Treas.: Donna B. Moss

DEPARTMENT OF WATER RESOURCES

To appropriate the public waters of the State of Idaho

1. Name of Applicant MOTOR WEST, INC. Phone (208) 454-9238
Mailing address P.O. Box 1178 - CALDWELL, ID 83606
2. Source of water supply GROUND WATER which is a tributary of N/A
3. Location of point of diversion is Township 4N Range 3W Sec. 16, in the NW 1/4, NE 1/4, NE 1/4, Govt. Lot —, B.M., CANYON County; additional points of diversion if any: —
4. Water will be used for the following purposes:
Amount .56 cfs for FIRE PROTECTION purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .56 cfs and/or (b) —
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source 6-8" WELL (ARTESIAN) DIRECTLY TO CITY FIRE HYDRANT
b. Height of storage dam — feet; active reservoir capacity — acre-feet; total reservoir capacity — acre-feet
c. Proposed well diameter is 6-8" inches; proposed depth of well is 20 feet
d. Is ground water with a temperature of greater than 85°F being sought? NO
e. If well is already drilled, when? —; Drilling firm —
Well was drilled for (well owner) —; Drilling Permit No. —
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity in KW. —
b. Stockwatering; list number and kind of livestock. —
c. Municipal; show name of municipality. —
d. Domestic; show number of households. —
e. Other; describe fully. FIRE PROTECTION

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	3W	16	F																

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? MOTOR WEST, INC

b. Who owns the land to be irrigated or place of use? " " "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: PRES. DENNIS B. MOSS

SECT/TREAS DONNA B. MOSS


COMMENTS → THIS WILL BE AN ARTESIAN WELL. THE WATER BEARING ZONE IS 0 TO 20 FEET

12. REMARKS: Water bearing zone to be appropriated is 0 to 20 feet.

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)


BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

* per dept. standards
- fl 2/25/97

 FINANCIAL OFFICER
Signature of Applicant (and title, if applicable)

Received by MTS Date 2-13-97 Time 1:30 Preliminary check by fl
Fee \$ 100 Received by MTS # W021962 Date 2-13-97
Publication prepared by fl Date 2-26-97 Published in Press Tribune
Publication approved fl Date 3-25-97 3-5-12-97


T04N, R03W



T4N
R3W
5.16
No govt lots
N 1/2

2/25/97

Plat Map



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 13 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-12379

1. Owner: Motor West, Inc. Phone No. (208) 454-9238

Current Address: P.O. Box 1178, Caldwell, ID 83606-1178

2. Accompanied by: Dennis Moss EXAM DATE: 6-17-98

Address: (Same) Phone No. _____

Relationship to Permit Holder: President

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None — An old well located about 300' NW of the truck shop supplies water for the office + shop.

2. Other water rights with the same point of diversion: None No Well Driller's Report found, or Water Right!

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	16	4N	3W	Campbell	Site Visit, Map


2. Place(s) of Use:

Indicate Method of Determination Site Visit, Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	3W	16	0.5 AC.																0.5 AC.

Note: Irrigation was approved for 1/2 AC. or less.

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Briggs & Stratton	5	Model 1.35232	Pacer	Model SEBZUL FSC
			Code 9605234D		Code 121701


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - System operator at 45 psi.



WELL RIGHTS

4/24/97 NEED TO ALTER PERMIT TO ALLOW WATERING
GRASS $96' \times 136' = 13056 \text{ SQ FT}$

HAVE GAS MOTOR TO KEEP PRIMED.

WHAT DO WE NEED TO DO TO GET PERMIT
CHANGED?

HOW DO WE MONITOR USAGE?

ID. DEPT WATER RESOURCES - WEST REG
2735 AIRPORT WAY
BOISE ID 83705
TEL 334-2150
FAX 334-2348
MR SCHULTE

MEL SCHULTE - 4/28/97 10:10 AM

SMALL DOMESTIC USE - LESS THAN 2500 GAL/DAY
E.G. SPROINKLER @ 3 GAL/MIN EACH

WOULD BE UNDER REQUIREMENTS FOR "SMALL COMMERCIAL
USE" THEREFORE EXEMPT FROM REQUIRING NEW
PERMIT (LESS THAN $\frac{1}{2}$ ACRE + LESS THAN 2500 GAL/DAY)

IF WE GO OVER 2500 GAL/DAY NEED TO WATER
PART EACH DAY TO KEEP UNDER MAXIMUM ALLOWED

STATE OF IDAHO - TIM LUKES (SP?) 4/28/97 10:15 AM

ITEM #3 METERING - NEW STANDARD REQUIREMENT WHICH
DIRECTOR PUT IN, MORE FOR NEW WELLS INVOLVING FRESH
WATER, ETC. PROBABLY WON'T APPLY TO US + MOST LIKELY
WE WON'T EVEN RECEIVE ANNUAL REPORT FORM

- HE SAID, DON'T WORRY ABOUT IT NOW. IF WE ARE
ASKED FOR IT AT A LATER DATE, JUST EXPLAIN CIRCUMSTANCES.
EXPLANATION SHOULD SUFFICE BUT MAYBE AT THAT TIME THEY
WOULD REQUIRE A FLOW-METER, BUT HIGHLY UNLIKELY

63-12379



P.O. Box 1178
Caldwell, Idaho 83606

208/454-9238
FAX 208/454-9872
WATS 800/888-7001

March 31, 1998

Julie L. Yarbrough, Senior Secretary
Department of Water Resources
P. O. Box 83720
Boise, Idaho 83720-0098

Dear Ms. Yarbrough:

In order to assure that you have the information needed for the "Proof of Beneficial Use" statement, I offer the following information:

- 1) I have attached a copy of the Idaho Department of Water Resources "Well Driller Report".
- 2) Question #4a - According to Frank Skinner of SOS Well Drilling Co. and Rob Whitney of the Department of Water Resources, no "Drilling Permit Number" is required for wells 18' and under.
- 3) Question #7, Flow Measure Port - On April 28, 1997, I called Mr. Mel Schulte of the Idaho Department of Water Resources to ask what I needed to do to change the permit to include sprinkler use for a small area. He told me that we would fall under the requirements for "small commercial use", therefore exempt from requiring new permit (less than 1/2 acre & less than 2,500 gallons per day).

Mr. Schulte had Tim Lukes (Sp?) Call me the same day. He informed me that Metering is a new standard requirement which directors put in more for new wells involving fish water, etc. It probably would not apply to us. He felt it would be highly unlikely that a flow meter would be required.

If you have any questions, or if anything further is needed, please give me a call.

Sincerely,

Bob D. Holmes
Financial Officer

Enclosures

63-12379

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: None, Well is 18' OTHER APPLICABLE NO: 63-12379
2. OWNER: Mater West, Inc. Phone: (208) 454-9238
Address: P.O. Box 1178, Caldwell, ID 83606-1178
3. WELL LOCATION: Twp 4N, Rge. 3W, Sec. 16, NE 1/4 NE 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: SOS Well Drilling & Pump Co. Lic. No. 212
When Drilled? 2/18/97 to 2/22/97
5. WELL CONSTRUCTION:
Casing Diameter 10 inches Water tight cap? ☐ Yes ☒ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 18 ft. Method Drilled Air Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 4 ft. Water Temperature Cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: Fire Protection

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☒ Yes ☐ No

If yes, what Type? Truck Service + Repair Shop + fueling

How far away from the well is this source? About 150'


9. REMARKS:

This well was drilled to provide
fire protection for the Motor West Trucking
Facilities and to irrigate the lawn area.

Jan Tomich Water Rights Examiner
Signature of Dept. Representative & Title

6-17-98
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



L of 2

P/D

Well and
pump unit.

P/u

Office and
Truck Shop
in
back ground.

View
Looking
South



P/D

Well and
pump
unit.

2½" Fire
Hose
fitting
(left),
and
2" PVC
irrigation
line.



63-12379



2 of 2

P/u

office and

Truck
shop.

Irrigated
yard.

view

Looking

Northwest



P/u

Irrigated
yard.

Note 3

2" pvc

lateral

pipes

and

valves.

View Looking West

63-12379

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for a well and water system that provides fire protection for the Motor West office and Truck shop. It also supplies irrigation water for about 0.4 AC. of yard at the building. The irrigation use was approved in April, 1997, [See notes of 4/24/97 & 4/28/97] for 1/2 AC. or less, and less than 2500 gal/day.
2. A 5 HP pump unit mounted on top of the well casing has a 2 1/2" fire hose fitting for fighting fires, and a 2" PVC mainline for irrigating the yard. There is no flow meter in the system, and it operates at about 45 psi. The pump unit has a gasoline motor and is manually started when needed.
3. Water for the office and truck shop is supplied by an old well located about 300' NW of the truck shop. There was no Well Driller's Report or water right found for this well.
4. For condition 2, the well was drilled to 18', with the screen placed from 8' to 18'.

Have conditions of permit approval been met? yes no

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: None - Theoretical Cal.

$$Q = \frac{(8.8)(5140)(72)}{6' + 45 \text{ psi} \left(\frac{34'}{14.7 \text{ psi}} \right)} = 0.28 \text{ cfs} < 0.56 \text{ cfs @ 45 psi operating pressure.}$$

$$Q @ 35 \text{ psi} = \frac{(8.8)(51)(0.7)}{6' + (35) \left(\frac{34}{14.7} \right)} = 0.35 \text{ cfs} < 0.56 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

Allow 0.30 cfs

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

For 1/2 Ac. of irrigation, allow 0.6 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Fire Protection</u>	<u>01/01</u>	<u>12/31</u>	<u>0.30</u>	
<u>Irrigation</u>	<u>3/15</u>	<u>11/15</u>	<u>0.02</u>	<u>0.6</u>
Totals:			<u>0.30</u>	<u>0.6</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

1) Diversion rate is 0.30 cfs not 0.56 cfs in permit.

2) Allow irrigation of 1/2 Ac. of yard

I. AUTHENTICATION

Field Examiner's Name Don Zornich Date 11-6-98

Reviewer _____ Date _____

SEAL

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-12379

Reviewed by [Signature]

Date 5-1-98

GENERAL CONSIDERATIONS

yes Name same as permit?

yes Address same as permit?

yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Fire prot.

Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

no Drilling permit required? - 18 foot well

 Copy in the file? Drilling Permit No.

 Amount paid for permit Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

100- Amount Submitted

yes Correct?

MEASURING DEVICE

no Required?

 | Installed?

 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>
Date proof due	<u> </u>
No. of days late	<u> </u>
Priority Date	<u> </u>
New Priority Date	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X

Proof Made 4-1-98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

May 1, 1998

KARL J. DREHER
DIRECTOR

Motor West Inc
PO Box 1178
Caldwell ID 83606

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12379

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's **WESTERN** Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

MAY 18 1998



P.O. Box 1178
Caldwell, Idaho 83606

RECEIVED

APR 01 1998

Department of Water Resources
208/454-9238
FAX 208/454-9872
WATS 800/888-7001

March 31, 1998

Julie L. Yarbrough, Senior Secretary
Department of Water Resources
P. O. Box 83720
Boise, Idaho 83720-0098

Dear Ms. Yarbrough:

In order to assure that you have the information needed for the "Proof of Beneficial Use" statement, I offer the following information:

- 1) I have attached a copy of the Idaho Department of Water Resources "Well Driller Report".
- 2) Question #4a - According to Frank Skinner of SOS Well Drilling Co. and Rob Whitney of the Department of Water Resources, no "Drilling Permit Number" is required for wells 18' and under.
- 3) Question #7, Flow Measure Port - On April 28, 1997, I called Mr. Mel Schulte of the Idaho Department of Water Resources to ask what I needed to do to change the permit to include sprinkler use for a small area. He told me that we would fall under the requirements for "small commercial use", therefore exempt from requiring new permit (less than 1/2 acre & less than 2,500 gallons per day).

Mr. Schulte had Tim Lukes (Sp?) Call me the same day. He informed me that Metering is a new standard requirement which directors put in more for new wells involving fish water, etc. It probably would not apply to us. He felt it would be highly unlikely that a flow meter would be required.

If you have any questions, or if anything further is needed, please give me a call.

Sincerely,

Bob D. Holmes
Financial Officer

Enclosures

MICROFILMED

MAY 18 1998

January 31, 1998

MOTOR WEST INC
PO BOX 1178
CALDWELL ID 836061178

PROOF DUE NOTICE

RE: PERMIT NO. 63-12379

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1998.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

MAY 18 1998





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 18, 1997

MOTOR WEST INC
PO BOX 1178
CALDWELL ID 83606-1178

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12379

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:ph


Enclosures

CERTIFICATE OF MAILING

I hereby certify that on the 18th day of April, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 63-12379

MOTOR WEST INC
PO BOX 1178
CALDWELL ID 836061178



Vanessa Roby
Secretary

01/97

COMMENTS:

5/96

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: 82 DATE: 2/25/97 APPLICATION: 63-12379

REQUIRED INFORMATION

See original Appl & Remarks

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, other partners must be included.)

Address:

Source: (See USGS Quad for names of water sources)

Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)

County:

Quantity: (flow and/or volume)

Period of use:

Nature of proposed use: (Include description of use)

Description of diverting works:

Time required for beneficial use of water:

Place of use or acres irrigated:

Map: (show T, R, S, QQ &/or QQQ)

Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)

Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)

Fee:

Yes ☐ No* In form to receipt:

RECEIVED
APR 03 1997
Department of Water Resources
Gov't. Lots:
N P/D
P/U

ADDITIONAL INFORMATION

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on next page.)

☐ ☒ Overlapping point of diversion.

☐ ☐ Field check required: Field check by: _____

☐ ☐ Field report attached:

☐ ☐ Critical groundwater area:

☐ ☐ Groundwater management area:

☐ ☐ 1992 moratorium: *properly controlled artesian well for fire prot. use only serves as mitigation plan c. BS. 63*

☐ ☐ Copy to SCA staff: (perennial stream, non-pump diversion &/or any mining).

☐ ☐ Copy to Dam Safety staff: (for any storage)

☐ ☐ Mitigation plan: where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge

☐ ☐ Send power requirement letter:

☐ ☐ Send fish farm requirement letter:

☐ ☐ Power residency affidavit:

☐ ☐ Power efficiency form:

☐ ☐ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)

***REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT**

DATE REQUESTED

ADDITIONAL INFORMATION ON REVERSE SIDE:

PROCESSING

APP. NO. 63-12379

YES NO

☒ ☐ In form for advertising:
☒ ☐ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO:

YES NO

☐ ☒ I.D. Health & Welfare
☐ ☒ I.D. District Health
☐ ☒ I.D. Fish & Game
☐ ☒ I.D. Lands
☐ ☒ Adjudication Bureau

YES NO

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☐ ☒ Water Dist. # _____
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☒ ☐ Publication dates and paper recorded on application:
☐ ☒ Protests received. Final date for protest 3-24-97
☐ ☒ Protest dates, resolution of protest recorded on application:
☐ ☒ Recommendations attached:
☐ ☒ Measuring device required:
☐ ☒ Measuring port required:
☐ ☒ Water delivered by water master? District # _____
☐ ☐ Special conditions of approval or cover letter: 1 yr for development
046, 046B

See below for additional information

Recommended Date or Priority 2/13/97
 Recommended by: Gary Date: 3/26/97

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION:

Drilling permit - condition for shallowest g.w. level < 20'
only per water bearing zone. D.P. Appl. not included w/ W.R. Application
No add'l. mitigation plan required per use; precedents in basin 63.
Pln overlap - surface H2O for irrig. district only.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS.
County of Canyon)

Carolyn Spath

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.
2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.
3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Twice

— in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
March 5, 12, 1997

Carolyn Spath

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 12th day of March
in the year of 1997, before me, a Notary Public, personally appeared Carolyn Spath, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

Janae Lusk
Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JUNE 21st, 1997

NOTICE OF APPLICATION FOR WATER RIGHT
The Following application(s) have been filed to appropriate the public waters of the State of Idaho: ✓
63-12379
MOTOR WEST INC
PO BOX 1178
CALDWELL, ID 83606
Source: GROUNDWATER
Diversion Pt: NWNENE Sec 16 T 04N R 03W in CANYON County.
Use: FIRE PROTECTION (0.560 CFS)
Total Diversion (0.560 CFS)
Date Filed: 2/13/1997
In: CANYON County
TO4N R03W S16 NENE
Water bearing zone to be appropriated is 0 to 20 feet.
Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before MARCH 24, 1997. The protestant must also send a copy of the protest to the applicant.
KARL J. DREHER, Director
March 5, 12, 1997

5907

RECEIVED

MAR 13 1997

WATER RESOURCES
WESTERN REGION



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

FEBRUARY 26, 1997

Legal Notices Department
Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 24, 1997.

Yours truly,

SUE TAYLOR
Secretary/Office Coordinator

Encl.

APR 1 1997
APR 2 1997

63-12379

MOTOR WEST INC
PO BOX 1178
CALDWELL, ID 83606

Source: GROUNDWATER

Diversion Pt: NWNENE Sec 16 T 04N R 03W in CANYON County.

Use: FIRE PROTECTION (0.560 CFS)
Total Diversion: (0.560 CFS)

Date Filed: 2/13/1997

In: CANYON County
T04N R03W S16 NENE

Water bearing zone to be appropriated is 0 to 20 feet.

403 27 1997

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before MARCH 24, 1997. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 3/ 5/1997 & 3/12/1997

100-100-100
100-100-100