



A63-30404

T6N
R5E
S26



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1.5	submersible		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical

MICROFILMED

OCT 30 1997




T6N R5E
SEC 26
SWNE

p/d + p/a

OCT 30 1997
63-12350

F O R



P/D



MAIN
HOUSE

OCT 30 1997

63-12350

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-12350

Priority: August 1, 1996

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

4.8 AF

This is to certify, that ROGER LONGPRE
JANICE LONGPRE

PO BOX 357

IDAHO CITY ID 83631-0357

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 1, 1996; and has submitted Proof of Beneficial Use on October 23, 1996. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	4.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 26, Township 06N, Range 05E
BOISE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

06N 05E 26

SWNE


CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 8 homes and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15TH day of SEPTEMBER, 1997.

NOT RECORDED

SEP 30 1997


Acting for KARL G. DREHER, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

OCT 23 1996

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12350 Telephone No. 392-4514
2. Name(s) of Permit Holder(s): Roger + Janice Longpre
3. Mailing Address: P.O. Box 357 Idaho City 83631
4. Source of Water: Groundwater If GROUNDWATER (well), Date Drilled: mo. 6 / yr. 83
 - a. Well Driller: Unknown Drilling Permit Number: _____
 - b. **OPTIONAL:**
Pump Horsepower: 15 Pressure (psi): 60 Dynamic pumping level (ft): 114
5. Use(s) (as authorized by the water right permit):
home
Domestic (No. of households): 8 trailers Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 104-.05 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____	or	No <u>✓</u>
	Has the measuring device been installed?	Yes _____	or	No <u>✓</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____	or	No <u>✓</u>
	Has the measurement port been installed?	Yes _____	or	No <u>✓</u>
8. Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Roger Longpre Telephone Number: 392-4514
Address: P.O. Box 357 Idaho City 83631
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Janice Longpre

(include your title, if on behalf of company or organization)

DATE: 10-21-96

DEC 23 1996

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12350

Proposed Priority: August 1, 1996

Maximum Diversion Rate:

0.13 CFS

This is to certify, that ROGER LONGPRE
JANICE LONGPRE
PO BOX 357
IDAHO CITY ID 83631-0357

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.13 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 26, Township 06N, Range 05E
BOISE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

06N 05E 26


SWNE

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1997.
2. Subject to all prior water rights.
3. Domestic use is for 8 mobile homes.
4. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

17th day of October, 1996.


for Karl J. Dreher, Director

MICROFILMED
DEC 23 1996

RECEIVED

OCT 07 1996

Ident. No. 63-12350

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: ROGER LONGPRE 208-392-4514
Address: PO BOX 357
IDAHO CITY ID 83631
AND/OR
Name: JANICE LONGPRE 208-392-4514
Address: PO BOX 357
IDAHO CITY ID 83631
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWNE Sec. 26, Township 06N, Range 05E
BOISE County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.130		
5. Total quantity to be appropriated is:
0.130 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
WELL, PIPELINE TO LOTS
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when? 06/01/1973
Drilling Firm UNKNOWN
Well was drilled for SPARKS
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).

MICROFILMED
DEC 23 1996

8. Place of Use: DOMESTIC

TWN RGE SEC

06N 05E 26

SWNE

9. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

~~UNPATENTED MINING CLAIMS AND NOTICE OF INTENT~~

10. Remarks:

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gaius Longpre
Applicant

Received by cjl Date 8/1/96 Time 1235 Preliminary check by g

Fee \$ 50— Receipted by cjl # W021285 Date 8/1/96

Publication prepared by st Date 8-28-96 Published in Adak World

Publication approved st Date 9-26-96

MICROFILMED

DEC 23 1996

SD-0420-2
MODIFY RECORD

Idaho Department of Water Resources
Modify Comment

Date: 08/01/96
Time: 13:48:26

Water Right Number: 63-12350

Comment Date: 8/ 1/1996 User ID: CHODGES

Subject: APPLICATION INFO

Domestic use is for 8 mobile homes on rented spaces (residential not RV). Use is internal only.

Well also used under A63-30404 for one home. Well drilled approximately 1975.

There is no plat map available for this site. Approximately one year ago, owners installed pipeline and hookups for six home sites on their property, from the existing domestic well. At present, 4 spaces are leased and two are still vacant. Two more hookups are planned.

(Enter=Continue/Exit) (Gold2=Update) (Gold3=Delete) (Gold4=Prev) (Gold5=Next)

MICROFILMED

DEC 23 1996

SD-0420-2
ADD COMMENT

Idaho Department of Water Resources
Modify Comment

Date: 08/01/96
Time: 13:53:50

Water Right Number: 63-12350

Comment Date: 8/ 1/1996 User ID: CHODGES

Subject: DELAY EXEMPTION_____

Use is for multiple family/multiple ownership where mobile homes_
are owned by occupant and space is leased. Total diversion may _
be under 2500 gal/day exemption, but is too close to call, so_____
application was advised. Exempt from delay status because use_____
meets domestic criteria._____


(Enter=Add) (Gold4=Prev) (Gold5=Next) (Gold7=Return to Comment Selection)

MICROFILMED

DEC 23 1996

A63-30404

T6N
R5E
S26



63-12350



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 16, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

ROGER LONGPRE
JANICE LONGPRE
PO BOX 357
IDAHO CITY ID 836310357

RE: WATER RIGHT NO. 63-12350

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 16th day of September, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 63-12350

ROGER LONGPRE
JANICE LONGPRE
PO BOX 357
IDAHO CITY ID 836310357


Kari Lynn Townsend
Secretary

OCT 30 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-12350

DATE 9/3/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>No</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>No</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.13</u> cfs
Fee limit	<u>.04</u> cfs <u>* NO FEE PD.</u>
Measured	<u>—</u> cfs
Theoretical	<u>.04</u> cfs

Recommended Total Div Rate .04 cfs

ANNUAL VOLUME/
NATURE OF USES —

Use	cfs	Volume Calc
<u>Dom</u>	<u>.04</u>	<u>5.4</u> af
<u>—</u>	<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u>	<u>—</u> af
SUBTOTAL	<u>.04</u>	<u>5.4</u> af

Flow rate .04 cfs X 365 days X 1.98 = 29.0 af
 Total volume recommended 5.4 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

18 homes - orig not incl.

CONDITIONS

— Watermaster Control WD# —
— GW Measurement/Measuring Device
— Overlap
— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo —

1st Amend Letter N/A
 2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 03 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-12350

1. Owner: Roger + Janice Longpre Phone No. 392-4514

Current Address: PO Box 357 ID City 83631

2. Accompanied by: Roger EXAM DATE: 2/12/96

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Ground Water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	26	6N	5E	Boise	USGS Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
6N	5E	26			P														

MICHAEL

OCT 21 1997

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1.5	submersible		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical

OCT 30 1957

E. NARRATIVE/REMARKS/COMMENTS

A 6" well equipped with a 1.5 HP submersible pump supplies water to 1 home and 8 trailers via 2" buried mainline. Based on a theoretical measurement, the well flows at .04 cfs, which is minimal since a storage facility is not used. The owner stated that sufficient water supply has not been a problem. He said that when he replaced the pump and tested the flow, constant pumping failed to lower the water level. The pump produced ~20 GPM which correlates with the theoretical.

10 other trailers and 1 cabin rental located on the property are supplied with city water. No other wts are used.

Have conditions of permit approval been met? ☐ yes ☐ no

RECEIVED
OCT 30 1997

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\text{per owner} = \frac{1.5 \times .7 \times 8.8}{100 + 60 \times 2.31} = .04 \text{ cfs}$$

pump set at 112' well depth = 114' psi per owner

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversión Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

Internal domestic use - 9 dwellings:

$$.6 \times 9 = 5.4 \text{ afa}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.04	5.4
Totals:			.04	5.4

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATION

Field Examiner's Name Lon Craven Date 5/23/97

Reviewer _____ Date _____

SEAL

RECORDED
OCT 30 1997



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 63-12350
2. OWNER: Longpre Phone: 392-4514
Address: Id City
3. WELL LOCATION: Twp 6N, Rge. 5E, Sec. 26, SW 1/4 NE 1/4
County Bonne (Provide sketch map and photo on reverse.)
4. DRILLER: ? Lic. No. _____
When Drilled? _____
5. WELL CONSTRUCTION:
- Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
- Depth to Static Water _____ ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: 50 (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
- | | | |
|--|---|-------------------------------------|
| ☒ Domestic | ☐ Irrigation | ☐ Stock |
| ☐ Test | ☐ Municipal | ☐ Industrial |
| ☐ Abandoned | ☐ Waste Disposal/Injection | ☐ Not Used |
| ☐ Other: _____ | | |

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☐ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:**




Signature of Dept. Representative & Title

2/12/96

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



P/D



MAIN
HOUSE

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED

63-12350

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 603-12350 Reviewed by Jfy Date 11-8-96

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

dom (multiple)

Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

no Drilling permit required?

 Copy in the file? Drilling Permit No.

 Amount paid for permit Correct?

 Well log in the file?

LICENSE EXAMINATION FEE

no Required?

 Amount Submitted

 Correct?

MEASURING DEVICE

no Required?

 Installed?

 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u>/</u>	<u> </u>
Date proof due	<u> </u>		<u> </u>
No. of days late	<u> </u>		<u> </u>
Priority Date	<u> </u>		<u> </u>
New Priority Date	<u> </u>		<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 10-23-96

November 12, 1996

ROGER LONGPRE
JANICE LONGPRE
PO BOX 357
IDAHO CITY ID 836310357

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12350

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED

DEC 23 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

October 17, 1996

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

ROGER LONGPRE
JANICE LONGPRE
PO BOX 357
IDAHO CITY ID 83631-0357

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12350

Dear Permit Holder:


Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "Conditions of Approval and Remarks" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,


Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosures

MICROFILMED

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman**

No.: 63-12350 Name: Ronane Date: 10/11/95 Ad OK? ☒
Correct Fee? ☒ Receipt #: 0021285 Priority: 8/1/96 ☒ Gvmt Lts: ☒

AREA OF CONCERN? - No/Yes BRD Mor GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - **P16**
+1 year - 26A-P17

GROUNDWATER: <☒ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)

Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. , P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <☒ FLO-CH> (Surface water that doesn't sink is regulated):

Water District(~~dem~~) - 005 (req) WD # <SEE MAP & LISTING>
+ 0.2 cfs - 01J(meas dev)-P08
=/- 0.2 cfs - 01H(lock dev)-P01 or No MD
In-WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):

Snake R (01) - 11A-P04, NA
(02/03-irr) - 007-P07 (w/remark WB9-† Weiser), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA

USE:

Domestic (surface) - *WB5(Boise R † Star Bridge); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-028-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(☒ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), *W07

LOCATION:

42-248 area - In 20/30/40/50/60/70/80 (87) basin? **P04**
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - **P52** (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner - 004 (PD/PU)

OTHER CONDITIONS:

STANDARD REMARKS: * WBS / 8 M.H.

BENEFICIAL USE DUE: 10-1-1997

COMMENTS:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: 6 DATE: 8/27/96 APPLICATION: 63-12350

REQUIRED INFORMATION

RECEIVED

OCT 07 1996

Department of Water Resources

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Fee:
- ☒ Yes ☐ No* In form to receipt:

Gov't, Lots:
☒ P/D
☐ P/U

ADDITIONAL INFORMATION

YES NO

- ☒ ☐ Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☐ ☒ Overlapping point of diversion.
- ☐ ☐ Field check required: Field check by: _____
- ☐ ☐ Field report attached:
- ☐ ☒ Critical groundwater area:
- ☐ ☒ Groundwater management area:
- ☐ ☒ 1992 moratorium:
- ☐ ☒ Copy to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☐ ☒ Copy to Dam Safety staff: (for any storage)
- ☐ ☒ Mitigation plan: where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge
- ☐ ☒ Send power requirement letter:
- ☐ ☒ Send fish farm requirement letter:
- ☐ ☒ Power residency affidavit:
- ☐ ☒ Power efficiency form:
- ☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☐ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED

ADDITIONAL INFORMATION ON REVERSE SIDE:

PROCESSING

APP. NO.

63-12350

YES NO

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO:

YES NO

YES NO

I.D. Health & Welfare

I.D. District Health

I.D. Fish & Game

I.D. Lands

Adjudication Bureau

U.S. BLM

U.S. Forest Service

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW:

YES NO

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest 9-23-96

Protest dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required: no since < .20 cfs?

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

46B - internal use only so ± non-consumptive

APPEARS APPROVABLE PER Appl. Memo #59 g.w. Upper Boise "not delayed" - OR 586 note below

See below for additional information

Recommended Date or Priority

8-1-1996

Recommended by:

JL

- Approve(?)

Date:

9/26/96

STATE OFFICE REVIEW

See below for additional information. By

Date

ADDITIONAL INFORMATION:

overlaps: P/L - 63-02202 Mining (NA)

P/D A63-30404 see comments

Assume Approvable within Ps. 63 "delay" per "subd." concept -

Several mobile homes, multiple owners (land v. trailers). If not, see ~~Appl. Memo #13 (conjunction 1992) as #59?~~
~~Re: 11/6/96 586 note g.w. upper Boise basin, Appl. Memo #13 (conjunction 1992) as #59?~~



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 3, 1996

ENVIRONMENTAL HEALTH
CENTRAL DISTRICT HEALTH DEPT
707 N ARMSTRONG PL
BOISE ID 83704

Re: Application for Permit No. 63-12350 in the Name of Roger &/or
Janice Longpre

Dear Sir:

Enclosed is a copy of the above-referenced application
for permit which may be of interest to your agency. Please
review the application and submit any comments you may have.

I regret that this office did not send you a comment letter in
time to allow you to protest this application, should you have been
so inclined, by the protest deadline of September 23, 1996.
However, your concerns can still be considered prior to any
decision issued by IDWR.

If you have any questions regarding the application,
please contact this office.

Sincerely,

Steve Lester
Deputy Regional Manager

SL:st

Enclosure(s):

MICROFILMED

DEC 23 1996

63-12350

LONGPRE, ROGER
LONGPRE, JANICE
PO BOX 357
IDAHO CITY, ID 83631

Source: GROUNDWATER

Diversion Pt: SWNE Sec 26 T 06N R 05E in BOISE County.

Use: DOMESTIC	(	0.130 CFS)
Total Diversion:	(	0.130 CFS)

Date Filed: 8/ 1/1996

In: BOISE County	
T06N R05E S26	SWNE

MICROFILMED
DEC 23 1996

The Idaho World

P O Box 99
Garden Valley, ID 83622
208 462-3487

RECEIVED

SEP 24 1996

WATER RESOURCES
WESTERN REGION

State of Idaho >
>
County of Boise >

Deanna Stevenson, being duly sworn, deposes and says: that she is the Editor of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and the State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two (2) consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy eight weeks past previous to the first publication of this notice. Such notice was published with the issue beginning with Sept 4, 1996 and ending with the issue of Sept 11, 1996.

Deanna Stevenson

State of Idaho >
>
County of Boise >

On this 23 day of OCT in the year 96, before me, a notary public, personally appeared Deanna Stevenson known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Diane E. Caughlin
Notary Public for Idaho
Residing at Garden Valley, Idaho

My commission expires 2/26/2001

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12350

LONGPRE, ROGER
LONGPRE, JANICE
PO BOX 357
IDAHO CITY, ID 83631

Source: GROUNDWATER

Diversion Pt: SWNE Sec 26 T 06N R 05E in BOISE County.

Use: DOMESTIC (0.130 CFS)
Total Diversion: (0.130 CFS)

Date Filed: 8/ 1/1996

In: BOISE County
T06N R05E S26 SWNE
63-12359

WISE, BILL
WISE, KATHY
909 N COLE RD
BOISE, ID 83704

Source: GROUNDWATER

Diversion Pt: SENE Sec 33 T 06N R 05E in BOISE County.

Use: DOMESTIC (0.200 CFS)
Total Diversion: (0.200 CFS)

Date Filed: 7/17/1996

In: BOISE County
T06N R05E S33 SENE

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before SEPTEMBER 23, 1996. The protestant must also send a copy of the protest to the applicant.
KARL J. DREHER, Director

Published in The Idaho World September 4 and 11, 1996