


63-11024

31 DE Sec 9
SE SW

FEATHERVILLE QUADRANGLE
IDAHO-ELMORE CO.
7.5 MINUT. SERIES (TOPOGRAPHIC)


2971 II NW
(CAYUSE POINT)




PERMIT 63-12339 INIT gjl
T. R. S. Q/Q
P/D 3N 10E 9
SCALE _____
PHOTO ID. _____

AUG 09 1996

Aug 09 1996



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 5 Gal Bucket, Q = 1.05 GPM

MICROFILMED

FEATHERVILLE QUADRANGLE
IDAHO-ELMORE CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)

2971 II NW
(CAYUSE POINT)


17°30" 638

639

630 000 FEET

115°15'

43°37'30"



T3N
R10E
Sec. 9

No Gov. Lots

63-12339

1 of 2



P/D

Spring
Development
Area.

one of
two
blue
Storage
barrels.



P/D

one of
two
blue
Storage
barrels

MICROFILMED
APR 16 1998

63-12339

2 of 2

Place of
Measurement
at
the
end
of
Pipeline.




Plu
Baumis
Campsite.
View
Looking
North



MICROFILMED
APR 16 1998

63-12339

3. **Delivery System Diagram:** Include all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

→ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

→ Aerial Photo Attached (required for irrigation of 10+ acres)

→ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: For theoretical pipeflow computation

3/4" ID length 425', head 15'

Timed fill: 5 gals, 1.5 min (90 sec.)

MICROFILMED
JAN 24 1996
APR 16 1998

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application has been
filed to appropriate the public waters of
the State of Idaho:

63-12339 ✓

BAUM, DAVE
BAUM, TERRI
BAUM, JERRY
9725 CHERRY LN.
NAMPA, ID 83687

Source: SPRING; Tributary: SINKS.
Diversion Pt: NWSESW Sec. 9 T 03N
R 10E in ELMORE County; SWSESW
Sec. 9 T 03N R 10E in ELMORE
County.

Use: DOMESTIC (0.040 CFS); Total
Diversion: (0.040 CFS).

Date Filed: 5/17/1996.

In: ELMORE County, T03N R10E
S09 SESW.

Permits will be subject to all prior
water rights. Protests may be submit-
ted based on the criteria of Sec. 42-
203A, Idaho Code. Any protest against
the approval of this application must
be filed with the Director, Dept. of Wa-
ter Resources, Western Region, 2735
Airport Way, Boise, Idaho 83705 to-
gether with a protest fee of \$25.00 on
or before JUNE 24, 1996. The protes-
tant must also send a copy of the
protest to the applicant.

KARL J. DREHER, Director

Published: 6/5/1996 & 6/12/1996.

Affidavit of Publication

County of Elmore } ss.
STATE OF IDAHO }

I, Coleen W. Swenson, do solemnly swear that I
am the foreman, or publisher of the

Mountain Home News

a weekly newspaper of general circulation, pub-
lished once a week at MOUNTAIN HOME, IDAHO,
that the notice attached hereto and which is a part
of publication thereof; was published in said news-
paper for

2 consecutive weeks, the first publi-
cation having been made on 5th day of

June, 1996, and the last publi-

cation having been made on the 12th day of

June, 1996; every Wednesday

issue of the paper during the period and time of
publication and that the notice was published in the
newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN
HOME NEWS has been continuously and uninter-
ruptedly published in said Elmore County during a
period of 78 consecutive weeks prior to the first
publication of the attached notice.

Coleen W. Swenson

Subscribed and sworn to me this 13th day of

June, 1996

Brenda McGawky
Notary Public

Residing in Mountain Home, Elmore County, Ida-
ho. My commission expires 11-16-98.

RECEIVED

JUN 17 1996

**WATER RESOURCES
WESTERN REGION**

RECORDED

AUG 09 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-12339

Priority: May 17, 1996

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that DAVE BAUM
TERRI BAUM
JERRY BAUM

9725 CHERRY LN
NAMPA ID 83687

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 17, 1996; and has submitted Proof of Beneficial Use on January 3, 1997. An examination indicates that the works have a diversion capacity of 0.010 cfs of water from:

SPRING

tributary to TRINITY CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.01 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSESW , Sec. 9, Township 03N, Range 10E
ELMORE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

03N 10E 9

SESW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Right 63-11024 is also diverted through the point of diversion described above.
6. Rights 63-11024 and 63-12339 when combined shall not exceed a total diversion rate of 0.01 cfs.
7. Domestic use is for a campsite and does not include landscape, or other types of irrigation.


APR 16 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-12339

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 28th
day of FEBRUARY, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED
APR 16 1998

RECEIVED
JAN 07 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12339 Telephone No. 466-7327
2. Name(s) of Permit Holder(s): DAVE, TERRI, + JERRY BAUM
3. Mailing Address: 9725 CHERRY LN NAMPA ID 83687
4. Source of Water: SPRING If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____
- a. Well Driller: _____ Drilling Permit Number: ____ - ____ - ____ - ____
- b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit): (camping spot)
Domestic (No. of households): 1 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: .02 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- | | | | | |
|------------------------|--|-----------|----|-------------|
| Measuring Device: | Is a measuring device required? | Yes _____ | or | No <u>/</u> |
| | Has the measuring device been installed? | Yes _____ | or | No <u>/</u> |
| Flow Measurement Port: | Is a flow measurement port required? | Yes _____ | or | No <u>/</u> |
| | Has the measurement port been installed? | Yes _____ | or | No <u>/</u> |
8. Fee Enclosed: \$ 50 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: DAVE BAUM Telephone Number: 466-7327
Address: SAME
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

Joe Baum

Date: 1/3/97

(include your title, if on behalf of company or organization)

14-00000
MICROFILMED
JAN 23 1987

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 63-12339

Proposed Priority: May 17, 1996

Maximum Diversion Rate:

0.02 CFS

This is to certify, that DAVE BAUM
TERRI BAUM
JERRY BAUM
9725 CHERRY LN
Nampa ID 83687

has applied for a permit to appropriate water from:
SPRING tributary of SINKS

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSESW, Sec. 9, Township 03N, Range 10E
SWSESW, Sec. 9, Township 03N, Range 10E
ELMORE County

PLACE OF USE: DOMESTIC

TWN RGE SEC


03N 10E 9 SESW

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1997.
2. Subject to all prior water rights.
3. Single point of diversion located on or near line between Lot 5 (SWNWNE) and Lot 5 (SENENW), S09, T03N, R10E.
4. Domestic use is for 1 home.
5. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

5th day of August, 1996.


for Karl J. Dreher, Director



AUG 09 1996

RECEIVED

JUL 19 1996

Ident. No. 63-12339

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: DAVE BAUM 208-466-7327
Address: 9725 CHERRY LN
NAMPA ID 83687
AND/OR
Name: TERRI BAUM 208-466-7327
Address: 9725 CHERRY LN
NAMPA ID 83687
AND/OR
Name: JERRY BAUM 208-466-7327
Address: 9725 CHERRY LN
NAMPA ID 83687

2. Source: SPRING Trib. to: SINKS
3. Location of Point of Diversion: NWSESW Sec. 9, Township 03N, Range 10E
SWSESW Sec. 9, Township 03N, Range 10E
ELMORE County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.040		

5. Total quantity to be appropriated is:
0.040 CFS (and/or) AF

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc.
SPRING, HOLDING TANKS, OPEN LINE TO P/U
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is inches; proposed depth of well is
feet.
d. Is groundwater with a temperature greater than 85F being sought? NO
e. If well is already drilled, when?
Drilling Firm
Well was drilled for

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).

AUG 09 1996

8. Place of Use: DOMESTIC

TWN RGE SEC
03N 10E 9 SESW

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Dae Bau
Applicant

Received by cjl Date 5/17/96 Time 1100 Preliminary check by SR

Fee \$ 50.00 Receipted by cjl #W020876 Date 5/17/1996

Publication prepared by AT Date 5-29-96 Published in Mtn Home News

Publication approved AT Date 7-5-96


AUG 09 1996

SD-0420-2
MODIFY RECORD

Idaho Department of Water Resources
Modify Comment

Date: 05/17/96
Time: 11:31:19

Water Right Number: 63-12339

Comment Date: 5/17/1996 User ID: CHODGES

Subject: APPLICATION INFO

P/D shared with 63-11024. A re-survey has shown that P/D is actually on applicant's property instead of the neighboring property under 11024; however, applicant and holder of 11024 are intending to share use of spring. See plat map. Single P/D on or near QQQ tract line. Domestic use is for a campsite or small cabin. No consumptive use.


(Enter=Continue/Exit) (Gold2=Update) (Gold3=Delete) (Gold4=Prev) (Gold5=Next)

APPROVED
AUG 09 1996


63-11024
31 DE Sec 9
SE SW

FEATHERVILLE QUADRANGLE
IDAHO-ELMORE CO.
7.5 MINUT. SERIES (TOPOGRAPHIC)

2971111 NW
(CAYUSE POINT)



96616 0 91936





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 2, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

DAVE BAUM
TERRI BAUM
JERRY BAUM
9725 CHERRY LN
NAMPA ID 83687

RE: WATER RIGHT NO. 63-12339

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

APR 16 1998

MICROFILMED

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


APR 16 1998

CERTIFICATE OF MAILING

I hereby certify that on the 2nd day of March, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 63-12339

DAVE BAUM
TERRI BAUM
JERRY BAUM
9725 CHERRY LN
NAMPA ID 83687


Kari Lynn Townsend
Secretary

MICROFILMED

APR 16 1998

B/U FIELD EXAM REVIEW

by Cindy Lou

Permit #: 63-12338 Name: Baum Date: 2/24/98 ✓ Lots ✓

NAME	Chng	Same	Or Address Change?
SOURCE		✓	Clarify source <u>clarify Trib to sink Trinity Cr</u> Prelim. Order to Void - Source change.
P/D		✓	Amendment Needed? <u>Amend 11/22</u> Legal <u>SWSESW</u> P39 Same 1/4? ✓ <u>11/22</u> P36 Overlap(s) <u>none</u> <u>63-11024</u>
P/U		✓	Amendment Needed? _____ P41 Overlap(s) <u>none</u> (Gov't use special T's) _____ *P/D & P/U Amend? P37
RATE		✓	Permit/proof fee limits <u>0.20</u> / <u>0.20</u> <u>\$50</u> Measured Quantity = <u>0.01</u> cfs Theoretical Quantity = _____ cfs <u>reduce to 0.01 cfs. (actual measurement = 1.05 gpm)</u> (HP) <u>8.8 x 0.70 x</u> <u>+ (2.31 x)</u> = _____ cfs ✓ Recommended capacity <u>0.01</u> cfs ✓ Recommended rate <u>0.01</u> cfs
VOLUME		✓	Season: (<u>1</u>) <u>1/1 - 12/31</u> = <u>365</u> days Calculations: <u>dom, int only</u> = <u>0.6</u> Flow limit: <u>0.01</u> cfs x <u>365</u> days/yr. x 1.9835 = <u>7.2</u> AF Recommended volume <u>0.6</u> AF
USES		✓	Same Nature of Use? _____ P46 Amendment Needed? _____
REMARKS	Multiple p/d's in same 1/4? Use W32 ✓ <u>W32/63-11024</u> <u>W32/1 composite</u> <u>W32</u>		
CONDITIONS	☐ Measuring Device (R43) or Lockable Controlling Works (R02) ☐ Watermaster Control (R04) - WD # _____ ☐ Irrigation rate/annual volume overlap ☐ GW irrigation replaces surface water (050) ☐ GW irrigation supplements surface water (065) ☐ Water Quality ☐ Other _____		
PRIORITY	App Rcd <u>5/17/96</u> Receipt# <u>W 021840</u> Order to Reinstate Needed? Yes <u>No</u> Done? _____ Priority <u>5/17/96</u>	Due <u>8/1/97</u> Fee OK? <u>Yes</u> No _____ Examined <u>7/24/97</u>	Rc'd <u>1/3/97</u> Advanced to: _____
COMMENTS:	<u>Rate limited to measured capacity (= capacity of 63-11024.)</u>		

USE	CFS	VOLUME
<u>Dom.</u>	<u>0.01</u>	<u>0.6</u>
<u>/</u>	<u>/</u>	<u>/</u>
<u>/</u>	<u>/</u>	<u>/</u>
<u>/</u>	<u>/</u>	<u>/</u>
TOTAL	<u>0.01</u>	<u>0.6</u>

SRBA Overlap None
 Adjustment Memo ✓
 LICENSE
 #1 AMEND: _____/P38
 #2 AMEND: (R)P42/(C)P47

MEMORANDUM

DATE: February 24, 1998
TO: File No. 63-12339
FROM: Cindy Lou Zimmerman *CLZ*
SUBJECT: Review of Beneficial Use Field Report

This spring is the same source for licensed right no. 63-11024. The two rights share a the same diversion system, a 3/4" pipe to a location 1/2 way between the campsites. The spring was measured by the examiner at 1.05 gallons per minute. The exam on 63-11024 measured the spring at 3.33 gallons per minute and check it with the pipeflow equation. Both measurements are less than 0.01 cfs but for data entry purposes were rounded up to 0.01 cfs.

The following adjustments¹ were made on the field report to limitation of the measured capacity of the source as identified on the exam on this right and right 63-11024:

F. Capacity.

- a. 63-11024 exam by Cindy Hodges dated June 16, 1994.
 - 1. 5 gallons in 90 seconds = 3.33 gpm = ~~0.007~~ ≈ 0.01 cfs.
 - 2. Pipe flow equation = ~~0.007~~ ≈ 0.01 cfs.
- b. 63-12339 exam by Dan Tomich dated July 24, 1997.
 - 1. 5 gallons in 285 seconds = 1.05 gpm = ~~0.002~~ ≈ 0.01 cfs.

H. Recommendations.

1. Recommended amounts:

Beneficial Use	Period of Use	Rate of diversion	Annual Volume
Domestic	1/1-12/31	<u>0.01</u> cfs	0.6 AF
	Totals:	<u>0.01</u> cfs	0.6 AF

I also recommend the following conditions of approval:

Remark W36:

Right 63-11024 is also diverted through the point of diversion described above.

Remark W35:

Rights 63-11024 and 63-12339 when combined shall not exceed a total diversion rate of 0.01 cfs.

Examiner: Dan Tomich
Examined: July 24, 1997

MICROFILMED
APR 16 1998

¹ Adjustments are **bolded and underlined**.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 08 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-12339

1. Owner: Dave, Terri, Jerry Baum Phone No. (208) 466-7327

Current Address: 9725 Cherry Lane, Nampa, ID 83687

2. Accompanied by: _____ EXAM DATE: 7-24-97

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spring tributary to Trinity Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: 63-11024

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SE	SW	9	3N	10E	Elmore	Site Visit, Map

2. Place(s) of Use:


Indicate Method of Determination Site Visit, Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	10E	9																	

MICROFILMED

APR 16 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = No Scale

✓ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

— Aerial Photo Attached (required for irrigation of 10+ acres)

✓ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 5 Gal Bucket, Q = 1.05 GPM

MICROFILMED

FEATHERVILLE QUADRA⁷LE
IDAHO-ELMORE CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)

2971 II NW
(CAYUSE POINT)

17°30" 638


639

630 000 FEET

ROCKY BAR 6.8 MI.

115°15'

43°37'30"



T3N
R10E
Sec. 9

No Gov. Lots

63-12339

MICROFILMED

APR 16 1998

1 of 2

P/D

Spring

Development
Area.

one of
two
blue
storage
barrels.



P/D

one of
two
blue
storage
barrels



MICROFILMED

APR 10 1998

63-12339

2 of 2

Place of
Measurement
at
the
end
of
Pipeline.



P/u
Baumis
Campsite.

View
Looking
North



MICROFILMED

APR 16 1998

63-12339

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method: 5 Gal bucket

$$Q = \frac{5 \text{ Gal.}}{4.75 \text{ min}} = 1.05 \text{ GPM} = 0.00235 \text{ cfs.}$$

Spring was low at time of measurement.Allow the 0.02 cfs in permit.**G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

Allow 0.6 AFA for internal domestic.**H. RECOMMENDATIONS**

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>01/01</u>	<u>12/31</u>	<u>0.02*</u>	<u>0.6</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.02*</u>	<u>0.6</u>

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None Drop NWSESW, Sec. 9
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other from P/D.

I. AUTHENTICATIONField Examiner's Name L. Dan Zornich Date 1-6-98

Reviewer _____ Date _____

SEAL

* Adjustments made during review of this right for license approval.
See Memo for additional information. 2/29/98. CS

MICROFILMED

JUN 16 1998

E. NARRATIVE/REMARKS/COMMENTS

1. The water system consists of a spring development, 2 blue plastic storage barrels at the spring, a 3/4" PE pipeline on the top of the ground, and a drain pipe for the barrels. The pipeline ends on the top of the ground about 1/2 way between two campsites.
2. Water is carried from the end of the pipe in buckets to for use in Baum's campsite under this permit (63-12339), and to the campsite under WK # 63-11024. The water is used for domestic purposes at the campsites.
3. Dave Baum was contacted at his Nampa phone (466-7322), but did not go on the exam. He said they bring up a camp trailer when they are at the campsite. The other water user under 63-11024 also brings up camp trailers.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
APR 16 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 01 1995

Department of Water Resources

A. GENERAL INFORMATION

(see permit)
1. Owner: Robert A & Candita McHargue, et al Permit No. 63-11024
Phone No. 934 4634
Current Address: 461750 S. 2150 E GOODING ID 83330
2. Accompanied by: Bob McHargue EXAM DATE: 6/16/94
Address: above Phone No. _____
Relationship to Permit Holder: Co-owner
3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

- Other water rights with the same place of use: NONE
- Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SE	SW	9	3N	10E	Elmore	Site Visit


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	10E	9																	

MICROFILMED
APR 16 1998

3. **Delivery System Diagram:** Include all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: For theoretical pipeflow computation
3/4" ID length 425', head 15'

Timed fill: 5 gals, 1.5 min (90 sec)

MICROFILMED
 JAN 31 1996
 APR 16 1998

E. NARRATIVE/REMARKS/COMMENTS

A perforated buried collection site discharges into
2, 25 gal plastic storage vessels w/ overflow valve. Water
conveyed to P/U via 1" black PVC line.

Domestic use is at a campsite, developed for private
use. No irrigation. Cabin may be constructed eventually.

No overlaps.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
APR 16 1998

Additional Computation Sheets Attached

Timed fill:

5 gal x 60 sec/min = 3.33 gpm = .01 cfs
90 sec

Check: pipeflow
equation
(attached) = .007 cfs

1. Volume Calculations for Irrigation:

$$V_{I.R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DB} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IB} \text{ and } V_{DB} =$$

2. Volume Calculations for Other Uses:

Domestic (recreation) nonconsumptive .6 AF

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>DOMESTIC</u>	<u>7/1</u>	<u>12/31</u>	<u>.01</u>	<u>.6</u>
		Totals:	<u>.01</u>	<u>.6</u>

Change P.D. as reflected above

Add P.D. as reflected above

None (QQQ variance req's no amendment)
Other

Change P.U. as reflected above

Add P.U. as reflected above

Other

Field Examiner's Name

Field Examiner's Name Cindy J. Hodges Date 9.15.95

Reviewer _____ Date _____

* SEE adjustment memo. BC

MICROFILMED

APR 16 1998

SEAL

JAN 24 1996

Pipeflow Computation Spreadsheet (DRT 12/31/1992)

Data Entered By: Cindy Hodges
 9/15/95
 Project: Flow Computation for Permit No. 63-11024
 McHargue, et. al.
 Given: See Data Table

Compute head losses with the Williams and Hazen Formula:
 $f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^4.8655 * \text{Length} / 100)$

To Find: Compute Rate of Flow

Data Table

Total Head: 15.00 feet
 Pressure Req'd: 0.00 psi
 Available Head: 15.00 feet
 Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe = 140
 aluminum - joint length 20' = 125, joint length
 30' = 130, joint length 40' = 132, joint length
 50' = 134, new riveted steel = 100
 old riveted steel = 100, old cast iron = 95,
 old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Head Loss from Pipe Friction
0.75	425.00	14.12	
13.50	0.00	0.00	
11.50	0.00	0.00	
9.50	0.00	0.00	14.12

Rate of Flow: 0.007 CFS

Solution is obtained by entering an estimated rate of flow and adjusting until Total Head Loss approximates Available Head.

RECEIVED
 MICROFILMED JAN 24 1996
 APR 16 1998

January 14, 1997

DAVE BAUM
TERRI BAUM
JERRY BAUM
9725 CHERRY LN
NAMPA ID 83687

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12339

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED

JAN 23 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 6, 1996

DAVE BAUM
TERRI BAUM
JERRY BAUM
9725 CHERRY LN
NAMPA ID 83687

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12339

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "Conditions of Approval and Remarks" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosures

RECEIVED
AUG 09 1996

**NOT. OF APPLICATION
FOR WATER RIGHT**

The Following application has been
filed to appropriate the public waters of
the State of Idaho:

63-12339 ✓

BAUM, DAVE
BAUM, TERRI
BAUM, JERRY
9725 CHERRY LN.
NAMPA, ID 83687

Source: SPRING; Tributary: SINKS.
Diversion Pt: NWSESW Sec. 9 T 03N
R 10E in ELMORE County; SWSESW
Sec. 9 T 03N R 10E in ELMORE
County.

Use: DOMESTIC (0.040 CFS); Total
Diversion: (0.040 CFS).

Date Filed: 5/17/1996.

In: ELMORE County, T03N R10E
S09 SESW.

Permits will be subject to all prior
water rights. Protests may be submit-
ted based on the criteria of Sec. 42-
203A, Idaho Code. Any protest against
the approval of this application must
be filed with the Director, Dept. of Wa-
ter Resources, Western Region, 2735
Barnes Way, Boise, Idaho 83705 to-
gether with a protest fee of \$25.00 on
or before JUNE 24, 1996. The protes-
tant must also send a copy of the
protest to the applicant.

KARL J. DREHER, Director

Published: 6/5/1996 & 6/12/1996.

Affidavit of Publication

County of Elmore } ss.
STATE OF IDAHO }

I, Coleen W. Swenson, do solemnly swear that I
am the foreman, or publisher of the

Mountain Home News

a weekly newspaper of general circulation, pub-
lished once a week at MOUNTAIN HOME, IDAHO,
that the notice attached hereto and which is a part
of publication thereof; was published in said news-
paper for

2 consecutive weeks, the first publi-
cation having been made on 5th day of

June, 1996, and the last publi-

cation having been made on the 12th day of

June, 1996; every Wednesday

issue of the paper during the period and time of
publication and that the notice was published in the
newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN
HOME NEWS has been continuously and uninter-
ruptedly published in said Elmore County during a
period of 78 consecutive weeks prior to the first
publication of the attached notice.

Coleen W. Swenson
Subscribed and sworn to me this 13th day of

June, 1996

Renard M. Jacoby
Notary Public

Residing in Mountain Home, Elmore County, Ida-
ho. My commission expires 11-16-98.

RECEIVED

JUN 17 1996

WATER RESOURCES
WESTERN REGION

63-12339

BAUM, DAVE
BAUM, TERRI
BAUM, JERRY
9725 CHERRY LN
NAMPA, ID 83687

Source: SPRING

Tributary: SINKS

Diversion Pt: NWSESW Sec 9 T 03N R 10E in ELMORE County.
 SWSESW Sec 9 T 03N R 10E in ELMORE County.

Use: DOMESTIC (0.040 CFS)
 Total Diversion: (0.040 CFS)

Date Filed: 5/17/1996

In: ELMORE County
 T03N R10E S09 SESW


AUG 09 1996