


SW 1/4 Section 36, T 5 N, R 2 W, Boise Meridian, Canyon County

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Larry Blech
(Applicant)

City Engineer - per 2/23/96 TSKW - 82



SW 1/4 SE 1/4 SW 1/4
SEC. 36 T3N R2W
BOISE MEDIAN
CANYON COUNTY

* Pheasant Hollow Subdivision



Skinner, Earl &
Associates, Inc.
403 Blaine • Caldwell, ID
(208) 454-0923
JH319401

WELL to be added to municipal's pressurized
irrig. system - no domestic or other internal
uses.

No gov't lots.


-sl 2/27/96

MAY 22 1996

63-12322

* per Norm, City of Nampa Engineers

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	<u>Hitachi</u>	<u>15</u>		<u>Grundfos</u>	<u>Model 3755</u>
					<u>150-2</u>

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Installed Meter:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<u>Flow Meter</u>	<u>Tot.</u>	<u>water spec. corp</u>		<u>961959</u>	<u>6"</u>	

2. Measurements: None - 74 psi on Press. gage at well
and 68 psi on Press. gage at gate valve.


MICROFILMED

FEB 16 1999

No Gov. Lots

63-12322

MICROFILMED
FEB 16 1999
4819



WELL to be added to municipal's pressurized
irrig. system - no domestic or other internal
uses.

No govt. lots.

-SL 2/27/96

MICROFILMED

FEB 16 1999

63-12322


* per Norm, City of Nampa Engineers

GRUNDFOS

375 GPM


MODEL 375S

PERFORMANCE CURVES



FLOW RANGE
230 to 500 GPM

PUMP OUTLET
4" NPT



Pheasant
Hollow

15 HP
Motor

DIMENSIONS AND WEIGHTS

MODEL NO.	HP	MIN. WELL SIZE (INCHES)	LENGTH (INCHES)	MAX. WIDTH (INCHES)	APPROX. UNIT SHIPPING WT. (LBS.)
375S75-1	7½	8	44 7/8	7 1/8	153
375S150-2	15	8	53 1/8	7 1/8	181
375S200-3	20	8	60	7 1/8	197
375S250-4	25	8	66 7/8	7 1/8	226
375S300-5	30	8	73 3/4	7 1/8	245

NOTES:

Specifications are subject to change without notice.

See Deep Set models for higher head.

MICROFILMED
FEB 16 1999

63-12322

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

At the present time, this well is
used as 100% irrigation for the
municipal system.

Daniel Zornick Water Rights Examiner
Signature of Dept. Representative & Title

6-30-98
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:




PHOTO FILMED

FEB 16 1999

1 of 3

P/D

Well site
in

Lot 3, BIKI,

Pheasant

Hollow

Sub division.

View


Looking

Northwest



P/D

well



MICROFILMED

FEB 16 1999

63-12322

2 of 3

P/O


Valves,
piping,
etc.

Flow
meter
is
light
green
item.



P/O

Flow
meter



MICROFILMED

FEB 16 1999

63-12322

3 of 3

P/u

Back
yards
irrigated
from
well.



P/u

Hose bibs
in back
yard
from
PUC
Main line
Served
by
well.



MICROFILMED

FEB 16 1999

63-12322

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS.
County of Canyon)

Carolyn Spath

of Nampa, Canyon County, Idaho, being first duly sworn, deposes, and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.
2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.
3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Twice

— in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
March 6, 13, 1996

Carolyn Spath

STATE OF IDAHO)

COUNTY OF CANYON)

On this 13th day of March
in the year of 1996, before me, a Notary
Public, personally appeared Carolyn Spath,
known or identified to me to be the person whose
name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he/she
executed the same.

Janne Gust
Notary Public for Idaho
Residing at Nampa
MY COMMISSION EXPIRES
JUNE 21st, 1997

NOTICE OF APPLICATION FOR WATER RIGHT
The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12322

CITY OF NAMPA
411 3RD ST SOUTH
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: SESW Sec 36 T 03N R 02W in CANYON County.
Use: MUNICIPAL (1,050 CFS)
Total Diversion: (1,050 CFS)
Date Filed: 2/20/1996
Municipal use is for irrigation within the City of Nampa Water bearing zone to be appropriated is 40 to 150 feet.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before MARCH 25, 1996. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director
March 6, 13, 1996

3431

RECEIVED

MAR 15 1996

WATER RESOURCES
WESTERN REGION

MAY 22 1996

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-12322

Priority: February 20, 1996

Maximum Diversion Rate:

0.84 CFS

This is to certify, that CITY OF NAMPA

411 3RD ST S

NAMPA ID 83651

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 20, 1996; and has submitted Proof of Beneficial Use on April 29, 1998. An examination indicates that the works have a diversion capacity of 0.840 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

MUNICIPAL

03/15 to 11/15

0.84 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 36, Township 03N, Range 02W
CANYON County

PLACE OF USE: See Remarks

CONDITIONS OF APPROVAL AND REMARKS


1. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
2. Irrigation of large projects such as parks, golf courses, or sports activities fields is not authorized under this right.
3. The daily diversion volume for non-domestic uses under this municipal right shall not exceed 2,500 gallons per use and the daily diversion volume for domestic uses under this right shall not exceed 13,000 gallons per dwelling in accordance with Section 42-111, Idaho Code.
4. The right holder shall use the full allotment of appurtenant surface water irrigation rights in conjunction with groundwater diverted for irrigation use under this right and shall only divert groundwater for irrigation use under this right when water from the appurtenant surface water irrigation rights cannot be delivered to the right holder.
5. The irrigation use occurring under this municipal right shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed.
6. Point of diversion is located within Lot 3, Blk. 1, Pheasant Hollow Subdivision.
7. Place of use is within the city limits of Nampa.

MICROFILMED

FEB 16 1999

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 63-12322

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 12th day of JANUARY, 1979.


Acting for KARL J. DREHER, Director

MICROFILMED
FEB 16 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 01 1998

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12322 Telephone No. 465-2220
2. Name(s) of Permit Holder(s): City Of Nampa/Ramon Yorgason
3. Mailing Address: 411 3rd St So Nampa ID 83651
4. Source of Water: ground water If **GROUNDWATER** (well), Date Drilled: mo. 4 / yr. 96
- a. Well Driller: Treasure Valley Drilling Drilling Permit Number: 63-96-W-0204000
- b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: municipal

6. Total rate of diversion and/or volume for which proof is submitted: 1.05 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u>x</u>	or	No _____
	Has the measuring device been installed?	Yes <u>x</u>	or	No _____
Flow Measurement Port:	Is a flow measurement port required?	Yes _____	or	No <u>x</u>
	Has the measurement port been installed?	Yes _____	or	No <u>x</u>

8. Fee Enclosed: \$ 125.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Tony Chavez Telephone Number: 465-2209

Address: 411 3rd St So Nampa ID 83651

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Douglas Cox Asst. City Engineer Date: 4/28/98
(include your title, if on behalf of company or organization)

MICROFILMED
JUN 26 1998

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12322

Proposed Priority: February 20, 1996 Maximum Diversion Rate: 1.05 CFS

This is to certify, that CITY OF NAMPA
411 3RD ST S
NAMPA ID 83651

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
MUNICIPAL	03/15 to 11/15	1.05 CFS

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 36, Township 03N, Range 02W
CANYON County

PLACE OF USE: See Remarks

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1998.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
5. The issuance of this right does not grant any right-of-way or easement across the land of another.
6. The daily diversion volume for non-domestic uses under this municipal right shall not exceed 2,500 gallons per use and the daily diversion volume for domestic uses under this right shall not exceed 13,000 gallons per dwelling in accordance with Section 42-111, Idaho Code.
7. Point of diversion is located within Lot 3, Blk. 1, Pheasant Hollow Subdivision.
8. Place of use is located within the City of Nampa.
9. The right holder shall use the full allotment of appurtenant surface water irrigation rights in conjunction with groundwater diverted for irrigation use under this right and shall only divert groundwater for irrigation use under this right when water from the appurtenant surface water irrigation rights cannot be delivered to the right holder.

MAY 22 1996

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12322

CONDITIONS OF APPROVAL AND REMARKS

10. The irrigation use occurring under this municipal use shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed.
11. Irrigation of large projects such as parks, golf courses, or sports activities fields is not authorized under this permit.
12. Water bearing zone to be appropriated is 40 to 150 feet.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

13th day of May, 1996

[Signature]
for Karl J. Dreher, Director

RECORDED

2 1396

RECEIVED
MAY 03 1996

Ident. No. 63-12322

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: CITY OF NAMPA
Address: 411 3RD ST SOUTH
NAMPA ID 83651
208-465-2220
2. Source: GROUNDWATER
3. Location of Point of Diversion: Trib. to:
SESW Sec. 36, Township 03N, Range 02W
CANYON County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
MUNICIPAL	03/15	11/15	1.050		
5. Total quantity to be appropriated is:
1.050 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
WELL, SUBM PUMP TO INTERCONNECT TO CITY-WIDE IRRIG. PIPELINES
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 10 inches; proposed depth of well is 200 feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 year(s).
8. Place of Use: See Remarks
9. a. Who owns the property at the point of diversion?
DEVELOPER - RAMON YORGASON
b. Who owns the land to be irrigated or place of use?
INDIVIDUAL HOMEOWNERS ETC.
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.
WELL SYSTEM & FACILITIES PLACED IN DEDICATED EASEMENTS FOR CITY'S USE

MAY 22 1996

10. Remarks:

Municipal use is for irrigation within the City of Nampa.
Water bearing zone to be appropriated is 40 to 150 feet.

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

See original
Applicant

PL fm
Received by VR Date 2/20/96 Time 3:20 Preliminary check by SL
Fee \$ 120.00 Receipted by VR #W020433 Date 2/20/1996
Publication prepared by AT Date 2-28-96 Published in Press-Trib.
Publication approved AT Date 4-19-96

RECORDED

MAY 22 1996

Ident. No. 63-12322

Comments: Date: 2/27/1996 User-ID: SLESTER

Subject: EXPLANATION OF USE

Originally filed as "municipal irrigation" for 52 acres within a subdivision, the application has been revised per discussion with city engineer, Larry Bledsoe. A developer will add a well that is to be interconnected to city's pressurized irrigation system for irrigation use only throughout city service area. Most of the city irrigation water derives from surface water supplemented by ground water as needed. Does not appear that replacing surface water with ground water would apply in this case.

The "municipal use" remark has therefore been tailored to show only irrigation use (will simplify any DEQ requirements per well drilling permit process). To avoid delay in processing, municipal use should exclude any large-parcel irrigation. The only remark to be shown in legal notice is the basin 63 "water bearing zone" language.

Also note that season of use reflects muni. irrigation only. The alternative to muni. use is to list numerous QQ's with expected acres to be irrigated -- which seems like a pointless process at least as far as eventual field exam process.

RECEIVED

MAY 22 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant City of Nampa Phone 465-2220
Post office address 411 3rd St. South NAMPA ID 83651 *
2. Source of water supply Ground Water which is a tributary of N/A
3. Location of point of diversion is ~~SW~~ SE $\frac{1}{4}$ of SW $\frac{1}{4}$ Govt. Lot — *
Sec. 36 Township 3N Range 2W B.M. Canyon County; additional
points of diversion if any: —
4. Water will be used for the following purposes: *
Amount 1.05 for Municipal Irr. purposes from MARCH April 15 to NOV. Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.05 and/or (b) N/A
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. Submersible Pump $\pm$ 15 H.P. Motor
to connect into City of Nampa Municipal Irrigation Mainline distribution
system
- b. Height of storage dam N A feet; active reservoir capacity N A acre-feet; total
reservoir capacity N A acre-feet; period of year when water will be diverted to storage:
— to — inclusive.
- c. Proposed well diameter is 10" inches; proposed depth of well is 100'-200' feet.
- d. Is ground water with a temperature of greater than 90°F. being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is *
1.5 = 2 years (minimum 1 year). MAY 22 1996

* Q&Q confirmed per Applicant's map
Municipal use with limited season per 2/23/96 telcon with City Engineer.
Round 1.5 yr. to 2 yrs. -82 2/27/96

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower: show total feet of head and proposed capacity in KW.

b. Stockwatering: list number and kind of livestock.

c. Municipal: show name of municipality.

d. Domestic: show number of households.

e. Other: describe fully.

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4			NW 1/4			SW 1/4			SE 1/4			TOTALS
			NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	

3N 2W 36 1.34 5.88 5.33 6.93 52.49

See Remarks

Total number of acres to be irrigated 52.49

10. Describe any other water rights used for the same purposes as described above.

N A

11. a. Who owns the property at the point of diversion? Developer-Ramon Yorgason

b. Who owns the land to be irrigated or place of use? Homeowners after completion of Subdiv.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filling Well and pumping facilities are placed in dedicated easements, with control and maintenance turned over to City upon completion of development.

12. Remarks:

Municipal use is for irrigation in City of Nampa.


Water bearing zone to be approximated is 40 to 150 feet.

* per tel, 2/23/96 with city engineer -82

MAY 22 1996

SW 1/4 Section 36, T 5 N, R 2 W, Boise Meridian, Canyon County

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Larry Blech
(Applicant)

City Engineer - per 2/23/96 LKUN - 50

Received by VR Date 2-20-96 Time 3:20 PM Preliminary check by JR
Fee \$ 120- Receipted by VR # W020433 Date 2-20-96
Publication prepared by _____ Date _____ Published in _____
Publication approved _____ Date _____


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MAY 22 1996



WELL to be added to municipal's pressurized
irrig. system - no domestic or other internal
uses.

No govt. lots.

-SL 2/27/96

63-12322

* per Norm, City of Nampa Engineer.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208)327-7900 FAX: (208)327-7866 www.idwr.state.id.us/idwr/idwrhome.htm

January 13, 1999

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

CITY OF NAMPA
411 3RD ST S
NAMPA ID 83651

RE: WATER RIGHT NO. 63-12322

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

FEB 16 1999

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

FEB 16 1999

The appeal must be led within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
FEB 16 1999³

CERTIFICATE OF MAILING

I hereby certify that on the 13th day of January, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 63-12322

CITY OF NAMPA
411 3RD ST S
NAMPA ID 83651


Kari Lynn Townsend
Secretary

MICROFILMED
FEB 16 1999

MEMORANDUM

TO: File 63-12322

FROM: Sharla

DATE: January 11, 1999

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 63-12322 are as follows:

H. RECOMMENDATIONS

Municipal	1/1 – 12/31	0.84 cfs
-----------	-------------	----------

As noted by the examiner, the pump is rated at 0.84 cfs; this is the rate that will be listed on the license.

Exam Date: June 30, 1998
Examiner: Dan Tomich

MICROFILMED

FEB 16 1999

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-12322 DATE 11/30/98 REVIEWER: S H A R L A

NAME OK Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK _ Change (P39 /P47) _ Add (P45/P42) Feds - P40
 W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK _ Change (P41/P47) _ Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate 1.05 cfs
 Fee limit 2.00 cfs \$125⁰⁰
 Measured 0.78 cfs
 Theoretical _____ cfs pump rated @ .84
 Recommended Total Div Rate .84 cfs

WATER USES	<u>OK</u>	Change (P46)	
<u>Muni</u>	<u>0.84</u> cfs	<u>af</u>	Irrig - overlap (R58-R61, R62-R65, R66-R69)
_____	_____ cfs	<u>af</u>	supp. gw (WB7/065/079)
_____	_____ cfs	<u>af</u>	overlap spec. combined rts (W35)
_____	_____ cfs	<u>af</u>	<1acre (W31)
_____	_____ cfs	<u>af</u>	Domestic (W01/WB5/070/071/075)
TOTALS	_____ cfs	<u>af</u>	Power (W42 or W43/025/027/R22 or R23)
			Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate _____ cfs X _____ days X 1.98 = _____ af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____
022 _____ GW Measurement/Measuring Device
075 Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority _____ yes ☒ no SRBA Claim N/A Adjust Memo rate
 Amend letters _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-12322

1. Owner: City of Nampa Phone No. (208) 465-2220

Current Address: 411 3rd St. S., Nampa, ID 83651

2. Accompanied by: Tony Chavez EXAM DATE: 6-30-98

Address: (Same) Phone No. (208) 465-2209

Relationship to Permit Holder: Supervisor of Public Works

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02388, + other City Municipal Rights

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SW	36	3N	24	Canyon	Site Visit, map

2. Place(s) of Use: City of Nampa


Indicate Method of Determination Site Visit, Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

MICROFILMED

FEB 16 1999

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = 100'

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	11.726	15		Grundfos	Model 3755
					150-2

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

Installed Meter:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flow Meter	Tot	Water Spec.		961959	6"	

2. Measurements:

Note - 74 psi on press. gage at well and 68 psi on press. gage at gate valve

MICROFILMED

FEB 16 1999

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for a municipal well that provides water for irrigation through backyard mainlines in the Pheasant Hollow Subdivision. No potable water is provided at this time, but the well is connected into the municipal system for the City. The City uses both surface water and well water for their irrigation. There are 41 wells and 20 ditch pumps in the system. About $\frac{1}{3}$ of these diversions are not connected with this well. This well supplies supplemental water for the system and operates continuously during the irrigation season.
2. The well is located on Lot 3, B/K 1, of the Pheasant Hollow Subdivision. This subdivision was annexed into the City in 1996.
3. The operating pressure of the system is 40-70 psi, and the flow meter was reading 350 GPM at the time of the exam.
4. The well screen draws water from a zone of 105' to 135'. [Condition 12: (90' to 150')]

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
FEB 16 1999

F. FLOW CALCULATIONS

Measured Method: *None, Theoretical Cal.*

Additional Computation Sheets Attached

$$Q = \frac{(8.8 \times 15 \text{ HPI} \times 70\%) }{15' + (40 \text{ PSI} \times \frac{34'}{14.7 \text{ PSI}'})}$$

$$= 0.86 \text{ cfs}$$

$$TDH = 15' + (40 \times \frac{34'}{14.7}) = 108'$$

2) From Pump Perf. Curve:

$$Q = 290 \text{ GPM} = 0.65 \text{ cfs}$$

3) Flow Meter reading was

$$350 \text{ GPM} = 0.78 \text{ cfs}$$

4) Pump rated at 375 GPM =

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

$$0.84 \text{ cfs}$$

2. Volume Calculations for Other Uses:

Allow 0.85 cfs Div. rate.

Pump cannot deliver the 1.05 cfs shown in permit.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Municipal</u>	<u>03/15</u>	<u>11/15</u>	<u>0.85</u>	
Totals:			<u>0.85</u>	

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ Other

The diversion rate cannot be more than 0.85 cfs.

I. AUTHENTICATION

Field Examiner's Name

Jan Tomich

Date


11-18-98

Reviewer

Date

SEAL

MICROFILMED
FEB 16 1999



T3N
R2W
Sec. 36
SESW

No Gov. Lots


T. 3 N.

T. 2 N.

63-12322

MICROFILMED

7 FEB 16 1993



SW 1/4 SE 1/4 SW 1/4
SEC. 36 T8N R2W
BOISE MERIDIAN
CANYON COUNTY

Basis of Bearings



Skinner, Earl &
Associates, Inc.
400 Blaine & Caldwell, ID
(208) 454-0923
J1318401

* Pheasant Hollow Subdivision

WELL to be added to municipal's pressurized
irrig. system - no domestic or other internal
uses.

No govt. lots.

MICROFILMED

FEB 16 1999

-SL 2/27/96

63-12322


* per Norm, City of Nampa Engineers

GRUNDFOS

375 GPM

MODEL 375S

PERFORMANCE CURVES



FLOW RANGE
230 to 500 GPM

PUMP OUTLET
4" NPT



Pneasant
Hollow

15 HP
Motor

DIMENSIONS AND WEIGHTS

MODEL NO.	HP	MIN. WELL SIZE (INCHES)	LENGTH (INCHES)	MAX. WIDTH (INCHES)	APPROX. UNIT SHIPPING WT. (LBS.)
375S75-1	7 1/2	8	44 7/8	7 1/8	153
375S150-2	15	8	53 1/8	7 1/8	181
375S200-3	20	8	60	7 1/8	197
375S250-4	25	8	66 7/8	7 1/8	226
375S300-5	30	8	73 3/4	7 1/8	245

NOTES:

Specifications are subject to change without notice.

See Deep Set models for higher head.

MICROFILMED

FEB 16 1999

63-12322

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-96-W-0204-000 OTHER APPLICABLE NO: 63-12322

2. OWNER: City of Nampa Phone: (208) 465-2220
Address: 411 3rd St. S., Nampa, ID 83651

3. WELL LOCATION: Twp 3N, Rge. 2W, Sec. 36, SE 1/4 SW 1/4
County Canyon (Provide sketch map and photo on reverse.)

4. DRILLER: Treasure Valley Drilling Lic. No. 560
When Drilled? 4/18/96 to 4/22/96

5. WELL CONSTRUCTION:

Casing Diameter 10 1/2 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 105 ft. Method Drilled Air Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 15 ft. Water Temperature 56 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic ☐ Irrigation ☐ Stock
☐ Test ☒ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

MICROFILMED
FEB 16 1999

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____


9. REMARKS:

At the present time, this well is
used as 100% irrigation for the
municipal system.

Daniel Zornick Water Rights Examiner
Signature of Dept. Representative & Title

6-30-98
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



RECEIVED

FEB 16 1999

Lot 3

P/D

Well site
in

Lot 3, BIKI,

Pheasant


Hollow

Sub division.

View


Looking

Northwest



P/D

well



MICROFILMED

FEB 16 1999

63-12322

2 of 3

P/O


Valves,
piping,
etc.

Flow
meter
is
light
green
item.



P/O

Flow
meter



MICROFILMED

FEB 16 1999

63-12322

3 of 3


P/u

Back
yards
irrigated
from
well.



P/u

Hose bibs
in back
yard
from
PUC
Mainline
Served
by
well.



MICROFILMED

FEB 16 1999

63-12322

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-12322 Reviewed by [Signature] Date 6-12-98

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

municipal

Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

yes Copy in the file? Drilling Permit No. 63-96-W-0204-000

200- Amount paid for permit yes Correct?

no Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
125- Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
yes Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u>/</u>	<u> </u>
Date proof due	<u> </u>		<u> </u>
No. of days late	<u> </u>		<u> </u>
Priority Date	<u> </u>		<u> </u>
New Priority Date	<u> </u>		<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 4-29-98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

**PHILIP E. BATT
GOVERNOR**

June 16, 1998

**KARL J. DREHER
DIRECTOR**

City of Nampa
411 3rd St South
Nampa ID 83651

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12322

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's **WESTERN** Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

JUN 26 1998

February 28, 1998

CITY OF NAMPA
411 3RD ST S
NAMPA ID 83651

PROOF DUE NOTICE

RE: PERMIT NO. 63-12322

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1998.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

JUN 26 1998





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 13, 1996

CITY OF NAMPA
411 3RD ST S
NAMPA ID 83651

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12322

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED

MAY 22 1996

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW**
by Cindy Zimmerman

No.: 63-12322 Name: City of Nampa Date: 5/6/96 Ad OK? ✓
Correct Fee? ✓ Receipt #: 0020433 Priority: 2/20/96 ✓ Gvmt Lts:

AREA OF CONCERN? Boise River - No/Yes Mor GWMA Trust/Non-trust
PROTESTED: w/D Damage - 020 (Protest Agr) or W19 (See Final/Prelim Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>

+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD in remark
=/+ 5 a. - 01M, 065 (if GW use SW 1st)

Drilling Permit:

Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. 63-96-W-0204-000, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):

Water District (dem) - 005 (req) WD # <SEE MAP & LISTING>
+ 0.2 cfs - 01J (meas dev) - P08
=/- 0.2 cfs - 01H (lock dev) - P01 or No MD
~~In-WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):

Snake R (01) - 11A-P04, NA
(02/03-irr) - 007-P07 (w/remark WB9-† Weiser), NA
Boise R (63) - 05A (if WB), 11E (not 42-111 use), NA
Payette R (65) - 064 (regulated uses), 047-P04 (Payette Lake), NA

USE:

Domestic (surface) - 021 (Boise R † Star Bridge); 27A (Payette R); NA
Fish Propagation - 07A-042 (rq) - 010/06A/09E (WQ) - P10; 044 (N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F (P19) - 09E (P10);
+25 cfs-P18; 17G (FERC) or 17M (FERC); 18B-P09
Storage (✓ 3 compo.) - 18A (multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner**OTHER CONDITIONS:****STANDARD REMARKS:****BENEFICIAL USE DUE:****COMMENTS:**

022
① PU/Nampa ② W21
③ PD=LT3, B1, Pheasant Hollow Subd.
5-1-1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RL DATE: 2/27/96 APPLICATION: 63-12322

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use: ← Limited season per orig. Appl. is intended use
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map: (show T, R, S, QQ &/or QQQ)
Subdivision plat: (for > 1 home in restricted area. ≥ 5 homes in non-restricted area) — N/A for city system
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ___ No* In form to receipt:

Gov't. Lots:
___ P/D
___ P/U

RECEIVED
MAY 03 1996

Department of Water Resources

ADDITIONAL INFORMATION

YES NO

Other mun. rights for city
___ Overlapping place of use: (Describe source & relationship to present application on next page.)
___ ☒ Overlapping point of diversion.
___ Field check required: Field check by: _____
___ Field report attached:
___ ☒ Critical groundwater area:
___ ☒ Groundwater management area:
___ ☒ 1992 moratorium: municipal use (limited) so "delay" N/A
___ ☒ Copy to SCA staff: (perennial stream, non-pump diversion &/or any mining).
___ ☒ Copy to Dam Safety staff: (for any storage)
___ ☒ Basin 63 mitigation plan: (where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge)
___ ☒ Send power requirement letter:
___ ☒ Send fish farm requirement letter:
___ ☒ Power residency affidavit:
___ ☒ Power efficiency form:
___ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
___ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

N/A see 2/23 conv. memo & Application Comments

DATE REQUESTED _____

ADDITIONAL INFORMATION ON REVERSE SIDE:

PROCESSING

APP. NO. 63-12322

YES NO

☒ ☐
☐ ☒
☐ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO:

YES NO

☐ ☒ I.D. Health & Welfare
☐ ☒ I.D. District Health
☐ ☒ I.D. Fish & Game
☐ ☒ I.D. Lands
☐ ☒ Adjudication Bureau

YES NO

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☐ ☒ Water Dist. # _____
☐ ☒ Other _____FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☐
☒ ☐
☐ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest 3-25-96

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Dnr

Measuring device required:

Measuring port required:

Water delivered by water master? District # _____

Special conditions of approval or cover letter:

26A (Allow 2 yrs), surface water must be used first if available, acreage limited to 1/2 acre per home - no irrigation of larger tracts.

See below for additional information

Recommended Date or Priority 2/20/1996Recommended by: Dnr Date: 4/29/96STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION:

Because processing w/o delay, should add ^{condition} ~~prohibit~~ to prohibit irrigation of any large-^{parcel} sites.

Drilling Permit No. 63-96-W-0204-000Water Right F it No. 63-12322

Injection Permit No. _____

WELL DRILLER: PLEASE COMPLETE FOR VERBALS

IDWR Employee Issuing Verbal: _____

Verbal Issued Date: _____ Time: _____

State of Idaho
Department of Water Resources**APPLICATION FOR DRILLING PERMIT**

(For the Construction of a Well)

1. Applicant (please print): City of Nampa2. Mailing Address: 411 3rd St. SouthCity & State Nampa Idaho Zip Code 83651 Telephone 465-2220☒ Well Owner ☐ Well Operator ☐ Contractor or Other, specify _____3. Proposed Well Location: Twp. 3 N, Rge. 2 W, Sec. 36, SE 1/4 SW 1/4Gov't Lot No. _____ County Canyon County

Street Address of Well Site _____

Lot, block and subdivision _____

4. Proposed Use of Well:

- ☐ DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock (1,000 head or less) and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

NON-DOMESTIC: ☒ Irrigation ☐ Municipal ☐ Industrial
☐ Stock ☐ Test ☐ Other _____
 (Over 1,000 Head) (Describe)

☐ INJECTION

☐ MONITORING: A well bore schematic and map is required for each blanket permit.
 No. of proposed wells: _____

5. Well Construction Information:

A. ☒ New well ☐ Modify ☐ ReplaceB. Proposed Casing Diameter 10" Proposed Maximum Depth 200

C. Anticipated bottom hole temperature:

☒ 85°F or less ☐ 85°F to 212°F ☐ 212°F or more
 (Cold Water Well) (Low Temp. Geo. Well) (Geothermal Well)

6. Construction Start Date: 4-11-967. Anticipated Well Driller: Treasure Valley Drilling Driller's Lic. No. 560

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's Signature [Signature] Date 4-11-96Title Developer

(Owner, Firm Representative, Other)

MAY 22 1996

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 4/16/1996

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
3. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS:

8. This permit does not contain conditions unique to domestic water supply wells, so the well drilled under this permit may be used for lawn watering systems but may not be connected to in-home systems.
9. Water shall not be diverted from the well drilled under this permit until water right no. 63-12322 is approved.

Dana R. Tuttle
Signature of Authorized Department Representative

Manager, Western Regional Office
Title

Receipt No. W020704 Received by JFW Fee \$200 Date 4/11/96

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension expires: _____

MAY 22 1996

[illegible]

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.
2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.
3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Twice

— in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
March 6, 13, 1996

STATE OF IDAHO
COUNTY OF CANYON

On this 13th day of March
in the year of 1996, before me, a Notary
Public, personally appeared Carolyn Spath,
known or identified to me to be the person whose
name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he/she
executed the same.

Janne Lust
Notary Public for Idaho
Residing at Nampa

Notary Public for Idaho
Residing at Nampa
MY COMMISSION EXPIRES
JUNE 21st, 1997

The Following
State of Idaho.

62-2222 ✓

CITY OF MARIKA
411 3RD ST SOUTH
MARIKA, ID 83851

Source: GROUNDWATER
Canyon St. NE State Sec. 17 T10N R 10W E CANYON ECODE
MARIKA MUNICIPAL
Total Ordinance

Date Filed: 2/20/1998

Suppose there is litigation within the City of Marika Water hearing zone to be adjudicated
to \$10,150 per
petition with the petition to all prior water rights. Protests may be submitted based on
possibilities of Sec. 10-2022, Idaho Code. Any protest against the application for the allocation
must be filed with the Director, Dept. of Water Resources, Western Region, 2005
Alameda Way, Boise, Idaho 83725 together with a protest fee of \$25.00 in or by the 15th day of
Feb. 1998. The protest must also send a copy of the protest to the applicant.

KARL J. BROWN
March 6, 1998 President, MARIKA MARIKA 251504 1998 JAMES 3431

RECEIVED

MAR 15 1996

**WATER RESOURCES
WESTERN REGION**

MAY 22 1996

THUESON'S EXCAVATION

& PRESSURIZED IRRIGATION

1835 SOUTHSIDE BLVD NAMPA, ID. 83686 PHONE 465-7221 FX 465-5129

Raymond D. & Leah Scott
3705 E. Greenhurst Rd.
Nampa, ID. 83686

April 8, 1996

RE: DOMESTIC WATER HOOK-UP

Mr Scott,

We (Lance Thueson & Ramon Yorgason) hereby agree to provide Nampa City domestic water to the home of Mr & Mrs Raymond Scott, located at 3705 E. Greenhurst Rd., Nampa, ID.

We agree to provide and pay all expenses associated with the specific domestic water hook-up in return that Mr & Mrs Scott agree to withdraw their protest with the Dept. of Water Resources and sign an agreement with the City of Nampa that when the City decides to annex the above property that it will be allowed to do so in its usual fashion.

Work to be completed prior to drawing any water out of new proposed well.



LANCE THUESON
THUESON'S EXCAVATION

DATE: 4-11-96

RAMON YORGASON
CAPITAL DEVELOPMENT

DATE:


RAYMOND D. SCOTT

DATE: 4-11-96


LEAH SCOTT

DATE: 4/11/96

MAY 22 1996

WR0749NP
No. 63-12322

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 04/11/96
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CITY OF NAMPA 411 3RD ST SOUTH NAMPA ID 83651 (208) 465-2220	02/20/1996	MUNICIPAL	03/15 11/15	1.050 CFS	
TOTAL DIVERSION:					1.050 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: APPLICATION

Point(s) of Diversion:

T03N R02W S36

SESW

CANYON County

Pou County:

Remarks: Municipal use is for irrigation within the City of Nampa.
Water bearing zone to be appropriated is 40 to 150 feet.

Dates:	App. Received: 02/20/1996	Priority Date: 02/20/1996
	Proof Due Date:	Proof Made Date:
	Exam Made Date:	Exam Sent to S.O.:
	Licensed Date:	

Misc:	Water District Number:	Field Exam Fee:
-------	------------------------	-----------------



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 12, 1996

RAYMOND SCOTT
3705 E GREENHURST
NAMPA ID 83651

Re: Application for Permit No. 63-12322 in the Name of City of
Nampa

Dear Protestant:

This letter is to acknowledge your withdrawal of protest against
the above-referenced application for water right.

The Department now will continue to process the application,
subject to certain conditions of approval.

If you have any questions please call this office.

Sincerely,

DAVID R. TUTHILL, SR., P.E.
Manager, Western Regional Office

DRT:st

CC: Applicant

MAY 22 1996

W I T H D R A W A L

TO WHOM IT MAY CONCERN:

I hereby withdraw my protest of
Application For Water Right to Appropriate the Public
Water of the State of Idaho, No. 63-12322.

Signed at _____

this 11 day of April 1996.

Raymond D Scott
Protestant

ATTEST:

[Signature]

RECEIVED

MAY 22 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 3, 1996

Raymond D. Scott
3705 E. Greenhurst
Nampa, ID 83651

RE: Protested Application for Permit No. 63-12322

Dear Mr. Scott:

I am in receipt of your letter dated April 2, 1996, in which you requested assistance in addressing your concerns about a well proposed to be drilled by the City of Nampa.

Our standard procedure in responding to a protest such as the one that you filed is to send a copy of the protest to the applicant and to advise both the applicant and the protestant of the issues which we can consider in reviewing a new water right application. Sometimes this process results in resolution of the protest via withdrawal of either the protest or the application. If further intervention by the Department is required, we will hold an informal conference to discuss the concerns of the protests and mechanisms of addressing these concerns. I will plan to schedule such a conference if the March 26 letters are not successful in resolving the protest.

Regarding your concern that you are being expected to develop expertise in water law or hydrology, I understand your hesitation. As a word of encouragement I would offer that this process of filing a water right protest and addressing the protest typically results in the concerns of the protestant being addressed in an acceptable manner. Your water use has certain legal protections, and certain legal limitations, which we will endeavor to explain in an understandable manner. Most participants in this process do not retain counsel, although you are very welcome to do so if you wish.

If you have remaining concerns please feel free to contact me at 334-2190.

Sincerely,

David R. Tuthill, Jr., P. E.
Manager, Western Region Office

RECEIVED

MAY 22 1996

APRIL 2, 1996

DAVID R. TUTHILL
IDAHO DEPARTMENT OF WATER RESOURCES
WESTERN REGION
2735 AIRPORT WAY
BOISE IDAHO 83705-5082

RECEIVED

APR 03 1996

WATER RESOURCES
WESTERN REGION

RE: PROTEST FOR PERMIT # 63-12322 IN THE NAME OF CITY OF NAMPA

DEAR MR. TUTHILL:

I RECEIVED YOUR FORM LETTER DATED 25, MARCH 1996 THE OTHER DAY, AND AFTER CAREFUL REVIEW I WONDERED WHAT IT IS THAT YOU PEOPLE DO? I CAME INTO YOUR OFFICE BECAUSE I WAS CONCERNED ABOUT A IRRIGATION WELL WHICH IS CURRENTLY BEING PROPOSED LESS THAN 300 FEET FROM MY PRIVATE WELL FOR MY HOME AND LIVESTOCK. I WAS TOLD THAT THE DRAWING DEPTH OF THE NEW WELL IS FROM 40 TO 150 FT DEEP. MY WELL IS LESS THAN 60 FT DEEP, MY CONSUMPTION IS PROBABLY NOT MORE THAN 20 TO 30 GALS PER MIN. I WAS TOLD THAT THE NEW WELL IS FOR UP TO 900 GAL PER MIN. I HAVE OTHER NEIGHBORS WHICH SHARE SOME OF THE SAME CONCERNS AS I DO, WHICH IS WILL THIS LARGE OF A DEMAND DRAW OUR WELLS DOWN, WOULDN'T IT PERHAPS BE BETTER TO MOVE THIS TO A LESS DEVELOPED AREA IN OUR NEIGHBORHOOD? WOULDN'T IT BE BETTER IF THE CITY WERE ISSUED A PERMIT TO DRAW FROM A MUCH DEEPER AREA SAY 200 TO 300 FT, RATHER THAN RIGHT AT THE SAME LEVELS AS EXISTING WELLS.

MY BACKGROUND IS IN FARMING AS WELL AS BEING AN ENGINEER FOR THE UNION PACIFIC RAILROAD FOR SEVERAL DECADES. I DON'T WANT TO START PRACTICING HYDROLOGY, NOR WATER LAW DURING MY RETIREMENT. I JUST CAME TO THE DEPARTMENT OF WATER RESOURCES FOR SOME ASSURANCE THAT I WOULD NOT HAVE MY WELL DRIED UP, IF IT DID, WHAT RECOURSE WOULD I HAVE, AND WHO WOULD ASSIST ME IF PROBLEMS OCCURRED. WHAT I HAVE ENDED UP WITH IS PAYING A \$ 25.00 PROTEST FEE AND TOLD THAT I SHOULD WORK THESE PROBLEMS OUT WITH THE APPLICANT.

I FEEL THAT I AM ENTERING INTO A FIELD THAT I AM NOT WELL VERSED IN AND MOST DEFIANTLY NOT SCHOOLED IN. I THOUGHT THAT YOUR AGENCY WAS THE REGULATORY AGENCY ISSUING PERMITS? DON'T YOU HAVE SOMEONE ON STAFF THAT CAN MAKE THIS TYPE OF A DECISION. I REALLY HAVE TO RELY ON YOUR EXPERTISE AND HELP IN THIS MATTER. YOUR ASSISTANCE IN THIS MATTER WOULD BE GREATLY APPRECIATED.

PLEASE FEEL FREE TO CONTACT ME TO DISCUSS THIS MATTER AT YOUR EARLIEST CONVENIENCE.

Raymond D Scott

RAYMOND D. SCOTT

MAY 22 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

March 25, 1996

PHILIP E. BATT
GOVERNOR

RAYMOND SCOTT
3705 E GREENHURST
NAMPA ID 83651

KARL J. DREHER
DIRECTOR

Re: Application for Permit No. 63-12322 in the Name of City of Nampa

Dear Protestant:

This office acknowledges receipt of your protest to the issuance of a permit pursuant to the above referenced application. The Department suggests you contact the applicant(s) directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If this office has not been advised within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference. At such a conference, the following are the principle items the Department can consider in either approving or denying an application or permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?
6. Will the proposed use be contrary to conservation of water resources within the state of Idaho?

If this office can be of further assistance, please contact us.

Sincerely,


DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT/st

MAY 28 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 25, 1996

CITY OF NAMPA
411 3RD ST S
NAMPA ID 83651

Re: Application for Permit No. 63-12322

Dear Applicant:

Enclosed is a copy of a protest(s) filed against the issuance of a permit pursuant to the above-referenced applications. The Department suggests that you contact the protestant(s) and attempt to resolve the protest(s).

If this office has not been advised within twenty (20) days that the protest(s) has been resolved, the matter will be scheduled for a conference. At such a conference, the following are the principle items the Department will review (per Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?
6. Will the proposed use be contrary to conservation of water resources within the state of Idaho?

Please contact this office if you have questions regarding this procedure.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

Enclosure: Copy of protest(s)

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NOTICE OF PROTEST**

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested App 63-12322
2. Name of protestant RAYmond D. Scott
3. Protestant's representative for service (If different than protestant)
NA
4. Service mailing address 3705 E. GREENHURST, Nampa, ID
83651
5. Service telephone no. 466-9058
6. Basis of protest (including statement of facts and law upon which the protest is based)
Concern App. Well will adversely affect local
domestic wells.
- (additional pages may be attached to describe the nature of the protest)
7. What would resolve your protest? Relocate location to center
of sub. or Place it in a deeper well 400 to
500 ft

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 25 day of 1996, 19 .

Raymond D Scott
PROTESTANT

RECEIVED

MAR 25 1996

**WATER RESOURCES
WESTERN REGION**

PROTESTANT'S REPRESENTATIVE

1996

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
6. Specifically describe the nature of the protest.
7. Describe the relief being sought by the protestant.

FOR DEPARTMENT USE ONLY

Received by KW Date 3/25/96 Time 11:55
\$25.00 fee Receipted by KW # W020601 Date 3/25/96

MAY 22 1996

63-12322

CITY OF NAMPA
411 3RD ST SOUTH
NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: SESW Sec 36 T 03N R 02W in CANYON County.

```

Use: MUNICIPAL ( 1.050 CFS)
      Total Diversion: ( 1.050 CFS)

```

Date Filed: 2/20/1996

00

Municipal use is for irrigation within the City of Nampa.
Water bearing zone to be appropriated is 40 to 150 feet.

4-22-1999

CONVERSATION MEMORANDUM

DATE 2/23/96FILE 63-12322NAME OF PARTY Larry Bledsoe City Engineer 465-2220EMPLOYEE Steve LattaRE: NEW WELL

Developer will add well for lawn irrig / new subd.
; turn well over to city. City will interconnect
well to press. irrig system that is 1^o surface H₂O
; 2^o ground H₂O to irrigate throughout service area.

So B.W. = Municipal

REMARK = " for irrig portion of system.

Water bearing zone: 40-150'

(mostly: 100-150 since rock

40-100 but some perforation.

is ~~rock~~ rock, so 40-150

overall)

Issue of g.w. replace surface H₂O N/A since
city irrig = surface + ground H₂O already ;
this well will just supplement that.

MAY 22 1996