





3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

| Well or Diversion Identification No.* | Motor Make | Hp | <i>model</i><br>Motor Serial No. | Pump Make | <i>model</i><br>Pump Serial No. or Discharge Size |
|---------------------------------------|------------|----|----------------------------------|-----------|---------------------------------------------------|
|                                       | Franklin   | 5  | 2821139310                       | Jacuzzi   | 5460-13                                           |
|                                       |            |    |                                  |           | 925 200 89                                        |

\*Code to correspond with No. on map and aerial photo

#### D. FLOW MEASUREMENTS


1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

2. Measurements: None of Press. 35-45 psi

MICROFILMED

AUG 23 2000



(BOISE NORTH)  
2771 II NW

2.9 MI. TO U.S. 30, 26, & 30  
BOISE (STATE CAPITOL) 3.4 MI.

T. 4 N.  
U.S. 30  
(STATE CAPITOL) 3.1 MI.

T4N  
R2E  
Sec. 19  
SWSE

MICROFILMED  
AUG 23 2000

63-12261

Castle Dr. # 5707

United Water Mainline

595'



United Water Meter

United Water domestic Line - Connected into old domestic line from 1978 well in 1994.

1 1/4" Sprinkler main-line

Church

Pump Controls

1 1/4" irrigation line from well

1978 63-09145 Well (2 pumps)

old domestic line from well

Parking

Cross-Connection Line

Value Value Box

Sprinkler laterals

1 1/4" mainline

P/u Sprinkler laterals

P/u

Recharge Area for mitigation of groundwater used

Infiltration Ditch

P/D Well House

Boise Valley Canal Co. pipe 48"

Sprinkler laterals

Baseball Field

MICROFILMED AUG 23 2000

3" mainline

636'

Water Systems

63-12261

L of 4

P/D

well

House

by

Infiltration  
ditch.

P/u  
irrigated  
land in  
background.



View Looking South

P/D

well House  
in back-  
ground.

Infiltration  
ditch.

P/u  
irrigated  
land



View Looking NW

MICROFILMED  
APR 22 2000


63-12261

2 of 4

P/D

8" Well  
Casing

This is  
actually  
a surface  
water  
collection  
system



P/D

8" Well  
Casing,  
Air tank,  
Sand filter,  
etc.  
in  
Well  
House



MICROFILMED

8/25 23 2000

63-12261

3 of 4

P/O

well

House  
on right;

P/u in  
back-  
ground.

View

Looking  
South from  
Castle Dr.



Infiltration Ditch  
in foreground

P/u

View

from  
parking  
area  
looking  
SW.



MICROFILM  
AUG 23 2000

63-12261

4 of 4

P/u

Church  
from  
Castle  
Pr.



1978  
Well

(63-09145)  
in  
Parking  
lot



MICROFILMED  
AUG 23 2000

This well is just used  
for irrigation (3.0 Ac.)

63-12261

RECEIVED

JAN 29 1997

WATER RESOURCES  
WESTERN REGIONThe Idaho  
Statesman

P.O. BOX 40, BOISE, IDAHO 83707-0040

## LEGAL ADVERTISING INVOICE

Amount Due

\$55.80

|                                                                                                                |                                                |                  |                      |
|----------------------------------------------------------------------------------------------------------------|------------------------------------------------|------------------|----------------------|
| Account Number/Trans. #                                                                                        | Identification                                 |                  |                      |
| 047628                                                                                                         | Notice Of Application For Water Right 63-12261 |                  |                      |
| Ordered By                                                                                                     | P.O. Number                                    | Rate             | Run Dates            |
| Sue Taylor                                                                                                     |                                                | NT               | January 16, 23, 1997 |
| Sue Taylor<br>IDAHO DEPARTMENT OF WATER RESOURCES<br>Western Region<br>2735 Airport Way<br>Boise ID 83705 5082 |                                                | Estimated Inches | Real Inches          |
|                                                                                                                |                                                | # Affidavits     | Legal Number         |
|                                                                                                                |                                                | 1                | 6687                 |

**LEGAL NOTICE**  
**NOTICE OF APPLICATION**  
**FOR WATER RIGHT**

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12261 ✓st

FIRST CHURCH OF CHRIST  
5707 CASTLE DR  
BOISE, ID 83703

Source: GROUNDWATER  
Diversion Pt: SWSE Sec 19 T 04N R 02E in ADA County.

Use: IRRIGATION (0.200 CFS)  
DOMESTIC (0.040 CFS)  
Total Diversion: (0.200 CFS)

Date Filed: 8/8/1995  
In: ADA County  
T04N R02E S19 SWSE  
5.0 ACRES TOTAL

Surface water mitigation proposed for water bearing zone of 5' to 50' to be appropriated.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before FEBRUARY 3, 1997. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director  
Pub. January 16 & 23, 1997 6687

LINDA PORTER

, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for TWO

☒ consecutive weekly☐ single☐ consecutive daily☐ odd skip

insertion(s) beginning with the issue of

January 16, 1997

and ending with the issue of

January 23, 1997

*Linda Porter*

STATE OF IDAHO )

ss.

COUNTY OF ADA )

On this 23rd day of January in the year of 1997, before me, a Notary Public, personally appeared LINDA PORTER known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Notary Public for Idaho

Residing at:

Boise, Idaho

My commission expires:

APR 10 1997

5797



State of Idaho  
Department of Water Resources  
**Water Right License**

**WATER RIGHT NO. 63-12261**

Priority: August 8, 1995

Maximum Diversion Rate:

0.20 CFS

Maximum Diversion Volume:

22.5 AF

This is to certify, that NEW CREATION CHURCH OF THE NAZARENE

5707 CASTLE DRIVE

BOISE ID 83702

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 8, 1995; and has submitted Proof of Beneficial Use on May 17, 1999. An examination indicates that the works have a diversion capacity of 0.360 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> | <u>ANNUAL VOLUME</u> |
|-----------------------|----------------------|--------------------------|----------------------|
| IRRIGATION            | 03/01 to 11/15       | 0.20 CFS                 | 22.5 AF              |

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 19, Township 04N, Range 02E  
ADA County

PLACE OF USE: IRRIGATION

| <u>TWN RGE SEC</u> | <u>ACRES</u> | <u>ACRES</u> | <u>ACRES</u> | <u>TOTAL</u> |
|--------------------|--------------|--------------|--------------|--------------|
| 04N 02E 19         | SWSE 5       |              |              | 5            |

Total number of acres irrigated: 5

CONDITIONS OF APPROVAL AND REMARKS

1. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
2. The right holder must retain ownership of seven shares of Boise Valley Canal Company water for mitigation purposes. Surface water delivered pursuant to the shares must be delivered to a recharge area where it must completely percolate into the ground water. Ground water can only be diverted for irrigation purposes during the period when surface water is being delivered by the Boise Valley Canal Company.
3. If consumptive water rights are granted in the Treasure Valley by IDWR in the future, the right holder may petition IDWR to remove the mitigation requirement.
4. The director retains jurisdiction over this right to monitor the implementation of the mitigation plan and to require adjustments at any time.
5. This right when combined with all other rights shall provide no more than 0.04 cfs per acre nor more than 4.5 afa per acre field headgate for irrigation of the lands above.

MICROFILMED  
AUG 23 2000

**WATER RIGHT SUMMARY**

| <u>ACTION</u>                   | <u>RIGHT NO.</u>    | <u>NAME</u>                            | <u>AMOUNT CFS</u> |
|---------------------------------|---------------------|----------------------------------------|-------------------|
| <del>ORIGINAL APPLICATION</del> | <del>63-12261</del> | <del>FIRST CHURCH OF<br/>CHRIST</del>  | <del>0.20</del>   |
| FULL ASSIGNMENT                 | 63-12261            | NEW CREATION CHURCH<br>OF THE NAZARENE | 0.20              |

APRIL 14, 1998

MICROFILMED  
APR 16 1998

BEFORE THE DEPARTMENT OF WATER RESOURCES  
OF THE  
STATE OF IDAHO

|                                      |   |                      |
|--------------------------------------|---|----------------------|
| IN THE MATTER OF PERMIT NO. 63-12261 | ) | <b>ORDER OF</b>      |
|                                      | ) |                      |
| IN THE NAME OF NEW CREATION CHURCH   | ) | <b>REINSTATEMENT</b> |
| OF THE NAZARENE                      | ) |                      |
| _____                                | ) |                      |

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted to the Department on or before April 1, 1999; and,

WHEREAS, the Department notified the permit holder on January 31, 1999, by certified mail that proof of beneficial use was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use or an extension of time request. However the department discovered the permit holder may not have received the certified notice; and,


WHEREAS, the permit lapsed on April 2, 1999, since the department had not received an acceptable proof of beneficial use statement or extension of time; and,

WHEREAS, Section 42-218a, Idaho Code, provides that the Department may reinstate a permit upon a showing of reasonable cause by the permit holder within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on May 17, 1999;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-12261 is **REINSTATED** with no advance in priority.

DATED this 16<sup>th</sup> day of July, 1999.



\_\_\_\_\_  
L. GLEN SAXTON, Chief  
Water Allocation Bureau

MICROFILMED  
AUG 09 1999

RECEIVED

MAY 17 1999

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12261 Telephone No. 208-853-2721
2. Name(s) of Permit Holder(s): NEW CREATION FELLOWSHIP CHURCH OF NARRENE
3. Mailing Address: 5707 CASTLE DRIVE BOISE IDAHO 83703
4. Source of Water: GROUNDWATER If GROUNDWATER (well), Date Drilled: mo. \_\_\_\_\_ / yr. \_\_\_\_\_
  - a. Well Driller: \_\_\_\_\_ Drilling Permit Number: \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_
  - b. **OPTIONAL:**  
Pump Horsepower: \_\_\_\_\_ Pressure (psi): \_\_\_\_\_ Dynamic pumping level (ft): \_\_\_\_\_
5. Use(s) (as authorized by the water right permit):  
Domestic (No. of households): \_\_\_\_\_ Stockwater (No. and type of stock): \_\_\_\_\_  
Irrigation (No. of acres): 5 Other: \_\_\_\_\_
6. Total rate of diversion and/or volume for which proof is submitted: 0.20 cfs OR \_\_\_\_\_ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)  
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)  

|                               |                                          |                          |
|-------------------------------|------------------------------------------|--------------------------|
| <b>Measuring Device:</b>      | Is a measuring device required?          | Yes _____ or No <u>X</u> |
|                               | Has the measuring device been installed? | Yes _____ or No <u>X</u> |
| <b>Flow Measurement Port:</b> | Is a flow measurement port required?     | Yes _____ or No <u>X</u> |
|                               | Has the measurement port been installed? | Yes _____ or No <u>X</u> |
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.  
Name: DON MOORE, PASTOR Telephone Number: 853-2721  
Address: 3510 NORTH STREET BOISE IDAHO 83703

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Dave Moore

(include your title, if on behalf of company or organization)

Date: 5/16/99

RECEIVED  
AUG 09 1999

7/94

For Office Use Only

\$25 Filing Fee

Receipt

Date

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
ASSIGNMENT OF PERMIT

RECEIVED

FEB 23 1998

Department of Water Resources

I, First Church of Christ, hereby assign to New Creation Church of the Nazarene  
of, 5707 Castle Drive Boise, ID 83702  
(Full Address) (Phone)

All my right, title, and interest in and to Permit No. 63-12261 to  
appropriate the public waters of the State of Idaho.

OR, (for partial assignments)

~~The following described portion of my right, title, and interest in and to  
Permit No. \_\_\_\_\_ to appropriate the public waters of the State of  
Idaho. (Describe portion of the permit assigned listing the number of acres in each 40 acre  
subdivision, point of diversion location, and the amount of water in cubic feet per second.)~~

Made this 13<sup>th</sup> day of February, 1998.

First Church of Christ by Billy D. Fleener Pres.  
Permit Holder

State of Idaho

County of Ada ) ss

On this 23<sup>rd</sup> day of February, 1998, personally appeared before me the signer(s) of the  
above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Lyle Glen Saxton  
Notary Public residing at  
Boise, Idaho

seal

My commission expires: Nov 25, 1998

MICROFILMED  
APR 16 1998

State of Idaho  
Department of Water Resources  
**Permit To Appropriate Water**

NO. 63-12261

Proposed Priority: August 8, 1995      Maximum Diversion Rate: 0.20 CFS

This is to certify, that **FIRST CHURCH OF CHRIST**  
5707 CASTLE DR  
BOISE ID 83703

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> |
|-----------------------|----------------------|--------------------------|
| IRRIGATION            | 03/15 to 11/15       | 0.20 CFS                 |
| DOMESTIC              | 01/01 to 12/31       | 0.04 CFS                 |
|                       | Totals               | 0.20 CFS                 |

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 19, Township 04N, Range 02E  
ADA County

PLACE OF USE: IRRIGATION

| <u>TWN</u> | <u>RGE</u> | <u>SEC</u> | <u>ACRES</u> | <u>ACRES</u> | <u>ACRES</u> | <u>TOTAL</u> |
|------------|------------|------------|--------------|--------------|--------------|--------------|
| 04N        | 02E        | 19         | SWSE         | 5.0          |              | 5.0          |

Total number of acres irrigated: 5.0

PLACE OF USE: DOMESTIC, same as IRRIGATION use

**CONDITIONS OF APPROVAL AND REMARKS**

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1999.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The right holder shall comply with Idaho well construction standards when constructing a well pursuant to this right.
7. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.04 cubic feet per second for each acre of land.

RECORDED

State of Idaho  
Department of Water Resources**Permit To Appropriate Water**


NO. 63-12261

CONDITIONS OF APPROVAL AND REMARKS

8. The point of diversion identified in this right is located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.
9. The right holder must retain ownership of seven shares of Boise Valley Canal Company water for mitigation purposes. Surface water delivered pursuant to the shares must be delivered to a recharge area where it must completely percolate into the ground water. Ground water can only be diverted for irrigation purposes during the period when surface water is being delivered by the Boise Valley Canal Company.
10. If consumptive water rights are granted in the Treasure Valley by IDWR in the future, the right holder may petition IDWR to remove the mitigation requirement.
11. Domestic use is for drinking fountains.
12. The director retains jurisdiction over this right to monitor the implementation of the mitigation plan and to require adjustments at any time.
13. Failure to comply with the conditions of approval is cause for IDWR to void the approval.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.  
Witness the signature of the Director, affixed at Boise, this

28<sup>th</sup> day of March, 1997.

  
for Karl J. Dreher, Director

RECORDED  
APR 19 1997

RECEIVED  
MAR 10 1987

Ident. No. 63-12261

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: FIRST CHURCH OF CHRIST 208-345-1861  
Address: 5707 CASTLE DR  
BOISE ID 83703
2. Source: GROUNDWATER Trib. to:  
3. Location of Point of Diversion: SWSE Sec. 19, Township 04N, Range 02E  
ADA County
4. Water will be used for the following purposes:
- | Purpose    | From  | To    | CFS   | (or) | AF |
|------------|-------|-------|-------|------|----|
| IRRIGATION | 03/15 | 11/15 | 0.200 |      |    |
| DOMESTIC   | 01/01 | 12/31 | 0.040 |      |    |
5. Total quantity to be appropriated is:  
0.200 CFS (and/or) AF
6. Proposed diverting works:  
a. Description of ditches, flumes, pumps, headgates, etc.  
WELL, PUMP, SPRINKLERS  
b. Height of storage dam feet; active reservoir capacity  
acre-feet; total reservoir capacity acre-feet; period of  
year when water will be diverted to storage: to inclusive.  
\* c. Proposed well diameter is 8 inches; proposed depth of well is 50  
feet.  
d. Is groundwater with a temperature greater than 85F being sought? NO  
e. If well is already drilled, when?  
Drilling Firm  
Well was drilled for
7. Time required for the completion of the works and application of  
the water to the proposed beneficial use is 5 year(s).
8. Place of Use: IRRIGATION

| TWN | RGE | SEC | ACRES   | ACRES | ACRES | TOTAL |
|-----|-----|-----|---------|-------|-------|-------|
| 04N | 02E | 19  | SWSE 05 |       |       | 5     |

Total number of acres irrigated: 5

RECORDED  
APR 10 1987

\* per telecon w/ Minister Doug Peak 12/24/96. lg

Place of Use: DOMESTIC, same as IRRIGATION use

9. a. Who owns the property at the point of diversion?  
APPLICANT  
b. Who owns the land to be irrigated or place of use?  
APPLICANT  
c. If the property is owned by a person other than the applicant,  
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

\* Surface water mitigation proposed for water bearing zone of 5' to 50' to be appropriated.

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

see original  
Applicant

Received by g for Ruby Date 8/8/95 Time 8:00 Preliminary check by g  
Fee \$ 50.00 Receipted by RT #C033331 Date 8/ 8/1995  
Publication prepared by see original Date \_\_\_\_\_ Published in \_\_\_\_\_  
Publication approved \_\_\_\_\_ Date \_\_\_\_\_

per telecon w/ Minister Doug Peak 12/24/96. g

MICROFILMED

APR 10 1997

TING FEATHER  
AIRPORT

11

Dry Creek  
Cem.

Trailer 14

Green Meadows  
Sch (Aban'd)

Siphon

Strawberry Glen  
Bridge  
Trailer  
Park  
261

Valley View  
Sch (4th/5th)

### Trailer

Pierce Park  
School 4

Plantation

APR 10 1957

Bradley  
Field

T4N  
R2E

2.4 M. 10115. 20, 26, & 40  
HOUSE (STATE CAPITOL) 3.4 M.

4833000m.N

RECEIVED

AUG 08 1995

Form 202  
10/92

Department of Water Resources Ident. No. 63-12261

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR PERMIT

RECEIVED

AUG 08 1995

WATER RESOURCES  
WESTERN REGION

To appropriate the public waters of the State of Idaho

1. Name of applicant First Church of Christ Phone 345-1861  
Post office address 5707 Castle Dr., Boise, ID. 83703
2. Source of water supply Groundwater which is a tributary of \_\_\_\_\_
3. Location of point of diversion is \_\_\_\_\_ ¼ of SW ¼ of SE ¼, Govt. Lot \_\_\_\_\_  
Sec. 19 Township 04N Range 02E B.M. Ada County; additional  
points of diversion if any: None
4. Water will be used for the following purposes:  
Amount 0.20 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount 0.04 for domestic purposes from 1/1 to 12/31 (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.20 and/or (b) \_\_\_\_\_  
cubic feet per second acre feet per annum
6. Proposed diverting works:
  - a. Description of ditches, flumes, pumps, headgates, etc. well with pump to sprinklers
  - b. Height of storage dam \_\_\_\_\_ feet; active reservoir capacity \_\_\_\_\_ acre-feet; total  
reservoir capacity \_\_\_\_\_ acre-feet; period of year when water will be diverted to storage:  
\_\_\_\_\_ to \_\_\_\_\_ inclusive.
  - c. Proposed well diameter is 8 inches; proposed depth of well is 100 feet.
  - d. Is ground water with a temperature of greater than 85°F being sought? MICROFILMED
  - e. If well is already drilled, when? \_\_\_\_\_; Drilling firm \_\_\_\_\_  
Well was drilled for (well owner) \_\_\_\_\_
7. Time required for the completion of the works and application of the water to be proposed beneficial use is  
5 years (minimum 1 year).

APR 10 1997

2  
8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. \_\_\_\_\_
- b. Stockwatering; list number and kind of livestock. \_\_\_\_\_
- c. Municipal; show name of municipality. \_\_\_\_\_
- d. Domestic; show number of households. \_\_\_\_\_
- e. Other; describe fully. Drinking fountains at sports fields

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

| TWP | RANGE | SEC. | NE¼ |     |     |     | NW¼ |     |     |     | SW¼ |     |     |     | SE¼ |     |     |     | TOTALS |
|-----|-------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------|
|     |       |      | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ |        |
| 04N | 02E   | 19   |     |     |     |     |     |     |     |     |     |     |     |     |     |     | 5.0 |     | 5.0    |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |

Total number of acres to be irrigated 5.0

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant


b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. \_\_\_\_\_

12. Remarks: A higher than normal rate of diversion is needed to irrigate the baseball field being developed in cooperation with the North Boise Little League. The baseball fields must be irrigated for a shorter time at a higher rate so they can be used during the daytime.

MICHOELMCO

APR 10 1957



See Attached Map

See Attached Map

INTER-ALLIED

APR 10 1937

Stan Fuller, President

43  
Received by Ly for Ruling Date 8/8/95 Time 8 AM Preliminary check by Ly  
Fee \$ 50.00 Received by RT # C033331 Date 8-8-95  
Publication prepared by AT Date 1-8-97 Published in Id. Stateman  
Publication approved AT Date 2-5-97

### ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. \_\_\_\_\_, and said application is hereby \_\_\_\_\_.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before \_\_\_\_\_, 19 \_\_\_\_.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

see 63-09145 for list of officers.

UNRECORDED

APR 10 1997



## State of Idaho

### DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 8, 2000

DIRK KEMPTHORNE  
GOVERNOR

KARL J. DREHER  
DIRECTOR

NEW CREATION CHURCH OF THE NAZARENE  
5707 CASTLE DRIVE  
BOISE ID 83702

RE: WATER RIGHT NO. 63-12261

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen  
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


AUG 23 2000

CERTIFICATE OF MAILING

I hereby certify that on the 8th day of June, 2000, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

**Water Right No. 63-12261**

NEW CREATION CHURCH OF THE NAZARENE  
5707 CASTLE DRIVE  
BOISE ID 83702

  
Kari Lynn Townsend  
Secretary

MICROFILMED

AUG 23 2000

**EXPLANATORY INFORMATION  
TO ACCOMPANY A  
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

**PETITION FOR RECONSIDERATION**

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

**EXCEPTIONS AND BRIEFS**

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

**REQUEST FOR HEARING**

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

**ORAL ARGUMENT**

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

**CERTIFICATE OF SERVICE**

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED  
AUG 23 2000

### **FINAL ORDER**

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

### **APPEAL OF FINAL ORDER TO DISTRICT COURT**

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

SD-0420-2  
ADD COMMENT

Ida Department of Water Resources  
Modify Comment

Date: 06/01/00  
Time: 11:55:33

Water Right Number: L63-12261

Comment Date: 6/ 1/2000 User ID: SKEEN

Subject: Licensing Review

Licensing review and data entry by S. Keen on 6/1/2000.

(Enter=Add) (Gold4=Prev) (Gold5=Next) (Gold7=Return to Comment Selection)

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**BENEFICIAL USE FIELD REPORT**

RECEIVED

MAR 7 . 2000

Department of Water Resources

**A. GENERAL INFORMATION**

Permit No. 63-12261

1. Owner: New Creation Fellowship Church of Nazarene

Phone No. (208) 853-2721

Current Address: 5707 Castle Dr., Boise, ID 83702

2. Accompanied by: Don Moore EXAM DATE: 8-17-99

Address: Same Phone No. Same

Relationship to Permit Holder: Pastor

3. Source: Groundwater tributary to \_\_\_\_\_

**B. OVERLAP REVIEW**

1. Other water rights with the same place of use: 63-09145, 63-02406 63-00147A

2. Other water rights with the same point of diversion: None

**C. DIVERSION AND DELIVERY SYSTEM**

**1. Point(s) of Diversion:**

| Ident No. | Gov't Lot | 1/4 | 1/4 | 1/4  | Sec. | Twp. | Rge. | County | Method of Determination/Remarks |
|-----------|-----------|-----|-----|------|------|------|------|--------|---------------------------------|
|           |           |     |     | SWSE | 19   | 4N   | 2E   | Ada    | Site Visit, map                 |
|           |           |     |     |      |      |      |      |        |                                 |
|           |           |     |     |      |      |      |      |        |                                 |
|           |           |     |     |      |      |      |      |        |                                 |


**2. Place(s) of Use:**

Indicate Method of Determination Site Visit, map

| TWP | RGE | SEC | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |     |    | Totals  |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|----|---------|
|     |     |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW  | SE |         |
| 4N  | 2E  | 19  |    |    |    |    |    |    |    |    |    |    |    |    |    |    | 5.0 |    | 5.0 AC. |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |    |         |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |    |         |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |    |         |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |    |         |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |    |         |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |    |         |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |    |         |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |    |         |

MICROFILMED  
AUG 23 2000

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe size/ditch size/pipe l.d. as applicable.



Scale: 1" = 100'

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

| Well or Diversion Identification No.* | Motor Make | Hp | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|---------------------------------------|------------|----|------------------|-----------|-----------------------------------|
|                                       | Franklin   | 5  | 2821139310       | Jacuzzi   | 5460-13                           |
|                                       |            |    |                  |           | 925-200 89                        |

\*Code to correspond with No. on map and aerial photo

#### D. FLOW MEASUREMENTS

1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

2. Measurements:

None of Press. 35-45 PSI

MICROFILMED

AUG 23 2000

4. The "well" for this permit is just a 8" x 10' well casing, 5' filter + collection lines to collect the surface water that infiltrates through the ditch. - Not a true well.

E. NARRATIVE/REMARKS/COMMENTS

1. The Church purchased a parcel of land prior to 1978, and developed the property with WR 63-09145 from a well (130') drilled in June, 1978. This well supplied domestic water for the Church building and 3.0 Ac. of irrigation around the building and parking area. In 1994, a United Water Service line was installed to meet City Code for water needed for a new Day Care in the building. The United Water line connects into the old domestic line from the 1978 well at the building. The 1978 well is only used for irrigation now.

2. In 1994, the Church purchased another parcel of land - adjoining on the west - and this permit, 63-12261, is for 5.0 Ac. of additional irrigation of that parcel, and for domestic use for drinking fountains at the base ball field. The drinking fountains were never installed, and the use is only the 5.0 Ac. of irrigation. A 1 1/4" cross-connection line connects this system with the older irrigation system from the 1978 well.

3. At first, 7 shares of Boise Valley Canal Co. water was used for irrigation from the lateral that crosses the property. This permit for groundwater required that the 7 Canal shares be used for mitigation by recharging the groundwater. An

Have conditions of permit approval been met? ☐ yes ☐ no

in filtration ditch was constructed <sup>AUG 23 2000</sup> to allow the canal water to percolate into the groundwater.

An 8" "well" was constructed next to <sup>the</sup> infiltration ditch. This is not a true well, but just 10' of 8" casing to collect the infiltrated canal water.

**Additional Computation Sheets Attached**

No domestic use

$$Q = \frac{(8.8)(5 \text{ HP})(702)}{4' + (35 \text{ PSI}) \frac{34'}{14.7 \text{ PSI}}} = \underline{0.36 \text{ cfs}} > 0.20 \text{ cfs in permit for irrigation only.}$$

**VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$Q_{\text{Allowed}} = (5.0 \text{ Ac.}) \left( 0.04 \frac{\text{cfs}}{\text{Ac.}} \right) = 0.20 \text{ cfs.}$$

$$Q_{\text{flowed}} = (5.0 \text{ Ac.}) \left( 0.04 \frac{\text{cfs}}{\text{Ac.}} \right) \quad \text{only.}$$

$$= 0.20 \text{ cfs.}$$
$$= 0.20 \text{ cfs}$$

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{(5.0 \text{ A.C.}) \left( 4.5 - \frac{A.F.R.}{A.C.} \right)}{1} = 22.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{(0.20)(261)(1.9835)}{1} = 103.54$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 22.5$$

No Domestic Use - No drinking  
fountains installed  
at baseball field.

$$\text{Total Ac.} = \left[ \left( \frac{1}{2} \right) (595' + 636') \right] [585'] \frac{\text{Ac.}}{43,560 \text{ ft}^2} \quad \text{fountains installed at baseball field.}$$

$$= 8.27 \text{ Ac.} \quad \text{Total Ac.} = 8.27 \text{ Ac.}$$

- 3.00 Ac. (63-09145)  
- 0.27 Ac. Building,  
5.0 Ac. Parking, etc

5.0 Ac

| Beneficial Use | Period of Use |       | Rate of Diversion<br>Q (cfs) | Annual Volume<br>V (ata) |
|----------------|---------------|-------|------------------------------|--------------------------|
|                | From          | To    |                              |                          |
| Irrigation     | 03/01         | 11/15 | 0.20                         | 22.5                     |
|                |               |       |                              |                          |
|                |               |       |                              |                          |
|                |               |       |                              |                          |
|                |               |       |                              |                          |
|                |               |       |                              |                          |
| <b>Totals:</b> |               |       | 0.20                         | 22.5                     |

Now

1)

**Other**

Irrigation  
Season

03/01 to 11/15

21 No Domestic  
Use


Don Zovich

12-3-89

Date \_\_\_\_\_

SEAL  
MICROFILMED

Note: No Well Inspection Report was done since this is not a true well and no Well Driller's Report was done. This is a surface water collection system.




T 4 N  
R 2 E  
Sec. 19  
SWSE

MICROFILMED  
AUG 23 2000

63-12261

# 5707  
Castle Dr.



1 of 4

P/D

well


House

by

Infiltration  
ditch.

P/u

irrigated  
land in  
background.



View Looking South


P/D

well House  
in back-  
ground.

Infiltration  
Ditch.

P/u

irrigated  
land



View Looking NW

MICROFILMED

63-12261

2 of 4



P/D

8" well  
Casing

This is  
actually  
a surface  
water  
collection  
system



P/D

8" well  
Casing,

Air tank,  
Sand filter,  
etc.

in  
well  
House

MICROFILMED

APR 23 2000

63-12261

3 of 7

P/O

well

House  
on right;

P/u in  
back-  
ground.

View

Looking  
South from  
Castle Dr.

Infiltration Ditch  
in foreground

P/u

View

from  
parking  
area  
looking  
SW.

MICROFILM

AUG 23 2000

63-12261

4 of 4

P/u

Church  
from

Castle  
Pr.




1978

Well

(63-09145)

in

Parking  
lot



MICROFILMED

AUG 23 2000

This well is just used  
for irrigation (3.0 Ac)

63-12261

**ANALYSIS SHEET  
FOR  
PROOF OF BENEFICIAL USE**

Permit No. 63-12261 Reviewed by [Signature] Date 7-8-99

## GENERAL CONSIDERATIONS

U.S. Name same as permit?

Yes Address same as permit?

yes Proof timely received?  
If not, complete calculation below.

Correct Uses? Yes

**SOURCE OF WATER**

### Surface water source

✓ Ground water source

    ?     Drilling permit required?

Copy in the file?      Drilling Permit No.

|                        |          |
|------------------------|----------|
| Amount paid for permit | Correct? |
|------------------------|----------|

**Well log in the file?**

**LICENSE EXAMINATION FEE**

ies Required?

50 - Amount Submitted

Yes Correct?

### MEASURING DEVICE

AD Required?

Installed?

Waiver requested?

### PRIORITY CALCULATION

Date proof received 1

Date proof due - 1/1

No. of days late =  $\sqrt{\quad}$

Priority Date                      4

New Priority Date

### DEFICIENCIES OR ACTION ITEMS

new state w/no advance in priority.  
Proof Acceptable

## DATA ENTRY

New Address \_\_\_\_\_ Proof Made 5-17-99

Proof Made 5-17-99



**State of Idaho**

**DEPARTMENT OF WATER RESOURCES**

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 16, 1999

**DIRK KEMPTHORNE**  
GOVERNOR

**KARL J. DREHER**  
DIRECTOR

New Creation Fellowship  
of the Nazarene  
5707 Castle Dr  
Boise ID 83703

**PROOF ACKNOWLEDGMENT LETTER**

**RE: PERMIT NO. 63-12261**

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

Enclosed is an order reinstating the permit since proof was submitted after the proof due date. Please note that the priority date has not been advanced.

Please be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. If you have questions concerning the field examination, please contact the **WESTERN** Regional Office of the department in Boise at (208)334-2190.

Sincerely,

**JULIE L. YARBROUGH**, Administrative Assistant  
Water Allocation Bureau

Enclosure

c: IDWR - Region

MICROFILMED

AUG 09 1999

# WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

May 6, 1999

NEW CREATION CHURCH OF THE NAZARENE  
5707 CASTLE DRIVE  
BOISE ID 83702/3

LAPSE NOTICE

RE: PERMIT NO. 63-12261

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated February 28, 1999. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON  
Chief, Water Allocation Bureau


Enclosures

MICROFILMED

AUG 09 1999

CERTIFICATION OF MAILING

I hereby certify that on 5/4/99  
~~a copy~~/an original of this document was  
deposited in the United States mail,  
postage prepaid addressed to the  
individual(s) named above.



January 31, 1999

NEW CREATION CHURCH OF THE NAZARENE  
5707 CASTLE DRIVE  
BOISE ID 83702

PROOF DUE NOTICE

RE: PERMIT NO. 63-12261

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1999.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH  
Senior Secretary

Enclosures

MICROFILMED

AUG 09 1999





**State of Idaho**  
**DEPARTMENT OF WATER RESOURCES**

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098  
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT  
GOVERNOR

KARL J. DREHER  
DIRECTOR

April 14, 1998

NEW CREATION CHURCH OF THE NAZARENE  
5707 CASTLE DRIVE  
BOISE ID 83702<sup>3</sup>

RE: ASSIGNMENT OF PERMIT 63-12261

Dear Water Right Holder(s):


We acknowledge receipt of the correspondence changing ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address **PRIOR** TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address **AFTER** July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

If you have any questions, please feel free to contact us.

Sincerely,



JIM JOHNSON, Manager  
Water Right Permits Section

JJ:klt

Enclosure

MICROFILMED  
APR 16 1998



State of Idaho  
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000  
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT  
GOVERNOR

KARL J. DREHER  
DIRECTOR

March 28, 1997

FIRST CHURCH OF CHRIST  
5707 CASTLE DR  
BOISE ID 83703

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12261

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO

APR 10 1997

July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the printed name and title.

Shelley W. Keen  
Water Rights Supervisor

SK:ph

Enclosures

UNRECORDED


APR 10 1997

CERTIFICATE OF MAILING

I hereby certify that on the 28th day of March, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 63-12261

FIRST CHURCH OF CHRIST  
5707 CASTLE DR  
BOISE ID 83703

  
\_\_\_\_\_  
Vanessa Roby  
Secretary

ENCLOSURE

APR 10 1997

APPLICATION FOR PERMIT  
STATE OFFICE REVIEW  
by Cindy Zimmerman

01/87

No.: 63-12261 Name: 1st Church of Christ Date: 3/12/97 Ad OK? ☒ / Gvmt Lts: ☒

AREA OF CONCERN?

PROTESTED:

SYSTEM COMPLETED:

Yes/proof filed

1 year/no proof

+1 year

GROUNDWATER: <✓ FLO-CH>

+ 0.24 cfs

=/+ 0.24 cfs

=/+ 5 a.

DRILLING PERMIT:

Existing well

Included w/permit

No WD permit?

irr. in WD

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):

Water District (dam)

=/+ 0.24 cfs

- 0.24 cfs

In-WD =/+ 0.24 cfs

- 0.24 cfs

=/+ 5 a. irr.

RIVER BASINS (\*Surface water):

Snake R (01)

(02/03-irr)

Boise River (63)

Payette River (65)

USE:

Domestic (surface)

Fish Propagation

Irr <POU> =/+ 5 a 0.04 cfs/acre

+ 5 a

Mining

Power

Storage (✓3 compo.)

LOCATION:

42-248 area

Boise Front LoGeo

In-stream dev.

Irr Dist/Canal Co.

Swan Falls Flag

Trust

Non-Trust <1>

OWNERSHIP: Non-owner

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

- No/Yes: BRD Mor / \_\_\_\_\_ GWMA / Trust / Non-trust  
- 020 (Protest Agreement) or \*W19 (Order)

- NA  
- P16  
- 28A-P17

- 01M  
- No MD  
- 01M, ~~005~~ (if GW use SW 1st)

*remark*  
- NA (pre 7/1/87; ✓ WDQ3)  
- Permit No. \_\_\_\_\_, P99  
- 046-465-P23 (post 7/1/87)  
- P05 (new well)

- R04 (req) WD # \_\_\_\_\_ <SEE MAP & LISTING>  
- 01J (meas dev)-P08  
- 01H (lock dev)-P01 or No MD  
- 01M or No MD (in-stream stock or power)  
- No MD  
- 01M

- 11A-P04, NA  
- 007-P07 (w/ remark \*WB9 if above Weiser), NA  
- 05A (if WD), 11E (not 42-111 use), NA  
- 064 (regulated uses), 047-P04 (Payette Lake), NA

- \*WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA  
- 07A-042 (req)-09E (WQ)-P10; 044 (North of 1000 Springs)  
- ~~057~~ (0.03 cfs/acre) ~~057~~  
- 03A (0.02 cfs/acre)  
- 054 (req) & 09E-P10  
- 08A-17K-025-028-01F(P19)-09E(P10); 027 (if no other cons. use);  
+25 cfs-P18; 17G (FERC) or 17M (FERC); 18B-P09  
- 072 (req); 18A (multiple MD within district), 18B-P09 (+10' dam),

- P84 (if in 20/30/40/50/60/70/80 (87) basin)  
- 058 (-85° GW temp only)  
- P52 (stream channel alteration)  
- 023 (Twin Falls area)  
- \_\_\_\_\_ <SEE CODE CHART>  
- 051-052-053-P74 (Consumptive Uses), NA  
- 048-049 (Consumptive Uses), NA  
- 004 (PD/PU) \_\_\_\_\_

- 0201 / drinking fountains 1) Return Shares remark 3) Petition 4) fair  
- 4-1- 1999

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: ly DATE: 8/22/95 APPLICATION: 63-12261

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.) *see 63-09145 for list of officers*  
☒ Address:  
☒ Source: (See USGS Quad for names of water sources)  
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)  
☒ County:  
☒ Quantity: (flow and/or volume)  
☒ Period of use: Gov't. Lots: ☒ P/D  
☒ Nature of proposed use: (Include description of use) ☒ P/U  
☒ Description of diverting works:  
☒ Time required for beneficial use of water:  
☒ Place of use or acres irrigated:  
☒ Map: (show T, R, S, QQ &/or QQQ)  
☒ Subdivision plat: (for > 1 home in restricted area. ≥ 5 homes in non-restricted area)  
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)  
☒ Fee:  
☒ Yes \_\_\_ No\* In form to receipt:

ADDITIONAL INFORMATION

YES NO

☒ Overlapping place of use: (Describe source & relationship to present application on the back.)  
☒ Overlapping point of diversion:  
☒ Field check required: Field check by: \_\_\_\_\_  
☒ Field report attached:  
☒ Critical groundwater area:  
☒ Groundwater management area:  
☒ 1992 moratorium: *Delay letter sent \* see below*  
☒ Copy to SCA staff: (perennial stream, non-pump diversion)  
☒ Copy to Dam Safety staff: (for any storage)  
☒ Basin 63 mitigation plan: (where ground water replaces surface water for irrigation, request additional information for mitigation plan to address reduced aquifer recharge)  
☒ Send power requirement letter:  
☒ Send fish farm requirement letter:  
☒ Power residency affidavit:  
☒ Power efficiency form:  
☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)  
☒ \*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: \_\_\_\_\_

Additional information on reverse side:

\* able to process per 12/29/97 response letter addressing mitigation issue. (letter enclosed) (Norm Young requested processing)

PROCESSING

APPLICATION NO. 63-12261

YES NO

☒ ☐  
☐ ☒  
☒ ☐

In form for advertising:

Statewide advertising: ( > 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒  
☐ ☒  
☐ ☒  
☐ ☒  
☐ ☒

I.D. Health and Welfare

I.D. District Health

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒  
☐ ☒  
☐ ☒  
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # \_\_\_\_\_

Other \_\_\_\_\_

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐  
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest 2-3-97

Protest dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District # 2 CB-97

Special conditions of approval or cover letter:

see attached memo 2/18/97 Gary S

See below for additional information

Recommended Date or Priority 8/8/95

Recommended by: Gary Spackman Date 3/6/97

STATE OFFICE REVIEW

See below for additional information. By \_\_\_\_\_ Date \_\_\_\_\_

ADDITIONAL INFORMATION

overlaps: PM 63-02406 N/A

R/D → 10056 GW, WW separate owners

-09145 GW - same owner

separate well

for dom (church) +

landscape irrig

MEMORANDUM

RECEIVED

MAR 10 1997

Department of Water Resources

To: File no. 63-12261  
From: Gary Spackman *Gay*  
Date: February 14, 1997

Re: Conditions of Approval

I suggest the following conditions of approval for application for permit no. 63-12261:

- 26A (two years)

- The water user must retain ownership of seven shares of Boise Valley Canal Company water for mitigation purposes. Surface water delivered pursuant to the shares must be delivered to a recharge area where it must completely percolate into the ground water. Ground water can only be diverted for irrigation purposes during the period when surface water is being delivered by the Boise Valley Canal Company.

- If consumptive water rights are granted in the Treasure Valley by IDWR in the future, the water user may petition IDWR to remove the mitigation requirement.

- Failure to comply with the conditions of approval is cause for IDWR to void the approval.

MICROFILMED  
APR 10 1997

RECEIVED

JAN 29 1997

WATER RESOURCES  
WESTERN REGION

# The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707-0040

## LEGAL ADVERTISING INVOICE

|            |
|------------|
| Amount Due |
| \$55.80    |

|                                                                                                                |                                                |                  |                      |
|----------------------------------------------------------------------------------------------------------------|------------------------------------------------|------------------|----------------------|
| Account Number/Trans. #                                                                                        | Identification                                 |                  |                      |
| 047628                                                                                                         | Notice Of Application For Water Right 63-12261 |                  |                      |
| Ordered By                                                                                                     | P.O. Number                                    | Rate             | Run Dates            |
| Sue Taylor                                                                                                     |                                                | NT               | January 16, 23, 1997 |
| Sue Taylor<br>IDAHO DEPARTMENT OF WATER RESOURCES<br>Western Region<br>2735 Airport Way<br>Boise ID 83705 5082 |                                                | Estimated Inches | Real Inches          |
|                                                                                                                |                                                | # Affidavits     | Legal Number         |
|                                                                                                                |                                                | 1                | 6687                 |




LINDA PORTER, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for TWO

☒ consecutive weekly ☐ single  
☐ consecutive daily ☐ odd skip  
 insertion(s) beginning with the issue of  
 January 16, 1997  
 and ending with the issue of  
 January 23, 1997

*Linda Porter*

STATE OF IDAHO )  
 ) ss.  
 COUNTY OF ADA )


On this 23rd day of January in the year of 1997, before me, a Notary Public, personally appeared LINDA PORTER known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.



Notary Public for Idaho  
 Residing at:  
 My commission expires:  
 APR 10 1997

Boise, Idaho

5/97



First Church of Christ  
Douglas Peake  
Senior Minister

RECEIVED

DEC 13 1996

Department of Water Resources

Norman C. Young, Administrator  
Department of Water Resources  
Statehouse Mail  
Boise, ID 83720-9000

RECEIVED

DEC 20 1996

WATER RESOURCES  
WESTERN REGION

Re: Water Right Application No. 63-12261

Dear Mr. Young:

Thank you for your November 5<sup>th</sup> letter concerning the use of our shares of canal water to mitigate for the water pumped from the proposed well.

The land that will be irrigated with the proposed well water was irrigated for the first time in several years after we purchased seven shares of water from the ditch company that serves this area. This surface water is new water to this parcel and therefore could be used for mitigation. The water could be allowed to flow into a drainage ditch located nearby that is about eight feet deep and was originally constructed to lower the water level of the adjacent land. The water that is allowed to flow into the ditch will seep into the water table and mitigate for the water pumped from the well. The impact on the drainage ditch would be monitored and if it does not sink into the ground water, then additional effort could be made to pond the water. This mitigation effort would continue until the department of water resources determines that there is ground water available for this project without mitigation.

We hope this information and our willingness to use our water shares for mitigation will allow the department to approve our application, so that we can obtain a drilling permit and proceed with drilling a well that will be ready for use next spring.

Thank you for your consideration.

In His Service,

  
Douglas Peake  
Senior Minister

DP/sb

RECEIVED

APR 10 1997



*> Cindy*  
*< Lora*

State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

*Western file*

PHILIP E. BATT  
GOVERNOR

KARL J. DREHER  
DIRECTOR

November 5, 1996

Douglas Peake, Senior Minister  
First Church of Christ  
5705 Castle Drive  
Boise, Idaho 83703

RECEIVED

NOV - 6 1996

WATER RESOURCES  
WESTERN REGION

Re: Water Right Application No. 63-12261

Dear Mr. Peake:

Your letter of October 3, 1996 asks that your application to appropriate ground water be approved. A comprehensive review of the ground water resources of the Boise Valley has been started because of concerns for the adequacy of the ground water supply for present and applied for uses in the Boise Valley. This study is being done through the combined efforts of state, federal, and local agencies and United Water Idaho. The results of this study will allow improved management decisions to prevent injury to existing surface and ground water rights and to avoid having expenditures made to develop new uses if the supply is not adequate. For this reason, IDWR is delaying the processing of applications proposing new consumptive uses of ground water until the results of the first year of data collection are available.

I understand that your development is important to you and the community. I also appreciate that a five-acre development is not large when considered by itself. However, when considered with other pending applications and those likely to be filed, the effect may be significant. The initial data from the study will be available next spring, and I am hopeful that an orderly processing of applications can resume.

For several years, permits for irrigation from ground water of land having surface water rights have been conditioned to require the surface water rights be fully used before ground water is used. The intent of this condition is to retain the recharge from irrigation with surface water and to reduce the amount of water pumped from the aquifers. It appears that this condition would not be compatible with the project you are proposing, but it is unlikely that a permit would be issued without the condition.

A potential solution to allow immediate processing of your application and to allow ground water to be used as the primary source for irrigation is to use your surface water shares to

MICROFILMED

APR 10 1997

Mr. Douglas Peake  
November 5, 1996  
Page 2


mitigate pumping from the aquifer. This can be done by exchanging them with another user presently using ground water or by recharging the aquifer by sinking the surface water. Perhaps, this can be done with a pond on the property or some nearby area. IDWR staff will be happy to review with you possible alternatives to allow your project to proceed.

RECEIVED

NOV 7 1996

WATER MANAGEMENT DIVISION

Sincerely,



NORMAN C. YOUNG  
Administrator,  
Water Management Division

c: Western Region, IDWR



First Church of Christ  
Douglas Peake  
Senior Minister

RECEIVED

OCT 04 1996

Department of Water Resources

October 3, 1996

Norman C. Young, Administrator  
Idaho Department of Water Resources  
1301 North Orchard Street  
Boise, ID 83706

RE: Water Right Application No. 63-12261

Dear Mr. Young:

Several months ago we filed an application to appropriate ground water for the irrigation of five acres and domestic water for drinking fountains.


This proposed well is needed for the irrigation of a baseball field that has been developed in cooperation with the North Boise Little League. The baseball field has been constructed and was irrigated during the last summer using seven shares of water purchased from the Boise Valley Canal Company. The use of this water has not been satisfactory and we had to replace our pump during the summer.

We request that our application for a ground water right be approved so that baseball field can be watered on a schedule that will not interfere with the use of the field and with a water supply that is clean which will reduce the maintenance required on the pump and the sprinkler system.

We feel that the irrigation of this land, which prior to this year had not been irrigated for 15 years, will actually recharge the ground water aquifer. To mitigate the possible impact of our diversion from the ground water we will continue to allow the seven shares of canal water to run through the canal and drain system until the department determines that this proposed well has no significant impact on the availability of ground water in this area. Your approval of this application will provide a service to the community as the field is used by the community almost daily during the summer months.

Thank you for your consideration.

Sincerely,

  
Douglas Peake  
Senior Minister

5707 Castle Drive • Boise, Idaho 83703 • (208) 345-1861

APR 10 1997



State of Idaho

**DEPARTMENT OF WATER RESOURCES**

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

August 22, 1995

PHILIP E. BATT  
GOVERNOR

KARL J. DREHER  
DIRECTOR

First Church of Christ  
5707 Castle Dr  
Boise ID 83703

RE: Application for Permit 63-12261

Dear Applicant:

Your application for permit to appropriate waste water for irrigation/domestic purposes was received on 8/08/1995. Processing of your application must be delayed.

Due to continued drought and to protect existing water rights and water supplies, the Director of this agency declared a moratorium on 5/15/1992 concerning water right applications proposing new consumptive uses of public water. The moratorium has now been lifted, but a backlog of applications filed during the moratorium must first be processed before new applications may be considered. It is not likely that your application for permit can be processed for use during the 1995 irrigation season.

This office will hold your application and will begin processing as soon as our backlog has been eliminated. All applications received will be processed in priority order. Delays related to department actions do not affect the date of priority or seniority of your application, once established.

If you have any questions, please feel free to contact me at 334-2190.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Lori Graves'.

Lori Graves  
Sr. Water Resource Agent

MICROFILMED

APR 10 1997

63-12261

FIRST CHURCH OF CHRIST  
5707 CASTLE DR  
BOISE, ID 83703

Source: GROUNDWATER

Diversion Pt: SWSE Sec 19 T 04N R 02E in ADA County.

|                  |   |            |
|------------------|---|------------|
| Use: IRRIGATION  | ( | 0.200 CFS) |
| DOMESTIC         | ( | 0.040 CFS) |
| Total Diversion: | ( | 0.200 CFS) |

Date Filed: 8/ 8/1995

In: ADA County  
T04N R02E S19 SWSE

5.0 ACRES TOTAL

Surface water mitigation proposed for water bearing zone of 5' to 50' to be appropriated.

RECORDED

APR 10 1997