

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John B. P.
(Applicant)

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-12250

Priority: July 21, 1995

Maximum Diversion Rate: 0.06 CFS
Maximum Diversion Volume: 1.3 AF

This is to certify, that JOHN BISHOP
28411 OLD HWY 30
CALDWELL ID 83605

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 21, 1995; and
has submitted Proof of Beneficial Use on September 5, 1996. An examination indicates
that the works have a diversion capacity of 0.060 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.06 CFS	1.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 8, Township 05N, Range 03W
CANYON County

PLACE OF USE: STOCKWATER

TWN RGE SEC

05N 03W 8

NWSW

PLACE OF USE:

DOMESTIC, same as STOCKWATER use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.
6. Point of diversion and place of use known as Lot 6, Blk. Pannell Subdivision.

MICROFILMED
AUG 19 1997


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-12250

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23rd
day of July, 1997.


Acting for KARL J. DREHER, Director



MICROFILMED
AUG 19 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

PROOF OF BENEFICIAL USE

SEP 05 1996

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12250 Telephone No. 208-454-3706
2. Name(s) of Permit Holder(s): JOHN Bishop
3. Mailing Address: 28411 OLD Hwy 30 CADWELL, IDAHO 83605
4. Source of Water: GROUNDWATER If GROUNDWATER (well), Date Drilled: mo. 10 / yr. 95
- a. Well Driller: COONSE Well Drilling Drilling Permit Number: 63-95-W-0782-000
- b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): 4 HORSES
6 RANGE CATTLE
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.06 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- | | | |
|-------------------------------|--|--------------------------|
| Measuring Device: | Is a measuring device required? | Yes _____ or No <u>✓</u> |
| | Has the measuring device been installed? | Yes _____ or No <u>✓</u> |
| Flow Measurement Port: | Is a flow measurement port required? | Yes _____ or No <u>✓</u> |
| | Has the measurement port been installed? | Yes _____ or No <u>✓</u> |
8. Fee Enclosed: \$ 50⁰⁰ (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: JOHN W Bishop Telephone Number: (home) 454-3706
work 384-9091
Address: 28411 OLD Hwy 30 CADWELL, ID
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

(include your title, if on behalf of company or organization)

Date:

8/26/96

OCT 10 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-12250

Proposed Priority: July 21, 1995

Maximum Diversion Rate:

0.06 CFS

This is to certify, that **JOHN BISHOP**

10122 LINCOLN RD

CALDWELL ID 83605

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.06 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 8, Township 05N, Range 03W
CANYON County

PLACE OF USE: STOCKWATER

TWN RGE SEC

05N 03W 8

NWSW

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1996**.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Construction of the well must comply with Idaho well construction standards.
5. The issuance of this right does not grant any right-of-way or easement across the land of another.
6. Domestic use is for 1 home.
7. Stockwater is for 4 horses and 6 range cattle.
8. Point of diversion is located within Lt. 6, Blk. 1, Pannell Subdivision.
9. Place of use is located within Lt. 6, Blk. 1, Pannell Subdivision.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

29th day of September, 1995.

RECORDED

NOV 08 1995

for

Karl J. Dreher
Karl J. Dreher, Director



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 63-12250

Department of Water Resources **To appropriate the public waters of the State of Idaho**

1. Name of applicant JOHN BISHOP Phone 208-454-3706

Post office address 10122 LINCOLN RD CALDWELL 83605

2. Source of water supply GROUND WATER which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____

Sec. 8 Township 5N Range 3W B.M. CANYON County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for STOCK purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .06 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL, PUMP

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is 6" inches; proposed depth of well is 150' feet.

d. Is ground water with a temperature of greater than 85°F being sought? _____

e. If well is already drilled, when? _____; Drilling firm _____

Well was drilled for (well owner) _____

NOV 08 1995

7. Time required for the completion of the works and application of the water to be proposed beneficial use is 1 years (minimum 1 year).

PLACE of USE ALSO KNOWN AS LT 6, BUL 1

STOCK USE IS FOR 4 HORSES AND 6 BEEF CATTLE

DOMESTIC USE IS FOR HOME

12. Remarks:

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use?

11. a. Who owns the property at the point of diversion?

JOHN LIND BLOOM

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated.

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully:

d. Domestic; show number of households.


c. Municipal; show name of municipality.

b. Stockwatering: list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John W. B. B.
(Applicant)

NOV 08 1995

666180

e. Other:

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by 8 Date 7/21/95 Time 12 PM Preliminary check by gjt

Fee \$ 50 Received by g # W019621 Date 7/21/95

Publication prepared by AT Date 8-8-95 Published in Idaho Water Review

Publication approved AT Date 9-5-95



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 25, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JOHN BISHOP
28411 OLD HWY 30
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-12250

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

AUG 19 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

AUG 19 1997

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


AUG 19 1997

CERTIFICATE OF MAILING

I hereby certify that on the 25th day of July, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 63-12250

JOHN BISHOP
28411 OLD HWY 30
CALDWELL ID 83605


Kari Lynn Townsend
Secretary

MICROFILMED

AUG 19 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-12250

DATE 7/21/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? — yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.06</u> cfs
Fee limit	<u>.20</u> cfs \$50 ⁰⁰
Measured	<u>—</u> cfs
Theoretical	<u>?</u> cfs well log test = .09
Recommended Total Div Rate <u>.06</u> cfs	

ANNUAL VOLUME/
NATURE OF USES —

Use ✓

Volume Calculation

<u>Stock</u>	<u>.1</u>	af
<u>Dom</u>	<u>1.2</u>	af
<u>—</u>	<u>—</u>	af
<u>—</u>	<u>—</u>	af
SUBTOTAL	<u>1.3</u>	af

Flow rate .06 cfs X 365 days X 1.98 = 43.4 af
 Total volume recommended 1.3 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

DI home.

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

— Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes — no

SRBA Claim Filed NA
 Adjustment Memo —

1st Amend Letter NA
 2nd Amend Letter NA

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of _____
 _____ Aerial Photo Attached _____
 _____ (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

AUG 19 1987
 MICROFILMED

E. NARRATIVE/REMARKS/COMMENTS

Confirmed domestic residence
per legal and address with Beverly at
Canyon County Assessor's office.

a field exam was not made due
to no discrepancies between the
permit, well log, and assessor's legal.

MICROFILMED
AUG 19 1997

Have conditions of permit approval been met? ☐ yes ☐ no

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Internal/external domestic use = 1.2
10 stock X .0134 = .1

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>1/1</i>	<i>12/31</i>	<i>1.04</i>	<i>1.2</i>
<i>Stockwater</i>	<i>1/1</i>	<i>12/31</i>	<i>1.02</i>	<i>.1</i>
Totals:			<i>1.06</i>	<i>1.3</i>

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name *Lois Craver* Date *5/28/97*

Reviewer _____ Date _____

SEAL

MICROFILMED
AUG 19 1997


1. DRILLING PERMIT NO. 63-95-W-0782-000
Other IDWR No. _____

2. OWNER:

Name JOHN BISHOP
Address 28411 Hwy 30
City CADWEN State TX Zip 73605

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.


 Twp. 5 North ☒ or South ☐
 Rge. 3 East ☐ or West ☒
 Sec. 8 $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$
 Govt Lot _____ County _____

Address of Well Site 2841 Hwy 30
City Crowell

(Give at least name of road + Distance to Road or Landmark)

Lt. _____ Bk. _____ Sub. Name _____

4. PROPOSED USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Seals or Pounds	
250 lbs	0	20	250 lbs	slurry
BEHNITE				

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) _____

Was drive shoe seal tested? Y ☐ N ☒ How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	1 1/2	1 1/8	25	STEEL	☒	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe 5' Length of Tailpipe 6"

9. PERFORATIONS/SCREENS

☐ Perforations Method _____

☒ Screens Screen Type STAINLESS

From	To	Slot Size	Number	Diameter	Material	Casing	liner
118	123	.10	-	5"	St. S. 1062	☐	☒
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

58 ft. below ground Artesian pressure _____ lb.

Depth flow encountered _____ ft. Describe access port or control devices: _____

11. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
40	—	110	2 hr

Water Temp. 54° Bottom hole temp. 54°

Water Quality test or comments: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Water[illegible]

Completed Depth 123 FT (Measurable)

Date: Started 10-10-95 Completed 10-11-95

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Crown Well Drilling Firm No. 409

Firm Official James E. CACIM Date _____

and
Supervisor or Operator _____ Date _____

(Sign once if Firm Official & Operator)

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-12250 Reviewed by [Signature] Date 10-9-96

GENERAL CONSIDERATIONS

yes Name same as permit?
no Address same as permit?

yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

dom, stock

Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

no Copy in the file? Drilling Permit No. 63-95-W-0782-000

35- Amount paid for permit yes Correct?

no Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

50- Amount Submitted

yes Correct?

MEASURING DEVICE

no Required?

 Installed?

 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address 28411 old Hwy 30
Caldwell 83605

Proof Made 9-5-96



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 9, 1996

JOHN BISHOP
28411 OLD HWY 30
CALDWELL ID 83605

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 63-12250

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, which became affective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

If you have questions concerning the field examination, contact the **WESTERN** Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

OCT 10 1996

July 31, 1996

JOHN BISHOP
10122 LINCOLN RD
CALDWELL ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-12250

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1996. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

NOT RECORDED

OCT 1 0 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 29, 1995

JOHN BISHOP
10122 LINCOLN RD
CALDWELL ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12250


Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

If a well has not already been constructed you are required to obtain a "drilling permit" from the department. The right to drill a well is not a part of this permit to appropriate water.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED

NOV 08 1995

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 63-12250 Name: Bishop Date: 9/28/95 Ad OK? ✓
Correct Fee? ✓ Receipt #: W019624 Priority: 7/21/95 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>

+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)

Drilling Permit:

Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - ~~046-408-P23~~ (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):

Water District(~~dem~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-P08
=/- 0.2 cfs - 028(may report)-01H(lock dev)-P01 or No MD
=/+ 5 a. irr. - 028(may report)
~~In WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):

SNAKE R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA

USE:

Domestic (surface) - 021(Boise R + L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner

OTHER CONDITIONS:

STANDARD REMARKS:

① Pu = Lib, Bkt, Pannell Subd. ② W01/1 ③ W02/4H 6RC

BENEFICIAL USE DUE:

COMMENTS:

10-1-1996

RECEIVED
SEP 25 1995

SEP 25 1995

INITIAL REVIEW BY:

DATE: 8-2-95

APPLICATION: 63-12250

Department of Water Resources
REQUIRED INFORMATION

Address:

Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)

County:

Quantity: (flow and/or volume)

Period of use:

Nature of proposed use: (Include description of use)

Description of diverting works:

Time required for beneficial use of water:

Place of use or acres irrigated:

Map: (show T, R, S, QQ &/or QQQ)

Subdivision plat: (for > 1 home in restricted area. ≥ 5 homes in non-restricted area)

Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)

Fee:

Yes No* In form to receipt:

Gov't. Lots:

P/D

P/U

ADDITIONAL INFORMATION

YES NO

Overlapping place of use: (Describe source & relationship to present application on the back.)

Overlapping point of diversion:

Field check required: Field check by:

Field report attached:

Critical groundwater area:

Groundwater management area:

1992 moratorium: D/I exempt

Copy to SCA staff: (perennial stream, non-pump diversion)

Copy to Dam Safety staff: (for any storage)

Basin 63 mitigation plan: (where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge)

Send power requirement letter:

Send fish farm requirement letter:

Power residency affidavit:

Power efficiency form:

Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)

***REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT**

DATE REQUESTED:

Additional information on reverse side:

PROCESSING

APPLICATION N

63-12250

YES NO

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

I.D. Health and Welfare

I.D. District Health

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest

9-5-95

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Env

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

46

See below for additional information

Recommended Date or Priority 7/21/1995

Recommended by: Env

Date 9/20/95

STATE OFFICE REVIEW

See below for additional information. By

Date

ADDITIONAL INFORMATION

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public water of the State of Idaho:

63-11976
 JOHNSON, GEORGE R
 JOHNSON, CHARLOTTE L
 16494 MARSING RD
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt: NWNE Sec 16 T 02N R 03W in CANYON County.
 Use: IRRIGATION (1.600 CFS)
 Total Diversion: (1.600 CFS)
 Date Filed: 1/19/1993
 In: CANYON County
 T02N R03W S16 NWNE SWNE
 80.0 ACRES TOTAL
 Water bearing zone to be appropriated is 250 to 300 feet.

63-11994
 ALEXANDER, JACK W
 ALEXANDER, BETTY L
 12557 GOODSON RD
 MIDDLETON, ID 83644
 Source: WASTE WATER Tributary: BOISE RIVER
 Diversion Pt: SWSE Sec 17 T 05N R 03W in CANYON County.
 Use: IRRIGATION (0.980 CFS)
 Total Diversion: (0.980 CFS)
 Date Filed: 2/24/1993
 In: CANYON County
 T05N R03W S17 SWNE SENE NWSE SWSE
 49.0 ACRES TOTAL

63-12007
 JOHNSON III, MIERS C
 400 TANOAK CIRCLE
 NAMPA, ID 83686
 Source: GROUNDWATER
 Diversion Pt: SWNE Sec 10 T 02N R 03W in CANYON County.
 Use: IRRIGATION (3.200 CFS)
 STOCKWATER (0.020 CFS)
 Total Diversion: (3.400 CFS)
 Date Filed: 4/14/1993
 In: CANYON County
 T02N R03W S10 SWNE SENE NESE NWSE
 160.0 ACRES TOTAL
 Water bearing zone to be appropriated is 300 to 500 feet.

63-12027
 ATWOOD, A C
 ATWOOD, LINDA JOY
 18224 ALLENDALE RD
 WILDER, ID 83676
 Source: GROUNDWATER
 Diversion Pt: SWNESW Sec 31 T 04N R 04W in CANYON County.
 Use: IRRIGATION (0.700 CFS)
 Total Diversion: (0.700 CFS)
 Date Filed: 6/14/1993
 In: CANYON County
 T04N R04W S31 NESW Lot 3(NWSW) Lot 4(SWSW) SESW
 NWSE SWSE
 35.0 ACRES TOTAL
 Water bearing zone to be appropriated is 250 to 400 feet.

63-12050
 SNETHEN, R L
 SNETHEN, W E
 6670 CAN-ADA RD
 MERIDIAN, ID 83642
 Source: GROUNDWATER
 Diversion Pt: NWNE Sec 17 T 05N R 03W in CANYON County.
 Use: IRRIGATION (0.420 CFS)
 Total Diversion: (0.420 CFS)
 Date Filed: 8/31/1993
 In: CANYON County
 T05N R03W S17 NENE NWNE
 21.0 ACRES TOTAL
 Water bearing zone to be appropriated is 150 to 300 feet.

63-12198
 ROBERTS, JOSEPH W
 15032 HOLLOW RD
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt: LOT 4 (NWNW) Sec 2 T 05N R 03W in CANYON County.
 Use: IRRIGATION (0.200 CFS)
 Total Diversion: (0.200 CFS)
 Date Filed: 4/20/1995
 In: CANYON County
 T05N R03W S02 Lot 4 (NWNW)
 10.0 ACRES TOTAL
 Application does not propose irrigation of new acres.

63-12250
 BISHOP, JOHN
 10122 LINCOLN RD
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt: NWNWSW Sec 8 T 05N R 03W in CANYON County.
 Use: STOCKWATER (0.020 CFS)
 DOMESTIC (0.040 CFS)
 Total Diversion: (0.060 CFS)
 Date Filed: 7/21/1995
 In: CANYON County
 T05N R03W S08 NWSW

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before SEPTEMBER 5, 1995. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director
 August 16, 23, 1995

2352

RECEIVED

NOV 08 1995

63-12250

BISHOP, JOHN
10122 LINCOLN RD
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NWNWSW Sec 8 T 05N R 03W in CANYON County.

Use: STOCKWATER	(	0.020 CFS)
DOMESTIC	(	0.040 CFS)
Total Diversion:	(	0.060 CFS)

Date Filed: 7/21/1995

In: CANYON County
T05N R03W S08 NWSW

NOV 08 1995