

Enrose School

2372

2380

2406

2471

2366

5

NO gov't lots
-SL 8/11/97

T4N
R3W
S.9

2384

Rest Area

EXISTING
WELL
SITES
(2)

2377

Disposa

Caldwell
Labor Camp

Water

WEST SEBREE

2380

2350

Mile 18

PACIFIC

SEIDENBERG

BM 2340

NEW
DOMESTIC
WELL (1)

Gravel
Pit

CANAL

MICROFILMED

OCT 30 1997

63-12221

Pit


2340

RIVER

Mile 20

Indian

DRAIN



NOTE:
ALL DIMENSIONS ARE
FROM EXISTING GROUND
SURFACE

NOT TO SCALE



HOLLADAY ENGINEERING CO.
ENGINEERS • CONSULTANTS

32 N MAIN
P.O. BOX 235
PAYETTE, IDAHO 83661
208-642-3304
FAX: 208-642-2159
EMAIL: Heco@primenet.com

ALTERNATIVE B- PREPACK SCREEN
CALDWELL HOUSING AUTHORITY


JOB NO.	101396C
DATE	6/26/97
REVISION	
FORNISH	6/26/97
DESIGN BY	CMD
CHECKED BY	JOB

MICROFILMED

OCT 30 1997

63-12221

ps A2



5

2384

2377

Rest Area

44

2400

2466

8

Sewage Disposal

Caldwell Labor Camp

Water

New UNITS
New well + existing well

XN 36109

9 2380

2350

SEBREE WEST

CANYON

SEIDENBERD

BM 2340

2340

Gravel Pit

CANAL

20

26

38

16

2350

MICROFILMED
OCT 30 1997

17

Pit


Gravel Pit

Trailer Park

SIPHON

CANAL

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Holladay Eng. Co. by Renee Pettis
(Applicant)

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-12221	)	ORDER OF
	)	
IN THE NAME OF CALDWELL HOUSING	)	REINSTATEMENT
AUTHORITY	)	
_____	)	

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted to the Department on or before October 1, 1998; and,

WHEREAS, the Department notified the permit holder on July 31, 1998, by certified mail that proof of beneficial use was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use or an extension of time request; and,

WHEREAS, the department sent the permit holder a lapse notice on October 20, 1998, since the department had not received an acceptable proof of beneficial use statement or extension of time; and,

WHEREAS, Section 42-218a, Idaho Code, provides that the Department may reinstate a permit upon a showing of reasonable cause by the permit holder within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on November 16, 1998;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-12221 is **REINSTATED** with an advance in priority to **July 2, 1995**.

DATED this 9th day of December, 1998.



L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

JAN 04 1999

RECEIVED

NOV 16 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

WATER RESOURCES
WESTERN REGION

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12221 Telephone No. (208) 459-2232
2. Name(s) of Permit Holder(s): Caldwell Housing Authority
3. Mailing Address: P.O. Box 70, Caldwell, ID 83606
4. Source of Water: Groundwater If GROUNDWATER (well), Date Drilled: mo. Feb / yr. 98
 - a. Well Driller: Riverside Drilling Permit Number: 63-92-W-0724-000
 - b. OPTIONAL:
Pump Horsepower: 20 Pressure (psi): 40 Dynamic pumping level (ft): 200
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 250 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 80 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.67 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u>X</u>	or	No _____
	Has the measuring device been installed?	Yes <u>X</u>	or	No _____
Flow Measurement Port:	Is a flow measurement port required?	Yes _____	or	No <u>X</u>
	Has the measurement port been installed?	Yes _____	or	No <u>X</u>
8. Fee Enclosed: \$ 100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: David Linden Telephone Number: (208) 459-2232
Address: Farmway Village, Farmway Road, Caldwell
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: David Linden Administrator Date: 11-5-98
(include your title, if on behalf of company or organization)

MICROFILMED

JAN 04 1999

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-12221

Proposed Priority: May 17, 1995

Maximum Diversion Rate:

0.46 CFS

This is to certify, that CALDWELL HOUSING AUTHORITY
PO BOX 70
CALDWELL ID 83605-0070

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.46 CFS

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 9, Township 04N, Range 03W

NWNW , Sec. 9, Township 04N, Range 03W

CANYON County

PLACE OF USE: DOMESTIC

TWN RGE SEC

04N 03W 9

NENW

NWNW

SWNW

SENE

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1998.
2. Subject to all prior water rights.
3. The right holder shall measure and annually report diversions of water and/or other pertinent hydrologic and system information as required by Section 42-701, Idaho Code.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The right holder shall comply with Idaho well construction standards when constructing a well pursuant to this right.
6. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
7. The irrigation occurring under this domestic use shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed.

MONITORING

OCT 30 1997

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 63-12221

CONDITIONS OF APPROVAL AND REMARKS

8. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater for irrigation under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
9. This right shall not be used for irrigation if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use.
10. Two points of diversion are located within NWNW, S09, T04N, R03W.
11. Points of diversion and places of use are located within Caldwell Labor Camp.
12. Domestic use is for 85 homes.
13. Water bearing zone to be appropriated is 155 to 175 feet.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

9TH day of October, 1997.

Karl J. Dreher
for Karl J. Dreher, Director

RECEIVED
OCT 20 1997

RECEIVED

AUG 25 1997

WATER RESOURCES
WESTERN REGION

RECEIVED

SEP 23 1997

DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

— AMENDED —

Ident. No. 63-12221

Robert E. Brown, Chairman
corrected by/date (8/21/97)

To appropriate the public waters of the State of Idaho

1. Name: CALDWELL HOUSING AUTHORITY
Address: PO BOX 70
CALDWELL ID 83605

208-459-2232

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion:

NENW Sec. 9, Township 04N, Range 03W
NWNW Sec. 9, Township 04N, Range 03W
CANYON County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.460		

5. Total quantity to be appropriated is:

0.460 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

EXISTING WELLS & NEW WELL, WATER TOWER & DISTRIBUTION SYSTEM

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 10 inches; proposed depth of well is 200 feet.

d. Is groundwater with a temperature greater than 85F being sought? NO

e. If well is already drilled, when?

Drilling Firm

Well was drilled for SEE COMMENTS OLD RIGHT + 1995 WELL ADDED

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 year(s).

8. Place of Use: DOMESTIC

TWN RGE SEC

04N 03W 9

NENW

SENE

NWNW

SWNW

MICROFILMED

OCT 30 1997

— 8/11/97 AMENDED VERSION —

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

Water bearing zone to be appropriated for 85 homes and minor landscaping at Caldwell Labor Camp is 155 to 175 feet.

11. Map of proposed point of diversion and place of use attached? [☒]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

See original
Applicant

per file 82 for:

Received by DB Date 5/17/95 Time 11:45 Preliminary check by CJH, then 82 ¹⁹⁹⁵ ¹⁹⁹⁷

** Fee \$ 100 245.00 Receipted by DB #W019178 Date 5/17/1995

Publication prepared by ST Date 8/13/97 Published in Idaho Tribune

Publication approved ST Date 9/12/97 ^{8/21 + 8/28}

* MICHAEL HOLLADAY of Holladay Eng.
i/or RENEE BETTIS authorized to sign for applicant per 7/14/95 file
documentation.

** Fee is \$100 original appl. (other \$145 re: 1995 drilling permit)
plus \$ 50 1997 amendment (payment due). ← PAID \$50 8/25/97
W022960
TOTAL \$150 ✓ OK

-82 8/11/97

RECEIVED

OCT 30 1997

Ident. No. 63-12221

Comments: Date: 6/27/1995 User-ID: CHODGES

Subject: OWNERSHIP INFO AND AUTHORITY

The Caldwell Housing Authority is a separate entity not affiliated with the City of Caldwell. The Housing Authority manages the Caldwell Labor Camp. Director = Dave Linden, who may be reached at the application address and phone. Holladay Engineers of Payette are the project consultants. Per contractual agreement, Holladay has authority to sign on water right applications and/or drilling permits. Copy of agreement to be submitted and will be placed in file. Contact at Holladay is Renee Bettis, 208-642-3304.

Comments: Date: 6/27/1995 User-ID: CHODGES

Subject: RECEIPTING

Receipt W019178 shows 195.00 for a drilling permit application & 50.00 for application for permit. W019194 shows an additional 5.00 for balance of drill permit fees. However, the 50.00 water right fee is insufficient for requested rate of flow. In order that the water right may be processed now, I have requested to re-designate 50.00 of the drill permit fee on W019178 to the water allocation code. The balance of the drill permit fee may be submitted at a later date.

Comments: Date: 6/27/1995 User-ID: CHODGES

Subject: EXISTING WELL, ADDITIONAL INFO

Place of use is at the Caldwell Labor Camp. Per '72 b/u exam on 63-03596, an existing well in NWNW S09 is used for 159 housing units, store, office, daycare, etc. Sometime in the past few years (time unknown), 25 new units were added which are not shown under any existing right. Currently, an additional 60 new units are planned. This right will be for the newest 85 units and a minor amount of irrigation around the units. New well will be for new and/or backup use, operated on an alternate basis with the existing well. An application for transfer will be filed to add the new P/D to 63-03596.

Comments: Date: 8/11/1997 User-ID: SLESTER

Subject: PROCESSING UPDATE

This 1995 application can now be processed within the community well limits for Basin 63. The filing includes 2 existing wells in NWNW & 1 proposed well in NENW for an expansion of the system in license 63-03596 (companion transfer appl. now being processed to

Ident. No. 63-12221

add NENW well to the license). Amended appl. 63-12221 adds a 3rd well to filing plus clarifies place of use throughout NW 1/4 S.9 (previously, 63-12221 covered 2 wells NWNW & use in W1/2-NW1/4). Drilling permit fee issue noted in CJH's comments for 1995 well added to labor camp (re Transfer 4669 approved in 1995 that added a well then) has been resolved.

Rate of flow redescribed (but not increased) to include domestic for 85 homes and up to 2 acres landscaping per original.

Water bearing zone & explanation of overall layout noted in Attachment A. Plus, well log for 1995 well added (63-95-W-0491) via earlier transfer confirms water bearing zone.

* Due to my oversight, applicant has not submitted \$50 amendment fee yet nor provided "subd. plat" for total development. This application is being advertised now along with new transfer appl. to avoid unnecessary delay due to my oversight -- files will not be forwarded to state office for final action until fee paid and plat submitted. Date of priority of 63-12221 remains the same in amended version.

Contact Holladay Engineering 208-642-3304 for information.

SD-0420-2
MODIFY RECORD

Idaho Department of Water Resources
Modify Comment

Date: 09/17/97
Time: 10:02:56

Water Right Number: 63-12221

Comment Date: 9/17/1997 User ID: SLESTER

Subject: PROCESSING UPDATE

* \$50 amendment fee paid 8/25/97, receipt W022960. Subd. plat also received then but need better one showing lots sizes. Left phone message with consultant's office today about plat. Can continue processing while better plat being submitted.

(Enter=Continue/Exit) (Gold2=Update) (Gold3=Delete) (Gold4=Prev) (Gold5=Next)

RECEIVED

007 30 1997

Enrose School

2372

2380

2406

247

2366

5

NO gov't lots
-SL 8/11/97

T4N
R3W
S.9

Rest Area

EXISTING

COOPERATIVE

WELL

SITES
(2)

2377

Disposal

Caldwell
Labor Camp

Water

WEST
FEBREE

2380

2350

Mile 18

PACIFIC

SEIDENBERG

BM 2340

2340

NEW
DOMESTIC
WELL (1)

Gravel Pit

CANAL

16

2350

63-12221

Pit

2340

RIVER

Mile 20

Indian

DRAIN



HOLLADAY ENGINEERING CO.

ENGINEERS • CONSULTANTS

32 N. Main P.O. Box 235 Payette, ID 83661
(208) 642-3304 • Fax # (208) 642-2159

RECEIVED

JUL 31 1997

WATER RESOURCES
WESTERN REGION

July 29, 1997

Steve Lester
Idaho Department of Water Resources
Western Region
2735 Airport Way
Boise, Idaho 83705-5082

RE: Housing Authority of the City of Caldwell
Water Right Transfer Application No. 63-03596
Project No. 101396

Dear Steve:

This letter is to confirm that the Application for Transfer of Water Right, received by IDWR on June 25, 1997, for the Housing Authority of the City of Caldwell is to add a point of diversion to the 63-03596 domestic right. A new well is proposed for the Farmway Village facility. The construction of this well would make a total of 3 possible production wells (Well #2, #3, and #4) for the facility. Well No. 2 will be used only for emergency situations when either or both of the other facility wells are off line. No permanent pump and motor assembly will be installed in the well. The proposed new well (Well #4) will be located in the NENW of Section 9, T4N, R3W. The existing wells are located in the NWNW of Section 9, T4N, R3W. The Farmway Village facility encompasses property throughout the NW of Section 9, T4N, R3W. See attached map.

Please include the proposed well as part of Application 63-12221 and process the application within the "community well" guidelines. The water bearing zone in the aquifer that is anticipated to be screened is from 155 feet to 175 feet below the ground surface. See attached well diagram.

If you need any additional information or clarification, please call.


Sincerely,
HOLLADAY ENGINEERING CO.

John D. Blom
John D. Blom, E.I.T.
Staff Engineer

Attachments:

USGS Topographic Site Map
Alternative B - Prepack Screen Well Diagram

63-12221
Attachment A
FAHEPR101396WTRTRANS.CR3
(2 pgs.)



NOT TO SCALE



HOLLADAY ENGINEERING CO.
ENGINEERS • CONSULTANTS

32 N MAIN
P.O. BOX 235
PAYETTE, IDAHO 83661
208-642-3304
FAX: 208-642-2159
EMAIL: Heco@primenet.com

ALTERNATIVE B- PREPACK SCREEN
CALDWELL HOUSING AUTHORITY

101396C
6/26/97
6/26/97
CMD
JOB

63-12221

ps A2

Ident. No. 63-12221

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: CALDWELL HOUSING AUTHORITY
Address: PO BOX 70
CALDWELL ID 83605

208-459-2232

2. Source: GROUNDWATER

3. Location of Point of Diversion:

Trib. to:

NWNW Sec. 9, Township 04N, Range 03W
CANYON County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)
IRRIGATION	03/15	11/15	0.060	
DOMESTIC	01/01	12/31	0.400	

AF

5. Total quantity to be appropriated is:

0.460 CFS (and/or)

AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

EXISTING WELL, NEW WELL, WATER TOWER AND DISTRIBUTION SYSTEM

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 10 inches; proposed depth of well is 200 feet.

d. Is groundwater with a temperature greater than 85F being sought? NO

e. If well is already drilled, when?

Drilling Firm

Well was drilled for

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 year(s).

8. Place of Use: IRRIGATION

TWN RGE SEC
04N 03W 9

ACRES
NWNW 01

ACRES
SWNW 01

ACRES
TOTAL
2

Total number of acres irrigated:

2

6/27/95 version + 5/17/95

ORIGINAL

Place of Use: DOMESTIC, same as IRRIGATION use

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

Domestic use is for 85 homes.

Two points of diversion within NWNW Section 9, T04N R03W.

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ 245.00 Receipted by _____ #W019178 Date 5/17/1995

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

MICROFILMED

OCT 30 1987

Comments: Date: 6/ 27/ 1995User-ID: CHODGES

Subject:

OWNERSHIP INFO AND AUTHORITY

The Caldwell Housing Authority is a separate entity not affiliated with the City of Caldwell. The Housing Authority manages the Caldwell Labor Camp. Director = Dave Linden, who may be reached at the application address and phone.

Holladay Engineers of Payette are the project consultants.

Per contractual agreement, Holladay has authority to sign on water right applications and/or drilling permits. Copy of agreement to be submitted and will be placed in file. Contact at Holladay is Renee Bettis, 208-642-3304.

Comments: Date: 6/ 27/ 1995User-ID: CHODGES

Subject:

RECEIPTING

Receipt W019178 shows 195.00 for a drilling permit application & 50.00 for application for permit. W019194 shows an additional 5.00 for balance of drill permit fees. However, the 50.00 water right fee is insufficient for requested rate of flow. In order that the water right may be processed now, I have requested to re-designate 50.00 of the drill permit fee on W019178 to the water allocation code. The balance of the drill permit fee may be submitted at a later date.

OCT 30 1997

Comments: Date: 6/ / 1995 User-ID: CHODGES

Subject:

EXISTING WELL, ADDITIONAL INFO

Place of use is at the Caldwell Labor Camp. ^{B/u Exam (1972) 2} Per/SRBA claim
⁹⁶ A63-03569, an existing well in NWNW S09 is used for 159 housing
units, store, office, daycare, etc. Sometime in the past few
years (time unknown), 25 new units were added which are not
shown under any existing right. Currently, an additional 60
new units are planned. This right will be for the newest 85
units and a minor amount of irrigation around the units.
New well will be for new and/or backup use, operated on an
alternate basis with the existing well. An application for
transfer will be filed to add the new P/D to 63-03569⁹⁶.

MICROFILM
OCT 30 1979

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 631222
RECEIVED
MAY 17 1995
WATER RESOURCES
WESTERN REGION

To appropriate the public waters of the State of Idaho

1. Name of applicant Caldwell Housing Authority Phone (208) 459-2232
Post office address P.O. Box 70 ~~WMAAP~~ Caldwell ID 83605

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of NW 1/4 of NW 1/4, Govt. Lot _____
Sec. 9 Township 4N Range 3W B.M. Canyon County; additional
points of diversion if any: None 2 pts

4. Water will be used for the following purposes:

Amount .40 ~~.67~~ for Domestic ~~Municipal~~ purposes from 6/1/95 to 12/31/95 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .06 for IRP purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .40 ~~.67~~ and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. N/A

b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total
reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:
N/A to N/A inclusive.

c. Proposed well diameter is 10" inches; proposed depth of well is 200 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No


7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 Year years (minimum 1 year).

MICROFILMED

OCT 30 1997


all modifications made per telecon w/ Renee Bolts, Holladay
Engineering (project contact) See comments

- ~~irrigation also from Black Canyon Irrigation.~~



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

4N3W09



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Holladay Eng. Co. by Renee Pettis
(Applicant)

Received by RB Date 5-17-95 Time 11:45 AM Preliminary check by cyf
Fee \$ 50-100- Received by RB # W019178 Date 5-17-95
Publication prepared by AT Date 6-28-95 Published in Press-Tribune
Publication approved SL Date 8-9-95 7/19, 11/26/95

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

Dave Linden - Director

MICROFILMED

OCT 30 1997

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-12221 Reviewed by Jy Date _____

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? dom, irr
yes Address same as permit? _____
no Proof timely received? Correct Uses? no
If not, complete calculation below.

SOURCE OF WATER

_____ Surface water source
✓ Ground water source
yes Drilling permit required?
no Copy in the file? Drilling Permit No. 63-97-W-0724-000
200 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required? yes Required?
100 Amount Submitted yes Installed?
yes Correct? _____ Waiver requested?

PRIORITY CALCULATION

Date proof received 11-16-98 320
Date proof due 10-1-98 - 274
No. of days late _____ = 46 > 7-2-95
Priority Date 5-17-95 + 137
New Priority Date 7-2-95 183

DEFICIENCIES OR ACTION ITEMS

85 homes .46 max diversions.
Reinstate + advance priority to July 2, 1995
Advise that max rate of diversions of .46 cfs
for 85 homes
Return extension request + refund fee

DATA ENTRY

New Address _____ Proof Made 11-16-98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 9, 1998

CALDWELL HOUSING AUTHORITY
PO BOX 70
CALDWELL ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: Permit No. 63-12221

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Since you have completed development of the water right permit, it was not necessary to file an extension of time request. Therefore, I have returned the extension request and initiated the process to refund the \$50.00 filing fee. You should receive the refund in seven (7) to ten (10) business days.

Enclosed is an order reinstating the permit since proof was submitted after the proof due date. Note that the priority date has been advanced to July 2, 1995, as provided in Section 42-218a.2, Idaho Code.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

Additionally, be advised that this permit only authorizes a maximum rate of diversion of 0.46 cfs for domestic use of 85 homes with no more than a half acre irrigation per household. You indicate on the proof statement a rate of 0.67 cfs for 250 homes. You will not be licensed for a rate to exceed 0.46 cfs and you are not authorized under this permit to divert over 0.46 cfs.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. If you have questions concerning the field examination, you may contact the **WESTERN** Regional Office of the department in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

MICROFILMED

Enclosure

c: IDWR - Regional Office, Fiscal

JAN 04 1999

7/94

For Office Use Only

\$50 Fee Received by ADDate 11-16-98Receipt No. 12024590

RECEIVED

NOV 16 1998

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

NOV 19 1998

Department of Water Resources

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 63-12221Name(s) of Permit Holder: Caldwell Housing AuthorityMailing Address: P.O. Box 70, Caldwell, ID 83606Date Proof is Due: Oct 1, 1998 / Dec 20, 1998 Telephone No. (208) 459-2232

Describe what work has been completed toward the development of this water right:

(This must be filled out! If no work has been completed, show "none".)

Well has been completed on or about
October 15, 1998

Costing \$ 125,000

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

The electrical work and controls were not
completed until October 15, 1998

Permit holder(s) request an extension to December 20, 1998

FEE: \$50.00

(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

David Linder Executive Director
Caldwell Housing Auth.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be

MICROFILMED

JAN 04 1999

Signed this _____ day of _____, 19____.

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

October 20, 1998

CALDWELL HOUSING AUTHORITY
PO BOX 70
CALDWELL ID 836050070

LAPSE NOTICE

RE: PERMIT NO. 63-12221

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated July 31, 1998. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

MICROFILMED

JAN 04 1999

CERTIFICATION OF MAILING

I hereby certify that on 10-20-98
~~a copy~~ an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

[Signature]

July 31, 1998

CALDWELL HOUSING AUTHORITY
PO BOX 70
CALDWELL ID 836050070

PROOF DUE NOTICE

RE: PERMIT NO. 63-12221

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1998. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

JAN 04 1999





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 9, 1997

CALDWELL HOUSING AUTHORITY
PO BOX 70
CALDWELL ID 83605-0070

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12221

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

If a well has not already been constructed you are required to obtain a "drilling permit" from the department. The right to drill a well is not a part of this permit to appropriate water.

Please note this water right limits irrigation occurring under the domestic use to one-half acre within each platted subdivision lot upon which a home has been constructed. This permit does not provide for irrigation of common areas or for irrigation of lots with no homes.


Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department.

NOTED
OCT 13 1997

within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures


MONROVIA
OCT 30 1997

CERTIFICATE OF MAILING

I hereby certify that on the 9th day of October, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved Permit)** to the person(s) listed below:

Water Right No. 63-12221

**CALDWELL HOUSING AUTHORITY
PO BOX 70
CALDWELL ID 83605-0070**


Kari Lynn Townsend
Secretary

ENC 10/13/97

OCT 30 1997

APPLICATION FOR PERMIT STATE OFFICE REVIEW

by Cindy LouNo.: 63-12221 Name: Caldwell Housing Auth Date: 10/1/97 Ad OK? ✓ / Gvmt Lts: ✓**AREA OF CONCERN:****PROTESTED:****SYSTEM COMPLETED:**

1 year/no proof

>1 year

GROUNDWATER: (✓ FLO-CH)

WMD (✓ MAP)

B63

>0.24 cfs/5 acres

≤ 0.24 cfs/5 acres

~~WMD~~

>0.24 cfs

>5 a.

≤ 0.24 cfs/5 acres

DRILLING PERMIT:

Existing well

Included w/permit

No drilling permit?

irr. in WD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

IN/ABOVE MIN. STR. FLOW (✓ MAP)

WD (✓ MAP & LISTING)

Pumped >0.20 cfs

WMD (✓ MAP)

> 0.24 cfs/5 acres

≤ 0.24 cfs/5 acres

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres

≤ 0.24 cfs/5 acres

RIVER BASINS: (*Surface water):

Snake R (01)

(02/03-irr)

Payette R(65)

Salmon R (70's)

USE:

Domestic surface

>1 in rest. area

Fish Propagation

Irr ≤ 5 acres

> 5 acres

Mining

Muni (in restricted areas)

Power

Stock (BLM/USFS)

Storage (✓3 compo.)

LOCATION:

42-248 area

Boise Front LoGeo

In-stream dev.

Irr Dist/Canal Co.

SWAN FALLS FLAG (See Code Chart)

Trust

Non-Trust (1)

OWNERSHIP:**OTHER CONDITIONS:****STANDARD REMARKS:****BENEFICIAL USE DUE:****COMMENTS:**

- No/Yes: Boise R Mor / GWMA / Trust / Non-trust
 - 020 (Protest Agreement) or *W19 (Order)

P16
 - 26A-P17

- 067 or No MD (in-stream stock or power)
 - No MD
 - 01M (report when notified)
 - 01M; 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)
 - No MD

- NA (pre 7/1/87; ✓ WDQ3)
 - Permit No. - - - - P99
 - 046-468-P23 (post 7/1/87)
 - P05 (new well location)

- 31A (modify remark *WB9)
 - R04 (WD #) - 01J-P08 (MD)
 - 01H-P01 (LD & MD) or No MD (in-stream stock)

- 067 or No MD (in-stream stock or power)
 - No MD

- 01M or No MD (in-stream stock or power)
 - No MD

- *W22 P04, NA
 - 007-P07 (w/ remark *WB9 if above Weiser), NA
 - *W22 (regulated uses), 047-P04 (Payette Lake), NA
 - 029 (fish screens)

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
 - 071-070 P53
 - 029-007-042 (req)-081-R07 (WQ)-P10; 044 (N of 1000 Springs)
 - R49/R50/R51/R52 (0.03 cfs/acre +AF)
 - R29/R30/R31/R32 (0.02 cfs/acre +AF)
 - 054 (req) -081-R07-P10
 - 022, 075, 004 (+memo?)
 - 17H/17K(+uses)-08A-025-01N(P19)-028-081-R07(P10); 027 (if no other cons. use);
 17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18
 - R37
 - 080; 18A (in- & out-flow MD within district), 18B-P09 (>10' dam),

- P84 (In 20/30/40/50/60/70/80 (87) basin)
 - 058 (<85° GW temp only)
 - P52 (stream channel alteration)
 - 023 (Twin Falls area)

- 051-052-053-P74 (Consumptive Uses), NA
 - 048-049 (Consumptive Uses), NA
 - 004 (PD/PU)

- ① W32 / NWNW ② PU / Caldwell Labor Camp 85 add time
③ W01 / 85
 - 10/1 / 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED

SEP 23 1997

DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW BY: jl DATE: 8/11/97 APPLICATION: 63-12221
AMENDED

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map: (show T, R, S, QQ &/or QQQ)
Subdivision plat: (for > 1 home in restricted area. ≥ 5 homes in non-restricted area)
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee: -\$50 amendment fee requested
Yes ☐ No* ☐ In form to receipt:

Gov't. Lots:
 P/D
 P/U

plat requested * - in process 9/17/97

OK to re-adv. for amendment while these items in process. See my 8/11 letter

ADDITIONAL INFORMATION

X ADVERTISE REMARK(S)
(Reviewer identify which remarks)

N/A T FLAG CHANGED TO P FLAG

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on next page.)
☒ ☐ Overlapping point of diversion.
☐ ☒ Critical groundwater area:
☐ ☒ Groundwater management area:
☐ ☒ 1992 moratorium: community well OK to process is Bs. 63 guidelines
☐ ☒ Copy to SCA staff: (perennial stream, non-pump diversion &/or any mining).
☐ ☒ Copy to Dam Safety staff: (for any storage)
☐ ☒ Mitigation plan: where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge
☐ ☒ Send power requirement letter:
☐ ☒ Send fish farm requirement letter:
☐ ☒ Power residency affidavit:
☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

see * notes above

DATE REQUESTED 8/11/97

ADDITIONAL INFORMATION ON REVERSE SIDE:

also see my 8/12/97 memo e add'l info & \$

IN PROCESS OF OBTAINING → 9/17/97 update: \$50 paid 8/25 W022960, plat rec'd also, but need better one showing lot sizes. -92

PROCESSING

APP. NO.

63-12221

YES NO

☒ ☐
☒ ☐
☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO:

YES NO

☒ ☐
☐ ☐
☐ ☐
☐ ☐
☐ ☐

I.D. Health & Welfare

I.D. District Health

I.D. Fish & Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☐
☐ ☐
☐ ☐
☐ ☐

U.S. BLM

U.S. Forest Service

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☐
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest 9-8-97

Protest dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

- SEE DGC's 7/11/95 comments
 - 8/18/97 sent DGC updated comment letter,
 NO RESPONSE REC'd by 9/17/95.

See below for additional information

Recommended Date or Priority

5/17/95

Recommended by: *camp*

Date:

9/17/97

STATE OFFICE REVIEW

See below for additional information. By

Date

ADDITIONAL INFORMATION:

Overlap - also see CJH's 6/27/95 sth. analy. pgs -

Appears in DIST. H2O serves this area w/ surface water.

Same system proposal (but for other 159 units etc) in transfer

app. being processed for 63-02596. Combined, both rights with

same 3 wells will serve 244 units & min. irrig (yards).

MEMORANDUM

TO: FILE

FROM: STEVE LESTER *SL*

DATE: AUGUST 12, 1997

RE: CALDWELL HOUSING AUTHORITY TRANSFER, NO. 63-03596

This is a simple transfer to add a new production well to the domestic system in license 63-03596. Currently, two production wells (#2 & 3) in NWNW serve 159 units plus miscellaneous support services listed in remarks of the license. Well #2 is failing. A new well (#4) will be added in NENW, and the main production wells will be wells #3 and 4 while well #2 will remain as a backup in the event it is needed.

Note that well #1 is probably the monitoring well that has been in place for quite awhile per telephone conversation with the consulting engineer's office (Holladay Engr. Co.). It does not have a role in the diversion of water for the housing system. The key point is that only three production wells will result from the transfer action.

A 1995 transfer was approved that allowed well #3 to be drilled per T4669 and drilling permit 63-95-W-0491. That transfer amended the SRBA claim to match the license defined by T4669.

* A DEQ comment letter for the new community well is required. DEQ comments are being solicited in a companion application, no. 63-12221, that is also being advertised at this time. The permit application has been amended to show the same three wells but for added units plus minor landscaping. The permit application has been held at the S.O. but can now be processed for approval within the limits of Basin 63 community well considerations.

Both applications look approvable to me at this time. The combined coverage will include the following:

1. License .78 cfs for 159 housing units, store, office, day-care center and 2 acres of associated irrigation;
2. Permit .46 cfs for 85 additional housing units and 2 acres of associated irrigation.

The 85 units include 25 already built but not covered plus 60 planned units. It is not clear if a total of 2 or 4 irrigated acres will be served by the combined rights, but that can be determined via the eventual licensing exam for the new permit. It appears that surface water is provided to the site by Black Canyon Irrigation District, which implies that conditions of approval linking ground water and surface water for irrigation use should be included.

* ONLY 1995 DEQ comments received - no DEQ response to
1997 comment letter request.

- *SL* 9/17/97
MICROFILMED
OCT 30 1997

Additional information for these two filings should be submitted by the applicant as follows (also see my 8/11/97 letter to Holladay Engineering Co.):

- paid 8/25/97*
better one
than 8/25 version
requested 9/17
REC'd 8/25/97
1. ✓ \$50 amendment fee to re-advertise 63-12221 (publication in process due to my error in not letting consultant know sooner that this fee is needed; my mistake should not add to delay in seeking approval);
 2. ✓ "Subdivision" plat for entire development; and
 3. ✓ Original corrected applications should be returned with revisions approved by applicant¹ (copies of corrected filings were used for legal notices as have done in previous similar situations when trying to expedite per applicants' request).

Neither application should be forwarded to S.O. until these three steps are completed.

So still need item 2 to be completed

-JK 9/17/97

Add tl. update - plat OK, see 9/17 conv. memo w/ JB of Holladay Engr.

Now OK to forward to S.O.

¹Revisions to both applications are based on the engineer's July 29, 1997 letter included as attachments to the applications. Follow-up telephone conversations were also involved.

MICROFILMED

OCT 30 1997

CONVERSATION MEMORANDUM

DATE 9/17/97FILE 63-12221 + 63-03596NAME OF PARTY John Blum Holladay Engr. 208-642-3304EMPLOYEE JLRE: "SUBD." PLAT

After I updated file 63-12221 to subd. plat, John B. returned my call to plat. He said that 8/25 plat submitted is the best / only one available.

This is not a subd. plat'd AREA so map not available to show lots etc. sizes. Over time, this complex of mixed units has been developed without the typical platting info.

MAJOR irrg. water is surface water via irrg. district. Any irrg. from wells would just be supplemental.

I do not see a problem in Iowa decision making based on absence of more detailed plat.

RECOMMEND PROCESSING WITHOUT BETTER PLAT
than the 8/25/97 VERSION.

OCT 30 1997

HOLLADAY ENGINEERING CO.

ENGINEERS - CONSULTANTS

1431 Bus. Alt.-Hwy 95 P.O. Box 235 Payette, ID 83661
Phone: 208-642-3304 FAX: 208-642-2159

RECEIVED
AUG 25 1997
WATER RESOURCES
WESTERN REGION

SHIPPING TRANSMITTAL

Project No. PR 101396
Project Well No. 4
To: IDWR, Western Region
2735 Airport Way
Boise, Idaho 83705-5082

Date: August 22, 1997
Ship via: U.S Mail
Re: Well No. 4 Water Right
Fax #: 345-1774

Attn: Steve Lester

No. of pages _____ including
cover sheet

ENCLOSED

UNITS	DATED	REV. #	DESCRIPTION
1	8/21/97		corrected Application for Transfer of Water Right
1	8/21/97		Corrected Application for Permit
1			Plat Map
1	8/22/97		\$50.00 Amendment Fee

COMMENTS: Steve: If there is any additional information that you need,
please give me a call.

NEED Plat of lots' size shown, left phone msg for
John Blom.

-SL 9/17/97

By: _____

John D. Blom, E.I.T.

cc: _____

ENCLOSURE

OCT 30 1997

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS.
County of Canyon)

Carolyn Spath

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Twice

— in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
August 21, 28, 1997

Carolyn Spath

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 28th day of August
in the year of 1997, before me, a Notary Public, personally appeared Carolyn Spath, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

RECEIVED

AUG 29 1997

WATER RESOURCES
WESTERN REGION

MICROFILMED

7-13-98 1037

James Lusk
Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JUNE 21ST, 2003

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12221 ✓

CALDWELL HOUSING AUTHORITY

PO BOX 70

CALDWELL, IDA 83605

Source: GROUNDWATER

Diversion Pt: NENW Sec 9 T 04N R 03W in CANYON County.

NWNW Sec 9 T 04N R 03W in CANYON County.

Use: DOMESTIC

(0.460 CFS)

Total Diversion:

(0.460 CFS)

Date Filed: 5/17/1995

In: CANYON County

T04N R03W S09

NENW NWNW SWNW SENW

Water bearing zone to be appropriated for 85 homes and minor landscaping at Caldwell Labor Camp is 155 to 175 feet.

63-12405

BOOS, JEFFREY C

1910 BLOSSOM PLACE

MERIDIAN, ID 83642

Source: GROUNDWATER

Diversion Pt: LOT 4 (SWSW) Sec 18 T 03N R 01W in CANYON County.

Use: DOMESTIC

(0.080 CFS)

Total Diversion:

(0.080 CFS)

Date Filed: 7/11/1997

In: CANYON County

T03N R01W S18

Lot 4 (SWSW)

Water bearing zone to be appropriated is 100 to 200 feet.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before SEPTEMBER 8, 1997. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

August 21, 28, 1997

5772

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before SEPTEMBER 8, 1997. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 8/~~14~~/1997 & 8/~~21~~/1997
 21 28



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 18, 1997

ID DEPT OF HEALTH & WELFARE
DIV OF ENV QUALITY
BOISE REGIONAL OFFICE
PO BOX 83720
BOISE ID 83706

Re: Application for Permit No. 63-12221 in the Name of Caldwell
Housing Authority

Dear Sir:

Enclosed is a copy of the above-referenced application for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest along with the \$25.00 protest fee must be received in this office by September 8, 1997.

If you have any questions regarding the application, please contact this office.

Sincerely,

Gary Spackman

GS:st

Enclosure(s):



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

AUGUST 13, 1997

Legal Notices Department
Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 8, 1997.

Yours truly,

SUE TAYLOR
Secretary/Office Coordinator

Encl.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12221

CALDWELL HOUSING AUTHORITY
PO BOX 70
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NENW Sec 9 T 04N R 03W in CANYON County.
 NWNW Sec 9 T 04N R 03W in CANYON County.

```

Use: DOMESTIC          (          0.460 CFS)
      Total Diversion: (          0.460 CFS)

```

Date Filed: 5/17/1995

In: CANYON County
T04N R03W S09 NENW NWNW SWNW SENW

Water bearing zone to be appropriated for 85 homes and minor landscaping at Caldwell Labor Camp is 155 to 175 feet.



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

August 11, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JOHN D. BLOM E.I.T.
HOLLADAY ENGINEERING CO.
PO BOX 235
PAYETTE, ID 83661

RE: CALDWELL HOUSING AUTHORITY WATER RIGHT APPLICATIONS

Dear John:

Enclosed are amended versions of the transfer application to add a third production well to license no. 63-03596 and application for permit no. 63-12221 to use the same three production wells to serve additional units for the Caldwell Labor Camp. Note the updated explanation found in the August 11 "Comments" in 63-12221. Thank you for your previous attention to these applications.

An oversight that I made and for which I apologize is explained in this letter. The application for permit was advertised in 1995 and can now be re-advertised in its amended format. That re-advertising requires a \$50 amendment fee plus a plat map. The plat map should show all of the units served by this integrated system to be covered by the older and newer water rights.

The transfer application should be initialed and dated at the top of page 1 by a party authorized to sign for the applicant. The permit application should also be initialed and dated at the top of page 1 by a similar party. Department records show that Michael Holladay and/or Renne Bettis are authorized to sign for the applicant if one of those choices is more convenient than an official from the Caldwell Housing Authority.


To avoid any delay in processing these applications, I can submit them for advertising right away. The legal notices will run in the third and fourth weeks of August, with a protest deadline of September 8, 1997. The applications cannot be forwarded to the department state office for final action until the \$50 and plat map are submitted.

This arrangement should work to move the applications along without unnecessary delays. I regret that I did not think of these two items in our earlier discussions, but it appears that no harm will have been done by my error.

August 11, 1997
Page 2

Please provide your responses to me at your earliest convenience.
Let me know if you have any questions.

Sincerely,

A handwritten signature in cursive script, appearing to read "Steve Lester".

Steve Lester
Water Rights Supervisor

Enclosure

SD-0601-2

Water Right Number: 63-12221

END OF DATA Office	Reg	Location	FIRST PAGE Type Description	Date
LESTER	W	DESK	Desk Top Review	08/06/97
JIM	C	SHELVES	Review Complete	10/24/96
VAULT	C	DRAWER2	Moratorium Hold	04/29/96
JIM	C	BOX	Moratorium Hold	02/15/96
VAULT	C	DRAWER3	Moratorium Hold	09/26/95
CINDY	C	BOX	30 Day Call-up	08/17/95
ROBERTA	C	BASKET	Sent to State Office	08/14/95
TUTHILL	W	BASKET	Water Right Supervisor Review	08/10/95
WCLERK	W	SHELVES	In Advertising	06/28/95

(Enter=Cont) (GOLD4=Prev Scr) (GOLD5=Next Scr) (GOLD6=End of Data) (GOLD8=Exit)

was held e f.o. for Bs 63 moratorium.
Returned to Regm 8/6/97 to see if
can process for approval along with
companion transfer appl. for 63-03596.

-JL 8/11/97

1/95

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: CJH DATE: 6/22/95 APPLICATION: 63-1221

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map: (show T, R, S, QQ &/or QQQ)
☒ Subdivision plat: (for > 1 home in restricted area. ≥ 5 homes in non-restricted area)
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required) see authorizing agreement to be submitted
☒ Fee: see modified receipt W019178 100.00
☒ Yes ☐ No* In form to receipt:

Gov't. Lots:

3 P/D2 P/UADDITIONAL INFORMATION

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ ☐ Overlapping point of diversion:
☒ ☐ Field check required: Field check by: _____
☒ ☐ Field report attached:
☒ ☐ Critical groundwater area:
☒ ☐ Groundwater management area:
☒ ☐ 1992 moratorium: Multi-domestic exempt
☒ ☐ Copy to SCA staff: (perennial stream, non-pump diversion)
☒ ☐ Copy to Dam Safety staff: (for any storage)
☒ ☐ Basin 63 mitigation plan: (where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge)
☒ ☐ Send power requirement letter:
☒ ☐ Send fish farm requirement letter:
☒ ☐ Power residency affidavit:
☒ ☐ Power efficiency form:
☒ ☐ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side:

info for
1995 versions
Now see 8/11/97
version

-82

PROCESSING

APPLICATION NO

63-12221

YES NO

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

(DEQ)

I.D. Health and Welfare

I.D. District Health

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest

Protest dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority

Recommended by:

Date

STATE OFFICE REVIEW

See below for additional information. By

Date

ADDITIONAL INFORMATION

PLD overlap 63-3596 - Same well, existing uses. This ap for added uses.

PLU overlap 63-3596 Same source, other use (see above)
63-9346 Separate owner, other acres?

* RECOMMEND: IF/WHEN Permit mailed, include Appl. to Transfer to add new

well, 63-12221 to older right 63-03596 (see CTH D'Back comments)

T5123 approved 9/30/87

FL 8/9/85

Water bearing zone to be appropriate is 120 to 505 feet.

63-11747

J BAR L INC

RT 2
WILDER, ID 83676
Source: GROUNDWATER
Diversions Pt: SWSE Sec 23 T 04N R 05W in CANYON County.
Use: IRRIGATION (0.980 CFS)
Total Diversion: (0.980 CFS)

Date Filed: 4/2/1992

In: CANYON County

T04N R05W S23 SESW NWSE SWSE
79.0 ACRES TOTAL

Water bearing zone to be appropriated is 100 to 250 feet.

63-11750

NORRIS, J MARTIN

16608 CHICKEN DINNER RD
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt: SWSWNW Sec 12 T 03N R 04W in CANYON County.
Use: IRRIGATION (1.500 CFS)
Total Diversion: (1.500 CFS)

Date Filed: 3/26/1992

In: CANYON County

T03N R04W S12 SWNW SENW SWSW
116.0 ACRES TOTAL

Water bearing zone to be appropriated is 89 to 320 feet.

63-11752

O'DELL, GLENN

O'DELL, SANDRA
1557 SOUTHSIDE BLVD S
MELBA, ID 83641
Source: GROUNDWATER
Diversions Pt: SENESW Sec 12 T 01S R 02W in CANYON County.
Use: IRRIGATION (1.540 CFS)
Total Diversion: (1.540 CFS)

Date Filed: 4/3/1992

In: CANYON County

T01S R02W S12 NESW NWSW
77.0 ACRES TOTAL

Water bearing zone to be appropriated is 115 to 208 feet.

63-11760

ROBINSON, DENNIS PAUL

ROBINSON, NORENE
24732 RODEO LN
PARMA, ID 83660
Source: GROUNDWATER
Diversions Pt: SWNE Sec 33 T 05N R 05W in CANYON County.
Use: IRRIGATION (1.400 CFS)
Total Diversion: (1.400 CFS)

Date Filed: 4/6/1992

In: CANYON County

T05N R05W S33 NENE NWNE SWNE
70.0 ACRES TOTAL

Water bearing zone to be appropriated is 120 to 368 feet.

63-11765

YAMAMOTO FARMS INC

20294 MIDLAND BLVD
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt: NENWSW Sec 22 T 04N R 02W in CANYON County.
Use: IRRIGATION (1.440 CFS)
Total Diversion: (1.440 CFS)

Date Filed: 4/10/1992

In: CANYON County

T04N R02W S21 NESE NWSE SESE
S22 NWSW
72.0 ACRES TOTAL

Water bearing zone to be appropriated is 160 to 230 feet.

63-11766

YAMAMOTO FARMS INC

20294 MIDLAND BLVD
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt: SENESE Sec 20 T 04N R 02W in CANYON County.
Use: IRRIGATION (1.600 CFS)
Total Diversion: (1.600 CFS)

Date Filed: 4/10/1992

In: CANYON County

T04N R02W S20 SWNE SENE NESE NWSE
SWSE
80.0 ACRES TOTAL

Water bearing zone to be appropriated is 150 to 240 feet.

63-11768

MORROW, KENETH L

1616 LAKE LOWELL AVE
NAMPA, ID 83686
Source: GROUNDWATER
Diversions Pt: SESW Sec 29 T 03N R 02W in CANYON County.
SWSE Sec 29 T 03N R 02W in CANYON County.
Use: IRRIGATION (1.080 CFS)
Total Diversion: (1.080 CFS)

Date Filed: 4/14/1992

In: CANYON County

T03N R02W S29 SESW SWSE

Total Diversion: (0.700 CFS)

Date Filed: 5/20/1992

In: CANYON County

T04N R02W S28 SESE

35.0 ACRES TOTAL

Water bearing zone to be appropriated is 280 to 300 feet.

63-11838

SUNSET FARMS INC

C/O KENNETH TIEGS
10305 MELMONT RD
MELBA, ID 83641
Source: GROUNDWATER
Diversions Pt: SENE Sec 3 T 03N R 02W in CANYON County.
Use: IRRIGATION (1.600 CFS)
Total Diversion: (1.600 CFS)

Date Filed: 5/19/1992

In: CANYON County

T03N R02W S03 Lot 1 (NENE) SENE

80.0 ACRES TOTAL

Water bearing zone to be appropriated is 22 to 60 feet.

63-11848

BOISE CASCADE CORRUGATED CONTAINERS

1808 E CHISHOLM DR
NAMPA, ID 83687
Source: GROUNDWATER
Diversions Pt: SWNW Sec 14 T 03N R 02W in CANYON County.
Use: IRRIGATION (0.090 CFS)
Total Diversion: (0.090 CFS)

Date Filed: 5/21/1992

In: CANYON County

T03N R02W S14 SWNW

3.0 ACRES TOTAL

Water bearing zone to be appropriated is 100 to 150 feet.

63-11853

NORRIS, DOUGLAS

18876 KARCHER RD
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt: SESW Sec 5 T 03N R 03W in CANYON County.
Use: IRRIGATION (1.480 CFS)
Total Diversion: (1.480 CFS)

Date Filed: 5/28/1992

In: CANYON County

T03N R03W S05 NESW SESW

74.0 ACRES TOTAL

Water bearing zone to be appropriated is 100 to 200 feet.

63-11856

GRABER, ANSIL

24771 USTICK RD
WILDER, ID 83676
Source: GROUNDWATER
Diversions Pt: SESW Sec 36 T 04N R 05W in CANYON County.
Use: IRRIGATION (1.680 CFS)
Total Diversion: (1.680 CFS)

Date Filed: 5/27/1992

In: CANYON County

T03N R05W S01 Lot 3(NENW) Lot 4(NENW)

S02 SWNE SENE

T04N R05W S36 SESW

84.0 ACRES TOTAL

Water bearing zone to be appropriated is 150 to 344 feet.

63-11857

BASSETT, VERA

13971 MIDWAY RD
NAMPA, ID 83651
Source: GROUNDWATER
Diversions Pt: NENE Sec 25 T 03N R 03W in CANYON County.
Use: IRRIGATION (0.400 CFS)
Total Diversion: (0.400 CFS)

Date Filed: 5/22/1992

In: CANYON County

T03N R03W S25 NENE

20.0 ACRES TOTAL

Water bearing zone to be appropriated is 110 to 120 feet.

63-12221

CALDWELL HOUSING AUTHORITY

PO BOX 70
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt: NWNW Sec 9 T 04N R 03W in CANYON County.
Use: IRRIGATION (0.060 CFS)
DOMESTIC (0.400 CFS)
Total Diversion: (0.460 CFS)

Date Filed: 5/17/1995

In: CANYON County

T04N R03W S09 NWNW SWNW

2.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before JULY 24, 1995. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

July 19, 26, 1995

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS.
County of Canyon)

Carolyn Spath

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Twice

— in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
July 19, 26, 1995

Carolyn Spath

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 26th day of July
in the year of 1995, before me, a Notary Public, personally appeared Carolyn Spath known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

Ann Lusk
Notary Public for Idaho
Residing at Nampa
MY COMMISSION EXPIRES
JUNE 21st, 1997

NOTICE OF APPLICATION FOR WATER RIGHT
The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

Original affidavit filed with water right #63-11630.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before JULY 24, 1995. The protestant must also send a copy of the protest to the applicant.
KARL J. DREHER, Director

July

RECEIVED

JUL 28 1995

WATER RESOURCES
WESTERN REGION

RECEIVED

JUL 14 1995

WATER RESOURCES
WESTERN REGION


HOUSING AUTHORITY

of the
CITY of CALDWELL
P. O. Box 70
Caldwell, Idaho 83605
(208) 459-2232
July 12, 1995

TO WHOM IT MAY CONCERN:

The Housing Authority of the City of Caldwell is presently planning to add a second well to its property as a backup to its present well. The Board of Commissioners have contracted with Holladay Engineering to represent them in matters pertaining to this project. The Housing Authority of the City of Caldwell hereby authorizes Michael Holladay and/or Renee Bettis to execute any and all documents necessary to complete this project.

Sincerely,



Donald E. Downen
Chairman



IDAHO DEPARTMENT
OF HEALTH AND WELFARE
DIVISION OF
ENVIRONMENTAL QUALITY

1445 North Orchard, Boise, ID 83706-2239, (208) 334-0550

DM
File
RECEIVED
JUL 13 1995
WATER RESOURCES
WESTERN REGION
Philip E. Batt, Governor

July 11, 1995

David R. Tuthill, P.E.
Manager, Western Regional Office
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705

RE: Caldwell Housing Authority
Application for Permit No. 63-12221
IDWR Request for Comment dated June 28, 1995

Dear Mr. Tuthill:

The referenced permit includes a new public water supply well. Holladay Engineering Company has submitted a preliminary site assessment based on proximity of pollution sources. We have evaluated the proposal and conducted a field inspection; we will issue written site approval after well construction details are provided by the engineer and reviewed by IDWR.

Holladay Engineering must provide this office with detailed plans and specifications for the well and pump house. The well may not be drilled until all approvals are obtained from both IDWR and the Division of Environmental Quality (DEQ). DEQ will not issue approval until IDWR has approved both the appropriation permit and well drilling permit.

Our approval will include the following conditions:

1. Construction must be done under the general supervision of the professional engineer. (A contract between the owner and engineer assuring this supervision must be submitted with plans and specs.)
2. Numerous water quality parameters must be tested after the well is completed and before connection to the distribution system.

Thank you for the opportunity to comment. Please call me at 334-0550 if you have questions.

Sincerely,

Bill Freeman
Water Quality Engineering Specialist

c: Holladay Engineering Company
Source File #1, Caldwell Housing Authority, Engineering Correspondence
Source File #14; Reading File



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 28, 1995

ID DEPT OF HEALTH & WELFARE
DIV OF ENV QUALITY
SWIRO
PO BOX 83720
BOISE ID 83706

Re: Application for Permit No. 63-12221 in the Name of Caldwell
Housing Authority

Dear Sir:

Enclosed is a copy of the above-referenced application
for permit which may be of interest to your agency. Please
review the application and submit any comments you may have.

This office normally completes the processing of an
application within a six-week period and is required to take
final action shortly thereafter, however, if your agency
desires to file a formal protest against the approval of this
application(s), your written protest must be received in this
office by July 24, 1995.

If you have any questions regarding the application,
please contact this office.

Sincerely,

Steve Lester, Acting for

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:st

Enclosure(s):

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

RECEIVED

JUN 29 1995

Receipt No: W019178

WATER RESOURCES
WESTERN REGION

Debbie -

Date: 5/17/1995
Time: 12:13:49

Please modify receipt
as shown to re-designate
more \$ to 62103 code. Thanks

done Cindy
da

Received
From: CITY OF CALDWELL

Type of Payment

Program A cct

Amount

.P.: CALDWELL HOUSING AUTHORITY
PPPLICATION FOR PERMIT

62115
62103

229 21 1205
229 21 1155

145 195.00
100 -50.00

CHECK 8964

Total \$ 245.00

Region: WESTERN

Signature: DBuffington

642 3304
Holladay
P.O. Box 235
MICROFILMED
OCT 30 1997
83661

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No: W019178

Date: 06/29/95
Time: 09:51:47

Received
From:

CITY OF CALDWELL
Type of Payment

Program Acct

Amount

D.P.: CALDWELL HOUSING AUTHOR	0229	210062115	1205		
				\$	145.00
APPLICATION FOR PERMIT	0229	210062103	1155		
				\$	100.00
				Total	
				\$	245.00

CHECK 8964

Idaho Department of Water Resources

Region: WESTERN

Signature: da

MICROFILMED
OCT 30 1997

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No: 9019178
BACKOUT

Date: 06/29/95
Time: 09:51:47

Received
From:

CITY OF CALDWELL
Type of Payment

Program A cct

Amount

D.P.: CALDWELL HOUSING AUTHORI	0229	210062115	1205
APPLICATION FOR PERMIT	0229	210062103	1155

\$ -145.00

\$ -100.00

Total

\$ -245.00

CHECK 8964

Idaho Department of Water Resources

Region: WESTERN

Signature: _____

MICROFILMED
OCT 30 1997

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No: W019178

Date: 5/17/1995
Time: 12:13:49

Received
From: CITY OF CALDWELL

*Requested to have receipt
modified 6/27/95 by*

Type of Payment
D.P.: CALDWELL HOUSING AUTHORITY
APPLICATION FOR PERMIT

	Program Acct	Amount
62115	229 21 1205	145 ~~195.00~~
62103	229 21 1155	100 ~~50.00~~

CHECK 8964

Total \$ 245.00

Region: WESTERN

Signature: *D. Buffington*

*642 3304
Holladay
Rt Bx 235
Payette 83661*

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No: W019194

Date: 5/19/1995
Time: 12:51:03

Received
From: HOUSING AUTHORITY

	Type of Payment		Program A cct	Amount
D.P.:	CALDWELL HOUSING AUTHORITY	62115	229 21 1205	5.00
	<i>additional fee</i>			
CHECK	8977		Total	\$ 5.00

Region: WESTERN

Signature: *DBuffington*

63-12221

CALDWELL HOUSING AUTHORITY
PO BOX 70
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NWNW Sec 9 T 04N R 03W in CANYON County.

Use: IRRIGATION	(	0.060 CFS)
DOMESTIC	(	0.400 CFS)
Total Diversion:	(	0.460 CFS)

Date Filed: 5/17/1995

In: CANYON County
 T04N R03W S09 NWNW SWNW

2.0 ACRES TOTAL