


Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 1/4 1/4, section, township, range and ditches. (the smallest subdivision represents 40 acres)



Scale: 2 inches equal 1 mile

I hereby request approval of this change subject to the fact that no one will be injured by the change, and that the change will be made at my own risk.

Signed this 13 day of OCT, 19 95.

[Signature]
Permit Holder

ACTION OF THE DEPARTMENT OF WATER RESOURCES

Preliminary check by CY 10.20.95 Publication prepared by N/A Date _____


Published in _____ Publication dates _____

I, L. GLEN SAXTON, of the Department of Water Resources hereby approve the above referenced application for amendment provided the conditions as set forth in Permit No. 63-12203 are met.

Witness my hand this 27th day of November, 19 95.
L. Glen Saxton

RECEIVED
DEC 12 1995

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.





Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Walt Wanner
(Applicant)
Walt Wanner, President

930403

UNPLATTED




UNPLATTED

PRELIMINARY PLAT LEGEND

- Boundary Line
- Right-of-Way Line
- Conformity
- Lot Line
- External Line
- Setback Line
- Structure of Floor
- Structure Line
- Drain, Power Line
- Power Line
- Water Line
- Gravel Shale
- Gravel, Sand
- Top of Sheet
- Drain Line
- Edm. 1" Corner
- Edm. 1" Corner

LAND USE CALCULATIONS			
	Acres	Feet	Feet
1. TOTAL AREA			
R1 Zone	5.127	5,000	1 mi
R1 Zone (Non-Prime Development to the State of the City)	70.00	60,000	20 mi
R1 Zone (Non-Prime Development to the State of the City)	4.00	3,000	1 mi
Grand Total	69.47	19,000	1 mi
2. NON-PRIME OPEN SPACE			
Hard Surface Area in R1 Zone	1.00	2,000	1 mi
Grand Total	62.94	70,000	1 mi
3. NON-PRIME DEVELOPMENT	15.54	50,000	1 mi
4. LOT DEVELOPMENT			
R1 Zone	0.10	10	1 mi
Non-Prime (Included)	10.10	10	1 mi
Non-Prime (Non-Prime) in 40 Feet 5-10-5	1.00	10	1 mi
R1 Lot—South of Canal	1.00	10	1 mi
Grand Total	20.20	10	1 mi

1" = 375'



HOUSING - R1 (RURAL RESIDENTIAL)
- R-1 (ESTATE RESIDENTIAL)

TOTAL AREA OF PARCEL - 22.40 ACRES

DESIGNER
STATSWIDE CONSTRUCTION
4800 RIVA RIDGE DRIVE
BOSS, TEXAS 75008

AUG 0 9 1995

PRELIMINARY PLAT
CHOUSE POINT SUBDIVISION

REVISION: 1
DATE: 8/9/95
BY: [Signature]
CHECKED: [Signature]
APPROVED: [Signature]


PREPARED BY: [Signature]
DATE: 8/9/95

SCALE: 1" = 375'

Discussed adding fire prot. well w/ NO -
 agree that need annual permit (in file new Appl.)
 to allow dep. to be approved.

Also - discuss w/ DPT - no re-adv. needed to add 2nd pit
 same O.C.
 " " " / R/W - comm. well (O.C.) comb. p.d.p. if
 serve as backup for domestic

930403



MICROFILMED

DEC 12 1995

MAP from
 63-12203
 shows just 1 well
 site was originally
 proposed

-82 10/5/95

RECEIVED

JUL 15 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12203 Telephone No. 362-5575

2. Name(s) of Permit Holder(s): Statewide Construction, Inc.

3. Mailing Address: 4225 Riva Ridge Way Boise, Idaho 83709

4. Source of Water: Wells If **GROUNDWATER** (well), Date Drilled: mo. 9 / yr. 95

a. Well Driller: Pete Cope Drilling Drilling Permit Number: 63 - 95 - W0254-000

b. **OPTIONAL:** #1 = 15 #1 65psi
Pump Horsepower: #2 = 100 Pressure (psi): #2 65psi Dynamic pumping level (ft): 320'

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 24 Stockwater (No. and type of stock): 0

Irrigation (No. of acres): 12 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 47 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes X or No _____

Has the measuring device been installed? Yes X or No _____

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No _____

Has the measurement port been installed? Yes _____ or No _____

8. Fee Enclosed: \$ \$100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Walter R. Wanner Telephone Number: 362-5575

Address: 4225 Riva Ridge Way Boise, Idaho 83709

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho. **MICROFILMED**
AUG 21 1998


Signature of permit holder: [Signature] Date: 7-15-98

(include your title, if on behalf of company or organization)

DEC 12 1995

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 1/4 1/4, section, township, range and ditches. (the smallest subdivision represents 40 acres)



Scale: 2 inches equal 1 mile

I hereby request approval of this change subject to the fact that no one will be injured by the change, and that the change will be made at my own risk.

Signed this 13 day of OCT, 19 95.


Permit Holder


ACTION OF THE DEPARTMENT OF WATER RESOURCES

Preliminary check by Cyt 10.20.95 Publication prepared by N/A Date _____

Published in _____ Publication dates _____

I, L. GLEN SAXTON, of the Department of Water Resources hereby approve the above referenced application for amendment provided the conditions as set forth in Permit No. 63-12203 are met.

Witness my hand this 27th day of

November, 19 95


DEC 12 1995

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-12203

Proposed Priority: April 19, 1995 Maximum Diversion Rate: 0.47 CFS

This is to certify, that **STATEWIDE CONSTRUCTION**
4225 RIVA RIDGE DR
BOISE ID 83709

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.24 CFS
DOMESTIC	01/01 to 12/31	0.23 CFS
	Totals	0.47 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNW , Sec. 15, Township 02N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	01E	15	SWNW 6.5	NWSW 5.5		12.0

Total number of acres irrigated: 12.0

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1998.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
5. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
7. Construction of the well must comply with Idaho well construction standards.
8. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

AUG 09 1995

State of Idaho
Department of Water Resources

Permit To Appropriate Water


NO. 63-12203

CONDITIONS/REMARKS:

9. Place of use is located within Lots 1-9, Blk. 1; and Lots 1-15, Blk. 2; Grouse Point Subdivision.
10. Domestic use is for 24 homes.
11. Domestic use does not include lawn, garden, landscape, or other types of irrigation.
12. The irrigation use occurring under this right shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed.
13. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

7th day of August, 1995


Karl J. Dreher, Director

RECEIVED
AUG 9 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant STATEWIDE CONSTRUCTION, INC. Phone 362-5575
Post office address 4225 RIVA RIDGE DRIVE, BOISE, IDAHO 83709
2. Source of water supply GROUNDWATER which is a tributary of N/A
3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 15 Township 2N Range 1E B.M. ADA County; additional
points of diversion if any: NONE
4. Water will be used for the following purposes:
Amount 0.23 CFS for DOMESTIC purposes from JAN. 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum) (IRR)
Amount 0.24 CFS for YARD USE purposes from MAR. 15 to NOV. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.47 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. N/A

b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is TBD inches; proposed depth of well is TBD feet.
d. Is ground water with a temperature of greater than 85°F being sought? NO
e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
3 years (minimum 1 year).
maximum 5 years

RECEIVED
AUG 09 1995

Drilling permit ap.
63-95-W-0254-000
also received - marked
"test well" - Denise
is processing.

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in k N/A
- b. Stockwatering; list number and kind of livestock. N/A
- c. Municipal; show name of municipality. N/A
- d. Domestic; show number of households. 24 RESIDENCES
- e. Other; describe fully. IRRIGATE 0.5 ACRE/RESIDENCE.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	1E	15							6.5				5.5						12.0
		15							D				D						

Total number of acres to be irrigated 12.0


10. Describe any other water rights used for the same purposes as described above. GRAVITY IRRIGATION SUPPLIED BY NEW YORK CANAL CO.

11. a. Who owns the property at the point of diversion? STATEWIDE CONSTRUCTION, INC.
- b. Who owns the land to be irrigated or place of use? STATEWIDE CONSTRUCTION, INC.
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: 1) PLATTED LOTS WILL BE SOLD TO INDIVIDUAL BUYERS.
MAINTENANCE AND OPERATION OF COMMUNITY WATER SYSTEM WILL BE PERFORMED BY HOMEOWNERS' ASSOCIATION.
2) DRILLING PERMIT FOR TEST WELL OF THIS LOCATION HAS BEEN FILED.

AUG 09 1995

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Walt Wanner
(Applicant)
Walt Wanner, President

UNFLATTED



AUG 09 1995

Received by VR Date 4-19-95 Time 4:25 Preliminary check by CYH
Fee \$ 100.00 Received by VR # W018982 Date 4-19-95
Publication prepared by _____ Date _____ Published in Stateman
Publication approved AT Date 5-23-95
4-20427-1995

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED
AUG 09 1995

RECEIVED
JUN 08 1995

Ident. No. 63-12203

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: STATEWIDE CONSTRUCTION 208-362-5575
Address: 4225 RIVA RIDGE DR
BOISE ID 83709
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWSWNW Sec. 15, Township 02N, Range 01E
ADA County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.240		
DOMESTIC	01/01	12/31	0.230		
5. Total quantity to be appropriated is:
0.470 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
NA
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 year(s).
8. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
02N	01E	15	SWNW 06.5	NWSW 05.5		12

Total number of acres irrigated: 12

RECEIVED
AUG 09 1995

Place of Use: DOMESTIC, same as IRRIGATION use

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

Domestic use is for 24 homes.
Place of use located within Lots 1-9 Block 1 and 1-15 Block 2,
Grouse Point Subdivision.

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ 135.00 Receipted by _____ #W018982 Date 4/19/1995

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

RECEIVED
AUG 09 1995

Comments: Date: 4/ 26/ 1995 User-ID: CHODGES

Subject:

SUPPLEMENTAL IRRIGATION

Irrigation supplemental to shares from New York Canal Co.

See attached update

Comments: Date: 4/ 26/ 1995 User-ID: CHODGES

Subject:

TEST WELL APPLICATION FILED

Drilling permit application 63-95-W-0254-000 filed for test well at this location. Permit fees filed = \$35.00. Balance of fees, new and/or upgraded permit required for community well.

RECEIVED
AUG 09 1995

SD-0420-2
MODIFY RECORD

Idaho Department of Water Resources
Modify Comment

Date: 04/26/95
Time: 13:39:15

Water Right Number: 63-12203

Comment Date: 4/26/1995 User ID: CHODGES

Subject: SUPPLEMENTAL IRRIGATION_____

Irrigation supplemental to shares from New York Canal Co._____
Applicant states per telecon that a pressurized surface water_____
irrigation system will be developed to deliver those shares_____
within the subdivided area._____

(Enter=Continue/Exit) (Gold2=Update) (Gold3=Delete) (Gold4=Prev) (Gold5=Next)

SD-0420-2
ADD COMMENT

Idaho Department of Water Resources
Modify Comment

Date: 04/26/95
Time: 13:40:37

Water Right Number: 63-12203

Comment Date: 4/26/1995 User ID: CHODGES

Subject: CORPORATE OFFICERS

Walt Wanner, Pres.

Brian Wanner, V.P.

Saundra Wanner, Sec/Treas.

(Enter=Add) (Gold4=Prev) (Gold5=Next) (Gold7=Return to Comment Selection)

LETTER OF TRANSMITTAL

BRIGGS ENGINEERING, Inc.

1111 So. Orchard St., Suite 600 Boise, Idaho 83705

PHONE: (208) 345-2881 FAX NO: (208) 345-2950

DATE 4-19-95 ID NO. 930403

TO Western Region
ID Dept. of Water Resources
2735 Airport Way
Boise, ID 83705

JOB NAME Grouse Point Subdivision

JOB ADDRESS _____

CITY, STATE _____

☒ WE ARE SENDING YOU

☐ WE ARE RETURNING

☐ SHOP DRAWINGS

☐ CHANGE ORDER

☐ COPY OF LETTER

☐ PLANS

☐ ORIGINALS

☐ FINAL PLAT

☐ SPECIFICATIONS

☐ COMPUTER DISK

☒ OTHER See Below

☒ ENCLOSED

☐ UNDER SEPARATE COVER VIA

☐ FEDERAL EXPRESS

☒ COURIER

☐ _____

COPIES	DATED	ID NO.	DESCRIPTION
1	4-19-95		Application for Drilling Permit Form 235-1
1	4-19-95		Application for Permit Form 202
1	4-19-95		Check in amount of \$135 - Fees for above.

THESE ARE TRANSMITTED AS CHECKED BELOW :

☒ FOR APPROVAL

☐ FOR YOUR INFORMATION

☐ AS REQUESTED

☐ FOR REVIEW AND COMMENT

☐ FOR BIDS DUE _____

☐ APPROVED AS SUBMITTED

☐ APPROVED AS NOTED

☐ RETURNED FOR CORRECTIONS

☐ PRICE

☐ RESUBMIT _____ COPIES FOR APPROVAL

☐ SUBMIT _____ COPIES FOR DISTRIBUTION

☐ RETURN _____ CORRECTED PRINTS

☐ _____

REMARKS _____

RECEIVED

AUG 09 1995

COPY TO _____

SIGNED _____

David N. Torgerson

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-12203 Reviewed by Jay Date 8-14-98

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? dom, inc
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

____ Surface water source
✓ Ground water source
yes Drilling permit required? 63-95-W-0254-000
NO Copy in the file? Drilling Permit No. 63-95-W-0837-000
200- Amount paid for permit yes Correct?
yes Well log in the file? *abandoned*

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
100- Amount Submitted
yes Correct?
yes Required?
yes Installed?
____ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____
Date proof due	_____
No. of days late	_____
Priority Date	_____
New Priority Date	_____

(Calculation area crossed out with a large X)

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 7-15-98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 14, 1998

Statewide Construction Inc
4225 Riva Ridge Way
Boise ID 83709

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12203

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's **WESTERN** Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

AUG 21 1998

May 31, 1998

STATEWIDE CONSTRUCTION
4225 RIVA RIDGE DR
BOISE ID 83709

PROOF DUE NOTICE

RE: PERMIT NO. 63-12203

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1998.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

AUG 21 1998



FORWARD WHITE COPY TO WATER RESOURCES

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Use Typewriter or Ballpoint Pen

FEB 20 1996

Office Use Only	
Inspected by	
Twp	Rge
1/4	1/4
Lat	Long

1. DRILLING PERMIT NO. 63-95-W-0837-000
Other IDWR No. 63-12203

2. OWNER:

Name Statewide Construction, Inc.
Address 4225 Riva Ridge Drive
City Boise State ID Zip 83709

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

N	
X	
S	

Twp. 02 N North ☐ or South ☐
Rge. 01 E East ☐ or West ☐
Sec. 15 SW 1/4 NW 1/4 1/4
Gov't Lot _____ County ADA 10 acres 40 acres 160 acres
Lat: _____ Long: _____

Address of Well Site Cloverdale, 3/8mile south hubbard rd City boise
(Give at least name of road + Distance to Road or Landmark)Lt. _____ Blk. _____ Sub. Name Grouse Point

4. USE: Community, Public Water, Fire Protection

☐ Domestic ☒ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD

☐ Air Rotary ☐ Cable ☐ Mud Rotary ☒ Other Reverse Circulation

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
Bentonite	0	200	25,000#	poured

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) _____Was drive shoe seal tested? ☐ Y ☐ N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
12"	+2	276	.375	steel	☒	☐	☒	☐
10"	276	280	.250	steel	☒	☐	☒	☐
10"	330	340	.250	steel	☒	☐	☒	☐

Length of Headpipe _____ Length of Tailpipe 10'

9. PERFORATIONS/SCREENS

☐ Perforations Method _____
☒ Screens Screen Type Houston v-wire wrap

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
280	330	30	304	10"	s. steel	☒	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

137 ft. below ground Artesian pressure _____ lb.Depth flow encountered _____ ft. Describe access port or control devices: 2" blk pipe welded on side of casing

11. WELL TESTS:

☐ WATER RESOURCES
☐ WESTERN REGION

☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
not available at this time			

Water Temp. cold Bottom hole temp. coldWater Quality test or comments: goodDepth first Water Encountered 52

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
20"	0	3	Dry hard Clay		X
	3	16	loose lava boulders & hard dry clay		X
	16	42	basalt		X
	42	44	cinders		X
	44	49	hard gravel		X
	49	50	brn hard clay, some sand mix		X
	50	52	black sand	X	
	52	61	hard brn clay & sand mix	X	
	61	62	sticky brown clay		X
	62	92	river rock	X	
	92	112	sand	X	
	112	116	river rock & sand	X	
	116	118	brn clay		X
	118	122	sand	X	
	122	130	river rock & sand	X	
	130	133	brn clay & sand mix		X
	133	147	river rock & crse sand	X	
	147	150	sand	X	
	150	151	clay		X
	151	160	sand	X	
	160	163	sand & brn cly mix		X
	163	175	course snd & pea grvl	X	
	175	180	sandy brn clay		X
	180	185	crs snd & river rock	X	
	185	188	crs snd & brn clay mx	X	
	188	190	brn clay		X
	190	195	sand	X	
	195	198	sand & river rock	X	
	198	200	sand	X	
	200	205	sand	X	
	205	215	grvl, sand, river rock mx		X

Completed Depth 340 (Measurable)Date: Started 12-26-95 Completed 2-14-96

MICROFILMED

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Pete Cope Drilling Co Firm No. 213Firm Official Jerry Cope Date 2-16-96

and _____

Supervisor or Operator _____ Date _____

(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

NOVEMBER 27, 1995

STATEWIDE CONSTRUCTION INC
4225 RIVA RIDGE DR
BOISE ID 83709


RE: Permit No. 63-12203

Dear Water Right Holder(s):

Enclosed is a copy of your approved Application for Amendment submitted in connection with the above referenced permit.

If you have any questions concerning this document, please contact me at (208) 327-7946.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:rl

Enclosure

RECEIVED
DEC 12 1995

WR0749NP
No. B63-12203

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 11/16/95
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	STATEWIDE CONSTRUCTION 4225 RIVA RIDGE DR BOISE ID 83709 (208) 362-5575	04/19/1995	IRRIGATION DOMESTIC	03-15 11-15 01-01 12-31	0.240 CFS 0.230 CFS	
TOTAL DIVERSION:					0.470 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion:

T02N R01E S15

SWNW

ADA County

Place of use Legal Description for: IRRIGATION

		NE				NW				SW				SE				
T	R S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
02N	01E 15	:		:		:		:		:		:		:		:		12.0
TOTAL ACRES																	12.0	

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:
63-12203

Other Water Rights Listing Overlapping Place(s) of use:
63-071078 63-12203

Conditions of Approval:

- 26A - Project construction shall commence within one year from the
 - date of permit issuance and shall proceed diligently to
 - completion unless it can be shown to the satisfaction of the
 - Director of the Department of Water Resources that delays were
 - due to circumstances over which permit holder had no control.
- 01M - After specific notification by the department, the right holder
 - shall install a suitable measuring device or shall enter into an
 - agreement with the department to determine the amount of water
 - diverted from power records and shall annually report the
 - information to the department.
- 065 - The right holder shall use the full allotment of appurtenant
 - surface water rights in conjunction with groundwater diverted
 - under this right.
- 046 - Right holder shall comply with the drilling permit
 - requirements of Section 42-235, Idaho Code.
- 46B - Construction of the well must comply with Idaho well
 - construction standards.
- 03A - The rate of diversion of water for irrigation under this right
 - and all other water rights on the same land shall not exceed 0.02
 - cubic feet per second for each acre of land.

Remarks: Two points of diversion are located within SWNW, S15, T02N, R01E.
Place of use is located within Lots 1-9, Blk. 1; and Lots 1-15, Blk. 2; Grouse Point Subdivision.
Domestic use is for 24 homes.
Domestic use does not include lawn, garden, landscape, or other types of irrigation.
The irrigation use occurring under this right shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed.
This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.

Dates: App. Received: 04/19/1995 Priority Date: 04/19/1995
Proof Due Date: 08/01/1998 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 04/26/1995 User-ID: CHODGES Subject: SUPPLEMENTAL IRRIGATION
Irrigation supplemental to shares from New York Canal Co.
Applicant states per telecon that a pressurized surface water irrigation system will be developed to deliver those shares within the subdivided areas.

Date: 04/26/1995 User-ID: CHODGES Subject: TEST WELL APPLICATION FILED
Drilling permit application 63-95-W-0254-000 filed for test well at this location. Permit fees filed = \$35.00. Balance of fees, new and/or upgraded permit required for community well.

Date: 04/26/1995 User-ID: CHODGES Subject: CORPORATE OFFICERS
The corporate officers of Statewide Construction Inc. are:
Walt Wanner, President;
Brian Wanner, Vice President; and
Saundra Wanner, Secretary/Treasurer.

Audit: 11/16/95 CZIMMERM

AMENDMENT OF PERMIT REVIEW

Reviewed by Cindy Zimmerman

on Nov. 16, 1995

PERMIT NO. 63-12203 NAME Statewide Const. Ad OK? N/A

TYPE: A = AMENDED E = CHANGE N/U I = CHANGE P/D & P/U
B = CHANGE P/D F = CHANGE Per/U J = ADD P/D & CHANGE P/U
C = ADD P/D G = OTHER
D = CHANGE P/U H = CHANGE P/D & + P/D

AREA OF CONCERN: _____ Mor _____ GWMA Trust/Non-trust

B/U PROOF DUE DATE: 8/1/98 Submitted? Yes (No) Due -6 months? Yes (No)

SURFACE WATER: <flow chart>

In Water District - 005; WD No. _____
+ 0.2 cfs - 01J
- 0.2 cfs - 01H
Not in WD; +0.2 cfs - 01M
-0.2 cfs - No MD

GROUNDWATER: <flow chart>

+ 0.2 cfs - ~~01M~~ on permit
- 0.2 cfs - No MD
Drilling Permit - Included? No. 63-95-W-0837-000
- Not included? ~~046-46B~~ on permit
- NA

LOCATION:

Swan Falls Flag - _____ (1, Blank or Other)
Trust - 051-052-053 (Consumptive Uses); NA
Non Trust <1> - 048-049; NA

RIVER BASINS (Surface Water)

Boise (63) - 05A & 11E, N/A
Payette (65) - 047 (Payette Lake), 064 (consump. use), NA
Snake (01, 02 & 03) - 11A (01), 061 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 06A/09E/010 (WQ/Choose One), 042-002,
- 07A (Spec.), 044 (Policy 5G)
Power - _____ (Use Power Review)
Mining - 06A/010/09E (WQ) & 054 (req.)
Storage (3 comp?) - 18A (multi MD in WD), 18B (+10' dam)
Domestic - 021 (Boise R ↑ L Peak), 064 (Payette R)

NON LAND OWNER - 004
PROTEST AGREEMENT - 020

Recommended conditions same as on the permit or subsequent amendment(s)
to the permit? Yes ✓ Yes + cond _____ No _____

Conditions of Approval: Standard, _____

(do not include any conditions already on permit)

Comments _____

State of Idaho
Department of Water Resources
AMENDMENT ANALYSIS SHEET

RECEIVED
NOV 16 1995
Department of Water Resources

INITIAL REVIEW BY: CJH
Right Number 63-92203 Applicant Statewide
Purpose of Amendment: ☐ Change point of diversion. ☒ Add diversion point(s)
☐ Increase amount. ☐ Change place of use. ☐ Other _____

CHECK:

- ☒ Description of amended point(s) of diversion 63-95-W-0254-000 Existing well
☒ Amount, nature and period of use. If increased, delay date of priority.
☒ Ownership of point of diversion and place of use.
☒ Map.
☒ Signature (must be permit holder).
☒ Fee.
☒ Existing water rights from the same source, amended place of use.
☒ Right number(s) NONE
☐ Yes ☒ No Should amendment be advertised? 2nd P/D, same QQ
☐ Yes ☐ No Should date of priority be delayed? If yes, to what date? _____
☒ Legal notice electronically transmitted to State Office.

FINAL REGIONAL PROCESSING REVIEW:

- ☐ Affidavit of publication received.
☐ Amendment published correctly.
☐ Protests processed.
☐ Approve.
☐ Deny.

Conditions _____

By DJS Date 11/12/95

STATE OFFICE PROCESSING:

- ☒ Amendment correct and complete: By CJH Date 11/16/95
☒ Approved copy sent to applicant and to Region. By on Date 11/22/95

Note: well to be connected
to public water supply.
Drilling permit is being
processed by R.W. in
conjunction w/ DEQ
(Bill Freeman)

No
adv reg'd
for this
P/d
addition



RECEIVED

OCT 24 1995

WATER RESOURCES
WESTERN REGION

October 20, 1995

Ms. Cindy Hodges
Idaho Department of Water Resources
1301 N. Orchard
Boise, Idaho 83706

Re: Grouse Point Subdivision

Dear Cindy:

Enclosed for your use is the \$50.00 to cover the Amendment we submitted last week.

Please call me if you have any questions.

Sincerely,

BRIGGS ENGINEERING, Inc.

A handwritten signature in black ink, appearing to read "Stan".

Stan McHutchison, P.E.

Enclosure: Check #17380 (\$50.00)

930403

RECEIVED
DEC 12 1995



RECEIVED

OCT 18 1995

WATER RESOURCES
WESTERN REGION

October 13, 1995

Mr. Steve Lester
Idaho Department of Water Resources
1301 N. Orchard
Boise, Idaho 83706

Re: Grouse Point Subdivision

Dear Steve:

Per our discussion, I am enclosing an amendment to Water Right #62-12203. This amendment is to cover a second well to provide fire protection to the subdivision. (The purpose of the first well was to provide domestic service.)

Please let me know if a fee is required for the amendment. Also, please verify that the fee for a (drilling permit) is \$35.00. *Amendment = 50.00 NO fee rec'd.*

NO
Please call me if you have any questions.

Sincerely,

BRIGGS ENGINEERING, Inc.

A handwritten signature in cursive script, appearing to read "Stan".

Stan McHutchison, P.E.

Enclosure: Amendment

930403

DEC 12 1995

From: DWR80::SLESTER 12-OCT-1995 11:37:42.85
To: CHODGES, RWHITNEY, DBUFFING
CC:
Subj: DRILLING PERMIT APPL. FOR STATEWIDE CONSTRUCTION C/O WALT WANNER

Stan McHutchison of Briggs Engineering filed drilling permit appl. on behalf of Statewide Construction to drill fire prot. well. Analysis shows that need to amend permit 63-12203 (or could file new application for permit) to allow d.p. to be issued. Stan said would file immediately - he said that on 10/5 but nothing yet.

Am turning this over to Cindy to ask her to follow up with Stan. Letting all of you know in case get calls about "where's my drilling permit?".

Cindy - once get filing, please add to APPS.LIS, mark on my Assignments folder (bottom level of my in-basket), and process soonest.

thanks.....Steve

CONVERSATION MEMORANDUM

DATE 10/5/95
FILE 63-12203NAME OF PARTY STAN McHutcheon 344-9700EMPLOYEE Steve LattaRE: ADD FIRE PROT. WELL

After discussing w/ NLY (see notes with file) -

Talked
~~Talked~~ to Stan M. re new well. Need amendment
to add 2nd pld in same G&S as permit pld.

OPTIONAL - could add F. Prot. use to permit w/o
expensed since " " " not required for
existing well or water rights.

OR - could leave permit use as is, just
add 2nd well.

Probably no advertising needed for this - discuss
w/ Dpt 180 to be sure.

If new well will be used in-lanes, probably
need coordinate a DEC requirements is dep. -
discuss w/ RBW.

STAN - said would file amendment ~~request~~

10/12/95 - still no filing made


DEC 12 1995

MICROFILMED

Also - discuss w/ Dkt - no re-adv. needed to add 2nd p/p
Same OK.

" " " / R/W - comm. well (O&O) compl. & d.p. it
SEWE AS backup for Domestic

950403



DEC 12 1995

Map from
63-12203

shows just / well
site was originally
proposed

-82 10/5/45



October 3, 1995

Mr. Steve Lester
Idaho Department of Water Resources
1301 N. Orchard
Boise, Idaho 83706

RECEIVED

OCT 03 1995

WATER RESOURCES
WESTERN REGION

Re: Grouse Point Subdivision

Dear Steve:

Enclosed for processing is an Application for Drilling Permit for the second well at Grouse Point Subdivision. We have already obtained a drilling permit for the domestic well and are hereby requesting another permit to drill the well to be used for fire protection.

Last Friday, Sherl Chapman spoke with someone at Water Resources and confirmed that an amendment to the water right permit is not required when drilling the well solely for the purpose of fire protection. If anything is contrary to this, please give me a call.

Also enclosed is a check for \$200.00 to cover the application fee.

Please call me if you have any questions.

Sincerely,

BRIGGS ENGINEERING, Inc.

A handwritten signature in cursive script, appearing to read "Stan".

Stan McHutchison, P.E./

Enclosures: 1. Application
2. Check

cc: Walt Wanner

Michael Wanner
DEC 12 1995

930403

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	COUNTY
63-95-W-0254-000	0	STATEWIDE CONSTRUCTION C/O WALT WANNER 4225 RIVA RIDGE DR BOISE, ID 83709 (208) 362-5575	02N	01E	15	SW NW		ADA

K GROUSE POINT WELL

existing well under 63.12203

Subdivision Well Site Location and Description:
Subdivision Name:
Well Site Address: CLOVERDALE, 3/8 MI S HUBBARD RD
City, State: BOISE, ID

Lot(s):
Block(s):

Geographic Location:
GPS Site ID:
Lat: : :
Long: : :
Accuracy Code:

Proposed Use of Well: Other
Anticipated Bottom Hole Temperature: 85F or Less
Proposed Casing Diameter: 14 In.

Proposed Depth: 400 Ft.

Well Use Comments: SUBDIVISION KNOWN AS GROUSE POINT

Driller License No: 0213

Firm Name: PETE COPE DRILLING CO INC
Official: JERRY A FOSTER

Permit Status: Filed

Verbal Issue Date:	Receipt No.	Receipt Date	Fee
Date Received: 08/30/1995	M018982	04/19/1995	\$ 135.00
Date Approved: 08/29/1995	C033449	08/25/1995	135.00
Proposed Start Date: 08/30/1995		NOT ON FILE	
Extension Date:		NOT ON FILE	
Extension Expiration:		NOT ON FILE	

Specific Conditions: The well will be drilled to approximately 300-400 T.D. A 16 inch temporary surface casing will be placed from 60' or the first significant clay layer below land surface. A 12 5/8" borehole will be drilled to T.D. and a 12" casing will be placed in borehole. A screen will be put in place with a ten foot tailpipe and a twenty foot headpipe. The 12" casing will be pulled back and the screen will be exposed. Colorado silica sand will be poured for a filter pack. A tremie will be used to fill the annulus between the 16" and 12" as the 16" is being pulled.

Permit Remarks: This was first issued as a test well permit but the engineer decided to not drill a test well and it was covert to a commercial well and a payment of \$135 was made on 8/25/1995.

Conditions of Approval: This drilling permit is valid for two (2) months from the approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.

This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required prior to construction of this well. The local Health Department

RECEIVED
DEC 1 2 1995

WELL DRILLING PERMIT NUMBER INDEX: Permit No. 63-95-W-0254-000 (cont'd)

Conditions of approval: should be contacted for septic tank/drainfield locations. Domestic wells must not be drilled closer than 100' from any drainfield and 50' from any septic tank.

The well shall be constructed by a driller currently licensed in the state of Idaho who must maintain a copy of the drilling permit at the drilling site.

Approval of this drilling permit does not authorize trespass on the land of another party.

This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

This drilling permit does not represent a right to divert and use the water of the State of Idaho.

If the bottom hole temperature of 85 Degrees F (29.44 OC) or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

Idaho Code, § 55-2201 - 55-2210 requires the applicant and/or his contractors to contact "Digline" (Dig Line is a locator service) not less than 3 working days prior to the start of any excavation for this project. The "Dig Line" Number for your area is 1-800-342-1585.

The uppermost unconfined aquifer shall be thoroughly sealed. All seals will be placed from the bottom up.

The screened, perforated, filterpacked or otherwise open and commingled strata shall not exceed 25% of the total well depth as measured from the bottom of the open interval to the top of the open interval (s). If however through geophysical logging of the well, (or other means) it can be demonstrated the aquifers to be produced from are under similar hydraulic head, quality and not subject to waste or contamination this may be waived and a greater open (screened or filterpacked section) may be approved.

If an annular seal of bentonite is to be utilized, a high (>30%) solids bentonite shall be pumped from the bottom up to land surface. The bentonite shall not contain chemical polymers which effect long term stability of the seal and are often found in drilling fluid grade bentonites, but rather will be specifically recommended by the manufacturer for use as a seal material in water wells.

If an annular space of at least 4 inches greater than the outside diameter of the casing is provided a granular bentonite or bentonite chips may be poured at the manufacturers recommended rate or no greater than 50 pounds in five minutes. The pour shall also be sifted through 1/4 inch mesh screen to reduce the introduction of fines unless the annular space is free of water i.e. (above the water table and there is no cascading water). The

DEC 12 1995

WELL DRILLING PERMIT NUMBER INDEX: Permit No. 63-95-W-0254-000 (cont'd)

Conditions of approval: top of the seal shall be tagged at regular intervals ie. (30' intervals) during placement with a sinker bar or other appropriate device to ensure the seal is reaching the intended depth. If bridging occurs the seal shall be tampered to its intended position or the Department will be contacted for evaluation.

A 50% excess of seal material shall be on hand in the event of lost circulation. If the seal material does not make it back to the surface, tremieing or perforation and squeezing is to commence at the top of the tagged seal position and will continue until returns reach the surface or the department is satisfied aquifers are sufficiently isolated and/or protected from waste and contamination.

Drilling fluids shall be developed with water which meets or exceeds drinking water standards.

The screened, perforated, filterpacked or otherwise open and commingled strata which are to be produced from, shall be of similiar hydraulic head, temperature and quality. If there are notable variations encountered as the well is drilled and/or developed the Department will be notified for evaluation.

Centralizers shall be located no more than 60' apart the entire depth on all strings of casing placed in the well. Excepting those <60' in length.

WELL DRILLER'S LOG REPORT

Drilling Permit No: 63-95-W-0254-000

Water Right No: 63-12203

Injection Permit No:

Nature of Work: NEW WELL

Construction Method:

Number of Monitor Wells:

Casing Diameter:

In.

Static Water Level:

Ft.

Actual Start Date:

Depth of Casing:

Ft.

Temperature:

F.

Well Finish Date:

Total Depth:

Ft.

Production Rate:

GPM

Log Received Date:

Screen Installed?

Certification Date:

Violation Flag:

Field Inspection Date:

Well Log Remarks:

Inspector:

DEC 12 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 7, 1995

STATEWIDE CONSTRUCTION
4225 RIVA RIDGE DR
BOISE ID 83709

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12203

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

If a well has not already been constructed you are required to obtain a "drilling permit" from the department. The right to drill a well is not a part of this permit to appropriate water.

Sincerely,

JIM JOHNSON, Manager
Water Right Permits Section

JJ:rl

Enclosures

RECORDED
AUG 09 1995

WELL DRILLER: PLEASE COMPLETE FOR VERBALS
IDWR Employee Issuing Verbal: _____
Verbal Issued Date: _____ Time: _____

RECEIVED

JUL 19 1995

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR DRILLING PERMIT (FOR THE CONSTRUCTION OF A WELL)

- Applicant (please print): STATEWIDE CONSTRUCTION, INC. c/o WALT WANNER
- Mailing Address: 4225 RIVA RIDGE DRIVE
City & State BOISE, IDAHO Zip Code 83709 Telephone 362-5575
☒ Well Owner ☐ Well Operator ☐ Contractor or Other, specify _____
- Proposed Well Location: Twp. 2N, Rge. 1E, Sec. 15, SW 1/4 NW 1/4
Gov't Lot No. _____ County ADA
Street Address of Well Site CLOVERDALE, 3/8 MI. SO. HUBBARD ROAD City _____
Give at least name of road + Distance to Road or Landmark
Lot, block and subdivision _____
- Proposed Use of Well:
☐ DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock (1,000 head or less) or for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

NON-DOMESTIC: ☐ Irrigation ☐ Municipal ☐ Industrial
☐ Stock ☒ Test ☐ Other _____
(Over 1,000 Head) (Describe)
☐ INJECTION
☐ MONITORING: A well bore schematic and map is required for each blanket permit.
No. of proposed wells: _____

5. Well Construction Information:

- ☒ New well ☐ Modify ☐ Replace
- Proposed Casing Diameter 6" Proposed Maximum Depth 400 FT.
- Anticipated bottom hole temperature:
☒ 85°F or less (Cold Water Well) ☐ 85°F to 212°F (Low Temp. Geo. Well) ☐ 212°F or more (Geothermal Well)

6. Construction Start Date: APRIL 24, 19957. Anticipated Well Driller: PETE COPE DRILLING Driller's Lic. No. 213

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's Signature [Signature] Date 4-19-95Title [Signature] (Owner, Firm Representative, Other)

JUL 19 1995

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is _____ Date _____

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum of 50 feet and 100 feet respectively from a septic tank.
3. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS:

8. No permanent well casing shall be installed in this well.
9. This well shall be properly plugged and abandoned upon acquisition of necessary data.
10. No water shall be produced from this well or injected into this well.

Signature of Authorized Department Representative _____

Title _____

Receipt No. W618982 Received by VR Fee 35.00 Date 4-19-95

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension expires: _____

RECEIVED
AUG 09 1995

M E M O R A N D U M

DATE: August 4, 1995

TO: Glen Saxton

FROM: Shelley W. Keen *SWK*

RE: 63-12203

=====

Walt Wanner (890-02063) called today about 63-12203. He would like to see this application approved as soon as possible so that he can get his drilling permit (63-95-W-0254). Because this application is for a subdivision, it was not intended to be held under the Boise Drainage moratorium. It got held because there is some confusion about how it should be reviewed for all the criteria in paragraph 3 of the amended moratorium order. I told Mr. Wanner that I would leave this memo with you for Monday morning.

RECEIVED
AUG 09 1995

WR0749NP
No. P63-12203

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 08/07/95
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD		DIVERSION RATE	DIVERSION VOLUME
				FROM	TO		
C	STATEWIDE CONSTRUCTION 4225 RIVA RIDGE DR BOISE ID 83709 (208) 362-5575	04/19/1995	IRRIGATION DOMESTIC	03-15	11-15	0.240 CFS	
				01-01	12-31	0.230 CFS	
				TOTAL DIVERSION:		0.470 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T02N R01E S15 SWNW ADA County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE									
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM	
				Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	
02N	01E	15	:					:			06.5		:			05.5		:						:	12.0
																					TOTAL ACRES		:	12.0	

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: ADA

Other Water Rights Listing Overlapping Place(s) of use:
63-07107B 63-12203

Conditions of Approval:

- 26A - Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
- 01M - After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
- 065 - The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right.
- 046 - Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
- 46B - Construction of the well must comply with Idaho well construction standards.
- 03A - The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Remarks: Place of use is located within Lots 1-9, Blk. 1; and Lots 1-15, Blk. 2; Grouse Point Subdivision.

DAVE TORGESEN
STAN MCUTCHINS
BRIGGS ENGINEERING
344-9700

Remarks: Domestic use is for 24 homes.
Domestic use does not include lawn, garden, landscape, or other types of irrigation.
The irrigation use occurring under this right shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed.
This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.

Dates: App. Received: 04/19/1995 Priority Date: 04/19/1995
Proof Due Date: 08/01/1998 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 04/26/1995 User-ID: CHODGES Subject: CORPORATE OFFICERS
The corporate officers of Statewide Construction Inc. are:
Walt Wanner, President;
Brian Wanner, Vice President; and
Saundra Wanner, Secretary/Treasurer.

Date: 04/26/1995 User-ID: CHODGES Subject: SUPPLEMENTAL IRRIGATION
Irrigation supplemental to shares from New York Canal Co.
Applicant states per telecon that a pressurized surface water irrigation system will be developed to deliver those shares within the subdivided areas.

Date: 04/26/1995 User-ID: CHODGES Subject: TEST WELL APPLICATION FILED
Drilling permit application 63-95-W-0254-000 filed for test well at this location. Permit fees filed = \$35.00. Balance of fees, new and/or upgraded permit required for community well.

Audit: 06/12/95 CZIMMERM 06/13/95 CZIMMERM

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE								NW								SW								SE								SUM															
		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE																	
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac																		
6312203	T02N R01E S15	GROUNDWATER																																															
	:																	06.5																05.5								:		12					
6302388	BOISE RIVE :																																									:		:					
A6302388	BOISE RIVE :																																									:		:					
6302673	UNNAMED ST :																																									:		:					
A6302673	TENMILE CR :																																									:	36	:	87				
6303519	GROUNDWATE :	14				38																												:	36	:	87												
A6303519	GROUNDWATE :	14				38																												:	38	:	90												
6307107B	GROUNDWATE :																																									:	38	:	90				
A6307107B	GROUNDWATE :																																									:	20	07	37	:	40	40	144
	C1Q-X 58 :	37		39		33		39		39		38		37		34		29		39		37		40		39		30		39		40		589															

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

8/7/95

No.: 63-12203 Name: Statewide Const. Inc. Date: 6/12/95 Ad OK? ☒
Correct Fee? ☒ Receipt #: W018982 Priority: 4/19/95 ☒ Gvmt Lts: ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>

+ 0.2 cfs - 01M
- 0.2 cfs - No MD 065
+ 5 a. (POU ✓ cmp) - 01M, 003 (if GW use SW 1st)

Drilling Permit:

Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-048-P23 (post 7/1/87)
~~in WD~~ (new well)

~~SURFACE WATER~~ <✓ FLO-CH> (Surface water that doesn't sink):

Water District (dem) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 01J-P08 or 01M
- 0.2 cfs - 01H-P01 or No MD
+ 5 a. irr. - 01M (POU cmp)
In WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
+ 5 a. irr. - 01M (POU cmp)

RIVER BASINS (*Surface water):

SNAKE R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064 (consump. use), 047-P04 (Payette Lake), NA

Domestic (surface) - 021 (Boise R ↑ L Peak); 27A (Payette R); NA
Fish Propagation - 07A-042 (rq) - 010/06A/09E (WQ) - P10; 044 (N 1000 Spr)
Irr - 5 acres - 057 (0.03 cfs/A)
+ 5 acres - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F (P19) - 09E (P10);
+25 cfs-P18; 17G (FERC) or 17M (FERC); 18B-P09
Storage (✓ 3 compo.) - 18A (multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner

OTHER CONDITIONS:

STANDARD REMARKS:

① WB5/24 ② WB8

BENEFICIAL USE DUE:

COMMENTS:

6-1-1998

RECEIVED
JUN 08 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET Department of Water Resources

INITIAL REVIEW BY: cyt DATE: 4/26/95 APPLICATION: 63-12203

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map: (show T, R, S, QQ &/or QQQ)
Subdivision plat: (for > 1 home in restricted area. ≥ 5 homes in non-restricted area)
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ☐ No ☐ In form to receipt:

Gov't. Lots:

P/D

P/U

ADDITIONAL INFORMATION

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☐ ☒ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☒ Critical groundwater area:
☐ ☒ Groundwater management area:
☒ ☐ 1992 moratorium: Domestic community well, exempt
☐ ☒ Copy to SCA staff: (perennial stream, non-pump diversion)
☐ ☒ Copy to Dam Safety staff: (for any storage)
☐ ☒ Basin 63 mitigation plan: (where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge)
☐ ☐ Send power requirement letter:
☐ ☐ Send fish farm requirement letter:
☐ ☐ Power residency affidavit:
☐ ☐ Power efficiency form:
☐ ☐ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side:

Brian Wanner VP

Saundra Sec/Treas

PROCESSING

APPLICATION NO. 63-12203

YES NO

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

(DEQ)

I.D. Health and Welfare

I.D. District Health

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest 6-22-95

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Dr

Measuring device required:

Measuring port required:

Water delivered by water master? District # _____

Special conditions of approval or cover letter: _____

OIF, 26A (Allow 3 yrs), Domestic use is for in-house use and non-consumptive outside use for homes. Irrigation use is limited to one-half acre per home. Irrigation use is authorized only when during seasons when all surface water rights are utilized on this property.

See below for additional information

Recommended Date or Priority 4/19/1995

Recommended by: Dr

Date 6/5/95

STATE OFFICE REVIEW

See below for additional information. By _____

Date _____

ADDITIONAL INFORMATION

P/u o-lap 63-2388 New York Canal

63-7107B - Separate acres, per licensing report

RECEIVED

MAY 15 1995

WATER RESOURCES
WESTERN REGIONThe Idaho
Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

\$101.28

Account Number 04762800		Identification Notice of Application for Water Right	
Ordered By Sue Taylor	P.O. Number	Rate NT	Run Dates May 4 & 11, 1995
Sue Taylor IDAHO DEPARTMENT OF WATER RESOURCES Western Region 2735 Airport Way Boise, Idaho 83705-5082		Estimated Inches	Real Inches
		# Affidavits 1	Legal Number 1940

LEGAL NOTICE**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12195

ADDY, MIKE C
6043 BRIAN RD
BOISE, ID 83712

Source: SRING
Tributary: ROBIE CREEK
Diversions Pt: SENESW Sec 32 T04N
R04E In ADA County
Use: STOCKWATER (0.020 CFS)
DOMESTIC (0.020 CFS)
Total Diversion: (0.040 CFS)
Date Filed: 4/13/1995
In: ADA County
T04N R04E S32 NESW

63-12199

ST LUKES REGIONAL MEDICAL
CENTER
C/O BEN STRAWN
190 E BANNOCK
BOISE, ID 83712

Source: GROUNDWATER
Diversions Pt: SWSWNW Sec 16 T03N
R01E In ADA County
Use: DOMESTIC (1.000 CFS)
Total Diversion: (1.000 CFS)
Date Filed: 3/22/1995
In: ADA County
T03N R01E S16 SWNW

Applicant seeks public interest exemption to drought moratorium for a backup well for medical center. Primary supply will be from Meridian municipal water system.

63-12202

STRAUSS, LINDA
9340 PEBBLE BROOK LN
BOISE, ID 83703

Source: UNNAMED DRAIN
Tributary: BOISE RIVER
Diversions Pt: LOT 2 (NWSE) Sec 23
T04N R01E In ADA County

Use: AESTHETIC (0.200 CFS)
Total Diversion: (0.200 CFS)
Date Filed: 4/17/1995
In: ADA County

T04N R01E S23 Lot 2(NWSE)
Applicant seeks exemption to drought moratorium for a non-consumptive use. (waterfall)

63-12203

STATEWIDE CONSTRUCTION
4225 RIVA RIDGE DR
BOISE, ID 83709

Source: GROUNDWATER
Diversions Pt: SWSWNW Sec 15 T02N
R01E In ADA County

Use: IRRIGATION (0.240 CFS)
DOMESTIC (0.230 CFS)
Total Diversion: (0.470 CFS)
Date Filed: 4/19/1995
In: ADA County

T02N R01E S15 SWNW NWSW
12.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before MAY 22, 1995. The protestant must also send a copy of the protest to the applicant.

R. KEITH HIGGINSON, Director
Pub. May 4 & 11, 1995 1940

LINDA PORTER

, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for TWO

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of MAY 4, 1995

and ending with the issue of MAY 11, 1995

Linda Porter

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 11th day of MAY in the year of 1995, before me, a Notary Public, personally appeared

LINDA PORTER

, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Notary Public for Idaho

Residing at Boise, Idaho

My commission expires: 11-22-99

MICROFILMED

AUG 09 1995



IDAHO DEPARTMENT
OF HEALTH AND WELFARE

DIVISION OF
ENVIRONMENTAL QUALITY

RECEIVED

MAY 09 1995

WATER RESOURCES
WESTERN REGION

Water Rt. _____

1445 North Orchard, Boise, ID 83706-2239, (208) 334-0550

Philip E. Batt, Governor

May 8, 1995

STATEWID.595

David R. Tuthill, P.E. *DR*
Manager, Western Regional Office
Idaho Dept. of Water Resources
2735 Airport Way
Boise, ID 83705

RE: IDWR - Public Waters Appropriation Permit
Permit No. 63-12203
Grouse Point Subdivision

Dear Mr. Tuthill:

The project must be conducted under the design and supervision of an Idaho registered professional engineer. The process to follow is:

1. The engineer must submit a preliminary well site evaluation to the Division of Environmental Quality (DEQ) based on the proximity of all pollution sources. We will evaluate the proposal, conduct a site inspection, and issue a written site approval if warranted. The applicant should give his consultant the enclosed checklist.
2. Detailed plans and specifications must be submitted to this office for review. The well may not be drilled until all approvals are obtained from both DEQ and the Idaho Department of Water Resources (IDWR). The last approval will come from DEQ; we will not issue approval until final approvals of both IDWR permits (appropriation permit and well drilling permit) have been submitted.
3. This will be a Public Water System and must have one (1) source of water for less than twenty-five (25) connections and two (2) sources for twenty-five (25) or more connections.

We will pay particular attention to the following items:

1. Construction must be done under the general supervision of the professional engineer. The contract assuring this must be submitted with the application.
2. Numerous water quality parameters must be tested as soon as the well is completed.

Sincerely,

Jack M. Gantz
Jack M. Gantz, P.E.
Senior Water Quality Engineer

cc: Statewide Construction, Applicant (w/encl)
Jon Wroten, DEQ-SWIRO
Source File #14, Reading File

[Signature]
AUG 09 1995



IDAHO DEPARTMENT
OF HEALTH AND WELFARE

DIVISION OF
ENVIRONMENTAL QUALITY

RECEIVED

MAY 09 1995

WATER RESOURCES
WESTERN REGION

1445 North Orchard, Boise, ID 83706-2239. (208) 334-0550

Philip E. Batt, Governor

May 8, 1995

Mr. Scott Edens
Albertson's, Inc.
250 ParkCenter Blvd.
Boise, ID 83706

RE: NPW No. 952100500 - Albertson's, Inc.
Culvert Installation in Wilson Drain near Nampa

Dear Mr. Edens:

The Division of Environmental Quality (DEQ) has considered Water Quality Certification for construction related to the referenced project. DEQ has reviewed the subject application.

If construction is completed and mitigation implemented in accordance with the above information, DEQ can waive certification under Section 401 that the construction of the project will comply with applicable requirements of Sections 301, 302, 303, 306 and 307 of PL92-500, as amended and will not violate Idaho Water Quality Standards and Wastewater Treatment Requirements. This waiver of certification shall remain in effect until December 31, 1995, at which time construction must be completed.

Water quality certification provided herein shall be revoked for failure of the licensee to comply with the conditions of this certification or the terms and conditions of the referenced permit. Revocation shall become effective upon written notice to the licensee and all activities permitted under the referenced permit shall immediately cease until the licensee obtains another water quality certification from the Department.


Please contact Jack Gantz of this office, at 334-0550 if you have any questions or further information to present.

Sincerely,

for 
Joy L. Palmer
Regional Administrator

JLP:JMG:ra ALBERTSO.NAT

cc: John Grogan, CSHQA Engineer's
Jack Gantz, DEQ-SWIRO
Greg Martinez, COE-Boise
Gene Gibson, IDWR-Boise
Source File #12, Reading File


AUG 09 1995



IDAHO DEPARTMENT
OF HEALTH AND WELFARE
DIVISION OF
ENVIRONMENTAL QUALITY

RECEIVED

MAY 09 1995

WATER RESOURCES
WESTERN REGION

1445 North Orchard, Boise, ID 83706-2239, (208) 334-0550

Philip E. Batt, Governor

May 8, 1995

K.R.L.C., Inc.
1715 Scorpio Drive
Nampa, ID 83661

RE: NPW No. 952100420 - K.R.L.C., INC.
Culvert and Irrigation System Improvements in Indian Creek near Nampa

Dear Sirs:

The Division of Environmental Quality (DEQ) has considered Water Quality Certification for construction related to the referenced project. DEQ has reviewed the subject application.

If construction is completed and mitigation implemented in accordance with the above information, DEQ can waive certification under Section 401 that the construction of the project will comply with applicable requirements of Sections 301, 302, 303, 306 and 307 of PL92-500, as amended and will not violate Idaho Water Quality Standards and Wastewater Treatment Requirements. This waiver of certification shall remain in effect until December 31, 1995, at which time construction must be completed.

Water quality certification provided herein shall be revoked for failure of the licensee to comply with the conditions of this certification or the terms and conditions of the referenced permit. Revocation shall become effective upon written notice to the licensee and all activities permitted under the referenced permit shall immediately cease until the licensee obtains another water quality certification from the Department.

Please contact Jack Gantz of this office, at 334-0550 if you have any questions or further information to present.

Sincerely,

for Joy L. Palmer
Regional Administrator

JLP:JMG:ra KRLC.NAT

cc: J. Reese Leavitt Engineering
Jack Gantz, DEQ-SWIRO
Greg Martinez, COE-Boise
Gene Gibson, IDWR-Boise
Source File #12, Reading File

AUG 09 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 1, 1995

IDAHO DEPT OF HEALTH & WELFARE DEPT
DIVISION OF ENVIRONMENTAL QUALITY
SWIRO
1445 N ORCHARD
PO BOX 83720
BOISE ID 83720-2239

Re: Application for Permit No. 63-12203 in the Name of Statewide
Construction

Dear Sir:

Enclosed is a copy of the above-referenced application
for permit which may be of interest to your agency. Please
review the application and submit any comments you may have.

This office normally completes the processing of an
application within a six-week period and is required to take
final action shortly thereafter, however, if your agency
desires to file a formal protest against the approval of this
application(s), your written protest must be received in this
office by May 22, 1995.

If you have any questions regarding the application,
please contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:st

Enclosure(s):

AUG 09 1995

63-12203

STATEWIDE CONSTRUCTION
4225 RIVA RIDGE DR
BOISE, ID 83709

Source: GROUNDWATER

Diversion Pt: SWSWNW Sec 15 T 02N R 01E in ADA County.

```

Use: IRRIGATION      (      0.240 CFS)
     DOMESTIC         (      0.230 CFS)
           Total Diversion: (      0.470 CFS)

```

Date Filed: 4/19/1995

In: ADA County
T02N R01E S15 SWNW NWSW

12.0 ACRES TOTAL

Adm. & Finance