

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

5N4W27

Section
COR

NO govt. lots
- JL 3/29/95

27

Notus Rd.

Well
X

SWSE

Elementary
School

High
School

W. Purple Sage Rd.


Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

JUN 08 1995

Michael E. Holladay
(Applicant)
City Engineer

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well # 3	Franklin	30	Model 522178	Berkeley	Design Series 8T-725

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flow Meter		Hersey		9410339	4"	

2. Measurements: Flow Meter - 51 GPM


MICROFILMED


APR 16 1998

T5N
R4W
S27

SWSE

X4





MICROFILMED
 APR 16 1998

63-12189

Well #3



8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☐ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: Municipal Well #3, City of Notus

Don Tomlin, Water Rights Examiner
Signature of Dept. Representative & Title

5-1-99
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED

APR 16 1999

1 of 2



P/D

Well
House

View
Looking
Southwest



P/D

Well
in

Well
House.

MICROFILMED

APR 16 1998

63-12189

2 of 2



P/O
Flow
Meter
(Brass)
in
Well
House

MICROFILMED
APR 16 1998

63-12189

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-12189

Priority: March 7, 1995

Maximum Diversion Rate:

1.50 CFS

This is to certify, that CITY OF NOTUS
PO BOX 257

NOTUS ID 83656-0257 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 7, 1995; and has submitted Proof of Beneficial Use on May 8, 1996. An examination indicates that the works have a diversion capacity of 1.700 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	1.50 CFS	


LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 27, Township 05N, Range 04W
CANYON County

PLACE OF USE: See Remarks

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
5. Place of use is located within the city limits of Notus and surrounding service area.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 31ST
day of MARCH, 1992.


Acting for KARL J. DREHER, Director

MICROFILMED
APR 16 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 8 - 1996

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) ^{Department of Water Resources} has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12189 Telephone No. 208-459-6212

2. Name(s) of Permit Holder(s): CITY OF NOTUS

3. Mailing Address: P.O. Box 257 Notus, Idaho 83656

4. Source of Water: Groundwater If **GROUNDWATER** (well), Date Drilled: mo. 5 / yr. 95

a. Well Driller: Riverside, Inc. Drilling Permit Number: 63-95-W-0233-000

b. **OPTIONAL:**
Pump Horsepower: 30 Pressure (psi): 45 Dynamic pumping level (ft): 70

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: municipal water supply

6. Total rate of diversion and/or volume for which proof is submitted: 1.50 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes x or No _____

Has the measuring device been installed? Yes x or No _____

Flow Measurement Port: Is a flow measurement port required? Yes x or No _____

Has the measurement port been installed? Yes x or No _____

8. Fee Enclosed: \$ 125.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Greg Kadel or Calvin Vertrees Telephone Number: 208-459-6212

Address: c/o Notus City Hall P.O. Box 257 Notus, Idaho 83656

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: By: Linda Lardis Clerk Date: 4-30-96
(include your title, if on behalf of company of organization)

MAY 22 1996

State of Idaho
Department of Water Resources

AMENDED

Permit To Appropriate Water

AMENDED

NO. 63-12189

Proposed Priority: March 7, 1995

Maximum Diversion Rate:

1.50 CFS

This is to certify, that CITY OF NOTUS
PO BOX 257

NOTUS ID 83656-0257

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

MUNICIPAL

01/01 to 12/31

1.50 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 27, Township 05N, Range 04W
CANYON County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1996.
2. Subject to all prior water rights.
3. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. Place of use is located within the city limits of Notus and surrounding service area.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

15th day of August, 1995

Karl J. Dreher

Karl J. Dreher, Director

for

RECEIVED

AUG 25 1995

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-12189

Proposed Priority: March 7, 1995

Maximum Diversion Rate:

1.50 CFS

This is to certify, that CITY OF NOTUS

PO BOX 257

NOTUS ID 83656-0257

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
MUNICIPAL	01/01 to 12/31	1.50 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 27, Township 05N, Range 04W
CANYON County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1996.
2. Subject to all prior water rights.
3. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
4. The issuance of this right in no way grants any right-of-way or easement across the land of another.
5. Place of use is located within the city limits of Notus.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

31 day of

May, 1995

Karl J. Dreher
for Karl J. Dreher, Director

MICROFILMED

JUN 08 1995

RECEIVED
MAY 25 1995

Ident. No. 63-12189

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: CITY OF NOTUS
Address: PO BOX 257
NOTUS ID 83656
208-459-6212
2. Source: GROUNDWATER
3. Location of Point of Diversion: SWSE Sec. 27, Township 05N, Range 04W
CANYON County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
MUNICIPAL	01/01	12/31	1.500		
5. Total quantity to be appropriated is:
1.500 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP AND PIPELINE
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 12 inches; proposed depth of well is 200
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).
8. Place of Use: See Remarks
9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

RECORDED

JUN 08 1995

10. Remarks:

Municipal use is within the city limits of Notus.

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

See original

Applicant

Received by DB Date 3/7/95 Time 11:36 Preliminary check by JZ

Fee \$ 120.00 Receipted by DB #W018684 Date 3/ 7/1995

Publication prepared by st Date 3-29-95 Published in Press-Trib

Publication approved st Date 4-27-95

RECEIVED
JUN 08 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 63-12189

RECEIVED
MAR 06 1995

WATER RESOURCES
WESTERN REGION

To appropriate the public waters of the State of Idaho

1. Name of applicant City of Notus Phone (208) 459-6212
Post office address P.O. Box 257 Notus, ID 83656

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of _____ SW 1/4 of _____ SE 1/4, Govt. Lot _____
Sec. 27 Township 5N Range 4W B.M. Canyon County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.5 for Municipal purposes from 4/1/95 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.5 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. N/A pump & pipeline

b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 12" inches; proposed depth of well is 200 feet

d. Is ground water with a temperature of greater than 85°F being sought? No

e. If well is already drilled, when? _____; Drilling firm _____

Well was drilled for (well owner) City of Notus (N/A - WDAZ None for City of Notus)

7. Time required for the completion of the works and application of the water to be proposed beneficial use is
One years (minimum 1 year). * per Dept. standards - 82 3/28/95

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. --

b. Stockwatering; list number and kind of livestock. --

c. Municipal; show name of municipality. Notus

d. Domestic; show number of households. --

e. Other; describe fully. --

* 9. Description of place of use: P/in Per Remarks only per Dept. standards - PL 3/28/95 *

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

N/A

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5N	4W	27															M	M	
5N	4W	34		M	M	M			M	M	M	M			M	M	M	M	
5N	4W	33				M													

Total number of acres to be irrigated

10. Describe any other water rights used for the same purposes as described above. 63-3075

11. a. Who owns the property at the point of diversion? Notus School District

b. Who owns the land to be irrigated or place of use? -- N/A for P/in municipal

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Well needed for municipal use as well as sufficient fire protection for School District. Recorded easement from District to City.

12. Remarks:

JUN 08 1995

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

5N4W27

Section
COR

NO gov't. lots
- JL 3/29/95

27

Notus Rd

Well
X

SWSE

Elementary
School

High
School

W. Purple Sage Rd

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

JUN 08 1995

Michael E. Holladay
(Applicant)
City Engineer

Received by DB Date 3-7-95 Time 11:36 Preliminary check by SL
Fee \$ 120- Receipted by DB # W018684 Date 3-7-95
Publication prepared by _____ Date _____ Published in _____
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
JUN 08 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 1, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CITY OF NOTUS
PO BOX 257
NOTUS ID 83656-0257

RE: WATER RIGHT NO. 63-12189

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

APR 16 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 1st day of April, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 63-12189

CITY OF NOTUS
PO BOX 257
NOTUS ID 83656-0257


Kari Lynn Townsend
Secretary

MICROFILMED
APR 16 1998

B/U FIELD EXAM REVIEW

by *Cindy Lou*Permit #: 63-12189 Name: City of NOTES Date: 3/30/98 ✓ Lots ✓

NAME	Chng <u>✓</u> Same <u>✓</u>	Or Address Change?
SOURCE	<u>✓</u>	Clarify source _____ Prelim. Order to Void - Source change.
P/D	<u>✓</u>	Amendment Needed? Addn'l 1/4? <u>Legal</u> <u>P39</u> Same 1/4? <u>W32</u> <u>P36</u> Overlap(s) <u>none</u>
P/U	<u>✓</u>	Amendment Needed? <u>P41</u> Overlap(s) <u>63-3075 (diff source)</u> (Gov't use special ¶s) <u>*P/D & P/U Amend? P37</u>
RATE	<u>✓</u>	Permit/proof fee limits <u>1.50</u> <u>1.50</u> <u>✓</u> Measured Quantity = _____ cfs Theoretical Quantity = <u>1.70</u> cfs <u>used pump curve; allow permitted rate</u> (HP) $8.8 \times 0.70 \times$ $+ (2.31 \times \text{_____}) =$ _____ cfs <u>✓</u> Recommended capacity <u>1.70</u> cfs <u>✓</u> Recommended rate <u>1.50</u> cfs
VOLUME	<u>✓</u>	Season: (<u>1</u>) <u>1/1-12/31</u> = <u>365</u> days Calculations: <u>NA</u> <u>✓</u> Flow limit: _____ cfs x _____ days/yr. x 1.9835 = _____ AF Recommended volume <u>NA</u> AF
USES	<u>✓</u>	Same Nature of Use? <u>P46</u> Amendment Needed?
REMARKS	<u>✓</u>	Multiple p/d's in same 1/4? Use W32 <u>① W32 NOTES</u>
CONDITIONS	<u>✓</u>	Measuring Device (R43) or Lockable Controlling Works (R02) Watermaster Control (R04) - WD # _____ Irrigation rate/annual volume overlap GW irrigation replaces surface water (050) GW irrigation supplements surface water (065) Water Quality <u>✓</u> Other <u>o/m</u>
PRIORITY	App Rd <u>3/7/95</u> Due <u>6/1/96</u> Rc'd <u>5/8/96</u> Receipt# <u>6035490</u> Fee OK? <u>Yes/No</u> # <u>125.00</u> Order to Reinstall Needed? <u>Yes/No</u> Done? <u>Advanced to: _____</u> Priority <u>3/7/95</u> Examined <u>5/11/97</u>	

COMMENTS:

USE	CFS	VOLUME
<u>Municipal</u>	<u>1.50</u>	<u>NA</u>
<u>/</u>	<u>/</u>	<u>/</u>
<u>/</u>	<u>/</u>	<u>/</u>
TOTAL	<u>1.50</u>	<u>NA</u>

SRBA Overlap None
Adjustment Memo _____
LICENSE
#1 AMEND: _____/P38
#2 AMEND: (R)P42/(C)P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-12189

1. Owner: City of Notus Phone No. (208) 459-6212

Current Address: P.O. Box 257, Notus, ID 83656-0257

2. Accompanied by: Calvin Vertrees EXAM DATE: 5-1-97

Address: Same Phone No. (208) 459-6212

Relationship to Permit Holder: City Employee - Maintenance Foreman

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-03075, ~~same~~

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:


Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	27	5N	4W	Canyon	Site Visit, Map

2. Place(s) of Use: City of Notus Indicate Method of Determination Site Visit, Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

MICHAEL
APR 10 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well # 3	Franklin	30	Model 522178	Berkeley	Design Series BT-725

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flow Meter		Hersey		9410339	4"	

2. Measurements: Flow Meter - 51 GPM

MICROFILMED

APR 16 1968

E. NARRATIVE/REMARKS/COMMENTS

1. This is Municipal Well #3, and supplies water to the School and City of Natus.

Well #2 is located near the 110,000^{Gal.} Storage Tank, and Well #1 is contaminated and is not used.

2. The flow reading on the meter was 51 GPM at the time of the exam, and the pressure was 37 PSI. Normal operating pressure is 45 PSI.

3. GPS tag on well; # E0006621.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
APR 16 1998

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: Flow Meter - 51 GPM

Theoretical Max. Div. rate:

$$Q_{max} = \frac{(8.8)(30 \text{ hp})(70\%)}{7' + (30 \text{ psi}) \left(\frac{34'}{14.7 \text{ psi}} \right)}$$

= 2.4 cfs @ start-up

From Berkeley Pump
Curve # 5T2725A:

For 30 HP Motor @ TDH = 120'
(45 psi)

$$Q = 760 \text{ GPM}$$

$$= 1.7 \text{ cfs}$$

Allow 1.50 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: (30 psi)

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

on
Permit

2. Volume Calculations for Other Uses:

Municipal

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Municipal</u>	<u>01/01</u>	<u>12/31</u>	<u>1.50</u>	
Totals:			<u>1.50</u>	

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATION

Field Examiner's Name Don Zornich Date 12-18-92

Reviewer _____ Date _____

MICROFILMED
APR 16 1998

7.3





Well #3


Submersible Turbine Model 8T-725

FAMILY CURVE
DESIGN SERIES: 8T-725
SPEED: 3450
CURVE NO.: ST2725A

SIZE: 8"
HZ: 60
DATE: 9 MAY 89



BERKELEY
PUMPS



SUBMERSIBLE PUMP:

Berkeley submersible two stage 8" turbine
3600 RPM, pump. (Please refer to the attached
submittals)

Mod # 8T725Lump sum 1,208.00**SUBMERSIBLE PUMP MOTOR: 30 HP**

Synchronous RPM 3600, 460 VAC, 3 Ph.
6" NEMA, Franklin Submersible motor.

Mod # S22178Lump sum 1,700.00**SURFACE PLATE:**

Steel fabricated surface plate with
electrical terminal box, and 3/4" PVC
sample port, designed to support the
total pump, motor, cable, drop pipe and
water weight.

Lump sum 307.00**15. FIVE INCH 5" DROP PIPE:**

5" Sch 40, Galvanized T/C drop pipe
(approx 70')

Cost @ foot installed 15.90 X 70' = 913.00
1112.00

16. ELECTRICAL PUMP CABLE:

4 Conductor / AWG 6 submersible pump cable
(approx 75')

Cost @ foot installed 1.86 X 75' = 139.50

17. SAMPLE PORT:

3/4" PVC pipe with 1/8" holes drilled
every 2" (approx 72')

Cost @ foot installed 1.58 X 72' = 113.76

MICROFILMED

APR 16 1998

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-95-W-0233-00 OTHER APPLICABLE NO: 63-12189
2. OWNER: City of Notus Phone: (208) 459-6212
Address: P.O. Box 257, Notus, ID 83656
3. WELL LOCATION: Twp 5N, Rge. 4W, Sec. 27, SW 1/4 SE 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Riverside, Inc. Lic. No. 333
When Drilled? 5-19-95 to 5-29-95
5. WELL CONSTRUCTION:
Casing Diameter 12 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 137 ft. Method Drilled Reverse Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 7 ft. Water Temperature 59 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☐ Irrigation ☐ Stock
☐ Test ☒ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

MICROFILMED

APR 16 1998

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☐ No

If yes, what Type? _____


How far away from the well is this source? _____

9. REMARKS: Municipal Well #3, City of Notus

Don Zornick, Water Rights Examiner
Signature of Dept. Representative & Title

5-1-99
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED

APR 10 1999


1 of 2



P/D

Well
House

View
Looking
Southwest



P/D

Well
in

Well
House.

MICROFILMED

APR 16 1998

63-12189

2 of 2



P/O
Flow
Meter
(Brass)
in
Well
House

MICROFILMED
APR 16 1998

63-12189

May 10, 1996

CITY OF NOTUS
PO BOX 257
NOTUS ID 836560257

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12189

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

MAY 22 1996

March 31, 1996

CITY OF NOTUS
PO BOX 257
NOTUS ID 836560257

PROOF DUE NOTICE

RE: PERMIT NO. 63-12189

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MAY 22 1996



Use Typewriter
or
Ball Point Pen

JUL 7 1995

1. DRILLING PERMIT NO. 63 - 95 - W - 0233 - 000
Other IDWR No. 63-12/89

2. OWNER:

Name CITY OF NOTUS
Address P.O. Box 257
City Notus State ID Zip 83656

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.



Twp. 5N North ☒ or South ☐
 Rge. 4W East ☐ or West ☒
 Sec. 27 1/4 SW 1/4 SE 1/4
 Gov't Lot _____ County Canyon

10 acres 40 acres 160 acres

Address of Well Site Notus Road
City Notus

(Give at least name of road + Distance to Road or Landmark)

Lt. Bk. Sub. Name

4. PROPOSED USE:

☐ Domestic ☒ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☐ Air Rotary ☐ Cable ☒ Other Reverse Rotary

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
Bentonite	0	50	10,000	Pour from top
Color. Silica	50	149	8 yard	Pour from top

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) _____
Was drive shoe seal tested? Y ☐ N ☐ How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
12"	+1	73	375	Steel	☒	☐	☒	☐
12	83	107	375	Steel	☒	☐	☒	☐
12	117	137	375	Steel	☒	☐	☒	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method _____

☒ Screens Screen Type Halliburton wire wr

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
73	83	.035		12"	Steel	☒	☐
107	117	.035		12"	Steel	☒	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

7' ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or
control devices: well cap

11. WELL TESTS:

☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
400		48'	1 hr.
600		56'	1 hr.
900		67'	2 hr.

Water Temp. 59 Bottom hole temp.

Water Quality test or comments: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment) Water

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
23	0	9	Top soil		X
23	9	11	Hard pan		X
23	11	20	Hard burnt clay		X
23	20	29	Brown clay		X
23	29	47	Sand, Gravel, & river rock	X	
23	47	49	Light brown clay		X
23	49	56	Fine to medium sand	X	
23	56	61	Brown clay		X
23	61	65	Blue clay		X
23	65	79	Fine to medium sand	X	
23	79	91	Fine to medium sand	X	
23	91	92	Brown & greenish clay		X
23	92	98	Blue clay w/fine sand		X
23	98	109	Fine sand	X	
23	109	117	Fine to medium sand	X	
23	117	119	Blue clay		X
23	119	121	Fine sand	X	
23	121	124	Blue clay		X
23	124	126	Fine sand	X	
23	126	139	Blue clay		X
23	139	149	Blue clay		X

~~JUL 13 1995~~

Department of Water Resources

RECEIVED

JUL 10 1995

~~WATER RESOURCES~~
~~WESTERN REGION~~

Completed Depth 137 (Measurable)
Date: Started 5-19-95 Completed 5-29-95

13. DRILLER'S CERTIFICATION

We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Riverside, Inc. Firm No. 333
Firm Official _____ Date 6-30-95
and _____
Supervisor or Operator _____ Date 6-30-95
(Sign only if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 15, 1995

CITY OF NOTUS
PO BOX 257
NOTUS ID 83656-0257

RE: AMENDED PERMIT NO. 63-12189

Dear Permit Holder(s):

Enclosed is a copy of your approved **amended** permit. Please note that condition/remark #5 has been amended to add "surrounding service area".

Sincerely,

Shelley Walter Keen
Water Rights Supervisor

SWK:rl

enc.

RECORDED
AUG 25 1995

MEMORANDUM

Date: August 8, 1995
From: Jim Johnson 
To: Norm through Glen
Subject: Place of use on Municipal Applications

=====

This memo is in follow-up to a question from Norm, attached to right 63-12189.

"Will we approve an amendment[adding place of use to a permit](setting municipal issues aside), or is this an un-approvable expansion?"

The adding of places of use to a multiple domestic right is not normally considered an expansion of the right, because permits issued for multiple domestic uses, primarily use the number of units, like acres, as a measure of the water right. As long as the amendment of permit only adds area and not units, or does not increase the rate of flow, in my opinion, the amendment is not an expansion. However, adding place of use outside the city limits on a "Municipal" water right, may be an expansion of the right.

Permits for "Municipal" water use, purposely do not list the number of domestic units, in acknowledgement of the future growth that occurs within established municipalities. Again, however, the department, in the past, has also acknowledged that most established municipalities supply water outside the city boundaries and have issued permits allowing water usage in both the city limits and service area. Attached is a report listing approved permits for Municipal Use that include places of use outside the city limits.

I see three possible alternatives;

1. Amend the permit, not through an application but rather administratively, to include service area. This would make the permit consistent with past approved municipal permits. The application clearly identified the intent to include an area more than the city limits. See items 9b. and 11c. on the application.

2. Amend the permit, not through an application but rather administratively, adding "domestic" to the permit. List 1.5 cfs for that use and list 1.5 cfs as a total use for Domestic and Municipal uses. Add the place of use for domestic by listing the 40 acre tracts outside of the city boundary. Identify the number of units to be supplied water. I think we can do this because the

application clearly identified that the intent was to provide more than municipal uses, we may have inadvertently left off other uses thinking it would be covered under the term "Municipal".

3. File a new application for domestic uses outside of the city limits.

c Shelley Keen



HOLLADAY ENGINEERING CO.

ENGINEERS • CONSULTANTS

1431 Bus. Alt.-Hwy. 95

P.O. Box 235

Payette, ID 83661

(208) 642-3304 • Fax # (208) 642-2159

RECEIVED

JUN 22 1995

Department of Water Resources

June 20, 1995

Karl J. Dreher, Director
Idaho Dept. of Water Resources
1301 N. Orchard
Boise, ID 83706

RE: Permit to Appropriate Water No. 63-12189, City of Notus 011395

Dear Mr. Dreher;


The Permit to Appropriate Water No. 63-12189, for the City of Notus, states in the conditions/remarks No. 5. "Place of use is located within the city limits of Notus". This should read, Place of use is located in the city of Notus and surrounding service areas.

If you have any questions or need additional information, please give me a call at (208) 642-3304.

Sincerely,
HOLLADAY ENGINEERING CO.


Renee Bettis

cc Monty Marchus
Greg Kadel





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 1, 1995

CITY OF NOTUS
PO BOX 257
NOTUS ID 83656-0257

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12189

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED

JUN 08 1995

Drilling Permit No.

Water Right Permit No.

Injection Permit No.

63-95-W-0233-000

63-12189

WELL DRILLER: PLEASE COMPLETE FOR VERBALS

IDWR Employee Issuing Verbal: _____

Verbal Issued Date: _____ Time: _____

RECEIVED

MAR 06 1995

WATER RESOURCES
WESTERN REGIONState of Idaho
Department of Water Resources**APPLICATION FOR DRILLING PERMIT**1. Applicant (please print): City of Notus2. Mailing Address: P.O. Box 257City & State Notus, ID Zip Code 83656 Telephone (208) 459-6212☒ Well Owner ☐ Well Operator ☐ Contractor or Other, specify _____3. Proposed Well Location: Twp. 5N, Rge. 4W, Sec. 27, SW 1/4 SE 1/4Gov't Lot No. _____ County Canyon CountyStreet Address of Well Site Notus RdLot, block and subdivision Elementary School Lot

4. Proposed Use of Well:

- ☐
- DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock (1,000 head or less) and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

NON-DOMESTIC: ☐ Irrigation ☐ Municipal ☐ Industrial
☐ Stock ☐ Test ☒ Other Municipal Water Supply
(Over 1,000 Head) (Describe)☐ INJECTION☐ MONITORING: A well bore schematic and map is required for each blanket permit.
No. of proposed wells: _____

5. Well Construction Information:

A. ☒ New well ☐ Modify (Deepen or Enlarge) ☐ Replace - See Condition 9B. Proposed Casing Diameter 12" Proposed Maximum Depth 200'

C. Anticipated bottom hole temperature:

☒ 85°F or less (Cold Water Well) ☐ 85°F to 212°F (Low Temp. Geo. Well) ☐ 212°F or more (Geothermal Well)6. Construction Start Date: 5/957. Anticipated Well Driller: Subject to Public Bid Riverside Driller's Lic. No. 333

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's Signature Michael E. Holladay Date March 2, 1995Title City Engineer - Holladay Engineering Co.
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is APPROVED

Date 4-26-95

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

See Attached conditions

DAVID R. TUTHILL JR.

David R. Tutthill Jr.
Signature of Authorized Department Representative

MANAGER
WESTERN REGIONAL OFFICE

Title

Receipt No. W018683 Received by 83 Fee 50- Date 3-7-95
W018697 83 150- 3-8-95

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date JUN 08 1995

This extension expires: _____

ACTION OF THE DEPARTMENT OF WATER RESOURCESThis permit is **APPROVED**Date: **4/26/1995**

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. **READ CAREFULLY!**

CONDITIONS OF APPROVAL:

1. This drilling permit is valid for two (2) months from the approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required prior to construction of this well. The local Health Department should be contacted for septic tank/drainfield locations. Domestic wells must not be drilled closer than 100' from any drainfield and 50' from any septic tank.
3. The well shall be constructed by a driller currently licensed in the state of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If the bottom hole temperature of 85 Degrees F (29.44 oC) or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
8. Idaho Code, S 55-2201 - 55-2210 requires the applicant and/or his contractors to contact "Digline" (Dig Line is a locator service) not less than 3 working days prior to the start of any excavation for this project. The "Dig Line " Number for your area is 1-800-342-1585.
9. If an annular seal of bentonite is to be utilized, a high (>30%) solids bentonite shall be pumped from the bottom up to land surface. The bentonite shall not contain chemical polymers which effect long term stability of the seal and are often found in drilling fluid grade bentonites, but rather will be specifically recommended by the manufacturer for use as a seal material in water wells.
10. Drilling fluids shall be developed with water which meets or exceeds drinking water standards.
11. A four inch overbore for the annular seal will be used around the 16 inch surface casing as well as a four inch (3.25") annular seal between the 12 inch and 16 inch. The seal will be placed with a tremie from the bottom up. The seal will be a bentonite slurry up to the concrete pad.
12. The filter pack will not extend into or above the confining layer that the annular is sealed into. Care should be taken so as to not commingle aquifers of different quality, temperature and pressures.

(Continued)

RECEIVED
JUN 0 1995

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No: W018683

Date: 3/ 7/1995
Time: 11:31:54

Received
From: CITY OF NOTUS, WATER FUND

Type of Payment		Program Acct	Amount
APPLICATION FOR DRILLING PERMIT	62115	229 21 1205	50.00
# 63-95.W.0233-000			

CHECK

1992

Total \$ 50.00

Region: WESTERN

Signature: DBuffington

JUN 08 1995

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No: W018697

Date: 3/ 8/1995
Time: 12:29:38

Received
From: CITY OF NOTUS, WATER FUND

Type of Payment	Program Acct	Amount
DRILLING PERMIT: ADDITIONAL FEE	62115 229 21 1205	150.00
#63-95-W-0233-000		
CHECK	1995	Total \$ 150.00

Region: WESTERN

Signature: DBuffington

JUN 08 1995

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

02-07465

YAMASHITA, GUY
YAMASHITA, MARY
26671 MORRIS PL
WILDER, ID 83676

Source: SNAKE RIVER

Diversion Pt: LOT 6 (NESW) Sec 3 T 03N R 05W in CANYON County

Use: IRRIGATION

(0.030 CFS)

Total Diversion

(0.030 CFS)

Date Filed: 3/7/1995

In: CANYON County

T03N R05W S03 Lot 6 (NESW)

1.0 ACRES TOTAL

63-12189

CITY OF NOTUS

PO BOX 257

NOTUS, ID 83656

Source: GROUNDWATER

Diversion Pt: SWSE Sec 27 T 05N R 04W in CANYON County

Use: MUNICIPAL

(1.500 CFS)

Total Diversion:

(1.500 CFS)

Date Filed: 3/7/1995

Municipal use is within the city limits of Notus.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before APRIL 24, 1995. The protestant must also send a copy of the protest to the applicant.

R. KEITH HIGGINSON, Director

April 5, 12, 1995

1760

63-12189

CITY OF NOTUS
PO BOX 257
NOTUS, ID 83656

Source: GROUNDWATER

Diversion Pt: SWSE Sec 27 T 05N R 04W in CANYON County.

Use: MUNICIPAL (1.500 CFS)
Total Diversion: (1.500 CFS)

Date Filed: 3/ 7/1995

Municipal use is within the city limits of Notus.

JUN 08 1995