




63-12183

(from scan map
63-10781)


— No govt lots —

p/d
& p/h

PERMIT 63-10781 INIT RC
T. R. S. Q/Q
P/D 5N 1E 32 NESW
SCALE _____
PHOTO ID. X-8 EAGLE

63-12183

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	5		Berkeley	202 6242

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


2. Measurements: None - closed pipe system - 45 psi op. pressure.

MICROFILMED

APR 13 1999

E. NARRATIVE/REMARKS/COMMENTS

1. Well, Valves, Piping, etc. in Well House:




2. This permit is for an additional 0.08 cfs irrigation diversion rate to add to the diversion rate of 0.04 cfs (irrigation) in WR# 63-10781, for a total irrigation div. rate of 0.12 cfs. This is the same water system for WR 63-10781, which has irrigation (0.04 cfs), Stockwater (0.02 cfs), and domestic (0.02 cfs). There has been no change in the water system or Plan as shown in 63-10781.

3. The irrigation system has two - 1" pipes from the well house which furnish water to Sprinkler systems for the pasture and lawn, yard & garden around the house. The pasture has 9 lines of 5/32" nozzles (48 total), and the yard area has an underground sprinkler system.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
APR 13 1999

T5N R1E Sec. 32
NESW



Note: The previous owner of this property was Gary & Patricia McKinney.

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: The original owner of this well -

at the time of drilling was Darrel Matthews
4922 Burlington Dr., Boise, ID 83704.

WR # 63-12183 was filed to add 0.08 cfs
div. rate to License # 63-10781 for the
irrigation portion. WR 63-10781 had 0.04 cfs
for irrigation for 4 Acres. Total = $0.04 + 0.08 = 0.12$ cfs
for both rights, for irrigation.

Don Lomick Water Rights Examiner
Signature of Dept. Representative & Title

6-17-97
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED

APR 13 1999

1 of 2

P/O

Well in
Well House.

2" steel
line to
left is
domestic
use; 2"

Steel +
copper line
to right
is stock-
water and
irrigation.



P/O

Well
House.

1" PE pipe
on left
is stock-
water;
two-1"
lines are
irrigation
lines to
sprinklers.



MICROFILMED

APR 13 1994

63-12183

2 of 2



P/u
irrigated
front
yard/
garden.

View
Looking
East



P/u
irrigated
pasture.

View
Looking
North east.

MICROFILMED

APR 13 1999

63-12183

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-12183

Priority: March 10, 1995

Maximum Diversion Rate:

0.08 CFS

This is to certify, that ROBERT DAUBENBERGER
TUDOR CUSHMAN

990 W MEANDER CT
EAGLE ID 83616

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 10, 1995; and has submitted Proof of Beneficial Use on May 7, 1996. An examination indicates that the works have a diversion capacity of 0.170 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	03/15 to 11/15	0.08 CFS	
------------	----------------	----------	--

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 32, Township 05N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	01E	32	NESW	4		4

Total number of acres irrigated: 4

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
2. Rights 63-10781 and 63-12183 when combined shall not exceed a total annual maximum diversion volume of 18.0 af at the field headgate for the irrigation of a total of 4 acres.
3. Right 63-10781 is also diverted through the point of diversion described above.
4. Place of use is located within Lot 1, Blk. 1, Eagle North Estates.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 6TH day of

APRIL, 1999.

MICROFILMED

APR 13 1999

Acting for

KARL J. DREHER, Director

FOR OFFICE USE ONLY
Amt. of Fee \$: 50.00
Receipt No. 6035472
Receipt By: gw
Date Received: 5-7-96

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
MAY 7 - 1996

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12183 Telephone No. (208) 939 3320
2. Name(s) of Permit Holder(s): Robert Daubenberger - Tudor Cushman
3. Mailing Address: 990 W. Meander ct Eagle ID 83616
4. Source of Water: Well If GROUNDWATER (well), Date Drilled: mo. 9 / yr. 87
- a. Well Driller: SOS Well & Pump Drilling Permit Number: 63-87-2-026
- b. OPTIONAL:
Pump Horsepower: 5 Pressure (psi): 60 Dynamic pumping level (ft): 70'
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): horses-4 - Goats 4
Irrigation (No. of acres): 4 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.17 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- | | | | | |
|------------------------|--|--------------|----|-------------|
| Measuring Device: | Is a measuring device required? | Yes _____ | or | No <u>✓</u> |
| | Has the measuring device been installed? | Yes _____ | or | No <u>✓</u> |
| Flow Measurement Port: | Is a flow measurement port required? | Yes <u>✓</u> | or | No _____ |
| | Has the measurement port been installed? | Yes <u>✓</u> | or | No _____ |
8. Fee Enclosed: \$ \$50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Robert Daubenberger Telephone Number: (208) 939 3320
Address: 990 W. Meander ct Eagle ID 83616
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

Robert Daubenberger Owner
(include your title, if on behalf of company of organization)

MAY 22 1996

Date:

4-9-96

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-12183

Proposed Priority: March 10, 1995

Maximum Diversion Rate:

0.08 CFS

This is to certify, that **ROBERT DAUBENBERGER**
TUDOR CUSHMAN
990 W MEANDER CT
EAGLE ID 83616

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.08 CFS

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 32, Township 05N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	01E	32	NESW	4.0		4.0


Total number of acres irrigated: 4.0

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1996.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
4. Place of use is located within Lot 1, Blk. 1, Eagle North Estates.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

30th day of May, 1995


Karl J. Dreher, Director

MICROFILMED

JUN 08 1995

RECEIVED
MAY 25 1995

Ident. No. 63-12183

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: ROBERT DAUBENBERGER 208-000-0000
Address: 990 W MEANDER CT
EAGLE ID 83616
AND/OR
Name: TUDOR CUSHMAN 208-000-0000
Address: 990 W MEANDER CT
EAGLE ID 83616
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NESW Sec. 32, Township 05N, Range 01E
ADA County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.080		
5. Total quantity to be appropriated is:
0.080 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
EXISTING WELL & PUMP/PIPELINE FOR IRRIGATION
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).

RECEIVED

JUN 08 1995

8. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
05N 01E 32	NESW 04			4

Total number of acres irrigated: 4

9. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

10. Remarks:

Right No. 63-10781 is also diverted through this system and that right provides full volume but partial rate of flow to the same acres in Right No. 63-12183.

No new consumptive use is authorized and/or no new acres can be irrigated with right No. 63-12183, which is therefore requested to be exempted from the drought moratorium.

Property also known as Lot 1, Block 1, Eagle North Estates.

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ 215.00 Receipted by _____ #W018721 Date 3/10/1995

Publication prepared by _____ Date _____ Published in _____

Publication approved ST Date 4-24-95

JUN 08 1995

RECEIVED

State of Idaho

MAR 22 1995

DEPARTMENT OF WATER RESOURCES

WATER RESOURCES
WESTERN REGION

ASSIGNMENT OF PERMIT

To change the ownership of a permit

RECEIVED

MAR 23 1995

Department of Water Resources

I, GARY D. McKINNEY and/or
PATRICIA A. McKINNEY, hereby assign to ROBERT DAUBENBERGER and/or
TUDOR CUSHMAN
(Permit Holder)
 of 990 W. MEANDER CT., EAGLE, IDAHO
(Full Address)

All my right, title, and interest in and to Permit No. 63-10781 and 63-12183
 to appropriate the public waters of the State of Idaho.

OR (for partial assignments)

The following described portion of my right, title, and interest in and to
 Permit No. _____ to appropriate the public waters of the State of Idaho.

Describe portion of the permit assigned listing the number of acres in each 40 acre subdivision,
 point of diversion location, and the amount of water in cubic feet per second.

Groundwater from NE SW Sec. 32, Township 05N, Range 01E,
Ada County (4 acres):

0.04 CFS Domestic (P63-10781)

0.08 CFS Irrigation (63-12183)


Made this 22nd day of March, 1995.

Gary D. McKinney Patricia A. McKinney
 Permit Holder(s)

State of Idaho)
) ss
 County of ADA)

On this 22ND day of MARCH, 1995, personally appeared before me
 the signer of the above instrument and acknowledged to me that he/she/they executed the same.

SEAL



LEA FONTAINE
 Notary Public

Signature

My commission expires: 6/10/2000

JUN 08 1995

database updated. 3/24/95 cdy.

Ident. No. 63-12183

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: PATRICIA A MC KINNEY
Address: 990 W MEANDER CT
EAGLE ID 83616

208-939-6207

AND/OR

Name: GARY D MC KINNEY
Address: 990 W MEANDER CT
EAGLE ID 83616

208-939-6207

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NESW Sec. 32, Township 05N, Range 01E
ADA County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.080		

5. Total quantity to be appropriated is:
0.080 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
EXISTING WELL & PUMP/PIPELINE FOR IRRIGATION
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 6 inches; proposed depth of well is 151
feet.
- Is groundwater with a temperature greater than 85F being sought? NO
- If well is already drilled, when? 04/17/1987
Drilling Firm SOS WELL DRILLING
Well was drilled for DARYL MATHEWS

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).

RECEIVED

JUN 08 1995

8. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
05N 01E 32	NESW 04			4

Total number of acres irrigated: 4

9. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

10. Remarks:

Right No. 63-10781 is also diverted through this system and that right provides full volume but partial rate of flow to the same acres in Right No. 63-12183. *is Authorized*

No new consumptive use and/or new acres can be irrigated with Right No. 63-12183, which is therefore, *Requested to be* exempted from the drought moratorium.

Property also known as Lot 1, Block 1, Eagle North Estates.

- *Abuse*
Commented
- JB

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Patricia A. McQuinn
Applicant

Received by SL Date 3/10/95 Time 4:10 Preliminary check by CJH

Fee \$ 50 Receipted by SL # W018721 Date 3/10/95

Publication prepared by AT Date 3-29-95 Published in Id. Stateman

Publication approved AT Date 4-24-95

JUN 08 1995



63-12183

(Bureau map
63-1000)

10/10

p/o
& p/u

PERMIT 63-10781 INIT RC
T. R. S. Q/Q
P/D SN IE 32 NESW
SCALE _____
PHOTO ID. X-8 EAGLE



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 7, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

ROBERT DAUBENBERGER
TUDOR CUSHMAN
990 W MEANDER CT
EAGLE ID 83616

RE: WATER RIGHT NO. 63-12183

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
APR 13 1999

CERTIFICATE OF MAILING

I hereby certify that on the 7th day of April, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 63-12183

ROBERT DAUBENBERGER
TUDOR CUSHMAN
990 W MEANDER CT
EAGLE ID 83616


Kari Lynn Townsend
Secretary

MICROFILMED
APR 13 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

APR 13 1999

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

APR 13 1999

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-12183 DATE 3/30/99 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40

~~W32 (multiple in 1/4)~~
~~W36 (overlap)~~
~~W59 (subd. desc)~~

Overlaps: Right(s): 63-10781
 File reviewed Profile reports printed

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43

W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): Profile reports printed

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .08 cfs
 Fee limit .20 cfs \$5000
 Measured — cfs
 Theoretical .17 cfs

Recommended Total Div Rate .08 cfs

WATER USES	<u>OK</u>	Change (P46)	
<u>W</u>	<u>.08</u> cfs	<u>4x4.5</u> af	Irrig - overlap (R58-R61, R62-R65, R66-R69)
<u>—</u>	<u>—</u> cfs	<u>—</u> af	supp. gw (WB7/065/079)
<u>—</u>	<u>—</u> cfs	<u>—</u> af	overlap spec. combined rts (W35)
<u>—</u>	<u>—</u> cfs	<u>—</u> af	<1acre (W31)
<u>—</u>	<u>—</u> cfs	<u>—</u> af	Domestic (W01/WB5/070/071/075)
TOTALS	<u>.08</u> cfs	<u>18.0</u> af	Power (W42 or W43/025/027/R22 or R23)
			Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .08 cfs X — days X 1.98 = — af

REMARKS —

ADD'L CONDITIONS Watermaster Control WD# —
GW Measurement/Measuring Device
Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority yes no SRBA Claim N/A Adjust Memo —
 Amend letters —

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 29 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-12183

1. Owner: Robert Daubenberger & Tudor Cushman Phone No. (208) 939-3320

Current Address: 990 W. Meander CT, Eagle, ID 83616

2. Accompanied by: Tudor Cushman EXAM DATE: 6-17-97

Address: (Same) Phone No. (Same)

Relationship to Permit Holder: (Same)

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-10781 (Irrigation, Stock-

2. Other water rights with the same point of diversion: 63-10781 water, Domestic)

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SW	32	5N	1E	Ada	Site Visit, Map

2. Place(s) of Use:

Indicate Method of Determination Site Visit, Map


TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5N	1E	32									4.0								4.0

MICROFILMED

APR 13 1999

E. NARRATIVE/REMARKS/COMMENTS

1. Well, Values, Piping, etc. in Well House:



2. This permit is for an additional 0.08 cfs irrigation diversion rate to add to the diversion rate of 0.04 cfs (irrigation) in WR #63-10781, for a total irrigation div. rate of 0.12 cfs. This is the same water system for WR 63-10781 which has irrigation (0.04 cfs), stockwater (0.02 cfs), and domestic (0.02 cfs). There has been no change in the water system or Plan as shown in 63-10781.

3. The irrigation system has two - 1" pipes from the well house which furnish water to sprinkler systems for the pasture and lawn, yard & garden around the house. The pasture has 9 lines of 5/32" nozzles (48 total), and the yard area has an underground sprinkler system.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
APR 13 1999

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: None - Theoretical Cal. :

$$Max. Q = \frac{(8.8)(514P)(70\%)}{80' + (45 \text{ psi}) \left(\frac{34'}{14.7 \text{ psi}} \right)} = 0.17 \text{ cfs} > 0.12 \text{ cfs}$$

$$\left[\begin{array}{l} 63-10781, 0.04 \\ 63-12183, 0.08 \\ 0.12 \end{array} \right]$$

$$Q \text{ Allowed total} = (0.03 \frac{\text{cfs}}{\text{Ac.}})(4 \text{ Ac.}) = 0.12 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (4.0)(3.5 \frac{\text{AFA}}{\text{Ac.}}) = 14.0 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.12)(246)(1.9835) = 58.6$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 14.0 \text{ AFA}$$

2. Volume Calculations for Other Uses: Irrigation: 14.0 AFA for both this Permit + 63-10781.

$$\text{Irrigated Ac.} = \left[(305') (610') - \begin{array}{l} 3500 \text{ ft}^2 \\ \text{House} \end{array} - \begin{array}{l} 1000 \text{ ft}^2 \\ \text{Barn} \end{array} - \begin{array}{l} 200 \text{ ft}^2 \\ \text{Well House} \end{array} - \begin{array}{l} 700 \text{ ft}^2 \\ \text{Drive way} \end{array} \right] / 66166 \text{ (19)}$$

$$= 4.15 \text{ Ac.}$$

Allow 4.0 Ac.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>03/15</u>	<u>11/15</u>	<u>0.08</u>	<u>14.0</u>
Totals:			<u>0.08</u>	<u>14.0</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Note: 14.0 AFA is for total of this permit and 63-10781.

I. AUTHENTICATION


Field Examiner's Name L. J. Tomich Date 1-26-78

Reviewer _____ Date _____

SEAL

MICROFILMED

T5N R1E Sec. 32
NESW



IDAHO DEPARTMENT OF WATER RESOURCES RECEIVED

WELL INSPECTION FORM

JAN 29 1998

Department of Water Resources

63-10781

1. DRILLING PERMIT NO: 63-87-2-026 OTHER APPLICABLE NO: 63-12183
2. OWNER: Robert Daubenberger & Cushman Tudor Phone: (208) 939-3320
Address: 990 W. Meander CT., Eagle, ID 83616
3. WELL LOCATION: Twp 5N, Rge. 1E, Sec. 32, NE 1/4 SW 1/4
County Ada (Provide sketch map and photo on reverse.)
4. DRILLER: S.O.S. Well Drilling Services Lic. No. 212
When Drilled? 8-24-87 to 8-26-87
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 111 ft. Method Drilled Air-Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☒ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 80 ft. Water Temperature Cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☒ Irrigation ☒ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

MICROFILMED

APR 13 1999

Note: The previous owner of
this property was
Gary & Patricia
McKinney.

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: The original owner of this well -

at the time of drilling was Darrel Matthews
4922 Burlington Dr., Boise, ID 83704.

WR # 63-12183 was filed to add 0.08 cfs

div. rate to license # 63-10781 for the

irrigation portion. WR 63-10781 had 0.04 cfs

for irrigation for 4 Acres. Total = $0.04 + 0.08 = 0.12$ cfs

for both rights, for irrigation.

Dan Conick Water Rights Examiner
Signature of Dept. Representative & Title

6-17-97
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED

APR 13 1997

1 of 2

P/O

Well in
Well House.

2" steel
line to
left is
domestic
use; 2"


steel &
copper line
to right
is stock-
water and
irrigation.



P/O

Well
House.

1" PE pipe
on left
is stock-
water;
two-1"
lines are
irrigation
lines to
sprinklers.



MILITARY

AF

63-12183

2 of 2



P/u
irrigated
front
yard/
garden.

View
Looking
East



P/u
irrigated
pasture.

View
Looking
Northeast.

MICROFILMED

APR 13 1989

63-12183

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-12183 Reviewed by [Signature] Date 5-10-96

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

dom. stock, irr.

Correct Uses? no

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

no Copy in the file? Drilling Permit No. 63-87-C-0026-000

200- Amount paid for permit

yes Correct?

no Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

50- Amount Submitted

yes Correct?

MEASURING DEVICE

no Required?

yes Installed?

 Waiver requested?

PRIORITY CALCULATION

Date proof received

Date proof due

No. of days late

Priority Date

New Priority Date

_____	-	_____
_____	=	_____
_____	+	_____
_____		_____

DEFICIENCIES OR ACTION ITEMS

advise that permit only authorizes .08 cfs.
Proof Acceptable

DATA ENTRY

New Address [Signature] Proof Made 5-7-96



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR
May 13, 1996

ROBERT DAUBENBERGER
TUDOR CUSHMAN
990 W MEANDER CT
EAGLE ID 83616

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 63-12183

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that your permit only authorizes a rate of diversion of 0.08 cfs. You indicated on the proof that you are diverting 0.17 cfs, however, this permit will only be licensed for a maximum of rate of diversion of 0.08 cfs.

If you have questions concerning the field examination, contact the WESTERN Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

MAY 22 1996

Comments: Date: 3/ 10/ 1995 User-ID: SLESTER

Subject:
CLARIFICATION

This right is filed in accordance with DRT's 9/22/93 letter (copy attached). The new right will provide full rate of flow for the system when combined with overlapping right 63-10781 but no new consumptive use (earlier right provides 1/2" per acre but full volume).

Applicant requests moratorium exemption for this reason -- legal notice serves for local impact factor. Without protests, it does appear that the application is approvable.

Additional \$165 for upgrading of drilling permit 63-87-Z-026 also paid today.

Filing of this application will allow licensing of 63-10781 to proceed.

RECEIVED

22 1996

March 31, 1996

TUDOR CUSHMAN
ROBERT DAUBENBERGER
990 W MEANDER CT
EAGLE ID 83616

PROOF DUE NOTICE

RE: PERMIT NO. 63-12183

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MAY 22 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 31, 1995

TUDOR CUSHMAN
ROBERT DAUBENBERGER
990 W MEANDER CT
EAGLE ID 83616

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12183

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED

JUN 08 1995

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 63-12183 Name: Daubenberger Date: 5/26/95 Ad OK? ✓
Correct Fee? ✓ Receipt #: W018421 Priority: 3/10/95 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>

+ 0.2 cfs - 01M
- 0.2 cfs - No MD
+ 5 a. (POU cmp) - 01M, 803(if GW use SW 1st)

Drilling Permit:

Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink):

Water District(~~dem~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 01J-P08 or 01M
- 0.2 cfs - 01H-P01 or No MD
+ 5 a. irr. - 01M (POU cmp)
~~In WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
+ 5 a. irr. - 01M (POU cmp)

RIVER BASINS (*Surface water):

Snake R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(consump. use), 047-P04(Payette Lake), NA

USE:

Domestic (surface) - 021(Boise R + L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr - 5 acres - 057 (0.03 cfs/A)
+ 5 acres - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner

OTHER CONDITIONS:

STANDARD REMARKS:

10 PM Lt 1, Bk 1, N Eagle Est.

BENEFICIAL USE DUE:

6-1-1996

COMMENTS:

PROCESSING

APPLICATION ... 63-12183

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. District Health

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☐ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest 4-24-95

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approval, DNR

Measuring device required:

Measuring port required:

Water delivered by water master? District # _____

Special conditions of approval or cover letter: _____

See exemption notes in file

☒ See below for additional information

Recommended Date or Priority 3/10/1995

Recommended by: DNR

Date 5/16/1995

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

Overlaps - ground water source, separate parcels

This ap to Supplement flows previously permitted under

63-10781. No new acres developed. See database comments.

License on 63-10781 has been held pending receipt of this.

* Recommend conditions: use together with 63-10781 not to exceed

.12 cfs

Total acres irr = 4

RECEIVED

APR 19 1995

WATER RESOURCES
WESTERN REGIONThe Idaho
Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

\$176.25

Account Number 04762800		Identification NOTICE OF APPLICATION FOR WATER RIGHT	
Ordered By Sue Taylor	P.O. Number	Rate NT	Run Dates April 6 & 13, 1995
IDAHO DEPARTMENT OF WATER RESOURCES Western Region Attn: Sue Taylor 2735 Airport Way Boise, Idaho 83705-5082		Estimated Inches # Affidavits 1	Real Inches Legal Number 1726

LEGAL NOTICE

NOTICE OF APPLICATION FOR WATER RIGHT

Following application(s) have been filed to appropriate the public waters of the State of Idaho:

IN, TUDOR
BERGER, ROBERT
EANDER CT
ID 83616

GROUNDWATER
1 PT: NESW Sec 32 T05N R01E in ADA County.
DIVERSION (0.080 CFS)
Total Diversion: (0.080 CFS)

led: 3/10/1995
County
R01E S32 NESW
4.0 ACRES TOTAL

63-12183
OF ROYAL OAKS LTD, THE
RY & ASSOC INC
S #220
Y, UT 84107

GROUNDWATER
1 PT: LOT 8 (SWSW) Sec 6 T03N R02E in ADA County.
DIVERSION (0.200 CFS) (1.00 AF)
ARTIFICIAL STORAGE (0.200 CFS)
DIVERSION TO STORAGE (0.200 CFS)
Total Diversion: (0.200 CFS)

led: 3/15/1995
County
R02E S06 Lot 8(SWSW)
10.0 ACRES TOTAL

63-12186
E CORP LAND DEVELOPERS
GARVERDALE CRT
ID 83704

GROUNDWATER
n Pt: NENE Sec 29 T04N R01E in ADA County.
ARTIFICIAL STORAGE (1.200 CFS)
PROTECTION (3.800 CFS)
Total Diversion: (5.000 CFS)

led: 3/8/1995
County
R01E S29 NENE NWNE SWNE SENE
NESE

63-12187
NG HOMEOWNERS ASSOC
HAMROCK LN
ID 83704

GROUNDWATER
BOISE RIVER Tributary: BOISE RIVER
n Pt: SWNW Sec 23 T04N R01W in ADA County. Tributary: SNAKE RIVER
DIVERSION (2.980 CFS)
ARTIFICIAL STORAGE (50.00 AF)
ARTIFICIAL STORAGE (50.00 AF)
ARTIFICIAL STORAGE (50.00 AF)
Total Diversion: (2.980 CFS)

led: 3/8/1995
County
R01W S22 NENE NWNE SWNE SENE
S23 SWNE SWNW SENW
149.0 ACRES TOTAL

It will be subject to all prior water rights. Protests may be submitted in the criteria of Sec. 42-203A, Idaho Code. Any protest against the filing of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a fee of \$25.00 on or before APRIL 24, 1995. The protestant must also copy of the protest to the applicant.

R. KEITH HIGGINSON, Director

April 6 & 13, 1995

1726

LINDA PORTER

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for TWO

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of APRIL 6, 1995

and ending with the issue of APRIL 13, 1995

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 13th day of APRIL in the year of 1995, before me, a Notary Public, personally appeared

LINDA PORTER

, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Notary Public for Idaho

Residing at Boise, Idaho

My commission expires: JUN 8 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 29, 1995

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

Tudor Cushman
Robert Daubenberger
990 W Meander Ct
Eagle ID 83616

RECEIVED

MAR 30 1995

WATER RESOURCES
WESTERN REGION

RE: Permit Nos. 63-10781 and 63-12183

Dear Tudor and Gary,

This letter is to confirm that the assignments of ownership on the above referenced water rights are satisfactory. We have modified our computer records to reflect these changes in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

JIM JOHNSON, Manager
Water Right Permits Section

JJ:rl

RECORDED

JUN 08 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
MAY 25 1995
Department of Water Resources

INITIAL REVIEW BY: Cyl DATE: 3/23/95 APPLICATION: 63-12183

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map: (show T, R, S, QQ &/or QQQ)
Subdivision plat: (for > 1 home in restricted area. ≥ 5 homes in non-restricted area)
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ☐ No ☐ In form to receipt:

Gov't. Lots:

2 P/D
3 P/U

ADDITIONAL INFORMATION

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ ☐ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☒ Field report attached:
☐ ☒ Critical groundwater area:
☒ ☐ Groundwater management area:
☒ ☐ 1992 moratorium: Exempt - no new consumptive. See app. comments.
☐ ☐ Copy to SCA staff: (perennial stream, non-pump diversion)
☐ ☐ Copy to Dam Safety staff: (for any storage)
☐ ☐ Basin 63 mitigation plan: (where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge)
☐ ☐ Send power requirement letter:
☐ ☐ Send fish farm requirement letter:
☐ ☐ Power residency affidavit:
☐ ☐ Power efficiency form:
☐ ☐ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side:

Comments: Date: 3/ 10/ 1995User-ID: SLESTER

Subject:

ADDITIONAL CLARIFICATION

RE: Rate of Flow -- Exam for 63-10781 shows 5 hp pump but today applicant stated is 3 hp pump (see attachment) and that recent pump test by SOS Drilling (in 1995) resulted in 50-55 gpm even though HP Equation for 3 hp yields .10 cfs (45 gpm).

This application is filed for 55 gpm minus 18 gpm in other right. Final determination of newest right can be made in future license examination. Both rights combined should not exceed .12 cfs at this time.

Comments: Date: 3/ 10/ 1995User-ID: SLESTER

Subject:

CLARIFICATION

This right is filed in accordance with DRT's 9/22/93 letter (copy attached). The new right will provide full rate of flow for the system when combined with overlapping right 63-10781 but no new consumptive use (earlier right provides 1/2" per acre but full volume).

Applicant requests moratorium exemption for this reason -- legal notice serves for local impact factor. Without protests, it does appear that the application is approvable.

Additional \$165 for upgrading of drilling permit 63-87-Z-026 also

JUN 08 1995

paid today.

Filing of this application will allow licensing of 63-10781 to proceed.

RECEIVED
JUN 08 1935

JUN 08 1935

Comments: Date: 3/ 10/ 1995 User-ID: SLESTER

Subject:
CLARIFICATION

This right is filed in accordance with DRT's 9/22/93 letter (copy attached). The new right will provide full rate of flow for the system when combined with overlapping right 63-10781 but no new consumptive use (earlier right provides 1/2" per acre but full volume).

Applicant requests moratorium exemption for this reason -- legal notice serves for local impact factor. Without protests, it does appear that the application is approvable.

Additional \$165 for upgrading of drilling permit 63-87-Z-026 also paid today.

Filing of this application will allow licensing of 63-10781 to proceed.

JUN 08 1995

SD-0420-2
ADD COMMENT

Iowa Department of Water Resources
Modify Comment

Date: 03/10/95
Time: 16:45:43

Water Right Number: 63-12183

Comment Date: 3/10/1995 User ID: SLESTER

Subject: ADDITIONAL CLARIFICATION

RE: Rate of Flow -- Exam for 63-10781 shows 5 hp pump but today applicant stated is 3 hp pump (see attachment) and that recent pump test by SOS Drilling (in 1995) resulted in 50-55 gpm even though HP Equation for 3 hp yields .10 cfs (45 gpm).
This application is filed for 55 gpm minus 18 gpm in other right. Final determination of newest right can be made in future license examination. Both rights combined should not exceed .12 cfs at this time.

(Enter=Add) (Gold4=Prev) (Gold5=Next) (Gold7=Return to Comment Selection)

JUN 08 1995

3hp Berkeley 4CLM14-3 Model of Pump

1. WELL OWNER

Last Name: MATHEWS

First Name: DARREL

Street: 4922 BURLINGTON DR.

City: BOISE

State: ID

Zip Code:

Permit #: 63-87-2-026

Phone#:

2. NATURE OF WORK

New Well: X

Deepened:

Replacement:

Increase:

Abandoned:

3. PROPOSED USE

Domestic: X

Irrigation:

Test:

Industrial:

Stock:

Injection:

Monitor:

Municipal:

4. METHOD DRILLED

Rotary: X

Air: X

Hydraulic:

Rev. Rotary:

Cable:

Dug:

Other:

5. WELL CONSTRUCTION

Casing schedule

Steel: X

Concrete:

PVC:

Thickness

Diameter

From

T1: 250 Inches

D1: 6 Inches

F1: 1 Feet To1

T2: Inches

D2: Inches

F2: Feet To2

Was Casing Or Drive Shoe Used?

Yes1: X No1:

Was A Packer Or Seal Used?

Yes2: No2: X

Perforated?

Yes3: X No3:

How Perforated?

Factory:

Knife: X Torch:

Size of Perforation? Inches By: 1 8THX 2"

Number

From

To

P1: 288

F5: 80 Feet

To5: 98 Feet

P2:

F6: Feet

To6: Feet

Well Screen Installed?

Yes4:

No4: X

Manufacturer's:

Type:

Top Packer:

Bottom of Tailp:

Diam1: Slot1:

Set1:

Feet To3: Feet

Diam2: Slot2:

Set2:

Feet To4: Feet

Gravel Packed?

Yes5:

No5: X

Plac1: Feet to Deep1: Feet

Surface Seal: 20 Material Used In Seal Cement Grout:

3/10/95 Applicant (63-12183)
States 3 hp pump
that 1995 test by
yield 50.55 gpm
(up to .12 cfs) 505

JUN 08 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 22, 1993

Gary D. and Patricia A. McKinney
990 W. Meander Ct.
Eagle, ID 83616

Permit No. 63-10781

Dear Mr. and Mrs. McKinney:

As you are aware, a representative from this office performed a beneficial Use Field Examination at your residence on August 6, 1993. The examiner, Mr. Rick Collingwood, found that you are using a 5 horsepower submersible pump to irrigate approximately 4 acres of lawn and pasture. Our computations show that your system has the capability to divert as much as 0.17 cfs with your pump.

The purpose of this letter is to advise you that it appears you do not have a water right that will allow the pumping rate that we measured. The well drilling permit that you obtained is valid for pumping of only as much as 0.04 cfs, while the pump that you have installed will produce several times that amount.

In order to adhere to the permit process established by the Idaho Legislature we must require you to do the following:

✓ 1. Upgrade your drilling permit from domestic to irrigation, for a fee of \$165.00. *63-872-026*

✓ 2. File an Application for Permit for diversion of an additional 0.08 cfs for the irrigation of your 4 acres. The cost of filing this application is \$35.00. *now 50*

Enclosed is a water right Application for Permit for your convenience. You may remit these fees either by correspondence, or we will be happy to assist you if you visit our office.

Sincerely,

David R. Tuthill

David R. Tuthill, Jr., P.E.
Manager, Western Regional Office

State Office

✓ *completed 3/10/95*

RECORDED

JUN 08 1995

63-12183

CUSHMAN, TUDOR
DAUBENBERGER, ROBERT
990 W MEANDER CT
EAGLE, ID 83616

Source: GROUNDWATER

Diversion Pt: **NESW Sec 32 T 05N R 01E in ADA County.**

```

Use:  IRRIGATION      (          0.080 CFS)
      Total Diversion: (          0.080 CFS)

```

Date Filed: 3/10/1995

In: ADA County
T05N R01E S32 NESW

4.0 ACRES TOTAL

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26

JUN 08 1995