

MCDEVITT SUBDIVISION
SECTION OF THE NE 1/4 OF SECTION 32, T.3 N., R.3 E., B.M.

ADA COUNTY, IDAHO
CTM ENGINEERING INC.

1991

NOTES

1. LOTS 1, 3 AND 5 ARE PART OF THE SCIENTIFIC EASEMENT AREA AND SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AGRICULTURAL AND HUSBANDRY PURPOSES AND RELATED ACTIVITIES INCLUDING BUT NOT LIMITED TO ERECTION OF IMPROVEMENTS IN CONNECTION THEREWITH. SEE SCIENTIFIC EASEMENT INSTRUMENT NO 8154872, RECORDS OF ADA COUNTY, IDAHO.

2. LOTS 2, 4 AND 6 ARE ELIGIBLE FOR ONE SINGLE FAMILY DWELLINGS EACH. ONE SUCH RESIDENCE IS ALLOWED ON EITHER LOT 4 OR 6 PRIOR TO DECEMBER 31, 1991. AND AFTER SAID DATE THE REMAINING VACANT LOT IS ELIGIBLE FOR ONE SINGLE FAMILY DWELLING. SEE SMITH RANCHES, LTD. VS. BOARD OF COUNTY COMMISSIONERS (4th DISTRICT COURT CASE NO. 70088).

3. DEVELOPER SHALL COMPLY WITH THE REQUIREMENTS OF IDAHO CODE 31-3805 PERTAINING TO IRRIGATION.

4. BUILDING SETBACKS AND DIMENSIONAL STANDARDS SHALL BE IN COMPLIANCE WITH THE APPLICABLE ZONING REGULATIONS IN EFFECT AT THE TIME OF ISSUANCE OF A BUILDING PERMIT OR AS MAY BE SPECIFICALLY APPROVED. ..

5. EXISTING EASEMENT ACCESS TO THE SITE IS APPROVED, AS IS, FOR ALL THREE BUILDING LOTS. (PARAGRAPH 4E ADA COUNTY COMMISSIONERS' FILE NUMBERS 18-12-P06/79-20-ZC.)

HEALTH OFFICER: Thomas L. Kennedy, M.D.

SANITARY RESTRICTIONS ARE IN FORCE FOR LOTS 1, 3, 4, 5 AND 6.


SCALE : 1" = 80'

$$P/U = 6+4$$

RECORD OF SURVEY NO. 353
IDAHO PARK FOUNDATION INC
BARBER DAM PROPERTY

LEGEND

- | | |
|------|-------------------------------|
| ● | BRASS CAP MONUMENT (FOUND) |
| ⊕ | ALUMINUM CAP MONUMENT (FOUND) |
| ⊙ | 5/8" ⌀ IRON PIN (FOUND) |
| ⊙ | 5/8" ⌀ x 30" IRON PIN (SET) |
| ● | 1/2" ⌀ IRON PIN (FOUND) |
| + | THEORETICAL POINT NOT SET |
| ---- | EASEMENT LINE |
| 000 | DATA OF RECORD |



UNPLATTED

For more information on source books call 1-800-368-6868 or visit our website at www.sourcebooks.org

SHEET 10

DELTA	RADIUS	CHORD LENGTH	CHORD BEARING	TAN LENGTH
30° 52' 31"	193.55	103.05	N 57° 26' 10" W	55.45
30° 52' 33"	166.55	85.74	S 57° 26' 10" E	46.55

NWNE
3N 3E sec 32
Gov Lt 2


T3N
T2N

32' 30"

APPROVED
JUL 10 8 1995




COMPILED FROM THE OFFICIAL




VIRGINIA L. AND CHARLES F. MCDEVITT SURVEY
PART OF THE NE 1/4, SECTION 32, T.3 N., R.3 E., B.M.
ADA COUNTY, IDAHO
1990

RECORD OF SURVEY NO. 1678

C.P. & F. INSTRUMENT NO. 733168
BASIS OF BEARING
RECORD OF SURVEY NO. 594




- LEGEND
- ⊕ BRASS CAP (FOUND)
 - ⊙ ALUMINUM CAP (FOUND)
 - ⊙ 5/8" IRON PIN (FOUND)
 - ⊙ 5/8" x 30" IRON PIN (SET)
 - ⊙ 1/2" ANGLE IRON (FOUND)
 - ⊙ 1" STEEL ROD (FOUND)
 - ⊙ THEORETICAL POINT (NOT SET)
 - WOOD AND WIRE FENCE
 - STONE WALL




MICROFILMED
JUN 09 1998

CERTIFICATE OF SURVEYOR
THIS IS TO CERTIFY THAT I, JOHN M. CLARK, A REGISTERED LAND SURVEYOR IN THE STATE OF IDAHO, SUPERVISED THIS SURVEY AND THAT THIS MAP IS A TRUE AND CORRECT REPRESENTATION OF SAID SURVEY AS MADE AND STAKED ON THE LAND.



CERTIFICATE OF COUNTY RECORDER
INSTRUMENT NO. 9038960
THIS IS TO CERTIFY THAT THIS RECORD OF SURVEY WAS FILED FOR RECORD IN THE OFFICE OF THE RECORDER OF ADA COUNTY, IDAHO, THIS 24th DAY OF MAY, 1990, AT 1:53 P.M., AT THE REQUEST OF V.L. McDevitt, AND DULY RECORDED IN BOOK NO. 8 UNDER SERIES AT PAGE 1706.
Deputy Recorder
Official Recorder



MCDEVITT SUBDIVISION

A PORTION OF THE NE 1/4 OF SECTION 32, T.3 N., R.3 E., B.M.

ADA COUNTY, IDAHO

CTM ENGINEERING INC.

1991

NOTES


1. LOTS 1, 3 AND 5 ARE PART OF THE SCENIC EASEMENT AREA AND SHALL BE USED FOR ANY PURPOSE OTHER THAN AGRICULTURAL AND HUSBANDRY PURPOSES. RELATED ACTIVITIES INCLUDING BUT NOT LIMITED TO ERECTION OF IMPROVEMENTS, CONNECTION THEREWITH, SEE SCENIC EASEMENT INSTRUMENT NO. 8154872, RECORD OF ADA COUNTY, IDAHO.
2. LOTS 2, 4 AND 6 ARE ELIGIBLE FOR ONE SINGLE FAMILY DWELLING EACH. ONE SUCH RESIDENCE IS ALLOWED ON EITHER LOT 4 OR 6 PRIOR TO DECEMBER 31, 1991, AND AFTER SAID DATE THE REMAINING VACANT LOT IS ELIGIBLE FOR ONE SINGLE FAMILY DWELLING. SEE SMITH RANCHES, LTD. V.S. BOARD OF COUNTY COMMISSIONERS OF ADA COUNTY (4th DISTRICT COURT CASE NO. 70088).
3. DEVELOPER SHALL COMPLY WITH THE REQUIREMENTS OF IDAHO CODE 31-2805 PERTAINING TO IMIGRATION.
4. BUILDING SETBACKS AND DIMENSIONAL STANDARDS SHALL BE IN COMPLIANCE WITH THE BUILDING REGULATIONS IN EFFECT AT THE TIME OF ISSUANCE OF THE BUILDING PERMIT OR AS MAY BE SPECIFICALLY APPROVED.
5. EXISTING EASEMENT ACCESS TO THE SITE IS APPROVED, AS IS, FOR ALL THREE BUILDING LOTS. (PARAGRAPH 4E ADA COUNTY COMMISSIONERS FILE NUMBERS 88-12-PDR/79-20-ZC.)

RECORD OF SURVEY NO. 353
BARBER DAM PROPERTY INC.

HEALTH OFFICER



RECORD OF SURVEY NO. 353
BARBER DAM PROPERTY INC.



SCALE: 1" = 80'

LEGEND

- BRASS CAP MONUMENT (FOUND)
- ALUMINUM CAP MONUMENT (FOUND)
- 5/8" ϕ IRON PIN (FOUND)
- 5/8" ϕ x 30" IRON PIN (SET)
- 1/2" ϕ IRON PIN (FOUND)
- THEORETICAL POINT NOT SET
- EASEMENT LINE
- DATA OF RECORD

P/D = 666


P/D = 642

P/D

well on

Lot 2

(Drilled in 1980)



63-12178

63-12179


UNPLATTED

SECTION 32, T.3 N., R.3 E., B.M.

SHEET 1 OF 2

STIM 790-9

DELTA	RADIUS	CHORD LENGTH	CHORD BEARING	TAN LENGTH
30° 57' 31"	193.55	103.05	N 57° 28' 10" W	53.45
30° 57' 31"	166.55	85.74	S 57° 28' 10" E	46.35



80
AN INCH
TION

Sec. 6

Sec. 5

Sec. 4

63-12178
63-12179

MICROFILMED
JUN 09 1998

T3N
R3E
S32
NW NE
Lot 2

COMPI

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 63-12178

Priority: February 24, 1995

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that VIRGINIA L MC DEVITT

4940 BOISE RIVER LN

BOISE ID 83706

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 24, 1995; and has submitted Proof of Beneficial Use on May 29, 1997. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2 (NWNE), Sec. 32, Township 03N, Range 03E
ADA County

PLACE OF USE: DOMESTIC

TWN RGE SEC

03N 03E 32 Lot 2 (NWNE)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use is located within Lot 4, Blk. 1, McDevitt Subdivision.
6. Domestic use is for 1 home.
7. Right 63-12179 is also diverted through the point of diversion described above.

MICROFILMED
JUN 09 1998

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 63-12178

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 8TH
day of JUNE, 1998.


Acting for KARL J. DREHER, Director



MICROFILMED

JUN 09 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NO ✓ Received ✓

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12178 Telephone No. 344-7183
2. Name(s) of Permit Holder(s): Virginia L. McDewitt
3. Mailing Address: 4940 BOISE RIVER LANE, BOISE IDAHO
4. Source of Water: WELL NW NE SEC 32, T43N, R03E If GROUNDWATER (well), Date Drilled: mo. 4-1 yr. 92
- a. Well Driller: STEVENS & SONS Drilling Permit Number: 63-92-W-179
- b. OPTIONAL:
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 2 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .04 cfs OR 1.2 acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No ✓
Has the measuring device been installed? Yes _____ or No _____

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No ✓
Has the measurement port been installed? Yes _____ or No _____

8. Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Virginia L. McDewitt Telephone Number: 344-7183

Address: 4940 BOISE RIVER LANE BOISE, IDAHO

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Virginia L. McDewitt Date: 5-23-97
(include your title, if on behalf of company or organization)

MICROFILMED

1997

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12178

Proposed Priority: February 24, 1995 Maximum Diversion Rate: 0.04 CFS

This is to certify, that VIRGINIA L MC DEVITT
4940 BOISE RIVER LN
BOISE ID 83706

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 2(NWNE), Sec. 32, Township 03N, Range 03E
ADA County

PLACE OF USE: DOMESTIC

TWN RGE SEC

03N 03E 32 Lot 2(NWNE)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1997.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Point of diversion is located within Lot 2, Blk. 1, McDevitt Subdivision.
5. Place of use is located within Lot 4, Blk. 1, McDevitt Subdivision.
6. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

30th day of May, 1995.

Karl J. Dreher
for *Karl J. Dreher*
Karl J. Dreher, Director
MICROFILMED

JUN 08 1995

RECEIVED
MAY 17 1995

Ident. No. 63-12178

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: VIRGINIA L MCDEVITT
Address: 4940 BOISE RIVER LN
BOISE ID 83706
208-344-7183
 2. Source: GROUNDWATER Trib. to:
 3. Location of Point of Diversion: Lot 2(NWNE), Sec. 32, Township 03N, Range 03E
ADA County
 4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.040		
 5. Total quantity to be appropriated is:
0.040 CFS (and/or) AF
 6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP, PIPE
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 10 inches; proposed depth of well is 135
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when? 04/03/1992
Drilling Firm STEVENS & SONS
Well was drilled for APPLICANT
 7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 year(s).
 8. Place of Use: DOMESTIC
- TWN RGE SEC
03N 03E 32 Lot 2(NWNE)

RECEIVED
MAY 18 1995

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

Domestic use is for one home.

Place of use also known as Lot 4, Blck 1, McDevitt Subdivision.

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ 100.00 Receipted by _____ #W018644 Date 2/24/1995

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

RECEIVED
JUN 08 1995

Comments: Date: 3/ 4/ 1995 User-ID: LGRAVES

Subject:
OTHER RIGHTS

This use is within the Southeast Boise GWA. P/D will provide domestic water to Lots 2, 4 and 6, Block 1, McDevitt Subdivision. All three lots are currently under single ownership. Use for Lot 2 is represented by a 1980 SRBA claim A63-22797. New exempted uses from this same well, as shown on this application for Lot 4 and application 63-12179 for Lot 6, WHEN COMBINED, will be limited to the maximum rate and volume allowed under 42-111 at the time of permit approval.

RECEIVED
JUN 08 1995

RECEIVED

FEB 24 1995

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Virginia R. McDewitt Phone 344-7183
Post office address 4940 Boise River Lane Boise, ID - 83706
2. Source of water supply ground water which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NW 1/4 of NE 1/4, Govt. Lot _____
Sec. 32 Township 3N Range 3E B.M. 9d2 County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
- Amount 1.04 for Domestic purposes from 4 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- * Amount 1.02 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.06 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. _____
Single well, piped to three homes total
(one under this application)
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Proposed well diameter is 10 inches; proposed depth of well is 200 + feet.
- d. Is ground water with a temperature of greater than 85°F being sought? N
- e. If well is already drilled, when? 92; Drilling firm STEVENS
Well was drilled for (well owner) applicant
7. Time required for the completion of the works and application of the water to proposed beneficial use is
2 years (minimum 1 year).

* per telecon w/ applicant 3/3/95. 6

MICROFILMED
JUN 08 1995

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total net of head and proposed capacity in Kv. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. ONE
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	3E	32		<u>7/4</u>															<u>7</u>

Total number of acres to be irrigated 7

10. Describe any other water rights used for the same purposes as described above. A63-22797

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? "
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Application is within SE Boise GWMA.
Two additional households served from this
well one claimed under A63-22797; third
applied for - place of use this application - lot 4-BIKE
McDevitt Sub.

JUN 08 1995

SEE ATTACHEE -

RECORDED
JUN 20 1960

UNCLASSIFIED
JUN 08 1995

Virginia L. McGee
(Applicant)

Received by lg Date 2/24/95 Time 1:30 PM Preliminary check by lg
Fee \$ 50.00 Receipted by lg # W018644 Date 2/24/95
Publication prepared by At Date 3-8-95 Published in Idaho Statesman
Publication approved At Date 4-6-95

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED
JUN 08 1995

ATTACHMENT TO
APPLICATION FOR WATER PERMIT

The Applicant has had a scientific study conducted by Mr. Ed Squyers to ascertain that the utilization of the volume of water applied for hereunder from the well source has no adverse effect upon any other users.

c:\wp51\cjm\wtr.per (2/24/95)


RECEIVED

JUN 08 1995

MCDEVITT SUBDIVISION
A PORTION OF THE NE 1/4 OF SECTION 32, T.3 N., R.3 E., B.M.
ADA COUNTY, IDAHO
CTM ENGINEERING INC.
1991

NE TABLE

LINE	BEARING	DISTANCE
1	S 44° 57' 12" E	72.92
2	S 37° 42' 56" E	104.14
3	S 12° 06' 43" W	118.56
4	S 1° 16' 41" E	104.79
5	N 47° 58' 08" E	123.82
6	S 42° 01' 52" E	7.00
7	S 47° 58' 08" W	33.36
8	S 44° 57' 12" E	67.54
9	S 34° 47' 23" E	94.73
10	S 34° 47' 23" E	40.00
11	S 12° 06' 43" W	80.00
12	N 8° 04' 04" W	70.66
13	S 47° 58' 08" W	37.44
14	N 42° 31' 39" W	7.00
15	S 42° 01' 52" E	7.00
16	S 47° 58' 08" W	37.50
17	N 8° 04' 04" W	20.00
18	S 47° 58' 08" W	34.98
19	S 42° 01' 52" E	7.00
20	S 47° 58' 08" W	34.98
21	N 29° 31' 15" E	75.23
22	N 29° 31' 15" E	75.82
23	S 47° 58' 08" W	33.36
24	N 47° 58' 08" E	100.00
25	N 47° 58' 08" E	100.00
26	N 47° 58' 08" E	100.00



SANITARY RESTRICTIONS ARE IN FORCE
FOR LOTS 1, 3, 4, 5 AND 6.

Thomas E. McDevitt 7.9.90
HEALTH OFFICER


NOTES

1. LOTS 1, 3 AND 5 ARE PART OF THE SCENIC EASEMENT AREA AND SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AGRICULTURAL AND HUSBANDRY PURPOSES AND RELATED ACTIVITIES INCLUDING BUT NOT LIMITED TO ERECTION OF IMPROVEMENTS IN CONNECTION THEREWITH. SEE SCENIC EASEMENT INSTRUMENT NO. 815-872, RECORDS OF ADA COUNTY, IDAHO.
2. LOTS 2, 4 AND 6 ARE ELIGIBLE FOR ONE SINGLE FAMILY DWELLING EACH. ONE SUCH RESIDENCE IS ALLOWED ON EITHER LOT 4 OR 6 PRIOR TO DECEMBER 31, 1991, AND AFTER SAID DATE THE REMAINING VACANT LOT IS ELIGIBLE FOR ONE SINGLE FAMILY DWELLING. SEE SMITH RANCHES, LTD. vs. BOARD OF COUNTY COMMISSIONERS OF ADA COUNTY (4th DISTRICT COURT CASE NO. 70088).
3. DEVELOPER SHALL COMPLY WITH THE REQUIREMENTS OF IDAHO CODE 31-3805 PERTAINING TO IRRIGATION.
4. BUILDING SETBACKS AND DIMENSIONAL STANDARDS SHALL BE IN COMPLIANCE WITH THE APPLICABLE ZONING REGULATIONS IN EFFECT AT THE TIME OF ISSUANCE OF A BUILDING PERMIT OR AS MAY BE SPECIFICALLY APPROVED.
5. EXISTING EASEMENT ACCESS TO THE SITE IS APPROVED, AS IS, FOR ALL THREE BUILDING LOTS. (PARAGRAPH 4E ADA COUNTY COMMISSIONERS FILE NUMBERS 86-12-POR/79-20-ZC.)

P/U = L4
P/D = L2

LEGEND

- ⊙ BRASS CAP MONUMENT (FOUND)
- ⊕ ALUMINUM CAP MONUMENT (FOUND)
- ⊙ 5/8" ⌀ IRON PIN (FOUND)
- ⊙ 5/8" ⌀ x 30" IRON PIN (SET)
- 1/2" ⌀ IRON PIN (FOUND)
- + THEORETICAL POINT NOT SET
- EASEMENT LINE
- (0.00) DATA OF RECORD



DELTA	RADIUS	CHORD LENGTH	CHORD BEARING	TAN LENGTH
30° 52' 37"	193.25	103.05	N 57° 28' 10" W	83.45
30° 52' 37"	186.95	85.74	S 57° 28' 10" E	46.35

Sanitary restrictions in force under Title 50, Chapter 13, Idaho Code.

NWNE
3N 3E sec 32
Gov Lt 2

T3N
T2N

32' 30"

UNCLASSIFIED
JUL 18 1995



WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>CHARLES MCDEVITT</u> Address <u>8250 VALLEY VIEW DR BOISE</u> Owner's Permit No. <u>63-92-W-179</u>		7. WATER LEVEL Static water level <u>16</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ <i>Describe artesian or temperature zones below.</i>																																																				
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____																																																				
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		<table><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr><tr><td>100</td><td>50'</td><td>1</td></tr><tr><td>180</td><td>70'</td><td>1</td></tr></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	100	50'	1	180	70'	1																																										
Discharge G.P.M.	Pumping Level	Hours Pumped																																																				
100	50'	1																																																				
180	70'	1																																																				
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		9. LITHOLOGIC LOG <table><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr><tr><td rowspan="8">10 8</td><td>0</td><td>24</td><td>sand, gravel, boulders</td><td>X</td><td></td></tr><tr><td>24</td><td>35</td><td>sandy tan colored clay</td><td></td><td>X</td></tr><tr><td>35</td><td>52</td><td>sticky tan colored clay</td><td></td><td>X</td></tr><tr><td>52</td><td>70</td><td>muddy brown sand</td><td>X</td><td></td></tr><tr><td>70</td><td>85</td><td>clean sand & gravel</td><td>X</td><td></td></tr><tr><td>85</td><td>100</td><td>muddy sand & brown clay</td><td>X</td><td></td></tr><tr><td>100</td><td>117</td><td>clean sand & gravel</td><td>X</td><td></td></tr><tr><td>117</td><td>135</td><td>sandy brown clay</td><td></td><td>X</td></tr></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	10 8	0	24	sand, gravel, boulders	X		24	35	sandy tan colored clay		X	35	52	sticky tan colored clay		X	52	70	muddy brown sand	X		70	85	clean sand & gravel	X		85	100	muddy sand & brown clay	X		100	117	clean sand & gravel	X		117	135	sandy brown clay		X
Bore Diam.	Depth		Material		Water																																																	
	From	To		Yes	No																																																	
10 8	0	24	sand, gravel, boulders	X																																																		
	24	35	sandy tan colored clay		X																																																	
	35	52	sticky tan colored clay		X																																																	
	52	70	muddy brown sand	X																																																		
	70	85	clean sand & gravel	X																																																		
	85	100	muddy sand & brown clay	X																																																		
	100	117	clean sand & gravel	X																																																		
	117	135	sandy brown clay		X																																																	
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr><tr><td>.250 inches</td><td>8 inches</td><td>+ 1 feet</td><td>44 feet</td></tr><tr><td>.250 inches</td><td>6 inches</td><td>+ 1 1/2 feet</td><td>101 1/2 feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table><tr><th>Number</th><th>From</th><th>To</th></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></table> Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Johnson</u> <u>stainless steel</u> Model No. <u>304</u> Diameter <u>5</u> Slot size <u>25</u> Set from <u>101 1/2</u> feet to <u>117</u> feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel <u>8-12</u> sand Placed from <u>95</u> feet to <u>135</u> feet Surface seal depth <u>25</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	.250 inches	8 inches	+ 1 feet	44 feet	.250 inches	6 inches	+ 1 1/2 feet	101 1/2 feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	MAY 15 1992 Department of Water Resources Western Regional Office RECEIVED MAY 11 1992 WATER RESOURCES JUN 08 1995																				
Thickness	Diameter	From	To																																																			
.250 inches	8 inches	+ 1 feet	44 feet																																																			
.250 inches	6 inches	+ 1 1/2 feet	101 1/2 feet																																																			
_____ inches	_____ inches	_____ feet	_____ feet																																																			
_____ inches	_____ inches	_____ feet	_____ feet																																																			
Number	From	To																																																				
_____ perforations	_____ feet	_____ feet																																																				
_____ perforations	_____ feet	_____ feet																																																				
_____ perforations	_____ feet	_____ feet																																																				
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. <table><tr><td colspan="2">N</td></tr><tr><td>W</td><td>E</td></tr><tr><td colspan="2">S</td></tr></table> Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Ada</u> N/W <u>32</u> N/E <u>3</u> S/W <u>3</u> S/E <u>3</u> 1/4 Sec. _____ T. _____ R. _____		N		W	E	S		10. Work started <u>4/1/92</u> finished <u>4/3/92</u>																																														
N																																																						
W	E																																																					
S																																																						
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Stevens & Sons</u> Firm No. <u>153</u> Address <u>3709 N. Myrtle St. Boise, ID 83721</u> Signed by (Firm Official) <u>Wayne Stevens</u> and (Operator) <u>Don Stevens</u>																																																						



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 9, 1998

PHILIP E. BATT
GOVERNOR

VIRGINIA L MC DEVITT
4940 BOISE RIVER LN
BOISE ID 83706

KARL J. DREHER
DIRECTOR

RE: WATER RIGHTS 63-12178/63-12179

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed licenses confirming that water rights have been established in accordance with the permit referenced above. The licenses are preliminary orders issued by the Department pursuant to section 67-5243, Idaho Code. They can and will become final orders without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

JUN 09 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one

(21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,

iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the
subject of the agency
action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have questions, please contact me at (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley W. Keen
Water Rights Supervisor

SWK:klt
Enclosures


JUN 09 1968

CERTIFICATE OF MAILING

I hereby certify that on the **9th** day of **June, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDERS (Approved Licenses)** to the person(s) listed below:

Water Rights 63-12178/63-12179

**VIRGINIA L MC DEVITT
4940 BOISE RIVER LN
BOISE ID 83706**


Kari Lynn Townsend
Secretary

RECEIVED
JUN 09 1998

MEMORANDUM

DATE: June 1, 1998

TO: Water Right Files 63-12178 and 63-12179


FROM: Shelley W. Keen ^{SUK}

RE: Point of diversion

This afternoon Charles Mc Devitt brought me information showing that the well drilled in 1992 is not within Lot 3 of the Mc Devitt subdivision. It is in fact on the northwest side of the access roadway in a parcel that has not been subdivided. Mr. Mc Devitt also explained that the older well on Lot 2 of the Mc Devitt subdivision is not part of the common system and should not, therefore, be included as a point of diversion on either of these rights.

Bob & Rae 1704

REC'D
JUN 09 1938



AND.
JOHN M. CLARK, P.L.
4332
OFFICIAL LAND SURVEYOR
STATE OF ILLINOIS
CLARK


THIS IS TO CERTIFY THAT THIS RECORD OF SHERIFF WAS FILED FOR RECORD
IN THE OFFICE OF THE RECORDER OF ADA COUNTY, IOWA, THIS 22ND DAY
OF July, 1980, AT 1:51 P. M., AT THE REQUEST
OF W. A. Clark AND ONLY RECORDED IN BOOK NO. 8 OF
SERIES AT PAGE 100.

Edward
DEPUTY

W. A. Butler
OFFICIAL RECORDER

85

INDEX NO. 331-32-01-00-00



IDAHO PUMP & PLUMBING CORP.

9975 Fairview Avenue Boise, Idaho 83704 Phone: 376-1181

October 4, 1995

Hon. Charles McDevitt
P. O. Box 1543
Boise, Idaho 83701

RE: DESCRIPTION OF WORK PERFORMED BY IDAHO PUMP & PLUMBING, CORP.

April 1994--Installed 7 1/2 h.p. Goulds Submersible Pump in existing well. Set pump on 84' of 3" galvanized pipe. 1994 we

Summer 1994-- We installed four pressure tanks with 35 gallon draw each in the new pump house, with related fittings and valves. We ran approximately 1200' of 4" PVC pipe for a service line with 3 stubs for future hookups. Judge McDevitt's house service is also hooked up to the 4" service line.

All plumbing work was permitted and inspected by the Idaho State Plumbing Bureau.

Bonnie K. Gilbert, Treas.
Idaho Pump & Plumbing, Corp.

BKG

MICROFILMED
JUN 09 1998

MEMORANDUM

DATE: May 13, 1998

TO: Water Right Files 63-12178 and 63-12179

FROM: Shelley W. Keen *SWK*

RE: Point of diversion location

Charles Mc Devitt called today to discuss the point of diversion location for one of the wells for the two rights listed above. He is going to submit a map to show that it is not in Lot 3 of the subdivision, but is actually across the road in another parcel.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 30, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

VIRGINIA L MC DEVITT
4940 BOISE RIVER LN
BOISE ID 83706

RE: Water Right Nos. 63-12178 and 63-12179

Dear Mrs. McDevitt:

The Department of Water Resources is preparing to issue water right licenses for the development you completed under water appropriation permits 63-12178 and 63-12179. According to the examiner's report, your homes are each served by two wells interconnected into a common water delivery system. One well is located on Lot 2, Block 1 of the McDevitt Subdivision, and the second well is located on Lot 3, Block 1 of the McDevitt Subdivision. If you want your water right licenses to each reflect the use of both wells, you may sign the two amendment forms I have enclosed and return them with the filing fee of \$100.00 (\$50.00 each) within fourteen days. The changes are shown in conditions five and six on the second page of each amendment form.

If you do not concur with the examiner's report, or if you have any questions about this information, please contact me at (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley Walter Keen
Water Rights Supervisor

Enclosures

MICROFILMED

JUN 09 1998

B/U FIELD EXAM REVIEW

by Cindy Lou

Permit #: 63-12178 Name: McDevitt Date: 4/27/98 ✓ Lots ✓

NAME Chng Same Or Address Change?

SOURCE _____ ✓ Clarify source _____
Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? Adn'l 1/4% 2 Legal LT 2 (NWNE) (P39
Same 1/4%? W32 P36
Overlap(s) 63-12179 & (A) 63-22797

P/U ☒ Amendment Needed? _____ P41
Overlap(s) None _____
(Gov't use special T's) _____ *P/D & P/U Amend? P37

RATE

☒ Permit/proof fee limits 0.04 / 0.04

☒ Measured Quantity = cfs Theoretical Quantity = cfs

allow 0.04

(HP) $\frac{8.8 \times 0.70 \times}{\text{ } + (2.31 \times \text{ })} =$ cfs

☒ Recommended capacity 0.04 cfs

☒ Recommended rate 0.04 cfs

VOLUME ✓ Season: (/ /) 1/1-12/31 = days
Calculations: allow 1.2

✓ Flow limit: cfs x days/yr. x 1.9835 = _____ AF
Recommended volume 1.2 AF

USES _____ ✓ Same Nature of Use? _____ **P46**
 _____ Amendment Needed?

REMARKS ✓ Multiple p/d's in same 1/4? (Use W32) LT2 NWNE S32 T3NR3E
✓ (1) W01/L (2) W59 (3) W60

CONDITIONS	☐	Measuring Device (R43) or Lockable Controlling Works (R02)
	☐	Watermaster Control (R04) - WD # _____
	☐	Irrigation rate/annual volume overlap
	☐	GW irrigation replaces surface water (050)
	☐	GW irrigation supplants surface water (065)
	☐	Water Quality
	☐	Other _____

PRIORITY App Rcd 2/24/95 Due 6/1/97 Rcd 5/19/97
Receipt# NA Fee OK? Yes No X
Order to Reinstate Needed? Yes No X Done? Advanced to:
Priority 2/24/95 Examined 6/25/97

COMMENTS: add 2nd well (interconnected system) Pds in Lts 2 & 3

USE	CFS	VOLUME
Dom	0.04	1.2
TOTAL	0.04	1.2

Pl. Same (A) 63-22797 (diff. km)
 SRBA Overlap
 Adjustment Memo ✓
 LICENSE
 #1 AMEND: P39/P38
 #2 AMEND: (R)P42/(C)P47

MEMORANDUM

DATE: April 28, 1998

TO: File Nos. 63-12178 & 63-12179

FROM: Cindy Lou Zimmerman *CS*

SUBJECT: Review of Beneficial Use Field Report

The examination identified two wells on an interconnected system serving three homes. The wells are located within Lots 2 & 3, Blk. 1, McDevitt Subdivision. The home on Lot 2 is covered under SRBA claim A63-22797. The home on Lot 4 is covered under right no. 63-12178. The home on Lot 6 is covered under right no. 63-12179. All homes are in Block 1, McDevitt Subdivision. All points of diversion and places of use are located within Lot 2 (NWNE), S32, T03N, R03E.

The following adjustments¹ were made on the field report to reflect department standards and licensing practises for uses developed under these permits:

C. Diversion and Delivery System.

1. Point of diversion:

TWP	RGE	SEC	N E				N W				S W				S E				Total P/Ds
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	03E	32		X*															2

* = Government Lot 2

A licensing amendment is required to add the second point of diversion within the same 40-acre tract to right nos. 63-12178 & 63-12179.

Examiner: Dan Tomich
Examined: June 25, 1997

MICROFILMED
JUN 09 1998

¹ Adjustments are **bolded and underlined**.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 27 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-12178

1. Owner: Virginia L. McDevitt Phone No. (208) 344-7183

Current Address: 4940 Boise River Lane, Boise, ID 83706

2. Accompanied by: (office exam) EXAM DATE: 6-25-97

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-12179

2. Other water rights with the same point of diversion: 63-12179

C. DIVERSION AND DELIVERY SYSTEM

* 1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	2		NW	NE	32	3N	3E	Ada	Site visit, map
									Assessor's office
									and Charles McDevitt

2. Place(s) of Use:


Indicate Method of Determination Site visit, map (Same as Plb)

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	3E	32		Lot 2 D															

MICROFILMED

JUN 09 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - office Exam

MICROFILMED

JUN 09 1998

E. NARRATIVE/REMARKS/COMMENTS

1. This was done as an office exam.
2. Called Ada County Assessors office -
in NWNE, SEC. 32, T3N, R3E;
owners in McDevitt Subdivision:
Subdivision Lot 2 - Charles & Virginia McDevitt
" Lot 4 - Virginia McDevitt
" Lot 6 - Virginia, Charles S., & Brian
and Lisa McDevitt.
3. Called Charles McDevitt:
 - a. Lots 1, 3, 5 are in scenic easements,
agriculture, and get water (irrigation) from
New York Canal; WR # 63-02388.
 - b. Lots 2, 4, 6 have homes on them. (3 Homes)
 - c. There are two wells, and they are
interconnected. Both wells serve the 3
homes.
 - d. First well was drilled on Lot 2 in 1980.
Second well drilled in 1992 about 300' South-
Southwest of Lot 6.
 - e. The lots are in the McDevitt Subdivision.
 - f. 1992 well is 63-92-W-179, 135', 4/1/92 to 4/3/92
4. This Permit is for 1 home in Lot 4.
The P/D is shown as the well in Lot 2.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JUN 09 1998

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

*None - office exam.**Allow 0.04 cfs***G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

*Allow 1.2 AFA***H. RECOMMENDATIONS**

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>01/01</i>	<i>12/31</i>	<i>0.04</i>	<i>1.2</i>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<i>0.04</i>	<i>1.2</i>

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other


I. AUTHENTICATIONField Examiner's Name *Dan Tomich* Date *1-13-98*

Reviewer _____ Date _____

SEAL

* Adjustments made during review of this right for license approval.
See Memo for additional information. *4/27/98*

98



1991

4. BUILDING RETRAKES AND DIMENSIONAL STANDARDS SHALL BE IN COMPLIANCE WITH THE APPLICABLE ZONING REGULATIONS IN EFFECT AT THE TIME OF ISSUANCE OF A BUILDING PERMIT OR AS MAY BE SPECIFICALLY APPROVED. ..
5. EXISTING EASEMENT ACCESS TO THE SITE IS APPROVED, AS IS, FOR ALL THOSE BUILDING LOTS. (PARAGRAPH 4E ADA COUNTY COMMISSIONERS' FILE NUMBERS 88-12-PON/79-20-21.)

Thomas E. Delaney 2980
NEALIN OFFICER

RECORD OF SURVEY NO. 353
IDAWO PARK FOUNDATION INC.
BARBER DAM PROPERTY
S 18.

Lots, 345 are in scenic easements

P/D well about 300' S-SW of lot


NE TABLE		
LINE	ALABAMA	DISTANCE
1	S 24° 37' 15"	72.92
2	S 37° 42' 15"	104.14
3	S 37° 42' 15"	104.14
4	S 11° 06' 43"	118.06
5	N 1° 18' 41"	184.78
6	M 47° 50' 00" E	21.02
7	S 25° 51' 52"	7.00
8	S 47° 50' 00"	37.41
9	S 47° 50' 12"	37.45
10	S 31° 47' 23"	62.52
11	S 31° 47' 23"	62.52
12	S 11° 06' 43"	118.06
13	S 47° 50' 00"	37.41
14	S 47° 50' 00"	37.41
15	S 47° 50' 00"	37.41
16	S 47° 50' 00"	37.41
17	S 47° 50' 00"	37.41
18	S 47° 50' 00"	37.41
19	S 47° 50' 00"	37.41
20	S 47° 50' 00"	37.41
21	S 47° 50' 00"	37.41
22	S 47° 50' 00"	37.41
23	S 47° 50' 00"	37.41
24	S 47° 50' 00"	37.41
25	S 47° 50' 00"	37.41
26	S 47° 50' 00"	37.41
27	S 47° 50' 00"	37.41
28	S 47° 50' 00"	37.41
29	S 47° 50' 00"	37.41
30	S 47° 50' 00"	37.41
31	S 47° 50' 00"	37.41
32	S 47° 50' 00"	37.41
33	S 47° 50' 00"	37.41
34	S 47° 50' 00"	37.41
35	S 47° 50' 00"	37.41
36	S 47° 50' 00"	37.41
37	S 47° 50' 00"	37.41
38	S 47° 50' 00"	37.41
39	S 47° 50' 00"	37.41
40	S 47° 50' 00"	37.41
41	S 47° 50' 00"	37.41
42	S 47° 50' 00"	37.41
43	S 47° 50' 00"	37.41
44	S 47° 50' 00"	37.41
45	S 47° 50' 00"	37.41
46	S 47° 50' 00"	37.41
47	S 47° 50' 00"	37.41
48	S 47° 50' 00"	37.41
49	S 47° 50' 00"	37.41
50	S 47° 50' 00"	37.41
51	S 47° 50' 00"	37.41
52	S 47° 50' 00"	37.41
53	S 47° 50' 00"	37.41
54	S 47° 50' 00"	37.41
55	S 47° 50' 00"	37.41
56	S 47° 50' 00"	37.41
57	S 47° 50' 00"	37.41
58	S 47° 50' 00"	37.41
59	S 47° 50' 00"	37.41
60	S 47° 50' 00"	37.41
61	S 47° 50' 00"	37.41
62	S 47° 50' 00"	37.41
63	S 47° 50' 00"	37.41
64	S 47° 50' 00"	37.41
65	S 47° 50' 00"	37.41
66	S 47° 50' 00"	37.41
67	S 47° 50' 00"	37.41
68	S 47° 50' 00"	37.41
69	S 47° 50' 00"	37.41
70	S 47° 50' 00"	37.41
71	S 47° 50' 00"	37.41
72	S 47° 50' 00"	37.41
73	S 47° 50' 00"	37.41
74	S 47° 50' 00"	37.41
75	S 47° 50' 00"	37.41
76	S 47° 50' 00"	37.41
77	S 47° 50' 00"	37.41
78	S 47° 50' 00"	37.41
79	S 47° 50' 00"	37.41
80	S 47° 50' 00"	37.41
81	S 47° 50' 00"	37.41
82	S 47° 50' 00"	37.41
83	S 47° 50' 00"	37.41
84	S 47° 50' 00"	37.41
85	S 47° 50' 00"	37.41
86	S 47° 50' 00"	37.41
87	S 47° 50' 00"	37.41
88	S 47° 50' 00"	37.41
89	S 47° 50' 00"	37.41
90	S 47° 50' 00"	37.41
91	S 47° 50' 00"	37.41
92	S 47° 50' 00"	37.41
93	S 47° 50' 00"	37.41
94	S 47° 50' 00"	37.41
95	S 47° 50' 00"	37.41
96	S 47° 50' 00"	37.41
97	S 47° 50' 00"	37.41
98	S 47° 50' 00"	37.41
99	S 47° 50' 00"	37.41
100	S 47° 50' 00"	37.41

DELTA	PLUJUS	CHORD LENGTH	CHORD BEARINGS	TAN LENGTH
30° 52' 17"	183.55	193.05	N 57° 28' 10" W	53.45
30° 52' 17"	168.55	88.74	S 57° 28' 10" E	46.55

UNPLANTED

[illegible]

0 1. LEHSA



T3N

R3E

S32

NW NE

Lot 2

63-12178

63-12179

MICROFILMED
JUN 09 1998

COMPI



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 16, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

VIRGINIA L MC DEVITT
4940 BOISE RIVER LN
BOISE ID 83706

Re: Water Right Permit No. 63-12178

Dear Mrs. McDevitt:

Your letter of May 23, 1997 was recently forwarded to me. Thank you for bringing to my attention your concerns about the correct location of the point of diversion description included in remark no. 4 on your permit.

Now that you have submitted your Proof of Beneficial Use statement, the department will conduct a field examination to verify the use of water and the location of the point of diversion and place of use. A representative from the regional office will contact you regarding the examination. Once the examination has been completed, the examiner's report will serve as the basis for licensing your water right. The point of diversion will be described accurately on the license.

If you have any questions concerning the field examination, please contact the department's Western Region office at (208) 334-2190.

Respectfully,

Shelley Walter Keen
Water Right Supervisor

RECEIVED

JUL 18 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 24, 1997

VIRGINIA L MCDEVITT
4940 BOISE RIVER LANE
BOISE ID 83706

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12178

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, which became affective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

If you have questions concerning the field examination, contact the **WESTERN** Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

C: IDWR - Region

MICROFILMED

JUL 18 1997

VIRGINIA L. McDEVITT

4940 Boise River Lane
Boise, ID 83706

RECEIVED

MAY 29 1997

May 23, 1997

Department of Water Resources

Ms. Shelley W. Keen
Water Rights Supervisor
State of Idaho
Department of Water Resources
1301 N. Orchard St., Statehouse Mail
Boise ID 83720-9000

Re: Permit No. 63-¹²¹⁷⁸~~1278~~

Dear Ms. Keen:


I am enclosing Proof of Beneficial Use for Permit No. 63-1278, which as I understand the rate of filing fees does not require a filing fee.

I call your attention to condition/remarks no. 4, which is not accurate. The point of diversion is the NWNE, Sec. 32, Twp 03N, R03E, which is not Lot 2, Block 1, McDevitt Subdivision. The point if diversion listed above in the permit is accurate.

If you require anything additional, please let me know.

Thank you for your consideration.

Very truly yours,



Virginia L. McDevitt

MICROFILMED

JUL 18 1997

March 31, 1997

VIRGINIA L MC DEVITT
4940 BOISE RIVER LN
BOISE ID 83706

PROOF DUE NOTICE

RE: PERMIT NO. 63-12178

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1997.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

JUL 18 1997





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 31, 1995

VIRGINIA L MC DEVITT
4940 BOISE RIVER LN
BOISE ID 83706

PERMIT APPROVAL NOTICE

RE: PERMIT NOS. 63-12178 AND 63-12179

Dear Permit Holder:

Enclosed are copies of your approved applications for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permits.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permits were issued, and you must proceed diligently until the projects are completed. The date shown under condition no. 1 is the date when the projects must be completed.

The Department will send you a "Proof Due Notices" approximately 60 days prior to the above referenced dates requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form for each right.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED

JUN 08 1995

RECEIVED

MAR 27 1995

WATER RESOURCES
WESTERN REGION

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

\$113.16

Account Number 04762800		Identification NOTICE OF APPLICATION FOR WATER RIGHT	
Ordered By Sue Taylor	P.O. Number	Rate NT	Run Dates March 16 & 23, 1995
IDAHO DEPARTMENT OF WATER RESOURCES Western Region Attn: Sue Taylor 2735 Airport Way Boise, Idaho 83705-5082		Estimated Inches # Affidavits 1	Real Inches Legal Number 1531

LEGAL NOTICE

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12176
MADSEN, FLOYD
5005 W HILLSIDE AVE
BOISE, ID 83703
Source: GROUNDWATER
Diversión Pt: SENW Sec 12 T03N
R01W in ADA County.
Use: IRRIGATION (0.138 CFS)
Total Diversión: (0.138 CFS)
Date Filed: 3/1/1995
In: ADA County

T03N R01W S12 SENW
4.6 ACRES TOTAL
Irrigation is for 1/2 acre or less per domestic lot, thereby exempt from the Snake River Basin moratorium.

63-12175
MEDSKER, DAVID KIRK
MEDSKER, ANN
3550 BARBER DR
BOISE, ID 83712
Source: GROUNDWATER
Diversión Pt: NESE Sec 19 T03N
R03E in ADA County.

Use:
Commercial (0.020 CFS)
Commercial Storage (0.20 AF)
Aesthetic (0.020 CFS)
Aesthetic Storage (0.20 AF)
Aesthetic from Storage (0.20 AF)
Diversión to Storage (0.020 CFS)
Total Diversión: (0.040 CFS)
Date Filed: 2/27/1995
In: ADA County

T03N R03E S19 NESE
Existing well for minor ponds, use will not exceed 18 gpm and 2,500 gallons per day and therefore exempt from drought moratorium.

63-12178
MC DEVITT, VIRGINIA L
4940 BOISE RIVER LN
BOISE, ID 83706
Source: GROUNDWATER
Diversión Pt: Lot 2 (NWNE) Sec 32
T03N R03E in ADA County.
Use: DOMESTIC (0.040 CFS)
Total Diversión: (0.040 CFS)
Date Filed: 2/24/1995
In: ADA County

T03N R03E S32 Lot 2(NWNE)
63-12179
MC DEVITT, VIRGINIA L
4940 BOISE RIVER LN
BOISE, ID 83706

Source: GROUNDWATER
Diversión Pt: Lot 2 (NWNE) Sec 32
T03N R03E in ADA County.
Use: DOMESTIC (0.040 CFS)
Total Diversión: (0.040 CFS)
Date Filed: 2/24/1995
In: ADA County

T03N R03E S32 Lot 2(NWNE)
63-12181
CITY OF MERIDIAN
33 E IDAHO AVE
MERIDIAN, ID 83642
Source: GROUNDWATER
Diversión Pt: SWSW Sec 32 T04N
R01E in ADA County.

Use: MUNICIPAL (4.500 CFS)
Total Diversión: (4.500 CFS)
Date Filed: 3/1/1995
Place of use is within the city limits of Meridian and surrounding service area.

Irrigation of large projects such as parks, golf courses, or sports activities fields is not authorized under this permit.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before APRIL 3, 1995. The protestant must also send a copy of the protest to the applicant.

R. KEITH HIGGINSON, Director

Pub. March 16 & 23, 1995 1531

LINDA PORTER

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for TWO

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of MARCH 16, 19 95

and ending with the issue of MARCH 23, 19 95

Linda Porter

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 23rd day of MARCH in the year of 1995, before me, a Notary Public, personally appeared LINDA PORTER, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Jane Madie

Notary Public for Idaho

Residing at Boise, Idaho

My commission expires: 5/97

RECORDED

JUN 08 1995

63-12178

MC DEVITT, VIRGINIA L
4940 BOISE RIVER LN
BOISE, ID 83706

Source: GROUNDWATER

Diversion Pt: LOT 2 (NWNE) Sec 32 T 03N R 03E in ADA County.

Use: DOMESTIC	(	0.040 CFS)
Total Diversion:	(	0.040 CFS)

Date Filed: 2/24/1995

In: ADA County
T03N R03E S32 Lot 2 (NWNE)

RECORDED
JUN 08 1995