




State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-12128

Priority: July 27, 1994

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that KENNETH R SMITH

PO BOX 163

IDAHO CITY ID 83631-0163

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 25, 1994; and has submitted Proof of Beneficial Use on November 3, 1995. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 26, Township 06N, Range 05E
BOISE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

06N 05E 26

NESW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use is located within Lots 1 & 2, Blk. D, Austin Subdivision.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 3rd day of JUNE, 1997.

Acting for

KARL J. DREHER, Director

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-12128

IN THE NAME OF KENNETH R. SMITH

ORDER OF REINSTATEMENT

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before November 1, 1995; and,

WHEREAS, the Department notified the permit holder on August 31, 1995, by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the permit lapsed on November 1, 1995, since an acceptable proof of beneficial use or extension of time had not been received; and,

WHEREAS, Section 42-218a, Idaho Code, provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting an acceptable proof of beneficial use on November 3, 1995;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-12128 is **REINSTATED** with an advance in priority to July 27, 1994.

DATED this 17th day of November, 1995.


L. GLEN SAXTON

Chief, Water Allocation Bureau

000000

RECEIVED

NOV 03 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12128 Telephone No. 208-392-4532
2. Name(s) of Permit Holder(s): KENN R. SMITH
3. Mailing Address: BOX 163 IDAHO CITY, ID 83631
4. Source of Water: GROUND If GROUNDWATER (well), Date Drilled: mo. Aug / yr. 94
- a. Well Driller: EARL HOBART Drilling Permit Number: you have
- b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 2 Stockwater (No. and type of stock): 0

Irrigation (No. of acres): 1/2 Other: none

6. Total rate of diversion and/or volume for which proof is submitted: N/A cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? I don't know

Has the measuring device been installed? Yes or No Yes

Flow Measurement Port: Is a flow measurement port required? not as yet

Has the measurement port been installed? Yes or No Yes

8. Fee Enclosed: \$ none (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Myself, Kenn R Smith Telephone Number: 208-392-4532
Address: Box 163 Idaho City (well site 217 W. Wallula)

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Kenneth R Smith Homeowner Date: 10-27-95
(include your title, if on behalf of company or organization)

Proposed well dug, pump installed, line buried to house 270 ft - well house erected - pressure system purchased separately, installed 11-95

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-12128

Proposed Priority: July 25, 1994

Maximum Diversion Rate:

0.04 CFS

This is to certify, that KENNETH R SMITH

PO BOX 163

IDAHO CITY ID 83631-0163

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 26, Township 06N, Range 05E
BOISE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

06N 05E 26

NESW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1995.
2. Subject to all prior water rights.
3. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

21st day of October, 1994

R. Keith Higginson

R. Keith Higginson, Director

for

OCT 26 1994

RECEIVED

JUL 26 1994

WATER RESOURCES
WESTERN REGION

Ident. No. 63-12128

RECEIVED

SEP 23 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name: KENNETH R SMITH
Address: PO BOX 163
IDAHO CITY ID 83631

208-392-4532

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion:

NESW Sec. 26, Township 06N, Range 05E
BOISE County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.040		

5. Total quantity to be appropriated is:

0.040 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

pump + pipeline (per std. - 8/9/94)
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 100 feet.

d. Is groundwater with a temperature greater than 85F being sought? NO

e. If well is already drilled, when?

Drilling Firm

Well was drilled for

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 year(s).

8. Place of Use: DOMESTIC

TWN RGE SEC

06N 05E 26

NESW

OCT 28 1994

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:
Domestic use is for 1 home.


11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Kenneth R. Smith
Applicant

Received by CZ Date 7/25/94 Time 9:30 Preliminary check by JK
Fee \$ 50.00 Receipted by CZ #C030884 Date 7/25/1994
Publication prepared by ST Date 8-10-94 Published in Id. Wald
Publication approved ST Date 9-12-94

2738394



gov't lots mineral survey units
N, W, & S. of NESW but
not NESW 8/10/94

63-12128



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

June 4, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

KENNETH R SMITH
PO BOX 163
IDAHO CITY ID 836310163

RE: WATER RIGHT NO. 63-12128

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in black ink, appearing to read "Shelley W. Keen". The signature is fluid and cursive, with the first name "Shelley" being more prominent.

Shelley W. Keen
Water Rights Supervisor

SK:ph


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 4th day of June, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 63-12128

KENNETH R SMITH
PO BOX 163
IDAHO CITY ID 836310163


Kari Lynn Townsend
Secretary

Permit No. 63-12/28

3. Source: Ground Water tributary to _____

2. Other water rights with the same point of diversion:

1. Point(s) of Diversion:

[illegible]

2. Place(s) of Use:

Indicate Method of Determination

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Scale: 1" = _____

_____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

_____ Aerial Photo Attached (required for irrigation of 10+ acres)

_____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

E. NARRATIVE/REMARKS/COMMENTS

Called Boise County Assessor's office on
6-11-96. House located on Lots 1+2,
Block D, Austin Subdivision, in NE SW, T6N,
R5E, Section 26 as shown on permit.

Drilling permit 63-94-C-0665-000

Street address: 217 W. Wallula
Idaho City, ID

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

*Allow 0.04 cfs***G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

*Allow 1.2 AF***H. RECOMMENDATIONS**

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>01/01</i>	<i>12/31</i>	<i>0.04</i>	<i>1.2</i>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			_____	_____

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name *David Z. Zepeda* Date *6-14-96*

Reviewer _____ Date _____

SEAL



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 17, 1995

KENNETH R SMITH
P O BOX 163
IDAHO CITY ID 83631-0163

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 63-12128

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

Enclosed is an order reinstating your permit since proof of beneficial use was received after the proof due date. Please note that the priority date has been advanced to July 27, 1994.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning the field examination, please feel free to contact the WESTERN Regional Office in Boise at (208) 334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region

DEC 01 1995

August 31, 1995

KENNETH R SMITH
PO BOX 163
IDAHO CITY ID 836310163

PROOF DUE NOTICE

RE: PERMIT NO. 63-12128

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1995. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures



1. DRILLING PERMIT NO. 63-94-C-0665-000
Other IDWR No. 63-12128

2. OWNER:

Name KENNETH SMITH
Address PO BOX 163
City IDAHO CITY State ID Zip 83431

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

N
 Twp. 06 North ☒ or South ☐
 Rge. 05 East ☒ or West ☐
 W E Sec. 26 ~~1E~~ 1/4 NE 1/4 SW 1/4
 Gov't Lot _____ County _____
 S

Address of Well Site 210 W. WALNUT ST

(Give at least name of road + Distance to Road or Landmark)

Lt. 16 Blk. D Sub. Name Austin

4. PROPOSED USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☐ Air Rotary ☒ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
BEN. GRN.	0	20	5	

Was drive shoe used? Y ☒ N ☐

Was drive shoe seal tested? Y ☐ N ☒ How?

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	+24"	90'	250	STEEL	☐	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method _____

☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

12" ft. Below ground Artesian pressure _____ lb.

Depth flow encountered 103 ft. Describe access port or control devices: well cap

11. WELL TESTS:

☒ Pump ☒ Bailer ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
20	20'	19'	2 ~~hr~~

Water Temp. _____ Bottom hole temp. _____

Water Quality test or comments: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment) Water

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
6"	0'	14"	SAND		
8"	14"	4'	" "		
8"	4'	20'	SANDY CLAY		
6"	20'	101'	" "		
6"	101'	103'	SAND		

SEP 27 1994 RECEIVED

SEP 21 1994

WATER RESOURCES
WESTERN REGION

RECEIVED

SEP 19 1994

Department of Water Resources

Completed Depth 103' (Measurable)
Date: Started 8/12/94 Completed 8/25/94

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name HOLBERT WELL DRILLING Firm No. 313

Firm Official Carl Hollet Date 9/15/94

and
Supervisor or Operator 11 11 Date

(Sign once if Firm Official & Operator)



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 21, 1994

KENNETH R SMITH
PO BOX 163
IDAHO CITY ID 836310163

PERMIT APPROVAL NOTICE


RE: PERMIT NO. 63-12128

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosures

OCT 26 1994

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-13533

VAUGHAN, ALAN DUANE
VAUGHAN, KATHLEEN M
HC 76 BOX 2976
GARDEN VALLEY, ID 83622

Source: SPRING Tributary: PAYETTE RIVER, MIDDLE FORK

Diversion Pt: NESWSW Sec 16 T 09N R 04E in BOISE County

Use: IRRIGATION (.300 CFS)
DOMESTIC (.080 CFS)
Total Diversion: (.380 CFS)

Date Filed: 7/28/1994

In: BOISE County
T09N R04E S16 SESW

15.0 ACRES TOTAL

65-13534

BIGELOW, LYNN W
BIGELOW, THELMA W
3465 BEVERLY ST
BOISE, ID 83709

Source: EDDY CREEK Tributary: PAYETTE RIVER, MIDDLE FORK

Diversion Pt: NENWNE Sec 30 T 09N R 04E in BOISE County.

Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)

Date Filed: 7/29/1994

In: BOISE County
T09N R04E S30 NWNE

1.0 ACRES TOTAL

65-13536

HAMM, WALTER N
HAMM, SHIRLEY D
HC 76 BOX 2487
GARDEN VALLEY, ID 83622

Source: GROUNDWATER

Diversion Pt: NENW Sec 27 T 10 N R 04E in BOISE County.

Use: IRRIGATION (.150 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.190 CFS)

Date Filed: 8/3/1994

In: BOISE County
T10N R04E S27 NENW

5.0 ACRES TOTAL

RECEIVED

SEP 12 1994

WATER RESOURCES
WESTERN REGION

65-13539

PORTER, RONALD J
PORTER, KATHRYN A
11103 HINSDALE
BOISE, ID 83713

Source: PAYETTE RIVER, MIDDLE FORK Tributary: PAYETTE RIVER

Diversion Pt: NENSW Sec 23 T 10N R 04E in BOISE County.

Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)

Date Filed: 7/26/1994

In: BOISE County
T10N R04E S23 NESW

1.0 ACRES TOTAL

63-12128 ✓

SMITH, KENNETH R.
PO BOX 163
IDAHO CITY, ID 83631

Source: GROUNDWATER

Diversion Pt: NESW Sec 26 T 06N R 05E in BOISE County.

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 7/25/1994

In: BOISE County
T06N R05E S26 NESW

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before SEPTEMBER 6, 1994. The protestor must also send a copy of the protest to the applicant.

R. KEITH HIGGINSON, Director

Published in The Idaho World August 17 and 24, 1994.

OCT 26 1994

63-12128

SMITH, KENNETH R
PO BOX 163
IDAHO CITY, ID 83631

Source: GROUNDWATER

Diversion Pt: NESW Sec 26 T 06N R 05E in BOISE County.

```

Use: DOMESTIC          ( .040 CFS)
    Total Diversion: ( .040 CFS)

```

Date Filed: 7/25/1994

In: BOISE County
T06N R05E S26 NESW

SEP 26 1994