

● R2W RIW ●

MELBA QUADRANGLE
IDAHO

7.5-MINUTE SERIES (ORTHO PHOTOQUAD)



Y6

T2N

T1N

DEC 14 1994

Meyer

1602 677

YEAR OF
PHOTO

D12
38D T3340
A
19.2

STATE
2D

CANYON COUNTY ASC COMMITTEE
510 Arthur St.
Caldwell, ID 83605

E
11.6

B
6.1

G
4.5

E
17.2

F
31.2

G
19.8

C
15.1

B
5.4

18.0

B
2.2

C
2.5

F
2.4

D25
3.0

D
4.2

A
2.3

B
5.4

D
9.5

F
16.6

G
14.5

28D
T3340

D
12.1

E
4.9

F
3.6

G
29.2

D194
297D T3527

REPRODUCTION
IS FROM
ORIGINAL PHOTO
FROM STATE
OFFICE

7/13/74

Mike Anderson
FBI SPECIALIST
CANYON COUNTY
ASCs OFFICE

B
35.5

B
45.4

C
4.8

A
11.9

A
29.5

B
3.6

A
7.1

A
4.9

B
5.9

C
9.1

SUB
DIVIDED

I
4.5

E
8.0

301D
5.7

A
6.8

G
3.0

D22
T3527

B
6.0

6.4

D
2.0

E
3.4

A
6.0

12.4

D
2.0

D23
T3527

B
14.6

E
21.9

Water
Streaks

D202
305D T3546

B
14.0

D204
307D T3548

4574

D220
328D T3564

A
22.5

A
5.8

B
3.8

A
8.8


18.3

A
5.8

B
3.8

A
22.5

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Irrigation	Franklin	5		Sta-Rite	Set @ 73' (1995)
Domestic/ Stock	Franklin	3/4		Grundfos	Set @ 77' (1997)

*Code to correspond with No. on map and aerial photo

2 pumps in well.

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - System operates at 35-65 psi

MICROFILMED
JUN 03 1999

MELBA QUADRANGLE
IDAHO
7.5 MINUTE SERIES (TOPOGRAPHIC)

27° 11' 30" SW
(MERIDIAN)



T2N
R2W
Sec. 24
SWNW

No Gov. Lots

MICROFILMED
JUN 03 1999

63-12127

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

Don Tomach Water Rights Examiner

Signature of Dept. Representative & Title

9-5-96

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



Original Photo
in Report

MICROFILMED

JUN 03 1999

1 of 2



P/D, Well
Located
on North
Side
of
House.



P/u
House and
yard.

6 Ac.
irrigated
field in
background.

MICROFILMED

63-12127

2 of 2

Plu
stock
Trough
on West
side
adjacent
to
Martin
Laterel.
One of
3 Troughs.



View Looking South



Plu
6 Ac.
irrigated
field.
View
Looking
East.

MICROFILMED

63-12127

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-12127

Priority: July 6, 1994

Maximum Diversion Rate:

0.18 CFS

Maximum Diversion Volume:

28.9 AF

This is to certify, that MARVIN H MEYER
PATRICIA MEYER

8504 SOUTHSIDE BLVD

NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 6, 1994; and has submitted Proof of Beneficial Use on October 6, 1995. An examination indicates that the works have a diversion capacity of 0.260 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.12 CFS	27.0 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.7 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.18 CFS	28.9 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 24, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	24	SWNW	6		6

Total number of acres irrigated: 6

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
2. Diversion and use of water under this right is subject to rules that may subsequently be promulgated for existing rights used for supplemental purposes.
3. Some or all of the water use authorized by this right is claimed with an earlier priority date on Snake River Basin Adjudication Claim No. A63-30140. In the event that Claim A63-30140 is decreed as it is claimed, the Director may amend or revoke this right to eliminate any redundancy of water rights.
4. Domestic use is for 1 home.

MICROFILMED

JUN 03 1998


State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 63-12127

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 28th day of

April, 1997.


Acting for KARL J. DREHER, Director



MICROFILMED

JUN 10 1999

Form No. 217

7/84

FOR OFFICE USE ONLY

Amt. of Fee \$: 50Receipt No. W019959Receipt By: VRDate Received: 10-6-95

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

RECEIVED

OCT 17 1995

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12127 Telephone No. 208-467-6183
2. Name(s) of Permit Holder(s): Marvin H. Meyer Jr. or Patricia A. Meyer
3. Mailing Address: 8504 South Side Blvd., Nampa, ID 83686
4. Source of Water: groundwater IF GROUNDWATER (well). Date Drilled: mo. 4 / yr. 1977
 - a. Well Driller: S.O.S. Well Drilling Drilling Permit Number: N/A
 - b. **OPTIONAL:**
Pump Horsepower: 5 Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): 50 head cattle
Irrigation (No. of acres): 10 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.19 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? _____ Yes _____ or No ✓
Has the measuring device been installed? _____ Yes _____ or No _____

Flow Measurement Port: Is a flow measurement port required? _____ Yes _____ or No ✓
Has the measurement port been installed? _____ Yes _____ or No _____

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Marvin Meyer Telephone Number: 208-467-6183 (home)
Address: 8504 South Side Blvd., Nampa

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Marvin H. Meyer Jr.
(include your title, if on behalf of company or organization)

Date: 10/5/95

NOV 8 1995

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-12127

Proposed Priority: July 6, 1994

Maximum Diversion Rate:

0.19 CFS

This is to certify, that **MARVIN H MEYER**
PATRICIA MEYER
8504 SOUTHSIDE BLVD
NAMPA ID 83686

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.12 CFS
STOCKWATER	01/01 to 12/31	0.03 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
Totals		0.19 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 24, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	24	SWNW	6		6

Total number of acres irrigated: 6

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **November 1, 1995**.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
4. Domestic use is for 1 home.
5. Stockwater use is for 50 range cattle.
6. This permit does not authorize the development and irrigation of new land not previously irrigated.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

28th day of October, 1994.

[Signature]
for R. Keith Higginson, Director

RECEIVED

AUG 26 1994

Ident. No. 63-12127

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: MARVIN H. MEYER 208-467-6183
Address: 8504 SOUTHSIDE BVD
Nampa ID 83686
OR
Name: PATRICIA MEYER 208-467-6183
Address: 8504 SOUTHSIDE BVD.
Nampa ID 83686

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWNW Sec. 24, Township 02N, Range 02W
CANYON County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.120		
STOCKWATER	01/01	12/31	0.030		
DOMESTIC	01/01	12/31	0.040		

5. Total quantity to be appropriated is:
0.190 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
drilled well with gravity/pipline irrigation system
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 6 inches; proposed depth of well is 100
feet.
- Is groundwater with a temperature greater than 85F being sought? NO
- If well is already drilled, when? 04/13/1977
Drilling Firm
Well was drilled for

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 year(s).

8-11-94

8. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
02N 02W 24	SWNW 6			6

Total number of acres irrigated: 6

Place of Use: STOCKWATER

TWN RGE SEC	
02N 02W 24	SWNW

Place of Use: DOMESTIC

TWN RGE SEC	
02N 02W 24	SWNW

9. a. Who owns the property at the point of diversion?
APPLICANT
- b. Who owns the land to be irrigated or place of use?
APPLICANT
- c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

Applicant seeks exemption from Snake River moratorium for use
existing prior to Nov., 1987.

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ _____ Receipted by _____ # _____ Date _____

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

Comments: Date: 7/25/1994 User-ID: LGRAVES

Subject:
EXEMPTION

Applicant seeks exemption from Snake River moratorium for use
existing prior to Nov., 1987.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Marvin H. Patricia A Meyer Phone 467-6183
Post office address 8504 Southside, Nampa ID

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 24 Township 2N Range 2W B.M. Canyon County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .12 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .03 for Stock water purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .19 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

Drilled well 6" dia - 100 ft deep.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6" inches; proposed depth of well is 100 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

DEC 14 1984

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 50 + hd cattle.
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1 household.
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	2W	24							6										6
2N	2W	24							5										
2N	2W	24							D										

Total number of acres to be irrigated 6

10. Describe any other water rights used for the same purposes as described above. _____

Boise - Kuna.

11. a. Who owns the property at the point of diversion? yes.

b. Who owns the land to be irrigated or place of use? yes.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Priority date (map) proof attached.

1994

A full-page sheet of white graph paper with a black grid. The grid consists of small squares, approximately 10 units wide by 10 units high. In the bottom right corner, there is a faint, dark stamp that reads "DEC 1 1968".

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marvin H Meyer &
(Applicant)

Received by JFW Date 7/6/94 Time 2:00 PM Preliminary check by _____

Fee \$ 50.00 Receipted by Hdt # W010167 Date 3/20/90
(changed from Adj Fee)

Publication prepared by ST Date 7-27-94 Published in Press-Tribune

Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.


e. Other:

DEC 14 1994

● R2W R1W ●

MELBA QUADRANGLE
IDAHO

7.5-MINUTE SERIES (ORTHO PHOTOQUAD)



Y6

T2N
T1N

Meyer

1602

1944

D12
38D T3340
A
19.2

STAT
ID

B
5.4

28D
T334

D
9.5

C
15.1

B
5.4

18.0

D25
3.0D

A
2.3

F
16.6

D
12.1

B
6.1

CANYON COUNTY ABC COMMITTEE
500 Arthur St.
Caldwell, ID 83405

E
11.6

E
17.2

F
31.2

G
19.8

C
2.5

D
4.2

14.5

E
4.9

F
3.6

G
29.2

194
297D T3537

Reproduction
is from
original photo
from state
office

B
35.5

A
11.9

C
9.9

D31
299D
3361

7/13/94
Mike Anderson
Field Specialist
Canyon County
ASCS

B
45.4

A
29.5

B
3.6

C
4.8

I
4.5

301D G
15.7

B
6.0

A
6.0

A
6.8

6.7

B
4.6

D202
365D
T3576

B
4.0

A
8.8

D204
307D
3577

Wider
Streaks

E
21.9

D220
328D
3564

A
5.8

B
3.8

A
22.5



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 29, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

MARVIN H MEYER
PATRICIA MEYER
8504 SOUTHSIDE BLVD
NAMPA ID 83686

RE: WATER RIGHT NO. 63-12127

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
JUN 13 1999

CERTIFICATE OF MAILING

I hereby certify that on the 29th day of April, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 63-12127

MARVIN H MEYER
PATRICIA MEYER
8504 SOUTHSIDE BLVD
NAMPA ID 83686


Kari Lynn Townsend
Secretary

MICROFILMED
JUN 03 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

MEMORANDUM

TO: File 63-12127

FROM: Sharla

DATE: April 20, 1999

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 63-12127 are as follows:

H. RECOMMENDATIONS

Irrigation	3/15 – 11/15	0.12 cfs	27.0 afa
Stockwater	1/1 – 12/31	0.02 cfs	0.7 afa
Domestic	1/1 – 12/31	0.04 cfs	1.2 afa
	TOTALS	0.18 cfs	28.9 afa

The standard volume/acre for irrigation in this area is 4.5 af. The rate for stockwatering 50 range cattle is 0.02 cfs.

Exam Date: September 5, 1996
Examiner: Dan Tomich

MICROFILMED

JUN 03 1999

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-12127 DATE 4/16/99 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK ☐ Change (P39 /P47) ☐ Add (P45/P42) Feds - P40
 W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK ☐ Change (P41/P47) ☐ Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .19 cfs
 Fee limit .20 cfs \$5000
 Measured — cfs
 Theoretical .26 cfs
 Recommended Total Div Rate .18 cfs

WATER USES	<u>OK</u>	Change (P46)		
<u>Dom</u>	<u>.12</u> cfs	<u>6x7.5 = 45</u>	af	Irrig -
<u>Stock</u>	<u>.02</u> cfs	<u>7</u>	af	overlap (R58-R61, R62-R55, R66-R69)
<u>Dom</u>	<u>.04</u> cfs	<u>1.2</u>	af	supp. gv (W43/005/075)
			af	overlap spec. combined rts (W35)
			af	<1 acre (W31)
			af	(W01/WB5/070/071/075)
TOTALS	<u>.18</u> cfs	<u>28.9</u>	af	Domestic (W42 or W43/025/027/R22 or R23)
			af	Power (W42 or W43/025/027/R22 or R23)
			af	Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate _____ cfs X _____ days X 1.98 = _____ af

REMARKS Comment S/50 range cattle

ADD'L CONDITIONS ☐ Watermaster Control WD# _____
☐ GW Measurement/Measuring Device
☐ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority ☐ yes ☒ no SRBA Claim _____

Adjust Memo vol/ac stock/total
 Amend letters —

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 12 1998

Department of Water Resources

A. GENERAL INFORMATIONPermit No. 63-121271. Owner: Marvin H. & Patricia Meyer Phone No. (208) 467-6183Current Address: 8504 Southside Blvd., Nampa, ID 836862. Accompanied by: Patricia Meyer EXAM DATE: 9-5-96Address: (Same) Phone No. (Same)Relationship to Permit Holder: (Same)3. Source: Ground water tributary to _____**B. OVERLAP REVIEW**1. Other water rights with the same place of use: 63-02388 (Boise-Kuna ID)2. Other water rights with the same point of diversion: None**C. DIVERSION AND DELIVERY SYSTEM**

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NW	24	2N	2W	Canyon	Site Visit, Map

2. Place(s) of Use:


Indicate Method of Determination Site Visit, Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	2W	24							6										6.0

MICROFILMED

JUN 9 7 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Irrigation	Franklin	5		Sta-Rite	Set @ 73' (1995)
Domestic/ Stock	Franklin	3/4		Grundfos	Set @ 77' (1997)

*Code to correspond with No. on map and aerial photo

2 pumps in well.

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - System operates at 35-65 psi

MICROFILMED

JUN 13 1999

5. The owner has filed Adjudication Claim A63-30140, Priority 4-3-1977 for these same rights. The owner was told that this claim may be disallowed, and he should continue pursuing this permit.

E. NARRATIVE/REMARKS/COMMENTS

1. The well for this water system was drilled in April, 1977 to provide domestic and stockwater for the property. For this use, a $3/4$ HP pump was installed in the well, and the house was served through a 1" pipe, and 3 stock troughs through $3/4$ " pipes. The lawn and yard is also irrigated from the domestic/stockwater system; from hose bibs. The hose bibs serve movable sprinklers on hoses.

2. The 6 AC. tract of land on this property is under WR 63-02388, for surface water from the Martin Lateral. An old irrigation ditch from the Martin Lateral on the South side of the lane conveyed water to this tract. The owner was unable to gravity irrigate the 6 AC. tract with this ditch since the land is higher than the ditch. Very little of the 6 AC. tract was irrigated over the years. In Sept 1995, a 5 HP pump was added to the well to irrigate the 6 AC. tract and the gravity ditch was abandoned. The 5 HP pump serves 7 handline sprinklers through a buried 2" mainline. The handlines have 17 nozzles each. The rest of the property is irrigated with the surface water under WR 63-02388.

The land is served by Boise-Kuna I.D. The 6 AC. Tract in this permit is too high for surface water from the gravity ditch

Have conditions of permit approval been met? ☒ yes ☐ no

3. Domestic use is 1 home.

Stockwater is for 50 head.

4. Since the Domestic & Stockwater system is being used to irrigate the house yard, and since the field irrigation system is separate - Allow external use for

from the gravity ditch
MICROFILMED
JUN 11 1999

Domestic

Domestic: 1 home, $Q = 0.04$ cfs
 Stock: 50 head, Allow 0.02 cfs

F. FLOW CALCULATIONS

Measured Method: None; Theoretical Cal.

Additional Computation Sheets Attached

$$\text{Irrigation, } Q_{\text{allowed}} = \frac{(0.02 \text{ cfs}) \times (6) \text{ Ac.}}{14.7} = 0.12 \text{ cfs}$$

$$\text{Domestic / Stockwater Pump: } Q_{\text{max}} = \frac{(8.8) / (3/4 \text{ HP}) / (70\%)}{55' + (35 \text{ PSI}) \left(\frac{34'}{14.7 \text{ PSI}} \right)} = 0.03 \text{ cfs}$$

$$\text{Irrigation Pump: } Q_{\text{max}} = \frac{(8.8) / (5 \text{ HP}) / (70\%)}{55' + (35') \left(\frac{34'}{14.7} \right)} = 0.23 \text{ cfs}$$

$$0.26 \text{ cfs} > 0.19 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{\text{I.R.}} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (6.0 \text{ Ac.}) \left(3.5 \frac{\text{AFA}}{\text{Ac.}} \right) = 21.0 \text{ AFA}$$

$$V_{\text{D.R.}} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.12) (246) (1.9835) = 58.6$$

$$V = \text{Smaller of } V_{\text{I.R.}} \text{ and } V_{\text{D.R.}} = 21.0 \text{ AFA}$$

2. Volume Calculations for Other Uses:

$$\text{Irrigated Acres} = (350') (750') / (66) (66) (10) = 6.03 \text{ Ac., Allow } 6.0 \text{ Ac.}$$

Stockwater
 Allow 0.7 AFA

Domestic
 Allow 0.6 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

internal
 and 0.6 External
 for yard = 1.2 AFA

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03/15	11/15	0.12	21.0
Stockwater	01/01	12/31	0.03	0.7
Domestic	01/01	12/31	0.04	1.2
Totals:			0.19	22.9

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Wan Tomich Date 2-10-98


Reviewer _____ Date _____

SEAL

MICROFILMED

JUN 01 1999

2771 III SW
(MERIDIAN)



IDAHO DEPARTMENT OF WATER RESOURCES
WELL INSPECTION FORM

(None shown)

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 63-12122
2. OWNER: Marvin H. & Patricia Meyer Phone: (208) 467-6183
Address: _____
3. WELL LOCATION: Twp 2N, Rge. 2W, Sec. 24, SW 1/4 NW 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: S.O.S. Well Drilling Lic. No. 212
When Drilled? 4/13/77 to 4/15/77
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 100 ft. Method Drilled Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 55 ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☒ Irrigation ☒ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

MICROFILMED

APR 23 1977

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

Don Tomich Water Rights Examiner
Signature of Dept. Representative & Title

9-5-96
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



Original Photo
in Report

WISCONSIN DEPT. OF NATURAL RESOURCES
JUN 10 3 1999

1 of 2

P/O, Well
Located
on North
Side
of
House.



P/u
House and
yard.

6 Ac.
irrigated
field in
background.



008070 MEL


63-12127

2 of 2



Plu
stock
Trough
on West
side
adjacent
to
Martin
Laterol.
One of
3 Troughs.

View Looking South



Plu
6 Ac.
irrigated
field.
View
Looking
East.

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-12127 Reviewed by [Signature] Date 10/26/95

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Dom, Irr, Stock

Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

no Drilling permit required?

/ Copy in the file? Drilling Permit No.

/ Amount paid for permit

/ Well log in the file?

 Correct?

LICENSE EXAMINATION FEE

yes Required?

50.00 Amount Submitted

yes Correct?

MEASURING DEVICE

no Required?

/ Installed?

 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u>/</u>	<u> </u>
Date proof due	<u> </u>	<u>-</u>	<u> </u>
No. of days late	<u> </u>	<u>=</u>	<u> </u>
Priority Date	<u> </u>	<u>+</u>	<u> </u>
New Priority Date	<u> </u>		<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 10-6-95

October 26, 1995

MARVIN H MEYER
PATRICIA MEYER
8504 SOUTHSIDE BLVD
NAMPA ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12127

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

NOV 08 1995



THE RUSSELL CORPORATION Construction Management / General Construction

8150 Emerald Street, Suite 100
Boise, ID 83704 (208) 323-0777 FAX (208) 323-3485

RECEIVED

OCT 17 1995

Department of Water Resources

DATE: 10/5/95TO: Kay Walker

TIME SENT: _____

COMPANY: Idaho Dept. of Water ResourcesFAX: 334-2348FROM: Marvin Meyer
THE RUSSELL CORPORATIONNUMBER OF PAGES FOLLOWING COVER SHEET: 1

Attached is my signed proof of beneficial use.
As I understand, this should complete the required
documentation for both claims A63-12127
and A63-30140.

Please let me know when we can reschedule
your field verification.

If you do not receive _____ page(s) following cover sheet, please call _____ at (208) 323-0777.

NOV 1995

August 31, 1995

MARVIN H MEYER
PATRICIA MEYER
8504 SOUTHSIDE BLVD
NAMPA ID 83686

PROOF DUE NOTICE

RE: PERMIT NO. 63-12127

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1995.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 2, 1994

MARVIN H MEYER
PATRICIA MEYER
8504 SOUTHSIDE BLVD
NAMPA ID 83686

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12127

Dear Permit Holder(s):

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in black ink, appearing to be 'Jim Johnson', written over the typed name and title.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosures

DEC 14 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 63-12177 Name: Meyer Date: 10/20/94 Correct Fee? ✓

AREA OF CONCERN? - No/Yes BLD Mor GWMA Trust/Non-trust
SYSTEM COMPLETED:

No - 26A-P17 - ASCS proof of pre-1987 in
Complete in 1 year - P16
Yes
Proof not submitted - P16
Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <FLO-CH> - T17 (new), 01K (existing), No MD
- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

Included w/permit - Permit No. - - - , P99
Existing well - NA (pre 7/1/87)
No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <FLOW CHART>

LOCATION:

Water District(~~dem~~) - WD No.
*Surface water - 005 (reg) 01J-P08 <FLOW CHART>
(doesn't sink) or 01H-P01 <FLOW CHART>; No MD
Groundwater - P05 (new irrigation well)
In stream channel - 030 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (-85° GW temp only)
Swan Falls Flag - 2 <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA
Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA
Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 07A-042 (reg) & 010/06A/09E(WQ)-P10
444 (N 1000 Spr)
Irrigation - 03A/057, 803(if GW use SW 1st) ✓ 5A PU comp), NA
Power - 08A-17K-025-027(reg); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Mining - 054 (reg) & 06A/010/09E-P10
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
Domestic (surface) - 021(Boise R ↑ L Peak), 064(Payette R), NA

OWNERSHIP:

Non land owner - 004 (PD/PU)

PROTESTED:

- 020(Prehearing agreement)/W19(See Order)

OTHER CONDITIONS:

REMARKS:

- ① w01(1) ② w02(5020) ③ w06

BENEFICIAL USE DUE:

- 11-1-1995

COMMENTS:

- also AJ claim (A63-30140) claims dop. 4/13/77

WR0749NP
No. P63-12127

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 10/20/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MARVIN H MEYER	07/06/1994	IRRIGATION	03-15 11-15	0.12 CFS	
C	PATRICIA MEYER		STOCKWATER	01-01 12-31	0.03 CFS	
	8504 SOUTHSIDE BLVD		DOMESTIC	01-01 12-31	0.04 CFS	
	NAMPA ID 83686					
	(208) 467-6183					
TOTAL DIVERSION:					0.19 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T02N R02W S24 SWNW CANYON County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE										
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
---	---	---	---	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	---
02N	02W	24	:					:			06		:					:							:	6.0
TOTAL ACRES																							6.0			

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: CANYON

Other Water Rights with Same Point(s) of Diversion and Source:
63-12127

Other Water Rights Listing Overlapping Place(s) of use:
63-12127

Conditions of Approval:

- 03A - The rate of diversion of water for irrigation under this right
- and all other water rights on the same land shall not exceed 0.02
- cubic feet per second for each acre of land.

Remarks: Domestic use is for 1 home.
Stockwater use is for 50 range cattle.
This permit does not authorize the development and irrigation
of new land not previously irrigated.

Dates: App. Received: 07/21/1994 Priority Date: 07/06/1994
Proof Due Date: 11/01/1995 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

WR0749NP
No. P63-12127

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 10/20/94
PAGE: 2

=====
Comments: Date: 07/25/1994 User-ID: LGRAVES Subject: MORATORIUM EXEMPTION
Applicant seeks exemption from Snake River moratorium for use
existing prior to Nov., 1987. File contains SCS aerial photo
taken 6/77 showing irrigation usage. No pou overlaps.

Audit: 10/20/94 CZIMMERM

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
6312127	T02N R02W S24 GROUNDWATER								06									6
6302388	BOISE RIVE :																	
A6302388	BOISE RIVE :																	
6308911	GROUNDWATE :				34		23											57
A6308911	GROUNDWATE :				34		23											57
6310442	GROUNDWATE :																	
A6310442	GROUNDWATE :																	
6311181	GROUNDWATE :																	
6311267	GROUNDWATE :																	
A6330140	GROUNDWATE : Same; A1 claim.								06									6
	C27Q-X 56 :	39	37	34	39	17	34	34	17	37	36	36	30	40	34	30	37	531

M E M O R A N D U M

TO: C. Zimmerman
FROM: D. Shaff *DS*
DATE: October 18, 1994
RE: Receipt W010167

I have authorized changing this receipt to allocate \$50 of the payment to cover the cost of Application for Permit 63-12127. The remaining \$5.00 from this receipt will be added to Receipt C031490 that documents the payment of another \$50 to cover the claim Meyer wishes to continue processing. A copy of modified Receipt W010167 is attached.

For your information, the Meyers' claim A63-30140 asserts a water right exists dating from April 13, 1977, for the same well for the same uses found on the application for permit. Of course, the claim will require investigating that will lead to a recommendation at a later date.

10/18/94
1994

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No: W010167

Date: 10/19/94
Time: 14:27:56

Received
From:

MEYER, BATTY
Type of Payment

Program A cct

Amount

ADJUDICATION CLAIM FEE	0337	0041503 1155	\$5.00
APPLICATION FOR PERMIT FEE	0229 21	0056103 1155	\$50.00


Total

\$55.00

CHECK 3647

Idaho Department of Water Resources

Region: WESTERN

Signature: 

DEC 14 1994

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No:

W010167
BACKOUT

Date:
Time:

10/19/94
14:27:56

Received
From:

MEYER, BATTY
Type of Payment

Program Acct

Amount

ADJUDICATION CLAIM FEE

9337

0410162 6490

\$-55.00

Total

\$-55.00

CHECK 3647

Idaho Department of Water Resources

Signature: _____

Region: WESTERN

DEC 14 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 22, 1994

Marvin H. and Patricia Meyer
8504 Southside Boulevard
Nampa, ID 83686

Re: Snake River Basin Adjudication (SRBA)
Receipt No. W010167

Dear Mr. and Mrs. Meyer,

Processing your Application for Permit 63-12127 is proceeding. A detail connected with the SRBA water right claim you filed in March, 1990, remains.

Presuming you wish to replace the claim with the Application for Permit submitted on July 6, 1994, the enclosed form must be signed to apply most of the claim fee (\$55) to the application fee (\$50). Please write on the form you want the fees applied to the Permit. Without you withdrawing the claim from the picture, I must process your claim because you submitted the completed claim form and paid the proper fees. Only you can direct me to ignore your claim.

Now, if you want your Notice of Claim to Water Right investigated and a recommendation on it made to the SRBA Court, do not withdraw your claim. However, the fees associated with the Claim must remain tied to the claim, and the fee for the Application for Permit must be submitted.

If you are confused by the names applied to the water you are using from the well and your attempt to document your water right for that use with us, please contact me to discuss the matter with you. I want to avoid leading you to a decision that might be rooted in misunderstandings between us.

Sincerely,

Donald V. Shaff
Adjudication Section Manager

DVS:dvs:state
Enclosure:

Request for Withdrawal of Claim
cc: C. Zimmerman

DEC 14 1994

MEMORANDUM

TO: Fiscal

FROM: Cindy Zimmerman

DATE: September 20, 1994

RE: Partial Refund on Application No. 63-12127

=====

Debbie;

The applicants of the above permit, Marvin & Patricia Meyer, filed a SRBA claim in 1990. When the Meyers withdrew their claim and filed this application for permit, they requested that the fees they paid in 1990 be applied to the application fees.

The fees received (receipt no. W0101067) for the SRBA claim were \$55.00, the permit for application fee is \$50.00, leaving a balance (overpayment) of \$5.00.

On 7/21/94, John Westra wrote a memo requesting a change in the receipt coding and a refund of the balance of overpayment.

I have enclosed a copy of the receipt and John's memo.

Please send the refund of \$5.00 to Marvin or Patricia Meyer at 8504 Southside Blvd., Nampa ID 83686.

Thank you!

DEC 14 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: 6 DATE: 7/25/94 APPLICATION: 63-12127

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: ☒ P/D
☒ Nature of proposed use: (Include description of use) ☒ P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☐ ☒ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☒ Critical groundwater area:
☐ ☒ Groundwater management area:
☒ ☐ 1992 moratorium
☐ ☒ Copy to SCA staff (perennial stream, non-pump diversion):
☐ ☒ Send dam safety information:
☐ ☒ Send power requirement letter:
☐ ☒ Send fish farm requirement letter:
☐ ☒ Power residency affidavit:
☐ ☒ Power efficiency form:
☐ ☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT
More proof of GWA before 1987
DATE REQUESTED: 7/25/94
☒ ☐ Additional information on reverse side:

RECEIVED
AUG 26 1994

Department of Water Resources

PROCESSING

APPLICATION NO.

63-12127

YES NO

☒ ☐
☒ ☐
☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☐ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest 8-22-94

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Dm

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

(Allow 1 yr for B/u - System is shown to be existing)

See below for additional information

Recommended Date or Priority 7/6/1994

Recommended by: Dm

Date 8/25/94

STATE OFFICE REVIEW

See below for additional information. By Date

ADDITIONAL INFORMATION

P/u overlap: 63-02388 Bore R

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12126

COUNTY OF CANYON

115 ALBANY

CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NWSWSE Sec 21 T 02N R 03W in CANYON County.

Use: COMMERCIAL (.040 CFS)

DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 7/12/1994

In: CANYON County

T02N R03W S21 SWSE

63-12127

MEYER, MARVIN H

MEYER, PATRICIA

8504 SOUTHSIDE BLVD

NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: SWNW Sec 24 T 02N R 02W in CANYON County.

Use: IRRIGATION (.120 CFS)

STOCKWATER (.030 CFS)

DOMESTIC (.040 CFS)

Total Diversion: (.190 CFS)

Date Filed: 7/21/1994

In: CANYON County

T02N R02W S24 SWNW

6.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before AUGUST 22, 1994. The protestant must also send a copy of the protest to the applicant.

R. KEITH HIGGINSON, Director

August 3, 10, 1994 707

*Data base
changed to 7-6-94
at
not ready.*

DEC 14 1994

CONVERSATION MEMORANDUM

Application For Permit

DATE 7/21/94

FILE 63-12127

NAME OF PARTY Meyer.

EMPLOYEE J. Westra, Western.
Jan Shurt, Western.

RE: Application For Permit.

Mr Meyer filed an Adjudication Claim in 1990 (see attached claim)
with priority of 4/13/77. Adjudication will not process as priority
after 1963, see letter attached. Should be able to process as
use before the moratorium - ASCS map attached to document acreage.
Owner has drilling bill - not attached. 4/15/77

Please see me or Jan concerning any questions.

UNCLAS 10/1/94

A portion of the SW1/4NW1/4, Section 24, Township 2 North, Range 2 West, Boise Meridian, Canyon County, Idaho, more particularly described by metes and bounds as follows: Commencing at the Northwest corner of Section 24, T. 2 N., R. 2 W., B.M., Canyon County, Idaho and running S. 0°00'00" W. 1322.38 feet along the Westerly boundary of said Section 24 to the Northwest corner of the SW1/4NW1/4, said Section 24; thence continuing S. 0°00'00" W. 853.00 feet along said Westerly boundary of Section 24 to the TRUE POINT OF BEGINNING; thence continuing S. 0°00'00" W. 469.38 feet along said Westerly boundary of Section 24 to the Southwest corner of the said SW1/4NW1/4, Section 24; thence N. 89°39'07" E. 1328.51 feet along the Southerly boundary of the said SW1/4NW1/4, Section 24 to the Southeast corner thereof; thence N. 0°00'08" E. 409.12 feet along the Easterly boundary of the said SW1/4NW1/4, Section 24 to a point on the extended centerline of an irrigation ditch, said point bearing S. 0°00'08" W. 913.38 feet from the Northeast corner of the said SW1/4NW1/4, Section 24; thence N. 48°54'48" W. 91.23 feet along the approximate centerline of an irrigation ditch, and an extension thereof, to a point; thence S. 89°38'48" W. 1259.77 feet along a line parallel to and 853.00 feet Southerly from the Northerly boundary of the said SW1/4NW1/4, Section 24 to the point of beginning; Containing 14.27 acres, more or less. Subject to a right of way for an existing road along the Westerly boundary of the above described parcel.

DEC 14 1994

Meyer

CONVERSATION MEMORANDUM

DATE 7/21/94To Debbie AllenFILE Application for Permit
63-12127NAME OF PARTY Marvin Meyer

EMPLOYEE _____

RE: Receipt # W010167

Please change the type of Payment on the receipt attached
to Application for Permit # 63-12127

Account
No.FundPCFSUBJECT0229/21621031155ThanksJohn Westra
Western Reg.

DEC 14 1994

For Mu...
to the
IDAHO DEPARTMENT OF WATER RESOURCES

Receipt No: W010167

Date: 03/02/90
Time: 08:57:14

Received
From: MEYER, PATTY

Type of Payment	Program Acct Class	Amount
ADJUDICATION CLAIM FEE	0410162 9337 6490	\$55.00

Change to Application for
Permit # 63-12127

Total	\$55.00
-------	---------

CHECK 3647

Idaho Department of Water Resources
Region: WESTERN

Signature: Valerie J. Holt

DEC 14 1994

63-12127

MEYER, MARVIN H
MEYER, PATRICIA
8504 SOUTHSIDE BLVD
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: SWNW Sec 24 T 02N R 02W in CANYON County.

Use: IRRIGATION	(.120 CFS)
STOCKWATER	(.030 CFS)
DOMESTIC	(.040 CFS)
Total Diversion:	(.190 CFS)

Date Filed: 7/21/1994

In: CANYON County
T02N R02W S24 SWNW

6.0 ACRES TOTAL

DEC 14 1994