




63-12104

T4N
R1E
S24
NENESW
Siphon


P104
P10

MIDCUM MCO
JUN 30 1924

T4N
R3N


2.8 MI. TO U.S. 20, 26, & 30
BOISE (STATE CAPITOL) 3.4 MI.

T4N
R3N
CAPITOL 3.4 MI



MADE-FILMED
JUN 30 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

✓ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

— Aerial Photo Attached (required for irrigation of 10+ acres)

✓ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pygmy Meter						
+ Tape						

2. Measurements:

@ outlet box




Av. Velocity through outlet box = 2.5 fps.

$$Q = (6/12) \times (13/12) \times (2.5) = 1.4 \text{ cfs}$$

MICROFILMED

MAY 18 1998



T4N
R1E
Sec 24

NE SW
Gov. Lot 3

P/D
P/u
Pond

Drain

63-12104

MAY 18 1953

(BOISE NORTH)
2771 11 NW

4836

4835

40'

2.3 MI TO U.S. 20, 26 & 30
BOISE (STATE CAPITOL) 3.4 MI

4833000m

T. 4 N.

3.1 MI TO U.S. 30
(STATE CAPITOL)

1 of 1

P/O
P/u

Pond

Note
island
and
outlet
Control
Structure
in back-
ground.

View Looking
Northwest



Place of
Measurement

outlet
Control
Structure
and
Stoplog
outlet
box



MAY 18 1998

63-12104

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 63-12104

Priority: March 3, 1994

Maximum Storage Volume:

0.5 AF

This is to certify, that LINDA G CONKLIN
STEPHEN CONKLIN

7920 W APACHE WAY
BOISE ID 83703

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 3, 1994; and has submitted Proof of Beneficial Use on May 30, 1997. An examination indicates that the works have a storage capacity of 0.500 af of water from:

UNNAMED DRAIN tributary to BOISE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
AESTHETIC STORAGE	01/01 to 12/31		0.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NESW), Sec. 24, Township 04N, Range 01E
ADA County

PLACE OF USE: AESTHETIC STORAGE
TWN RGE SEC
04N 01E 24 Lot 3(NESW)

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
5. The Director retains jurisdiction of this right to require streamflow augmentation or other action determined to be appropriate to protect prior surface water or ground water rights. Such stream flow augmentation or other action will be required only upon a determination of need and applicability by the Director.
6. Aesthetic storage use is for a pond.

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 63-12104

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 8TH
day of MAY, 1998.


Acting for KARL J. DREHER, Director.



State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-12104

Date of Priority: March 3, 1994

Maximum Storage Volume: 0.5 AF

Comes now

LINDA G CONKLIN
STEPHEN CONKLIN

7920 W APACHE WAY
BOISE ID 83703

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-12104, and requests that the permit be changed as follows:

Source: UNNAMED DRAIN tributary to BOISE RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
AESTHETIC STORAGE	01/01 to 12/31		0.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NESW), Sec. 24, Township 04N, Range 01E
ADA County

PLACE OF USE: AESTHETIC STORAGE
TWN RGE SEC
04N 01E 24 Lot 3(NESW)

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, this 7 day of May, 1998.


(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-12104

FOR DEPARTMENT USE ONLY

Preliminary check by SUK Fee = 5000 Received by KS #1010016 Date 5/7/98

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 63-12104 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
5. The Director retains jurisdiction of this right to require streamflow augmentation or other action determined to be appropriate to protect prior surface water or ground water rights. Such stream flow augmentation or other action will be required only upon a determination of need and applicability by the Director.
6. Aesthetic storage use is for a pond.

Witness my hand this 8TH day of MAY, 1998.

Acting for KARL J. DREHER, Director

MAY 30 1997

Department of Water Resources DEPARTMENT OF WATER RESOURCES

JUN 25 1947

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JUN 03 1996

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 03-12104

Name(s) of Permit Holder: LINDA G & STEPHEN L. CONKLIN

Mailing Address: 7920 W. APACHE Way BOISE ID. 83703

Date Proof is Due: 1 JUNE 1996 Telephone No. 208-853-4316

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

EXCAVATION OF Pond COMPLETED AND EDGES OF Pond
ARE BEING ROCKED & VEGETATION ESTABLISHED FOR
VISUAL EFFECT AS WELL AS EROSION PREVENTION.
ABOUT 75% COMPLETE WITH LANDSCAPING Costing \$ 150⁰⁰

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

BASICALLY HAS BEEN SLOW BECAUSE OF REESTABLISHING
NATURAL VEGETATION WITH NEW PLANTING AROUND GROWING
SEASONS AND WINTER WEATHER AND STREAM FLOWS

Permit holder(s) request an extension to May 31, 19 97

FEE: \$50.00

Stephen L. Conklin
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to June 1, 1997.

Signed this 6th day of June, 19 96

JUN 28 1996

A. Glen Saylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-12104

Proposed Priority: March 3, 1994

Maximum Diversion Rate:

0.04 CFS

This is to certify, that LINDA G CONKLIN
STEPHEN CONKLIN
7920 W APACHE WAY
BOISE ID 83703

has applied for a permit to appropriate water from:

SPRING

tributary of UNNAMED DRAIN

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

AESTHETIC	01/01 to 12/31	0.04 CFS
-----------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NENESW), Sec. 24, Township 04N, Range 01E
ADA County

PLACE OF USE: AESTHETIC

TWN RGE SEC

04N 01E 24 Lot 3(NESW)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1996.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Use of water under this right is subject to control by the watermaster of State Water District No. 63.
5. The Director retains jurisdiction of this right and any license subsequently issued to require streamflow augmentation or other action determined to be appropriate to protect prior surface water or ground water rights. Such streamflow augmentation or other action will be required only upon a determination of need and applicability by the Director.
6. Aesthetic use is for a pond.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

25th day of May, 1994.

RECORDED

JUN 3 0 1994

for *[Signature]*
R. Keith Higginson, Director

RECEIVED

MAY 13 1994

RECEIVED

MAR 03 1994

Department of Water Resources

Department of Water Resources

Ident. No. 63-12104

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

RECEIVED

APPLICATION FOR PERMIT

MAR 04 1994

To appropriate the public waters of the State of Idaho

WATER RESOURCES
WESTERN REGION

1. Name: STEPHEN CONKLIN
Address: 7920 W APACHE WAY
BOISE ID 83703

WIC 389-5938
208-853-4316

AND/OR

Name: LINDA G CONKLIN
Address: 7920 W APACHE WAY
BOISE ID 83703

208-853-4316

2. Source: SPRING

* 3. Location of Point of Diversion: 6+3 Trib. to: UNNAMED DRAIN
NENESW Sec. 24, Township 04N, Range 01E
ADA County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
AESTHETIC	01/01	12/31	0.040		

5. Total quantity to be appropriated is:

0.040 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

Pond (see comments)

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is inches; proposed depth of well is
feet.

d. Is groundwater with a temperature greater than 85F being sought? NO

e. If well is already drilled, when?

Drilling Firm

Well was drilled for

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 year(s).

APPROVED

JUN 30 1994

* data entered. 6

8. Place of Use: AESTHETIC

TWN RGE SEC
04N 01E 24 43 NESW

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

11. Map of proposed point of diversion and place of use attached? [✓]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by Czy Date 3/3/94 Time 5:10pm Preliminary check by g


Fee \$ 30.00 Receipted by Czy # 6029723 Date 3/3/94

Publication prepared by St Date 3-29-94 Published in Id. Stateman

Publication approved St Date 4-27-94

* Data entered. g

JUN 30 1994



63-12104

T4N
R1E
S24
NENESW
Siphon

Mile 7.4

JUN 30 1984

T.O.4N.

2.8 MI. TO U.S. 20, 26, & 30
BOISE (STATE CAPITOL) 3.4 MI.

4833000m N.

SD-0420-2
MODIFY RECORD

Idaho Department of Water Resources
Modify Comment

Date: 05/12/94
Time: 11:17:48

Water Right Number: 63-12104


Comment Date: 3/16/1994 User ID: GRAVES

Subject: DIVERTING WORKS

Applicant intends to develop a 20' x 30' pond ~1' deep, which
would fill in less than 24 hours based on .04 cfs (per tele conv_
5/12/1994).

(ENTER=Continue/Exit) (Gold2=Update) (Gold3=Delete) (Gold4=Prev) (Gold5=Next)

JUN 30 1994



RECORDED
JUN 20 1904



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 11, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

LINDA G CONKLIN
STEPHEN CONKLIN
7920 W APACHE WAY
BOISE ID 83703

RE: WATER RIGHT NO. 63-12104

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MAY 18 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:


- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 11th day of May, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 63-12104

LINDA G CONKLIN
STEPHEN CONKLIN
7920 W APACHE WAY
BOISE ID 83703


Kari Lynn Townsend
Secretary

MAY 11 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 1, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

LINDA G CONKLIN
STEPHEN CONKLIN
7920 W APACHE WAY
BOISE ID 83703

RE: WATER RIGHT NO. 63-12104

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has been actually developed. I have not yet received the amendment. If I do not receive it within 14 days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin.

Enclosed for your convenience is another amendment form. Please note that the filing fee for this amendment is \$50.00. If you have any questions, please call me at (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 10, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

LINDA G CONKLIN
STEPHEN CONKLIN
7920 W APACHE WAY
BOISE ID 83703

RE: WATER RIGHT NO. 63-12104

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that the nature of water use developed differs from what was described on your permit. Therefore, before a license can be issued, your permit must be amended to depict your water right as it was actually developed.

The enclosed Application for Amendment form depicts the water use and other information as it will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

B/U FIELD EXAM REVIEW

by *Cindy Lou*Permit #: 63-12 Name: Conklin Date: 4/8/98 ✓ Lots ✓

NAME Chng Same ✓ Or Address Change?

SOURCE ✓ Clarify source unnamed drain trib To Boise R.
Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? Addn'l 1/4? Legal P39
Same 1/4? W32 P36
Overlap(s) none

P/U ✓ Amendment Needed? P41
Overlap(s) none
(Gov't use special fl's) *P/D & P/U Amend? P37

RATE ✓ Permit/proof fee limits 0.04 / 0.20
✓ Measured Quantity = 1.35 cfs Theoretical Quantity = cfs

limited by permit 6 0.13 cfs license for storage only

✓ Recommended capacity 1.35 cfs 0.5 AF
✓ Recommended rate 0.13 cfs

VOLUME ✓ Season: (/) = days
Calculations:
pond = 0.5 AF

✓ Flow limit: cfs x days/yr. x 1.9835 = AF
Recommended volume 0.5 AF

USES ✓ Same Nature of Use? P46
✓ Amendment Needed? change to Aesthetic Storage.

REMARKS ✓ Multiple p/d's in same 1/4? Use W32
✓ ① Stor / pond

CONDITIONS — Measuring Device (R43) or Lockable Controlling Works (R02)
R04 Watermaster Control (R04) - WD # 63
— Irrigation rate/annual volume overlap
— GW irrigation replaces surface water (050)
— GW irrigation supplements surface water (065)
— Water Quality
11E Other

PRIORITY App Rcd 3/3/94 Due 4/1/97 Rcd 5/30/97
Receipt# 0039029 Fee OK? Yes No \$50
Order to Reinstate Needed? Yes No Done? — Advanced to: —
Priority 3/3/94 Examined 6/24/97

COMMENTS:

USE	CFS	VOLUME
<u>Aest. Storage</u>	<u>NA</u>	<u>0.5</u>
<u> </u>	<u>—</u>	<u>—</u>
<u> </u>	<u>—</u>	<u>—</u>
<u>TOTAL</u>	<u>NA</u>	<u>0.5</u>

SRBA Overlap none
Adjustment Memo ✓
LICENSE
#1 AMEND: P46/P38
#2 AMEND: (R)P42/(C)P47

MEMORANDUM

DATE: April 9, 1998
 TO: File No. 63-12104
 FROM: Cindy Lou Zimmerman
 SUBJECT: Review of Beneficial Use Field Report

The pond developed under this permit is an on-stream impoundment of drained irrigation water. The permit was issued with an aesthetic flow only. The pond is oval shaped with an island in the middle. The dimensions are 75' -105' long x $\pm 70'$ wide x $\pm 3.5'$ deep, with an oval 6' x10' island. Issuance of a license for a flow on this in-stream storage facility might be interpreted as a defacto minimum stream flow. By statute, only the state may be issued a minimum stream flow right. Therefore, I recommend changing the nature of use from aesthetic use to aesthetic storage use.

CHANGE OF NATURE OF USE ANALYSIS

Use	Season	Flow Rate	Annual Volume	Consumptive Use
Permitted Potential:				
Aesthetic Use	1/1-12/31	0.04 cfs	29.0*AF *volume based on 24 hr/day, 365	0.0 AF
day/yr diversion				
Aesthetic Storage Use	1/1-12/31	NA	0.5*AF	0.0 AF

The following adjustments¹ were made on the field report to reflect the use developed under this permit:

H. Recommendations.

1. Recommended amounts:


Beneficial Use	Period of Use	Rate of diversion	Annual Volume
<u>Aesthetic Storage</u>	1/1-12/31	<u>NA</u>	0.5 AF
	Totals:	<u>NA</u>	0.5 AF

Examiner: Dan Tomich
 Examined: June 24, 1997

¹ Adjustments are **bolded and underlined**.

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: $r =$ No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pygmy Meter						
+ Tape						

2. Measurements:

@ outlet box



Av. Velocity through outlet box
= 2.5 fps.

$$Q = (6/12)(13/12)(2.5) = 1.4 \text{ cfs}$$

MAY 18 1953

E. NARRATIVE/REMARKS/COMMENTS


1. The pond was constructed on an unnamed drain. Water collects in the drain from more than one irrigation waste water ditch and from seepage. The drain flows for 12 months/year. One irrigation waste water ditch flows directly into the pond from the North side. There is no evidence that the source of the water would be considered a spring although irrigation seepage does enter the drain upstream of the pond.
2. The water surface elevation of the pond is controlled by stoplogs in the outlet structure. Water flows continuously through the pond for 12 months/year.
3. The drain and pond are located along the back property line of the housing subdivision.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: Pygmy Meter + Tape at outlet box



Av. Vel. = 2.5 fps

$$Q = \left(\frac{6}{12}\right) \times \left(\frac{13}{12}\right) \times (2.5) = 1.35 = \underline{\underline{1.4 \text{ cfs}}}$$

Allow the 0.04 cfs
on permit.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses: Aesthetics Pond

$$\text{Vol. Pond} = \left[\left(\frac{1}{2} \right) (105' + 75') (70') - (6' \times 10') \right] [3.5'] / (66 \times 66 / 10) \\ = \underline{\underline{0.50 \text{ AF}}}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Aesthetic *</u>	<u>01/01</u>	<u>12/31</u>	<u>0.04 *</u>	<u>0.50 AF</u>
Totals:			<u>0.04 *</u>	<u>0.50 AF</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

The source of the water is an unnamed drain.

I. AUTHENTICATION


Field Examiner's Name Don Tomich Date 1-8-98

Reviewer _____ Date _____

SEAL

* Adjustments made during review of this report for license approval.
See Memo for additional information. 4/8/98 cz

MAY 18 1998



T4N
R1E
Sec 24

NE SW
Gov. Lot 3

P/D
P/u
Pond

Drain

63-12104

(BOISE NORTH)
2771 II NW

2837 101.5, 20, 26, 33
BOISE (STATE CAPITOL) 3.4 MI.

TO U.S. 30
(STATE CAPITOL) 3.1 MI.

T. 4 N.

1 of 1



P/O

P/u

Pond

Note
island
and
outlet
Control
Structure
in back-
ground.

View Looking
Northwest



Place of
Measurement

outlet
Control
Structure
and
Stoplog
outlet
box

63-12104

March 31, 1996

LINDA G CONKLIN
STEPHEN CONKLIN
7920 W APACHE WAY
BOISE ID 83703

PROOF DUE NOTICE

RE: PERMIT NO. 63-12104

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 26, 1994

LINDA G CONKLIN
STEPHEN CONKLIN
7920 W APACHE WAY
BOISE ID 83703

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12104

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal flourish extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECEIVED
JUN 30 1994

RECEIVED

APR 15 1994

WATER RESOURCES
WESTERN REGIONThe Idaho
Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

\$59.16

Account Number 04762800		Identification NOTICE OF APPLICATION FOR WATER RIGHT	
Ordered By Sue Taylor	P.O. Number	Rate NT	Run Dates April 7, 14, 1994
STATE OF IDAHO DEPARTMENT OF WATER RESOURCES Western Region 2735 Airport Way Boise, Idaho 83705		Estimated Inches	Real Inches
		# Affidavits 1	Legal Number 7268

LEGAL NOTICE

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

63-12104
CONKLIN, STEPHEN
CONKLIN, LINDA G
7920 W APACHE WAY
BOISE, ID 83703

Source: SPRING
Tributary: UNNAMED DRAIN
Diversion Pt: LOT 3 (NENESW) Sec
24 T04N R01E in
ADA County
Use: AESTHETIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 3/3/1994
In: ADA County
T04N R01E S24 Lot 3(NESW)

63-12109
VAN GROUW, DAN
5655 S BLACKCAT RD
MERIDIAN, ID 83642

Source: GROUNDWATER
Diversion Pt: NESE Sec 33 T03N
R01W in ADA
County
Use: STOCKWATER (.230 CFS)
COMMERCIAL (.010 CFS)
Total Diversion: (.230 CFS)
Date Filed: 3/15/1994
In: ADA County
T03N R01W S33 NESE

Permits will be subject to all prior
water rights. Protests may be
submitted based on the criteria of
Sec. 42-203A, Idaho Code. Protests
must be filed with the Director,
Dept. of Water Resources, Western
Region, 2735 Airport Way, Boise,
Idaho 83705 on or before APRIL 25,
1994.

R. KEITH HIGGINSON
Director

Pub. April 7, 14, 1994 7268

LINDA PORTER

, being duly

sworn, deposes and says: That she is the Principal Clerk of The
Idaho Statesman, a daily newspaper printed and published at Boise,
Ada County, State of Idaho, and having a general circulation therein
and which said newspaper has been continuously and uninterruptedly
published in said County during a period of twelve consecutive
months prior to the first publication of the notice, a copy of which is
attached hereto; that said notice was published in The Idaho
Statesman in conformity with Section 60-108, Idaho Code as
amended, for TWO

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of APRIL 7, 19 94

and ending with the issue of APRIL 14, 19 94

Linda Porter

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 14th day of APRIL in the year of
1994, before me, a Notary Public, personally appeared
LINDA PORTER, known or identified to
me to be the person whose name subscribed to the within instrument,
and being by me first duly sworn, declared that the statements therein
are true, and acknowledged to me that she executed the same.

[Signature]
Notary Public for Idaho

Residing at Boise, Idaho

My commission expires: 11-27-99

JUN 30 1994

63-12104

CONKLIN, STEPHEN
CONKLIN, LINDA G
7920 W APACHE WAY
BOISE, ID 83703

Source: SPRING

Tributary: UNNAMED DRAIN

Diversion Pt: LOT 3 (NENESW) Sec 24 T 04N R 01E in ADA County.

Use: AESTHETIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 3/ 3/1994

In: ADA County
T04N R01E S24 Lot 3 (NESW)

RECEIVED
JUN 30 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR
June 17, 1997

LINDA AND STEVE CONKLIN
7920 W APACHE WAY
BOISE ID 83703

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12104

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, which became effective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

If you have questions concerning the field examination, contact the **WESTERN** Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

C: IDWR - Region

MICROFILMED

JUN 22 1997

March 31, 1997

LINDA G CONKLIN
STEPHEN CONKLIN
7920 W APACHE WAY
BOISE ID 83703

PROOF DUE NOTICE

RE: PERMIT NO. 63-12104

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1997.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED

JUN 2 5 1997





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 6, 1996

Linda & Stephen Conklin
7920 W. Apache Way
Boise, ID 83703

RE: Permit No. 63-12104

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to **June 1, 1997**. Please note that the department has granted this extension based on **due diligence**. It is important that you work diligently toward the completion of this project during the construction period allowed since the department **will not** be able to grant additional extensions based on due diligence.

Please contact me at (208)327-7953 if you have any questions regarding this matter

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

C: IDWR - Regional Office

JUN 28 1996