




T. H. N.
R. S. W.

No gut
Labs
10/26/93
-JL

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	U.S. Electric	100	ID# A0DA 11BR049R-1 Model R485A	Aurora	2000 GPM, Series 913

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Installed meter

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flow Meter	Tot.	Neptune	H.P. Turbine	70030337	6"	


2. Measurements: None

MICROFILMED


FEB 16 1999



MICROFILMED
FEB 16 1999




FEB 16 1999



PC-149177

53
TO
127
PSI.



PC-147585

52
TO
93
PSI.

GS AURORA PUMP
A UNIT OF GENERAL SIGNAL
800 AIRPORT ROAD • NORTH AURORA, ILLINOIS 60542

FEB 16 1999

2000 GPM @ 120' TDH
900 GPM
1000 (120') (67.4) = 75hp
1000 (550) (0.81)
3500 GPM (150%)
TDH = 90'
TDH = 35' - SPECIFIED
63-12067



PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

Inspection Date
6-30-98

Signature of Dept. Representative & Title
Don Lewis Water Rights Examiner

REMARKS: This well is the Primary well for the City of Wilder. The secondary well is located in Chula Vista Subdivision.

How far away from the well is this source?

If yes, what Type?

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there evidence of Chemigation? ☒ Yes ☐ No

POSSIBLE CONTAMINATION SOURCES:

1 of 2

P/D

Well
House.

View
Looking
East.

Note old
water
Tank
in
back-
ground.



P/D


Well in
Well
House



2 of 2

P/O,
Flow
meter
(Brass)
color

6"
Service
Line
on
right.



P/u
City of
Wilder



MICROFILMED

FEB 16 1999

63-12067

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 63-12067

Priority: November 11, 1993

Maximum Diversion Rate:

1.12 CFS

This is to certify, that CITY OF WILDER

PO BOX 687

WILDER ID 83676

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 26, 1993; and has submitted Proof of Beneficial Use on December 17, 1997. An examination indicates that the works have a diversion capacity of 2.010 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	1.12 CFS	

LOCATION OF POINT(S) OF DIVERSION:


SWSE , Sec. 15, Township 04N, Range 05W
CANYON County

PLACE OF USE: See Remarks

CONDITIONS OF APPROVAL AND REMARKS

1. Irrigation of large projects such as parks, golf courses, or sports activities fields is not authorized under this right.
2. The daily diversion volume for domestic uses under this right shall not exceed 13,000 gallons per dwelling in accordance with Section 42-111, Idaho Code.
3. The irrigation occurring under this right shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed.
4. Place of use is within the city limits of Wilder.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 12th day of JANUARY, 1999.


Acting for KARL J. DREHER, Director

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

DEC 17 1997

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12067 Telephone No. (208) 482-6204
2. Name(s) of Permit Holder(s): City of Wilder, Idaho
3. Mailing Address: P.O. Box 687, Wilder, Idaho 83676
4. Source of Water: Groundwater If **GROUNDWATER** (well), Date Drilled: mo. 06 / yr. 97
- a. Well Driller: Riverside, Inc. Drilling Permit Number: 63 - 95 - C - 0924-000
- b. **OPTIONAL:**
Pump Horsepower: 100 Pressure (psi): 60 Dynamic pumping level (ft): 100

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: Municipal potable water system

6. Total rate of diversion and/or volume for which proof is submitted: 1.12 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes X or No _____
Has the measuring device been installed? Yes X or No _____

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No X
Has the measurement port been installed? Yes _____ or No X

8. Fee Enclosed: \$ 125.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Russ Page, Public Works Telephone Number: (208) 482-6204

Address: City of Wilder, 219 Third Street, Wilder, Idaho 83676

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: _____

(include your title, if on behalf of company or organization)

Jeff T. Conner
J-U-B ENGINEERS, INC.
City Engineers

Date: 12/16/97

RECEIVED
DEC 16 1997

RECEIVED

NOV 20 1995

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$50 Fee Received by LT
Date 11-20-95
Receipt No. 0033947

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 63-12067

Name(s) of Permit Holder: City of Wilder

Mailing Address: 219 Third Street, Wilder, Idaho 83676

Date Proof is Due: December 1, 1995 Telephone No. (208) 482-6204

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

The permit holder is in the process of securing the well property and clearing
the site. No drilling has been completed.

Costing \$ _____

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

The permit holder was unable to secure the funding from government agencies
until the spring of 1995. However, we are on schedule to complete the well
in 1996.

Permit holder(s) request an extension to July 1, 19 97

FEE: \$50.00

(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to **December 1, 1997.**

Signed this 21st day of November, 19 95

J. Glen Saylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-12067

Proposed Priority: October 26, 1993 Maximum Diversion Rate: 1.12 CFS

This is to certify, that CITY OF WILDER
219 THIRD ST
WILDER ID 83676

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
MUNICIPAL	01/01 to 12/31	1.12 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 15, Township 04N, Range 05W
CANYON County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1995.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Construction of the well must comply with Idaho well construction standards.
7. The issuance of this right in no way grants any right-of-way or easement across the land of another.
8. Place of use is within the city limits of Wilder.
9. The domestic use authorized under this permit shall not exceed 13,000 gallons per day per dwelling in accordance with Section 42-111, Idaho Code.
10. This permit authorizes irrigation of up to 1/2 acre within each platted subdivision lot upon which a domestic dwelling has been constructed.
11. Irrigation of large projects such as parks, golf courses, or sports activities fields is not authorized under this permit.

JAN 19 1994


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12067

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

18th day of January, 1994.



for
R. Keith Higginson, Director





JAN 19 1994

RECEIVED

DEC 06 1993

Ident. No. 63-12067

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: CITY OF WILDER
Address: 219 THIRD ST
WILDER ID 83676
208-482-6204
2. Source: GROUNDWATER
3. Location of Point of Diversion: Trib. to: SWSE Sec. 15, Township 04N, Range 05W
CANYON County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
MUNICIPAL	01/01	12/31	1.120		
5. Total quantity to be appropriated is:
1.120 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
PUMP, VALVES AND PIPELINE
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 year(s).
8. Place of Use: See Remarks
9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

APPROVED

JAN 19 1994

10. Remarks:

PLACE OF USE IS WITHIN CITY LIMITS OF WILDER.

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ 65.00 Receipted by _____ #W016850 Date 10/12/1993

Publication prepared by St Date 10-27-93 Published in Press Trib.

Publication approved _____ Date _____

JAN 19 1994

RECEIVED

OCT 12 1993

Form 202
10/92

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO

Ident. No. 63-12067

DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant City of Wilder Phone 482-6204
Post office address 219 Third Street, Wilder, Idaho 83676

2. Source of water supply Groundwater which is a tributary of --

3. Location of point of diversion is 1/4 of SW 1/4 of SE 1/4, Govt. Lot --
Sec. 15 Township 4N Range 5W B.M. Canyon County; additional
points of diversion if any: ---

4. Water will be used for the following purposes:

Amount 1.12 for Municipal purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount --- for --- purposes from --- to --- (both dates inclusive)
(cfs or acre-feet per annum)
Amount --- for --- purposes from --- to --- (both dates inclusive)
(cfs or acre-feet per annum)
Amount --- for --- purposes from --- to --- (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.12 and/or (b) ---
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pump, valves and connecting piping

b. Height of storage dam --- feet; active reservoir capacity --- acre-feet; total
reservoir capacity --- acre-feet; period of year when water will be diverted to storage:
--- to --- inclusive.



c. Proposed well diameter is 12 inches; proposed depth of well is 700 feet.

d. Is ground water with a temperature of greater than 85°F being sought? No

e. If well is already drilled, when? ---; Drilling firm ---

Well was drilled for (well owner) --- JAN 19 1994

7. Time required for the completion of the works and application of the water to be proposed beneficial use is
2 years (minimum 1 year).



JAN 19 1994

T. 4 N.
R. 5 W.

NO quit
Lots
-FL 10/26/93

GREENLEAF 2.7 MI.
CALDWELL 9.6 MI.

[illegible]

JAN 19 1994

Bryan D. Harshbarger
(Applicant)
(City Engineer per contract - 10/25/93
telephone with City Hall - 96)

Received by Jy Date 10-12-93 Time 11:55 AM Preliminary check by SL
Fee \$ 65.00 Receipted by Jy # W016850 Date 10-12-93
Publication prepared by St Date 10-27-93 Published in Press Trib
Publication approved St Date 12-1-93

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

JAN 19 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866 www.idwr.state.id.us/idwr/idwrhome.htm

January 13, 1999

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

CITY OF WILDER
PO BOX 687
WILDER ID 83676

RE: WATER RIGHT NO. 63-12067

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

FEB 16 1999

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

2 FEB 16 1995

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 13th day of January, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 63-12067

CITY OF WILDER
PO BOX 687
WILDER ID 83676


Kari Lynn Townsend
Secretary

MICROFILMED

FEB 16 1999

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-12067 DATE 11/30/98 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40

W32 (multiple in ¼¼)
 W36 (overlap)
 W59 (subd. desc)

63-11333 Irr. (secondary well)
11253 - old 1.32 cfs
8164 - secondary well in Chula Vista subd

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43

W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV

Permitted Rate 1.12 cfs
 Fee limit 2.00 cfs \$/2500
 Measured _____ cfs
 Theoretical 2.71 cfs 2.01 (900 gpm pump rating)
 Recommended Total Div Rate 1.12 cfs

WATER USES	<u>OK</u>	Change (P46)	
<u>Muni</u>	<u>1.12</u> cfs	<u>af</u>	Irrig - overlap (R58-R61, R62-R65, R66-R69)
_____	_____ cfs	<u>af</u>	supp. gw (WB7/065/079)
_____	_____ cfs	<u>af</u>	overlap spec. combined rts (W35)
_____	_____ cfs	<u>af</u>	<1 acre (W31)
_____	_____ cfs	<u>af</u>	Domestic (W01/WB5/070/071/075)
TOTALS	_____ cfs	<u>af</u>	Power (W42 or W43/025/027/R22 or R23)
			Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate _____ cfs X _____ days X 1.98 = _____ af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____
022 spec. _____ GW Measurement/Measuring Device
015 Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority _____ yes ✓ no SRBA Claim N/A Adjust Memo _____
 Amend letters _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-12067

1. Owner: City of Wilder Phone No. (208) 482-6204

Current Address: P.O. Box 687, Wilder, ID 83676

2. Accompanied by: Russ Page EXAM DATE: 6-30-98

Address: (Same) Phone No. 482-6204

Relationship to Permit Holder: Public Works Director

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-11253, 63-08164, 63-11333

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	15	4N	5W	Canyon	Site Visit, Map


2. Place(s) of Use: City of Wilder Indicate Method of Determination Site Visit, Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

MICROFILMED

FEB 18 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for Irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	U.S. Electric	100	ID# A09A 11BR049R-1 Model R485A	Aurora	2000 GPM, Series 913

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Installed meter

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flow Meter	Tot.	Neptune	HP Turbine	70030337	6"	

2. Measurements: None

MICROFILMED

FEB 16 1999

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for the City of Wilders new well, which is considered to be their primary well. The secondary well is located in the Chula Vista Subdivision. The old primary well is located at B Av. and 4th St., and was shut-down after it started pumping sand. ~~That~~^{That} Well has been disconnected, and is no longer used.

2. This well is interconnected into the municipal system and operates in a pressure range of 55-60 psi. The water system has a new storage reservoir of 225,000 Gallons, along with the old water tank at B Av. and 4th St. by the old well.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
FEB 15 2003

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: *None; Theoretical Cal.:*

$$Q = \frac{(8.8)(100 \text{ HP})(70.2)}{100' + (55 \text{ PSI})\left(\frac{34'}{14.7 \text{ PSI}}\right)}$$

$= 2.71 \text{ cfs} > 1.12 \text{ cfs}$ is permit.

$TDH = 228' @ 55 \text{ PSI}$
From Pump Perf. Curves:

$$Q = 900 \text{ GPM} = 2.01 \text{ cfs}$$

$$\underline{2.01} > \underline{1.12} \text{ cfs}$$

G: VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

Municipal

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Municipal</i>	<i>01/01</i>	<i>12/31</i>	<i>1.12</i>	
Totals:			<i>1.12</i>	

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATION


Field Examiner's Name *Don Tomich* Date *11-17-98*

Reviewer _____ Date _____

SEAL

MICROFILMED
FEB 16 1999





New Well
P/D
Primary Well

old well, not used -
Disconnected

Goldengate Rd.

Secondary
Well in
Chula Vista
Subdivision

- LEGEND**
- CITY LIMITS
 - CHULA VISTA ADOBE BOUNDARY
 - EXISTING**
 - CAST IRON PIPE
 - PVC PIPE
 - STEEL AND CAST IRON PIPE
 - GALVANIZED IRON PIPE
 - BASH LINE VALVE
 - FIRE HYDRANT
 - WELL
 - RESERVOIR
 - PROPOSED IMPROVEMENTS**
 - 8" PVC MAIN
 - 6" PVC MAIN
 - 10" PVC MAIN
 - FIRE HYDRANT
 - WELL
 - RESERVOIR

REUSE OF DRAWINGS

For use in other projects, the user must obtain written permission from the original author. The user must also obtain written permission from the original author for any reproduction of the drawing.

J-U-B ENGINEERS, INC.

Engineers Surveyors Planners

1000 N. 10th St., Suite 100, San Jose, CA 95128

TEL: (408) 281-1000

FAX: (408) 281-1001

DATE: OCTOBER, 1999

1999

CITY OF WILDER

PRELIMINARY ENGINEERING REPORT

WATER SYSTEM IMPROVEMENT PROJECT

FIGURE 6

PROPOSED WATER SYSTEM IMPROVEMENTS

DATE: 10/15/99

BY: JUB


CHECKED: JUB

SCALE: 1"=100'

SHEET #6


6

MICROFILMED
 63-12067
 FEB 16 1999



PC-149177

53
TO
127
PSI.



PC-147585

2000 GPM @ 120' TPDH

900 GPM

100 = 2000 (120') (67.4) = 75hp
MICROFILMED 550 (0.81)

23500 GPM (150%)
TPDH = 90'

TPDH = 95' - SPECIFIED

63-12067

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-95-C-0924-000 OTHER APPLICABLE NO: 63-12067

2. OWNER: City of Wilder Phone: (208) 482-6204
Address: P.O. Box 687, Wilder, ID 83676

3. WELL LOCATION: Twp 4N, Rge. 5W, Sec. 15, SW 1/4 SE 1/4
County Canyon (Provide sketch map and photo on reverse.)

4. DRILLER: Riverside, Inc. Lic. No. 33
When Drilled? 5/29/97 to 8/1/97

5. WELL CONSTRUCTION:

Casing Diameter 16 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 327 ft. Method Drilled Reverse Circ.
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 77 ft. Water Temperature 59 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic ☐ Irrigation ☐ Stock
☐ Test ☒ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

MICROFILMED
FEB 16 1998

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____


9. REMARKS:

This well is the Primary well for the City of Wilder. The secondary well is located in Chula Vista Subdivision.

Jan Zomch Water Rights Examiner
Signature of Dept. Representative & Title

6-30-98
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



REPROFILMED

FEB 16 1999

1 of 2

P/D

Well
House.


View
Looking
East.

Note old
water
Tank
in
back-
ground.



P/D

Well in
Well
House



3 of 3



P/O,
Flow
Meter
(Brass)
Color

6"
Service
Line
on
right.



P/u
City of
Wilder

MICROFILMED

1/1/1

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-12067 Reviewed by [Signature] Date 2-19-98

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
no Proof timely received? Correct Uses? yes
If not, complete calculation below.

municipal

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

no Copy in the file? Drilling Permit No. 63-95-C-0924-000

200- Amount paid for permit Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?

yes Required?

125- Amount Submitted

yes Installed?

yes Correct?

 Waiver requested?

PRIORITY CALCULATION

Date proof received 12-17-97

Date proof due 12-1-97 -

No. of days late 16 = 16

Priority Date 10-26-93 + 299

New Priority Date 11-11-93 315

7 11-11-93

DEFICIENCIES OR ACTION ITEMS

Reinstate + advance priority to Nov. 11, 1993.

Proof acceptable

DATA ENTRY

New Address [Signature] Proof Made 12-17-97



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 24, 1998

City of Wilder
PO Box 687
Wilder ID 83676

PROOF ACKNOWLEDGMENT LETTER

RE: Permit No. 63-12067

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form and supporting information submitted for the above referenced permit.

Enclosed is an order reinstating the permit since proof was submitted after the proof due date. Note that the priority date has been advanced to November 11, 1993, as provided in Section 42-218a.2, Idaho Code.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. If you have questions concerning the field examination, you may contact the **Western** Regional Office of the department in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

Enclosure

c: IDWR - Regional Office

MICROFILMED

FEB 28 1998



J-U-B ENGINEERS, Inc.
ENGINEERS • SURVEYORS • PLANNERS

250 South Beechwood Avenue, Suite 201
Boise, Idaho 83709-0944

208-376-7330
FAX: 208-323-9336

December 16, 1997

RECEIVED

DEC 17 1997

Department of Water Resources

Ms. Julie Yarbrough
Idaho Department of Water Resources
P.O. Box 83720
Boise, ID 83720-0098

Dear Ms. Yarbrough:

RE: Permit No. 63-12067

On behalf of the City of Wilder, we are sending you a completed Proof of Beneficial Use Form for Permit No. 63-12067. We have also enclosed the required fee of \$125.00, Check No. 16691.

If you need additional information or have any questions, please contact me. We appreciate your cooperation on this project.

Sincerely,

J-U-B ENGINEERS, Inc.

Jeff T. Conner, P.E.
Project Manager

JTC:lhc
Enclosure
cc: City of Wilder

f:\projects\18983\admin\yarbrough1.doc

11-040-101

FEB 2 1998



RECEIVED
AUG 22 1997

IDAHO DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

Use Typewriter or Ballpoint Pen

Department of Water Resources

1. DRILLING PERMIT NO. 63-95-C-0924-000
Other IDWR No. 03-12067

2. OWNER:

Name City of Wilder
Address 219 Third St. P.O. Box 687
City Wilder State ID Zip 83676

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

Sketch map location must agree with written location.

North arrow pointing up.

Twp. 04 North ☒ or South ☐
Rge. 05 East ☐ or West ☒
Sec. 15 1/4 SW 1/4 SE 1/4
Gov't Lot _____ County Canyon
Lat: _____ Long: _____
Address of Well Site West Packer Road City Wilder
(Give at least name of road - Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name _____

4. USE:

☐ Domestic ☒ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD

☐ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other Reverse Circ.

7. SEALING PROCEDURES

SEAL/FILTER PACK		AMOUNT		METHOD
Material	From	To	Sacks or Pounds	
Benomite 5"	0	190'	48.00 lb	Overbore
Benomite 5"	330'	340'	25.00 lb	" "
Benomite 5"	430'	440'	25.00 lb	" "

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) _____

Was drive shoe seal tested? ☐ Y ☒ N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
16"	0	200'	315	Steel	☒	☐	☒	☐
10"	190'	203'	345	Steel	☒	☐	☒	☐
10"	214'	237'	345	Steel	☒	☐	☒	☐

Length of Headpipe _____ Length of Tailpipe 7'

9. PERFORATIONS/SCREENS

☐ Perforations Method Wire-wrap
☒ Screens Screen Type Johnson

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
203'	214'	.030		10"	SS	☒	☐
237'	249'	.020		10"	SS	☒	☐
286'	295'	.035		10"	SS	☒	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

27 ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or control devices: Building contractor well install

11. WELL TESTS:

☒ Pump ☐ Bailor

Office Use Only
Inspected by _____
Twp _____ Rge _____ Sec _____
_____ 1/4 _____ 1/4 _____ 1/4
Lat: _____ Long: _____

Yield gal/min.	Drawdown	Pumping Level	Time
650 GPM		111'	4 hrs

Water Temp. 59° Bottom hole temp. _____

Water Quality test or comments: Good Testing

Depth first Water Encountered _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
28"	0	10	Topsoil		
	10	12	Brn Clay		
	12	28	Hard pan (clacchy)		
	28	39	Sand & Gravel		
	39	130	Brn Clay strk sand		
	130	152	Brn Clay strk sand		
	152	163	Coarse sand & gravel		
	163	197	Fine Sand & Blue Clay		
	197	213	Med to Coarse Sand		
20"	213	223	Blue Clay		
	223	228	Fine to Coarse Sand		
	228	234	Blue Clay		
	234	236	Fine Sand		
	236	240	Blue Clay		
	240	243	Coarse Sand		
	243	248	Blue Clay		
	248	252	Coarse Sand		
	252	277	Blue Clay		
	277	279	Med to Coarse Sand		
	279	287	Blue Clay		
	287	294	Coarse Sand strk clay		
	294	299	Blue Clay		
	299	315	Coarse Sand		
	315	328	Blue Clay		
	328	374	Fine Sand		
	374	370	Brn & Blue Clay		
	370	379	Fine Sand		
	379	429	Sandy Clay strk Sand		
	429	571	Blue Clay		
	571	574	Fine to coarse Sand		
	574	648	Blue Clay		
	648	651	Coarse Sand strk clay		
	651	683	Sandy Clay strk Sand		

Completed Depth 329 (Measurable)

Date: Started 5/29/97 Completed 8-1-97

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Riverside Inc Firm No. 333

Firm Official _____ Date _____

and _____

Supervisor or Operator _____ Date 8-21-97

(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES

September 30, 1997

CITY OF WILDER
219 THIRD ST
WILDER ID 83676

PROOF DUE NOTICE

RE: PERMIT NO. 63-12067

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1997.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECORDED
FEB 26 1998



ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 63-12067 Reviewed by [Signature] Date 11-24-95

BASIC INFORMATION

11-20-95 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?

_____ Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN *Recommend extend to December 1, 1997, on basis of due diligence.*

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address X
Change Proof Due Date 12-1-97
Change Priority Date X



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 24, 1995

City of Wilder
219 Third St.
Wilder, ID 83676

RE: Permit No. 63-12067

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to **December 1, 1997**. Please note that the department has granted this extension based on **due diligence**. It is important that you work diligently toward the completion of this project during the construction period allowed since the department will not be able to grant additional extensions based on due diligence.

If you have any questions or if I can be of any assistance, please feel free to contact me at (208)327-7900.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

C: IDWR - Regional Office

DEC 01 1995



RECEIVED
NOV 20 1995

J-U-B ENGINEERS, Inc.
ENGINEERS • SURVEYORS • PLANNERS
250 S. Beechwood Avenue, Suite 201
Boise, ID 83709-0944
208/376-7330
FAX: 208/323-9336

November 20, 1995

Ms. Julie L. Yarbrough
1301 North Orchard St.
Statehouse Mail
Boise, ID 83720-9000

Dear Ms. Yarbrough:

RE: City of Wilder - 1995 Water System Improvement Project
Extension of Time for Water Right Permit #63-12067

On behalf of the Mayor Doug Amick, City of Wilder, we are submitting an extension of time application for proof of beneficial use on Water Right #63-12067. Enclosed please find a completed application form and the required fee remittance of \$50.00.

The project to construct a new well, which utilizes the above-referenced water right, is currently in the design review stage. We are anticipating construction of the well to occur in 1996. This project is part of an extensive water system improvement project for the City. The other components of the project include a new well house, water reservoir and an extensive network of water mains. Completion of these facilities will be required before full operation of the new well can occur.

We appreciate your consideration for this time extension, and if you require additional information, please contact me at our Boise office at 376-7330.

Sincerely,

J-U-B ENGINEERS, Inc.

Jeff T. Conner, P.E.
Project Engineer

JTC:ls

Enclosures

cc: City of Wilder
Phillip H. Krichbaum, P.E.



September 30, 1995

CITY OF WILDER
219 THIRD ST
WILDER ID 83676

PROOF DUE NOTICE

RE: PERMIT NO. 63-12067

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1995. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 19, 1994

CITY OF WILDER
219 THIRD ST
WILDER ID 83676

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12067

Dear Permit Holder(s):


Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, or your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

JAN 19 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW

Application #: 63-12067 Date: 12/9/93 Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes B.R.D. Mor

SYSTEM COMPLETED:

No - 26A-P17
Complete in 1 year - P16

Yes
Proof not submitted - P16
Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <flo-ch> - 01G-P03 (new), 01C-P03 (existing), NMR
- 0.2 cfs - NMR <flow chart>

Drilling Permit:

Included w/permit - Permit No. - - - - -, P99
Existing well - N/A (if drilled before 7/1/87)
No WD permit? - 046-~~46A~~-46B-P23 (if drilled after 7/1/87)

SURFACE WATER: not in WD - 01C-P03 (+.2 w/pump), NMR <flow chart>

LOCATION:

Water District - WD No. -
Surface water - 005 (req) 01J-P08 <flow chart>
(doesn't sink) or 01H-P01 <flow chart>; NMR
Groundwater - P05 (if well has not been drilled)
In stream channel - 030 (stream channel alteration)
Irrigation Dist. - 023
Canal Co. Areas - 023
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (Groundwater temperature)
Swan Falls Flag - B <See condition code chart>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (Surface): Water District Control Condition (005) &....
Boise (63) - 05A (req), 11E (non-domestic use), NA
Payette (65) - 064 (consump. use), 047-P04 (Payette Lake), NA
Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA

USE:

Fish Propagation - 010/06A/09E-P10(WQ) & 07A-042 (req)
044 (N 1000 Spr)
Irrigation - 803 (if GW use SW 1st) (+5A do POU comp.), NA
Power - 08A-17K-025-027 (req); 01F-P19; 09E-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09
Mining - 06A/010/09E-P10 & 054 (req)
Storage (✓ 3 compo.) - 18A-for multi MD in WD, 18B-P09 (+10' dam), NA
Domestic (surface) - 021 (Boise R ↑ L Peak), 27A (Payette R), NA

OWNERSHIP:

Non land owner - 004 (P/D or P/U) - Walt Lowell

PROTESTED:

Prehearing agreement - 020

OTHER CONDITIONS:

REMARKS:

① Municipal use is within city limits of Wlder.
② w04 ③ w05 ④ w21

BENEFICIAL USE DUE: - 12-1-1995

COMMENTS: - ① Mor Exempt ② Div Desc ③ P/D ownership

WR0749NP
No. P63-12067

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/09/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CITY OF WILDER 219 THIRD ST WILDER ID 83676 (208) 482-6204	10/26/1993	MUNICIPAL	01-01 12-31	1.12 CFS	
TOTAL DIVERSION:					1.12 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T04N R05W S15 SW SE

Pou County: CANYON

Conditions of Approval:

- 26A - Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
- 01G - Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
- 046 - Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
- 46B - Construction of the well must comply with Idaho well construction standards.
- 004 - The issuance of this right in no way grants any right-of-way or easement across the land of another.

Remarks: Place of use is within the city limits of Wilder. The domestic use authorized under this permit shall not exceed 13,000 gallons per day per dwelling in accordance with Section 42-111, Idaho Code. This permit authorizes irrigation of up to 1/2 acre within each platted subdivision lot upon which a domestic dwelling has been constructed. Irrigation of large projects such as parks, golf courses, or sports activities fields is not authorized under this permit.

Dates: App. Received: 10/26/1993 Priority Date: 10/26/1993
Proof Due Date: 12/01/1995 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

WR0749NP
NO. P63-12067

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/09/93
PAGE: 2

=====

Comments: Date: 12/09/1993 User-ID: ZIMMERMA Subject: MORATORIUM EXEMPTION
This permit is located within the Boise River Drainage Moratorium
boundary; however, its municipal use is within the acceptable
parameters of the Moratorium guidelines.

Date: 12/09/1993 User-ID: ZIMMERMA Subject: DIVERSION DESCRIPTION
Proposed 12" by 700' deep well with pump, valves and connecting
pipes.

Date: 12/09/1993 User-ID: ZIMMERMA Subject: P/D OWNERSHIP
The point of diversion is located on land owned by Walt Lowell.

Audit: 12/09/93 ZIMMERMA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

4N SW 5.15 SW 56
Willden, municipal well

INITIAL REVIEW BY: JL DATE: 10/25/93 APPLICATION: 63-12067

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or number of signatory is required)
Fee:
Yes ☐ No ☐ In form to receipt:

Gov't. Lots:
☒ P/D
☐ P/U

RECEIVED
DEC 06 1993

ADDITIONAL INFORMATION

Department of Water Resources

YES NO Municipal use
☐ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ ☐ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☐ Critical groundwater area:
☐ ☐ Groundwater management area:
☒ ☐ 1992 moratorium
☐ ☐ Copy to SCA staff (perennial stream, non-pump diversion):
☐ ☐ Send dam safety information:
☐ ☐ Send power requirement letter:
☐ ☐ Send fish farm requirement letter:
☐ ☐ Power residency affidavit:
☐ ☐ Power efficiency form:
☐ ☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☐ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____
Additional information on reverse side:

* Municipal use exemption within BS 63 moratorium - OK
to advertise & process

PROCESSING

APPLICATION NO. _____

YES NO

☒☐

In form for advertising:

☐☒

Statewide advertising: (> 10 cfs &/or 1000 af)

☒☐

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐☒

I.D. Health and Welfare

☐☒

I.D. Fish and Game

☐☒

I.D. Lands

☐☒

Adjudication Bureau

YES NO

☐☒

U.S. BLM

☐☒

U.S. Forest Svc.

☐☒

Water Dist. # _____

☐☒

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒☐

Affidavit of publication received:

☒☐

Application published correctly: If not, record action taken.

☐☒

Publication dates and paper recorded on application:

☐☒Protests received. Final date for protest 11-22-93☐☒

Protest dates, resolution of protest recorded on application:

☐☒Recommendations attached: Approve, Dnr☐☒

Measuring device required:

☐☒

Measuring port required:

☐☒

Water delivered by water master? District # _____

☒☐

Special conditions of approval or cover letter: _____

46,26A (Allow 2 yrs), OIA☐☒

See below for additional information

Recommended Date or Priority 10/12/1993Recommended by: DNR Date 12/2/1993

STATE OFFICE REVIEW

☐☒

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

Appl. submitted by J-W-B Engr. Inc., 250 S. Broadhurst Ave,
Ste. 201, Boise 83709-0944 (376-7330); no cover letter included.

63-12067

CITY OF WILDER
219 THIRD ST
WILDER, ID 83676

Source: GROUNDWATER

Diversion Pt: SWSE Sec 15 T 04N R 05W in CANYON County.

Use: MUNICIPAL (1.120 CFS)
Total Diversion: (1.120 CFS)

Date Filed: 10/26/1993

Place of use is with the city limits of Wilder.

RECORDED

JAN 19 1994

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Mary B. Scott

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper
Two Times

—in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

November 3, 10, 1993

Mary B. Scott

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 10th day of November in the year of 1993, before me, a Notary Public, personally appeared Mary B. Scott, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JUNE 21st, 1997

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12067

CITY OF WILDER
219 THIRD ST

WILDER, ID 83676

Source: GROUNDWATER

Diversion Pt: SWSE

Use: MUNICIPAL

Sec 15 T 04N R 05W in CANYON County.

(1.120 CFS)

Total Diversion: (1.120 CFS)

Date Filed: 10/26/1993

Place of use is within the city limits of Wilder

63-12068

SUNNY RIDGE WATER ASSN #3

702 FAIR LANE

NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: SENW

Use: IRRIGATION

DOMESTIC

Sec 10 T 02N R 02W in CANYON County.

(.020 CFS)

(.080 CFS)

Total Diversion: (.080 CFS)

Date Filed: 10/12/1993

In: CANYON County

T02N R02W S10

SENW

1.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before NOVEMBER 22, 1993.

R. KEITH HIGGINSON, Director

November 3, 10, 1993

RECEIVED

NOV 24 1993

WATER RESOURCES
WESTERN REGION