







SITE PLAN

CSHQA

ARCHITECT IN PLANNING BY: GARY FRIE PLAZA • SUITE 1400 • BOISE, IDAHO 83702 • (208) 343-0838

South East Elementary School
Boise, Idaho


LIBERTY SCHOOL

1740 S. BERGESON

RECEIVED

JUN 30 1994

Add'l H. msp Rec'd.
3/1/94 from App.




JUN 30 1994

Original map
filed with App.

$\cong$ 5.40 acres irr.

Liberty School
1" = 100'


63-12062



Not to Scale

MURDOCK
JUN 29 1995

RECEIVED
JUN 29 1965



SITE PLAN


CSHQA

LIBERTY SCHOOL

South East Elementary School


Boise, Idaho

1740 S. BERGESON



RECEIVED
JUN 29 1995

63-12062
LIBERTY SCHOOL
4/28/95



RECEIVED
JUN 29 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-12062

Priority: October 1, 1993

Maximum Diversion Rate:

0.20 CFS

Maximum Diversion Volume:

21.6 AF

This is to certify, that INDEPENDENT SCHOOL DISTRICT NO 1

C/O ROGER CARLSON

405 COLLINS RD

BOISE ID 83702-4587

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 1, 1993; and has submitted Proof of Beneficial Use on May 1, 1995. An examination indicates that the works have a diversion capacity of 0.290 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.20 CFS	21.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 25, Township 03N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02E	25	SWNE	4.8		4.8

Total number of acres irrigated: 4.8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide more than 4.5 afa per acre for the lands above. JUN 29 1995
6. Place of use is known as Liberty Elementary School.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20TH day of JUNE, 1995.

Acting for KARL J. DREHER, Director

RECEIVED

MAY 01 1995

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

FOR OFFICE USE ONLY
Amt. of Fee \$: _____
Receipt No. _____
Receipt By: _____
Date Received: _____

RECEIVED

MAY 03 1995

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) ^{Department} has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12062 Telephone No. 338-3420

2. Name(s) of Permit Holder(s): Independent School District of Boise City c/o Roger Carlson

3. Mailing Address: 405 Collins Road, Boise, ID 83702-4587

4. Source of Water: Groundwater If **GROUNDWATER** (well), Date Drilled: mo. 6 / yr. 83

a. Well Driller: Stevens Well Drilling Drilling Permit Number: N/A - - -

b. **OPTIONAL:**
Pump Horsepower: 10 Pressure (psi): 65 Dynamic pumping level (ft): 230

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 4.8 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.2 cfs OR 19.2 acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is *not optional*. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes X or No _____

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No X
Has the measurement port been installed? Yes _____ or No X

8. Fee Enclosed: \$ -0- (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: N/A Telephone Number: _____

Address: _____

MAY 31 1995

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 5/1/95
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-12062

Proposed Priority: October 1, 1993 **Maximum Diversion Rate:** 0.22 CFS

This is to certify, that **INDEPENDENT SCHOOL DISTRICT BOISE CITY**
C/O ROGER CARLSON
405 COLLINS RD
BOISE ID 83702-4587

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.22 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWSWNE , Sec. 25, Township 03N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02E	25	SWNE	5.4		5.4

Total number of acres irrigated: 5.4

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1995**.
2. Subject to all prior water rights.
3. The point of diversion identified in this right is located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller must monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.04 cubic feet per second for each acre of land.
5. Place of use is Liberty Elementary School.
6. The point of diversion is located within the Boise Front Low Temperature Geothermal Resource Groundwater Management Area and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this permit.

JUN 30 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12062

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

25th day of April, 1994.

R. Keith Higginson
for R. Keith Higginson, Director

APR 30 1994

RECEIVED

APR 11 1994

Ident. No. 63-12062

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: INDEPENDENT SCHOOL DISTRICT BOISE CITY 208-338-3420
Address: C/O ROGER CARLSON
405 COLLINS RD
BOISE ID 837024587
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWSWNE Sec. 25, Township 03N, Range 02E
ADA County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.220		
5. Total quantity to be appropriated is:
0.220 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
PUMP & PIPELINE FOR EXISTING SYSTEM
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 10 inches; proposed depth of well is 145
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when? 06/08/1983
Drilling Firm W E STEVENS & SONS
Well was drilled for INDEPENDENT SCHOOL DISTRICT OF BOISE
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).
8. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
03N 02E 25	SWNE 5.4			5.4

Total number of acres irrigated: 5.4

JUN 30 1994

REVISED PER
APPLICANT'S INFO
-SL 3-1-94

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:
Place of use is Liberty Elementary School.

11. Map of proposed point of diversion and place of use attached? [4]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

See original
Applicant

Received by MM Date 2/15/94 Time 3:40 Preliminary check by 82
Fee \$ 45 Receipted by MM # W017182 Date 2/15/94
Publication prepared by _____ Date _____ Published in _____
Publication approved _____ Date _____

See comments
S

JUN 30 1994

Comments: Date: 3/ 1/1994 User-ID: LESTER


Subject:

MORATORIUM & RATE OF FLOW

Per applicant's information received 3-1-94, it appears that irrigation use was developed approximately 1983 (see June 7, 1983 letter from Anderson & Kelly to school district). Therefore, can process application as exempted from moratorium.

Acres reduced to 5.4 per applicant's 3-1 information but rate left at .22 cfs for typical school excessive flow situation (assumed this would be likely use per similar situations). The rate can be revised downward at field exam time if this is a problem.

RECEIVED
JUN 30 1994



4826
35'
20
4825
4824
4823
4822
32'
4821
4820



LAW DRIVE

SITE PLAN


CSHA

LIBERTY SCHOOL

South East Elementary School


Boise, Idaho

1740 S. BERGESON



JUN 30 1994

Add'l. map rec'd.
3/1/94 from Appl.



≈ 5.40 acres in

Liberty's School
1" = 100'

JUN 30 1994

Original map
filed with App.

Ident. No. 63-12062

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: INDEPENDENT SCHOOL DISTRICT BOISE CITY 208-338-3420
Address: C/O ROGER CARLSON
405 COLLINS RD
BOISE ID 837024587
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWSWNE Sec. 25, Township 03N, Range 02E
ADA County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|------------------|
| IRRIGATION | 03/15 | 11/15 | 0.220 | | ~~41.40~~ |
5. Total quantity to be appropriated is:
0.220 CFS (and/or) ~~41.40~~ AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
Pump & pipeline
 - Height of storage dam feet; active reservoir capacity acre-feet; total reservoir capacity acre-feet; period of year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is 10 inches; proposed depth of well is 145 feet.
 - Is groundwater with a temperature greater than 85F being sought? NO
 - If well is already drilled, when? 06/08/1983
Drilling Firm W E STEVENS & SONS
Well was drilled for INDEPENDENT SCHOOL DISTRICT OF BOISE

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 year(s).

8. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
03N 02E 25	SWNE 11	11		11

← 5.4 per 3/1/94 letter from App.

Total number of acres irrigated: 11

* base updated 2/18/94 - SC:
no storage per application,
assumed typical distribution system.

JUN 30 1994

— ORIGINAL —

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:


PLACE OF USE IS ~~AT~~ LIBERTY ELEMENTARY School.

~~Application being held pending withdrawal of draft moratorium.~~

Replaced with upper/lower case format.

11. Map of proposed point of diversion and place of use attached? [☒]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by MM Date 02/15/1993 Time 7:40 Preliminary check by RL

Fee \$ 45⁰⁰ Receipted by MM # W017182 Date 02/15/1994

Publication prepared by St Date 3-9-94 Published in Idaho Statesman

Publication approved _____ Date _____



JUN 30 1994

* d'base updated 2/18/94 - RL : Remarks per standard format.
Moratorium remark deleted 3/1/94 per Applicant's add'l H.
info.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 20, 1995

INDEPENDENT SCHOOL DISTRICT NO 1
C/O ROGER CARLSON
405 COLLINS RD
BOISE ID 837024587

RE: WATER RIGHT NO. 63-12062

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

JUN 29 1995

LICENSE REVIEW CHECKLIST



PERMIT NO. 63-12062 DATE 6/8/95

NAME	Change ☐ OK ☒	Or Address Change? ☐
PRIORITY DATE	☐	Advance? ☐ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NA</u>
SOURCE	☐	<u>Certified Examiner</u> Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☐	Amendment needed? _____ Overlaps? _____
PLACE OF USE	☐	Amendment needed? _____ Overlaps? _____
DIV RATE	☐	Permit/fee limits: <u>Proof filed for .20 CFS</u> <u>Pump Curve</u> Meas Q = <u>.29</u> Theo Q = <u>.29</u> Recommend: <u>.20</u> <u>4.8 x .04 = .19</u> Combined rates exceed capacity _____
ANNUAL VOLUME	☒	Volume Limit: _____ Season: <u>D/4.5 (3-15 to 11-15)</u> Calculations: <u>4.8 x 4.5 = 21.6</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☐	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
ADDITIONAL INFO		Supplemental Groundwater _____ PPU Scenario _____ Irr/Dom Combination _____ Shared G/W System _____
NEW REMARKS	☐	Multiple p/d(s) in ¼ ¼? _____ Other _____
NEW CONDITIONS	☒	Watermaster control - District _____ Measuring/Locking Devices _____ <u>R27</u> Irrigation Overlap _____ Other _____ <u>Water Quality</u> _____ Heat/Cool/Fish verified _____

COMMENTS: REDUCE ACRES ; Higher rate acceptable for a school.
Boise Water Corp only other water used according to Steve Lester's
2-22-94 inquiry letter.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	NO
<u>Irrigation</u>	<u>.20</u>	<u>21.6</u>	Adjustment Memo Needed	<u>YES</u>
_____	_____	_____	LICENSE	☒
_____	_____	_____	1ST AMEND LETTER	_____
_____	_____	_____	2ND AMEND LETTER	_____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAY 01 1995

WATER RESOURCES
WESTERN REGION

A. GENERAL INFORMATION

Permit No. 63-12062

1. Owner: Independent School District of Boise City Phone No. 338-3420
c/o Roger Carlson
 Current Address: 405 Collins Road, Boise, ID 83702-4587

2. Accompanied by: George LeMaster EXAM DATE: 4/28/95

Address: same as above Phone No. _____

Relationship to Permit Holder: Custodian - Liberty School

3. Source: Groundwater tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1			SW	NE	25	3N	2E	Ada	Map/field

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	2E	25			4.8													4.8	

JUN 29 1995

SEE ATTACHED DIAGRAM

X Photo of Diversion and System Attached

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	Franklin	10		Berkeley	Mdl652A11

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

SECRET

JUN 29 1995

E. NARRATIVE/REMARKS/COMMENTS

Irrigation of 4.80 acres for school grounds for Liberty Elementary School, 1740
Bergeson. Irrigation is through automated turf sprinkling system using impact
sprinklers, spray heads and other turf equipment. Part of the irrigated area
is turf the balance is planters both border and parking lot. Acreage is based
on measurements of these areas.

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED
JUN 29 1995

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

10 HP Berkely mdl 6S2 A11

TDH = 200 ' maximum

Data from pump curve indicates Q = 130 gpm system capacity pumping level estimated 80', well head pressure 65 psi

Q necessary for water right is 0.2 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

* $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4.8 \times 4.0 = 19.2$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 19.2$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Irrigation	3/15	11/15	.2	19.2
Totals:			.2	19.2

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Field Examiner's Name Sherl L. Chapman Date 4/11/95

Reviewer _____ Date _____



* See adjustment explanation memo. BC

APR 29 1995

MEMORANDUM

TO: File 63-12062 / Independent School District of Boise
FROM: Brenda Chapman
DATE: June 8, 1995
RE: Recommendation Adjustment(s)

=====


The final licensing recommendations for the above referenced water right are based on the information below:

G. VOLUME CALCULATIONS

The annual diversion volume has been adjusted to coincide with the currently used Field Headgate Requirement and Season of Use chart standards.


RECEIVED
JUN 10 1995
WATER DIVISION

63-12062



Not To Scale

RECEIVED
JUN 29 1995



SITE PLAN

CSHA


LIBERTY SCHOOL

South East Elementary School

Boise, Idaho

1740 S. BERGESSON

RECEIVED
JUN 29 1995



NOT RECORDED
JUN 29 1995

63-12062
LIBERTY SCHOOL
4/28/95



RECEIVED
JUN 29 1995

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-12062 Reviewed by [Signature] Date 5-15-95

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
no Drilling permit required?
1 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

~~yes~~ Required? no Required?
 Amount Submitted Field exam submitted yes Installed?
 Correct? Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 5-1-95



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 17, 1995

INDEPENDENT SCHOOL DIST OF BOISE
ATTN ROGER CARLSON
405 COLLINS RD
BOISE ID 83702-4587

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 63-12062

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form and beneficial use field report submitted for the above referenced permit. The next step in the process of developing a water right is for the field report to be reviewed for licensing.

If you have questions concerning this matter, please feel free to contact Brenda Chapman at (208) 327-7900.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

C: IDWR - Region

RECEIVED

MAY 31 1995

February 28, 1995

INDEPENDENT SCHOOL DISTRICT NO 1
C/O ROGER CARLSON
405 COLLINS RD
BOISE ID 837024587

PROOF DUE NOTICE

RE: PERMIT NO. 63-12062

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1995.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED
FEB 28 1995



MEMORANDUM

TO: File 63-12062

FROM: Sharla

DATE: October 6, 1994

RE: Correction of Name

In line with the Data Entry Standards handbook, the name field for the permit holder has been changed in the database to:

LAST NAME: School District No 1
FIRST NAME: Independent

RECEIVED
OCT 10 1994
FBI



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 28, 1994

INDEPENDENT SCHOOL DISTRICT BOISE CITY
C/O ROGER CARLSON
405 COLLINS RD
BOISE ID 837024587

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12062

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECEIVED

JUN 30 1994

RECEIVED

MAR 25 1994

WATER RESOURCES
WESTERN REGIONThe Idaho
Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

\$85.08

Account Number 04762800		Identification NOTICE OF APPLICATION FOR WATER RIGHT	
Ordered By Sue Taylor	P.O. Number	Rate NT	Run Dates March 17, 24, 1994
STATE OF IDAHO DEPARTMENT OF WATER RESOURCES Western Region 2735 Airport Way Boise, Idaho 83705		Estimated Inches	Real Inches
		# Affidavits 1	Legal Number 7125

LEGAL NOTICE

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

63-12062
INDEPENDENT SCHOOL
DISTRICT, BOISE CITY
C/O ROGER CARLSON
405 COLLINS RD
BOISE, ID 83702-4587

Source: GROUNDWATER
Diversion Pt: SWSWNE Sec 25 T03N
R02E in ADA County
Use: IRRIGATION (.220 CFS)
Total Diversion: (.220 CFS)
Date Filed: 10/1/1993
In: ADA County
T03N R02E S25 SWNE
5.4 ACRES TOTAL
Irrigation use is for an existing well
at Liberty Elementary School, and
this use was developed prior to
November, 1987, and is therefore
exempted from the Snake River
Moratorium.

63-12102
STENQUIST, RONALD
STENQUIST, PEGGY
2400 N LOCUST GROVE RD
KUNA, ID 83634

Source: GROUNDWATER
Diversion Pt: NWSW Sec 17 T02N
R01E in ADA County
Use: IRRIGATION (.600 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.640 CFS)
Date Filed: 2/25/1994
In: ADA County
T02N R01E S17 NWSW
30.0 ACRES TOTAL

63-12103
EDMONDS CONSTRUCTION
PACIFIC NORTHWEST ELECTRIC
3131 LANARK
MERIDIAN, ID 83642

Source: GROUNDWATER
Diversion Pt: SENE Sec 14 T03N
R01E in ADA County
Use: DOMESTIC (.330 CFS)
Total Diversion: (.330 CFS)
Date Filed: 2/28/1994
In: ADA County
T03N R01E S14 SENE
Use is for 52 unit Grayling Place

CAROL PAYNE-CULPAN

, being duly

sworn, deposes and says: That she is the Principal Clerk of The
Idaho Statesman, a daily newspaper printed and published at Boise,
Ada County, State of Idaho, and having a general circulation therein
and which said newspaper has been continuously and uninterruptedly
published in said County during a period of twelve consecutive
months prior to the first publication of the notice, a copy of which is
attached hereto; that said notice was published in The Idaho
Statesman in conformity with Section 60-108, Idaho Code as
amended, for TWO

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of MARCH 17, 1994

and ending with the issue of MARCH 24, 1994

Carol Payne-Culpan

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 24TH day of MARCH in the year of
1994, before me, a Notary Public, personally appeared
CAROL PAYNE-CULPAN, known or identified to
me to be the person whose name subscribed to the within instrument,
and being by me first duly sworn, declared that the statements therein
are true, and acknowledged to me that she executed the same.

Notary Public for Idaho
Residing at BOISE, ID

My commission expires: 11-27-99

JUN 20 1994



The Independent School District of Boise City

Maintenance & Operations
405 Collins
Boise, ID 83702
(208) 338-3420
FAX (208) 338-3491

RECEIVED

MAR 01 1994

WATER RESOURCES
WESTERN REGION

Steve Lester
Department of Water Resources
Western Region
2735 Airport Way
Boise, ID 83705-5082

February 28, 1994

Dear Mr. Lester:

I have enclosed a letter and well log from the well driller who drilled the Liberty Elementary School well. The well was drilled as the school was being built. The total acreage of the school was 11 acres at that time. Prior to the completion of the school the land was divided into 5.4 acres for the school and the remainder for a Boise City park. Originally the total 11 acres was to be watered with the Liberty well. When the land was divided the Boise Parks people apparently decided to drill their own well. The school grounds are irrigated by the well and by city water only. The planters around the building are watered by city water. I hope this will answer your questions.

Sincerely,

Nolan Lowe
Asst. Supervisor of Maintenance & Operations

enclosure

cc: Roger Carlson
Sherl L. Chapman
file

RECEIVED
JUN 30 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

RECEIVED

FEB 24 1994

MAINTENANCE/OPERATIONS

February 22, 1994

Boise Independent School District
C/O Mr. Roger Carlson
405 Collins Road
Boise, ID 83702-4587

RE: Application for Permit No. 63-12062 (Liberty Elementary)

Dear Mr. Carlson:

The above-referenced application for permit to appropriate .22 cfs from a well to irrigate 11 acres was recently received at this office. Due to a moratorium established in 1992 to protect existing water supplies and water rights, the application cannot be advertised and processed for approval at this time except as explained in paragraph number three. The application will be held at this office pending changes in the moratorium as determined by the director of this agency if paragraph number three does not apply.

Delays related to department decisions do not affect the date of priority or seniority of an application. You will be informed of any changes in the moratorium relative to your application. Using the well for irrigation without an approved water right permit is not sanctioned under Idaho law.

An exception to the moratorium concerns uses developed prior to November, 1987. The well was drilled in 1983 according to the well log on file at this office. If you have any evidence to show that the well was used to irrigate the acreage in question, please submit it to me for evaluation. The filing can be processed despite the moratorium if sufficient information can be found.

Also, a few points need to be clarified in the application whether or not you have evidence of use to submit. The application states that eleven acres are or will be irrigated, but your map lists 5.4 acres of irrigation. Which is correct? Additionally, please mark the well and acreage locations on the enclosed map on which I outlined (in blue) the SWNE tract as stated in the application. The map should be returned with your response.


Are the acres irrigated by any other sources of water? If so, what is the name of the organization providing water to the acres, e.g. New York Irrigation District?

JUN 30 1994

Mr. Roger Carlson
Application No. 63-12062
February 22, 1994
Page 2

A reply within thirty (30) days would be appreciated. If you have any questions or need more help, please contact me at your convenience. I can be reached at 334-2190.

Sincerely,

A handwritten signature in cursive script that reads "Steve Lester".

Steve Lester
Water Rights Supervisor

Enclosure

JUN 30 1994

ANDERSON & KELLY, INC.

CONSULTANTS IN ENGINEERING AND GEOLOGY
6700 EMERALD STREET BOISE, IDAHO 83704
(208) 375-9220

June 7, 1983

Mr. A.A. Wiensch
Boise Independent School District
1207 West Fort
Boise, ID 83702

Dear Al:

Enclosed is a copy of the pumping test of the well at Liberty School. As we explained by telephone on June 7, the well is capable of only 100 gpm. As explained in our letter of May 23 to Wayne Stevens, the deeper zones did not contain suitable materials for development on the well and completion of the well at a depth of greater than 200 feet would result in severe interference from pumping from the nearby Boise Water Corporation well. Consequently the shallow completion was necessary. This is not uncommon in the general area and an irrigation well drilled for a municipal park had a similar experience several years ago. We have discussed redesign of the sprinkler system with Nolan Lowe and he feels that the 100 gpm will be adequate for the irrigation system with some minor design modifications. A change in the specifications for the pump will be necessary also and we recommend that the pump setting be approximately 75 feet with some provision to insure that the pumping water level does not exceed 65 feet. This latter provision can be accomplished by either an automatic shutoff and/or a pressure sustaining valve that will insure that the discharge rate will control the pumping water level. We will be glad to discuss the matter with those responsible for making the necessary change orders in the pump specifications.

As patrons of the District as well as your consultants over the past years, Keith and I wish you a happy retirement and thank you for your service to the District.

Sincerely,

ANDERSON & KELLY, INC.


Jack E. Kelly

JEK/sk

encl.

JUN 30 1984

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

7. WATER LEVEL

Static water level 17 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.307 inches	10 inches	+1'10" feet	59 feet
.250 inches	8 inches	54'16" feet	60 feet
.250 inches	8 inches	80'13" feet	90 feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☒ Yes ☐ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ NoManufacturer's name JohnsonType stainless steel Model No. 304Diameter 8 Slot size 30 Set from 60 feet to 80'13" feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 25 Material used in seal: ☒ Cement grout☐ Bentonite ☐ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port _____

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.

100

Pumping Level

60'2"

Hours Pumped

4


9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
10	0	4	topsoil		X
	4	45	cemented gravel & sand		X
	45	67	gravel & sand	X	
	67	80	coarse sand & finer gravel	X	
	80	82	cemented sand & gravel	X	
	82	94	brown clay		X
	94	103	blue clay		X
	103	109	brown clay		X
	109	124	cemented sand, gravel & clay	X	
	124	139	brown clay		X
	139	145	blue clay		X
			Backfilled with 3/8 minus gravel to 90'		

10.

Work started 5/24/83 finished 6/8/83

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____

Lot No. _____ Block No. JUN 30 1994County AdaS/W N/E 1/4 Sec. 25, T. 3 N. R. 2 E. 1/4

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name W.E. Stevens & Sons Firm No. 153Address 3709 Hawthorne Dr Date 6/9/83

Signed by (Firm Official)

and

(Operator)



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 22, 1994

Boise Independent School District
C/O Mr. Roger Carlson
405 Collins Road
Boise, ID 83702-4587

RE: Application for Permit No. 63-12062 (Liberty Elementary)

Dear Mr. Carlson:

The above-referenced application for permit to appropriate .22 cfs from a well to irrigate 11 acres was recently received at this office. Due to a moratorium established in 1992 to protect existing water supplies and water rights, the application cannot be advertised and processed for approval at this time except as explained in paragraph number three. The application will be held at this office pending changes in the moratorium as determined by the director of this agency if paragraph number three does not apply.

Delays related to department decisions do not affect the date of priority or seniority of an application. You will be informed of any changes in the moratorium relative to your application. Using the well for irrigation without an approved water right permit is not sanctioned under Idaho law.

OK ✓
An exception to the moratorium concerns uses developed prior to November, 1987. The well was drilled in 1983 according to the well log on file at this office. If you have any evidence to show that the well was used to irrigate the acreage in question, please submit it to me for evaluation. The filing can be processed despite the moratorium if sufficient information can be found.

SWNE ✓
Also, a few points need to be clarified in the application whether or not you have evidence of use to submit. The application states that eleven acres are or will be irrigated, but your map lists 5.4 acres of irrigation. Which is correct? Additionally, please mark the well and acreage locations on the enclosed map on which I outlined (in blue) the SWNE tract as stated in the application. The map should be returned with your response.


BWC water ✓
Are the acres irrigated by any other sources of water? If so, what is the name of the organization providing water to the acres, e.g. New York Irrigation District?

JUN 30 1994

Mr. Roger Carlson
Application No. 63-12062
February 22, 1994
Page 2

A reply within thirty (30) days would be appreciated. If you have any questions or need more help, please contact me at your convenience. I can be reached at 334-2190.

Sincerely,

A handwritten signature in cursive script that reads "Steve Lester".

Steve Lester
Water Rights Supervisor

Enclosure

JUN 20 1994

63-12062

INDEPENDENT SCHOOL DISTRICT BOISE CITY
C/O ROGER CARLSON
405 COLLINS RD
BOISE, ID 837024587

Source: GROUNDWATER

Diversion Pt: SWSWNE Sec 25 T 03N R 02E in ADA County.

Use: IRRIGATION (.220 CFS)
Total Diversion: (.220 CFS)

Date Filed: 10/ 1/1993

In: ADA County
T03N R02E S25 SWNE

5.4 ACRES TOTAL

Irrigation use is for an existing well at Liberty Elementary School, and this use was developed prior to November, 1987, and is therefore exempted from the Snake River Moratorium.

RECEIVED

JUN 30 1994