





NPW No. 920202300
 APPLICANT: Idaho Forest Industries
 Waterway: Riverside Creek
 a side channel of Boise River.
 Ada County, Idaho
 Sheet 2 of 7
 Date: 10/15/92
 PLANS REDUCED FROM ORIGINAL
 NOT TO SCALE
 *modified by ACCE, R. Brach, 2/4/93


THE WOODS NO. 2 AT
 RIVERSIDE SUBDIVISION
 LOT 43 - BLOCK 1
 As Recorded On 1/27
 Instrument No. 96034
 SCALE 1" = 50'


3-12061
 APR 15 1994



63-12061

APR 15 1994





6

15

14

13

UNION

UNION

Green Meadows Sch (Abandoned)

"Riverside Creek"

Point where "Riverside Ch" recharges to river

Lot 6

Lot 2

Lot 1

Single point N 1/2 Sec 24

P/O from RWA
PER 63-10248
possibly 63-00145
possibly 63-00146

Strawberry Glen Bridge

Trailer Park

Valley View Sch (Abandoned)

Gravel Pit

McMillan Chapel

SNYDER

PIPE LINE

LATERAL

Slough

DRIVE

WARM SPRINGS CANAL

LEVEE

BOISE RIVER

LEVEE

APR 15 1994

63-12061

82 9/16/93


per-tops

gov't lots

IOWA files

Applicant's maps

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sta-Rite	3/4		Sta-Rite	2" PWSIDOL

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 5 gals in 10 sec.

APR 30 1996



63-12061
P/D


LOT 23

LOT 1

P/D


APR 30 1936



PERMIT 63-12061 INIT gh
T. R. S. Q/Q
P/D 4N 1E 23 NESE
SCALE 1:24K
PHOTO ID.



63-12061

APR 30 1996






NPW No. 920202300
 APPLICANT: Idaho Forest
 Industries
 Waterway: Riverside Creek
 a side channel of Boise River.
 Ada County, Idaho
 Sheet 2 of 7
 Date: 10/15/92
 PLANS REDUCED FROM ORIGINAL
 NOT TO SCALE
 *modified by ACCE, R. Bracho, 2/4/93

THE RECORD NO. 7 AT
 RIVERSIDE SUBDIVISION
 LOT 43 - BLOCK 1
 As Recorded On 1/2/92
 Instrument No. 96034
 SCALE 1" = 50'

APR 30 1996

63-12061



Subm.
pump



Waterfall



exit pool

APR 30 1996

63-12061

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-12061

Priority: August 11, 1993

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

6.0 AF

This is to certify, that JIM TIERNEY

9660 W PEBBLE BROOK LN

BOISE ID 83703

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 11, 1993; and has submitted Proof of Beneficial Use on February 13, 1995. An examination indicates that the works have a diversion capacity of 0.200 cfs of water from:

BOISE RIVER

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
AESTHETIC	01/01 to 12/31	0.04 CFS	6.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NESE), Sec. 23, Township 04N, Range 01E
ADA County

PLACE OF USE: AESTHETIC

TWN RGE SEC

04N 01E 23 Lot 6 (SENW)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.

APR 20 1996

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 63-12061

CONDITIONS OF APPROVAL AND REMARKS

6. Use of water under this right shall be non-consumptive. At such times in the future as the Director determines necessary to protect the prior rights of other users, the Director may require determination of the rate of loss, within the system, using a procedure approved by the Director, and may require mitigation for all system losses.
7. Place of use is located within Lot 43, Block 1, Woods No. 2 at Riverside Subdivision.
8. Aesthetic use is for a waterfall.
9. This right does not authorize the diversion of water released from storage for stream flow maintenance under prior right 63-03618.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 18th day of APRIL, 1996.

Acting for

KARL J. DREHER, Director



APR 18 1996

RECEIVED

FEB 13 1995

FOR OFFICE USE ONLY
Amt. of Fee \$: 50
Receipt No. 032143
Receipt By: RT
Date Received: 2-13-95

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 03-12061 Telephone No. 208-853-8117

2. Name(s) of Permit Holder(s): JIM TIERNEY

3. Mailing Address: 9660 W. PEBBLE BROOK LANE, BOISE - 83703

4. Source of Water: BOISE RIVER If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____

a. Well Driller: N/A Drilling Permit Number: ____ - ____ - ____

b. **OPTIONAL:**

Pump Horsepower: ____ Pressure (psi): ____ Dynamic pumping level (ft): ____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): ____ Stockwater (No. and type of stock): ____

Irrigation (No. of acres): ____ Other: AESTHETIC

6. Total rate of diversion and/or volume for which proof is submitted: 104 cfs OR ____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes ____ or No X
Has the measuring device been installed? Yes ____ or No X

Flow Measurement Port: Is a flow measurement port required? Yes ____ or No X
Has the measurement port been installed? Yes ____ or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: JIM OR SHIRLEY TIERNEY Telephone Number: 208-853-8117

Address: 9660 W. PEBBLE BROOK LANE BOISE, ID 83703

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

Jim Tierney
(Include your title, if on behalf of company or organization)

Micro Date: 2/9/95

FEB 16 1995

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-12061

Proposed Priority: August 11, 1993

Maximum Diversion Rate:

0.04 CFS

This is to certify, that JIM TIERNEY
9660 W PEBBLE BROOK LN
BOISE ID 83703
has applied for a permit to appropriate water from:

BOISE RIVER

tributary of SNAKE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
AESTHETIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 1 (SWNESE), Sec. 23, Township 04N, Range 01E
Lot 2 (SENWSE), Sec. 23, Township 04N, Range 01E
ADA County

PLACE OF USE: AESTHETIC

TWN RGE SEC
04N 01E 23 Lot 6 (SENW)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1995.
2. Subject to all prior water rights.
3. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this right.
4. Use of water under this right is subject to the control of the watermaster of Water District 63, Boise River and tributaries.
5. The Director retains jurisdiction of this right and any license subsequently issued to require streamflow augmentation or other action determined to be appropriate to protect prior surface water or ground water rights. Such streamflow augmentation or other action will be required only upon a determination of need and applicability by the Director.
6. Single point of diversion located on or near line between Lot 1 (SWNESE) and Lot 2 (SENWSE), S23, T04N, R01E.
7. Place of use is located within Lot 43, Blk. 1, Woods No. 2 at Riverside Subdivision.
8. Aesthetic use is for a waterfall.

APR 15 1994


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12061

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

11th day of April, 1994.



for R. Keith Higginson, Director



APR 15 1994

RECEIVED
FEB 17 1994

Ident. No. 63-12061

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JIM TIERNEY 208-853-8117
Address: 9660 W PEBBLE BROOK LN
BOISE ID 83703
 2. Source: BOISE RIVER Trib. to: SNAKE RIVER
 3. Location of Point of Diversion: Lot 1(SWNESE), Sec. 23, Township 04N, Range 01E
Lot 2(SENWSE), Sec. 23, Township 04N, Range 01E
ADA County
 4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
AESTHETIC	01/01	12/31	0.040		
 5. Total quantity to be appropriated is:
0.040 CFS (and/or) AF
 6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
PUMP FROM "RIVERSIDE CK." FOR WATERFALL, RETURN FLOW TO "CREEK"
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
 7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).
 8. Place of Use: AESTHETIC
- TWN RGE SEC
04N 01E 23 Lot 6(SENW)

RECEIVED

APR 15 1994

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

Source is Boise River conveyed via canal locally known as
Riverside Creek.

Single point of diversion on or near line between Govt. Lots 1
and 2 in N 1/2 SE 1/4, S23, T04N, R01E.

Water subsequently withdrawn from Riverside Creek at a point in
SE1/4, S23, T04N, R01E for waterfall amenity in Lot 43, Block 1
Woods No. 2 at Riverside Subdivision.

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ 45.00 Receipted by _____ #W016607 Date 8/11/1993

Publication prepared by AT Date 9-29-93 Published in Ed Stateman

Publication approved _____ AT Date 10-27-93

APR 15 1994

Comments: Date: 9/28/1993 User-ID: TAYLOR

Subject:

Gov't Lots/Rate of Flow/POD

Note that river channel has migrated southward from old course shown on lot plat. North channel is not found on topo now. Have assumed that lots 1 & 2 now include more land to south but still north of river channel. Lot 6 not a true island now.

Rate of flow reduced to .04 cfs per 9/28/93 telecon with applicant and thus exempted from moratorium. \$15 refund due per memo or 9/28/93.

Same POD as 63-10348 which provides water via "Riverside Creek" to two lakes at Woods Island (see subd. plat plat). POD for appl. based on field exam location for POD in 63-10348.

APR 15 1994

RECEIVED
Form 202
10/92

AUG 11 1993

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 63-12061

Original

To appropriate the public waters of the State of Idaho

1. Name of applicant Jim Tierney Phone 853-8117
Post office address 9660 W. Pebble Brook Lane, Boise 83703
2. Source of water supply Boise River which is a tributary of Snake
3. Location of point of diversion is Above street address SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot 01 *
Sec. 23 Township 4N Range 1E B.M. Ada County; additional
points of diversion if any: SENWSE L&P 2 S 23 T4N R1E
4. Water will be used for the following purposes: Water supply for a small water fall amenity - non consumptive. *
Amount .04 for transpiration purposes from 1/1 to 12/31 (both dates inclusive) *
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) $\frac{1}{2}$.04 and/or (b) _____ *
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. 1 1 h.p. pump to pump water from below the rocks - over the rocks with the water returning to the stream channel.
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? No
- e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____

APR 15 1994

7. Time required for the completion of the works and application of the water to be proposed beneficial use is 1 years (minimum 1 year).

* Also see 63-12063 same proposal for a neighbor's amenity. Rate of .04 cfs per 1/28/93 taken with Applicant. - \$6

9. Description of place of use:
- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

[illegible]

10. Describe any other water rights used for the same purposes as described above. _____

12. Remarks: Same Remarks & Comments as 63-12060 except:
Remarks: Lot 43 in subdivision
Comments: Rate of flow reduced per table with applicant 9/28/93.

See attached maps

APR 15 1934

Shirley A. Tierney
James G. Tierney
(Applicant)
John Tierney

\$15 refund due - See 9/28/93 memo

Received by [Signature] Date 8-11-93 Time 10:05am Preliminary check by [Signature]

Fee \$ 45.00 30 Receipted by [Signature] # W0016607 Date 8-11-93

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.


b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

APR 15 1994




NPW No. 920202300
 APPLICANT: Idaho Forest Industries
 Waterway: Riverside Creek
 a side channel of Boise River.
 Ada County, Idaho
 Sheet 2 of 7
 Date: 10/15/92
 PLANS REDUCED FROM ORIGINAL
 NOT TO SCALE
 *modified by AC&E R. Brochu, 2/4/93


THE WOODS NO. 741
 RIVERSIDE SUBDIVISION
 LOT 43 - BLOCK 1
 As Recorded On 1/1/92
 Instrument No. 96036
 SCALE 1" = 50'

63-12061
 APR 1 5 1994

63-12061

APR 15 1971






63-12061

APR 15 1994

plu
Lot 6 - N. channel
now canal ("Riverside
ck").

plu
Lots 1 & 2 : appear river has migrated
to south per topo map.
T4N R1E S.23





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 18, 1996

JIM TIERNEY
9660 W PEBBLE BROOK LN
BOISE ID 83703

RE: WATER RIGHT NO. 63-12061

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

APR 30 1996

BRENDA

NAME _____ ☒ Assignment Needed _____

PRIORITY DATE _____ ☒ Advance? _____ Advanced to: _____
Order to reinstate needed? _____
Incorrect fee for rate recommended? _____

SOURCE _____ ☒ Changes or just clarification of originally intended source? _____
Notice of Intent to Void necessary? _____

POINT OF DIV _____ ☒ Amendment needed? DELETE Lot 2 Description
NA Overlaps? _____

PLACE OF USE _____ ☒ Amendment needed? _____
NA Overlaps? _____

DIV RATE _____ ☒ Permit/fee limits: .04 CFS
Meas Q = .20 Theo Q = _____ Recommend: .04
(309 gpm x 3 = 909 gpm = .20 CFS)
Limited by permit to .04 CFS
Combined rates exceed capacity _____

ANNUAL VOLUME _____ ☒ Volume Limit: _____ Season: 1-1 to 12-31
Calculations: .04 x (5/24) x 365 x 1.9835 = 6 AF
Flow limit: _____ cfs x _____ x 1.9835 = _____
Combined volumes exceed capacity/allowable _____

USES _____ ☒ Change in Nature of Use or additional uses? _____
Amendment necessary? _____

NEW CONDITIONS _____ ☒ Irrigation Overlap Replaces Surface Water 050
☒ Supplemental GW 065
☒ Water Quality/Dam Safety/Heat-Cool/Fish
YES WM Control- District R04 Meas/Lock Devices SYSTEM
Other NOT LOCKABLE - RETURNS TO RIVER IMMEDIATELY

NEW REMARKS _____ ☒ Supplemental GW [in Snake River Plain] WB8/WB7
☒ Irr/Dom Combination WB5 PPU Recommendation _____
YES Boise River/Wood River Source Aes/Rec Uses W38
☒ Multiple p/d(s) in $\frac{1}{4}$ $\frac{1}{4}$? _____
☒ Fire Protection WB6
☒ Other _____

COMMENTS: _____

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Aesthetic</u>	<u>.04</u>	<u>6.0</u>	Adjustment Memo Needed	<u>NO</u>
			LICENSE	<u>✓</u>
			1ST AMEND LETTER	
			2ND AMEND LETTER	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 2 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-12061

1. Owner: JIM TIERNEY Phone No. 853-8117

Current Address: 9660 W PEBBLE BROOK LN BOISE ID 83703

2. Accompanied by: OWNER EXAM DATE: 3/10/95

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: BOISE RIVER tributary to SNAKE R.

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-12060, 12093, 12131, 11487, 10348, 2406, 1613

2. Other water rights with the same point of diversion: 63-12060, 11562A±B, 10348, 12093, 8005

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	1	SW	NE	SE	23	4N	1E	Ada	Site visit, Plat Map


2. Place(s) of Use:

Indicate Method of Determination Above

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	1E	23								A									
										L.6									
																			</

APR 20 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = NTS

☐ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sta-Rite	3/4		Sta-Rite	2" PW3102

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 5 gals in 10 sec.

APR 30 1996

E. NARRATIVE/REMARKS/COMMENTS

3/4 HP sump pump, 2" discharge to 2-3" flexline to waterfall. At waterfall, 4 discharge points each individually valued to 1 1/2" flexline discharge lines. For attempted measurement, value to discharge 4 was closed, ^(valves 1-3 fully opened) timed fill from discharge 1 yielded 10 sec / 5 gals, however not all flows could be caught. Waterfall generally operated valued down.

Source known locally as Riverside Creek. Rediversion within (SENW) lot 6 Sec 23.

Place of use is located within lot 43 Block 1, Woods #2 at Riverside.

System capacity greatly exceeds permit limit.

Although normal operation occurs valued down, total diversion still exceeds 18 gpm.

* System is not lockable. Flows return ~~to~~ immediately to channel.

As with prior recommendations of this type, volume calculated based on average 5 hrs/day operation.

Overlaps - Numerous aesthetic rights share the P/D at the canal headgate. None affect the permit.

Have conditions of permit approval been met? ☐ yes ☒ no *

20080136

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$\frac{5 \text{ gals} \times 60 \text{ sec/min}}{10 \text{ sec}} = 30 \text{ gpm} \times 3 \text{ lines} = 90 \text{ gpm} = .20 \text{ cfs}$$

G. VOLUME CALCULATIONS

Permit limit = .04 cfs

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$.04 \text{ cfs} \times 1.9835 \text{ AF/cfs} \times 5 \text{ hrs}/24 \text{ hr day} \times 365 \text{ days/yr} = 6.03 \text{ AFA}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
AESTHETIC	Y1	12/31	.04	6.0
Totals:			.04	6.0

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Cindy J. Hodges Date 2/16/96

Reviewer _____ Date _____

SEAL

APR 30 1996



63-12061

P/W


LOT 23

P/D

LOT LEVEE


APR 30 1995


PERMIT 63-12061 INIT gh
T. R. S. Q/Q
P/D 4N 1E 23 NESE
SCALE 1:24K
PHOTO ID.



63-12061

APR 30 1996






NPW No. 920202300
 APPLICANT: Idaho Forest Industries
 Waterway: Riverside Creek
 a side channel of Boise River.
 Ada County, Idaho
 Sheet 2 of 7
 Date: 10/15/92
 PLANS REDUCED FROM ORIGINAL
 NOT TO SCALE
 *modified by ACCE, R. Brochu, 2/4/93


THE RECORD NO. 7 AT
 RIVERSIDE SUBDIVISION
 LOT 43 - BLOCK 1
 As Recorded On 1/22/93
 Instrument No. 96034
 SCALE 1" = 50'

APR 30 1993

63-12061



Subm.
pump



Waterfall



exit pool

63-12061

February 16, 1995

JIM TIERNEY
9660 W PEBBLE BROOK LN
BOISE ID 83703

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12061

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

FEB 16 1995

JAMES G. TIERNY

9660 W. Pebble Brook Lane, Boise, Idaho 83703

(208)-853-8117

fax (208) 853-8118

RECEIVED

FEB 13 1995

Department of Water Resources

February 9, 1995

Julie L. Yarbrough, Senior Secretary
State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 N. Orchard Street
Statehouse Mail
Boise, ID 83720-9000


RE: PERMIT NUMBER 63-12061

I am enclosing the following information in support of beneficial use of the water granted by your permit # 63-12061:

- 1) Completed Form #217, "PROOF OF BENEFICIAL USE".
- 2) Check #1687 in the amount of \$50.00

If you need any additional information please let me know.

Sincerely,


James G. Tierney

Enclosures

RECEIVED

FEB 16 1995

December 31, 1994

JIM TIERNEY
9660 W PEBBLE BROOK LN
BOISE ID 83703

PROOF DUE NOTICE

RE: PERMIT NO. 63-12061

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1995.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED

FEB 16 1995





State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 27, 1994

Mr. Wm. David Evans
9600 W. Pebble Brook Ln.
Boise, ID 83703

RECEIVED

JUL 28 1994

Boise, Idaho

Re: Application for Permit No. 63-12131

Dear Mr. Evans:

As we discussed yesterday, your recent application for aesthetic use has been redescribed to fit within a standard format used by this agency in recording water right filings. Your application is almost identical to two new permits issued to neighbors in your area (permit nos. 63-12060 and 63-12061). Enclosed are two copies of your revised application. Please note that the rate of flow was reduced from .50 cfs to .20 cfs to match the \$50 fee that you paid.

Two key items are related to the application. One is the Stream Channel Alteration (SCA) Application needed to cover return flows to "Riverside Creek". A SCA filing is pending at this office and will be integrated with the water right processing.

The second item concerns flows in the Boise River that are at times partly or completely within a storage water right released to the river by contract between the Bureau of Reclamation and the Idaho Department of Fish & Game (IDFG). In order to process your water right application, this office needs a letter of approval from IDFG for the proposed use to alleviate concerns about possible use of contracted storage water. Please contact Cindy Robertson at IDFG (334-2597) to discuss this matter. One of the application copies can be provided by you to her for this purpose.

Meanwhile, your application will be advertised but final processing will be held pending a response coordinated via IDFG. Please contact me if you have any questions.

Sincerely,

Steve Lester
Water Rights Supervisor

c: Cindy Robertson, IDFG
Gene Gibson, IDWR Western Region

FILED 6/1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 12, 1994

JIM TIERNEY
9660 W PEBBLE BROOK LN
BOISE ID 83703

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12061

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal flourish extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

APR 16 1994

MEMORANDUM

DATE: March 30, 1994
TO: File No. 63-12061
FROM: Cindy Zimmerman
SUBJECT: Point of diversion legal description

=====

During the permit review of the above referenced application, I noted that the legal description of the point of diversion on the application may be incorrect.

The p/d listed on the application, Lt 1 (SWNESE), & Lt 2 (SENWSE), S23, T04N, R01E, identifies the beginning of a side channel on the north side of the Boise River; whereas, the water is actually diverted from that side channel at Lt 6 (SENW), S23, T04N, R01E.

It is the common understanding of the Boise River Watermaster and Idaho Dept. of Fish & Game, who initial protested this application, that this diversion occurs from a side channel that runs through Riverside Village and that this channel is considered a natural channel of the river and would naturally have water flowing through it throughout the year.

Following the lead of the region, clarification of the legal description of the actual point of diversion will be resolved during the licensing review of the permit.

APR 15 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 8, 1994

CAL GROEN CHIEF
NATURAL RESOURCES POLICY BUREAU
ID FISH & GAME
600 S WALNUT BOX 25
BOISE ID 83707-0025

Re: Application for Permit No. 63-12060 in the Name of Burke
Jones and No. 63-12061 in the Name of Jim Tierney

Dear Interested Parties:

This office acknowledges receipt of the Withdrawal of Protest
of the above-referenced applications.

The Department now will continue to process the applications,
subject to certain conditions of approval.

If you have any questions please call this office.

Sincerely,

A handwritten signature in dark ink, appearing to read 'D. R. Tuthill, Jr.'.

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:st

CC: Applicants

APR 15 1994



IDAHO FISH & GAME

600 South Walnut / Box 25
Boise, Idaho 83707-0025

Cecil D. Andrus / Governor
Jerry M. Conley / Director

February 4, 1994

RECEIVED

FEB 07 1994

WATER RESOURCES
WESTERN REGION

Mr. David Tuthill, Manager
Western Region Office
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705

RE: Protested applications for permit numbers 63-12060 and 63-12061 (in the names of Burke Jones and Jim Tierney, respectively)

Dear Dave:

This letter is to acknowledge previous conversations that we have had regarding the above-referenced applications. I have met with the applicants and their representative, John Evans, and discussed our concerns that additional withdrawals could have significant impacts on the wintertime flows in the Boise River. We also discussed our concern that the Idaho Department of Water Resource (IDWR) considers the Boise River essentially fully appropriated, except for flood flows, and therefore, there is no water for new appropriations. This was the basis for the Idaho Water Resource Board's decision not to pursue a minimum streamflow application for the Boise River between Lucky Peak and the mouth.

Since that time, the Idaho Department of Fish and Game (IDFG) has entered into discussions with IDWR and the Bureau of Reclamation (BOR), and it appears that we are nearing resolution of our concerns for providing wintertime flows down the Boise River. We also have learned that the Boise River near the Glenwood gage is apparently a gaining reach and that an additional 10 to 20 cfs enters the river above the gage. These flows could be available for appropriation as long as other senior uses can be met.

Finally, we had concerns that there was not a valid water right to provide water to the channel that flows through Riverside Village during the non-irrigation season. There was confusion as to where New Dry Creek Ditch Company's diversion is located (i.e. on the main river or on the side channel that runs through Riverside Village), and whether or not water would naturally flow through this side channel.

It is our understanding that water released from Lucky Peak for the purpose of providing streamflow maintenance from storage is protected from Lucky Peak Dam to the mouth up to the amount agreed to by the BOR and IDFG on an annual basis. Water in the river in excess of that amount could be available for appropriation. We understand that the reach of the Boise River in the vicinity of the Glenwood gage is considered a gaining reach and that an additional 10 to 20 cfs over and above the amount of water released from Lucky Peak.


APR 15 1994

David Tuthill
February 4, 1994
Page 2

Reservoir may be present in the river. We further understand that this water could be available to satisfy the water right applications filed by Mr. Burke and Mr. Tierney. We also understand that the channel running through Riverside Village is considered a natural channel of the river and would naturally have water flowing through it during the winter.

Based on our understanding of the above conditions, IDFG agrees to withdraw our protest of the above-referenced water right applications. However, if our understanding of the situation is in error, we wish to reserve the opportunity to continue with our protest of these applications without prejudice. Thank you for your help in resolving this matter.

Sincerely,



Cal Groen, Chief
Natural Resources Policy Bureau

CG:CR:alb

cc: Scott Grunder
Steve Goddard

RECEIVED
FEB 15 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

October 28, 1993

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

CAL GROEN CHIEF
NATURAL RESOURCES POLICY BUREAU
ID FISH & GAME
600 S WALNUT BOX 25
BOISE ID 83707-0025

Re: Applications for Permit Nos. 63-12060 in the Name of Burke Jones and 63-12061 in the Name of Jim Tierney

Dear Protestant:

This office acknowledges receipt of your protest to the issuance of a permit pursuant to the above referenced application. The Department suggests you contact the applicant(s) directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If this office has not been advised within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference. At such a conference, the following are the principle items the Department can consider in either approving or denying an application or permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?
6. Will the proposed use be contrary to conservation of water resources within the state of Idaho?

If this office can be of further assistance, please contact us.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT/st

APR 10 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

October 28, 1993

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

JIM TIERNEY
9660 W PEBBLE BROOK LN
BOISE ID 83703

Re: Application for Permit No. 63-12061

Dear Applicant:

Enclosed is a copy of a protest(s) filed against the issuance of a permit pursuant to the above-referenced application. The Department suggests that you contact the protestant(s) and attempt to resolve the protest(s).

If this office has not been advised within twenty (20) days that the protest(s) has been resolved, the matter will be scheduled for a conference. At such a conference, the following are the principle items the Department will review (per Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?
6. Will the proposed use be contrary to conservation of water resources within the state of Idaho?

Please contact this office if you have questions regarding this procedure.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

Enclosure: Copy of protest(s)



IDAHO FISH & GAME

600 South Walnut / Box 25
Boise, Idaho 83707-0025

Cecil D. Andrus / Governor
Jerry M. Conley / Director

October 12, 1993

RECEIVED

OCT 13 1993

**WATER RESOURCES
WESTERN REGION**

Mr. David Tuthill *Dave*
Western Region
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705

Re: Applications for Permit to Appropriate Water Nos. 63-12060 and 63-12061 (B. Jones and J. Tierney)

Dear Dave:

We have reviewed the above-referenced water right filings and have the following comments. Idaho Department of Water Resources personnel have stated that the Boise River is considered fully appropriated except for flood waters. Based on this statement, we protest the issuance of these permits as they appear in the water rights filings summary. However, if the permits are conditioned such that diversion can occur only when there is flood water available during the late spring and early summer, we will withdraw our protest.

If you have questions regarding this matter, please contact Cindy Robertson at 334-2597. Thank you for the opportunity to comment.

Sincerely,

Cal Groen, Chief
Natural Resources Policy Bureau

CG:CR:tlv

cc: Scott Grunder, Region 3, IDFG
Marti Bridges, Idaho Rivers United

APPLICATION FOR PERMIT FOR WATER RIGHT

NO. 63-12061

RECOMMENDATION OF WATERMASTER

I, Lee Sisco, watermaster of Boise River, of Water District No. 63, County of Ada, State of Idaho, whose address is 214 Broadway, Boise, Id, have read the attached copy of the application for permit for a water right in the name of Tim Tierney.

A. I hereby endorse the above numbered application and recommend that the Director of the Department of Water Resources approve the application subject to the following conditions: _____

OR

B I do not endorse approval of the above numbered application for water right as requested for the following reasons:

Water running thru Riverside Village is already under permit or license. These people need to talk to the Home Owners Assoc. for permission to use the water. If they are referring to the diversion for New

Dated at Boise, Idaho, this 8 day of Oct, 1993
Dry Creek Canal, that water is already heading to a diversion and not subject to being used.

(signature)

Lee Sisco

Please use reverse side if needed.

APR 15 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 1, 1993

LEE SISCO WATERMASTER
214 BROADWAY
BOISE ID 83702

Re: Applications for Permit No. 63-12060 in the Name of Burke
Jones and No. 63-10261 in the Name of Jim Tierney

Dear Watermaster: (Lee)

Enclosed are applications for water rights within your water
district. Also enclosed is a form for your recommendation
concerning these applications for permit.

Please review the applications and return your recommendation
within two weeks. If you have questions or need information,
feel free to contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:st

Enclosure: Copy of Application
Recommendation of Watermaster Form

APR 15 1994

MEMORANDUM

TO: NANCY HANDZEL

FROM: STEVE LESTER

DATE: SEPT. 28, 1993

SUBJ: REFUND

Two applications for permit were filed and the amount of water in each was subsequently reduced by applicant from a \$45 fee to \$30 fee category. Please issue a \$15 refund to each of the following parties:

Burke Jones (853-8383)
9640 W. Pebble Brook Ln.
Boise, ID 83703

Appl. No. 63-12060 Receipt No. W016589

Jim Tierney (853-8117)
9660 W. Pebble Brook Ln.
Boise, ID 83703

Appl. No. 63-12061 Receipt No. W016607

Thanks,



Steve Lester
Water Rights Supervisor

CC: Application for Permit files

RECEIVED
OCT 1 1994

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

104.25

Account Number 047628		Identification NOTICE OF APPLICATION FOR WATER RIGHT	
Ordered By Sue Taylor	P.O. Number	Rate NT	Run Dates October 7, 14, 1993
State of Idaho Department of Water Resources Western Region 2735 Airport Way Boise, Idaho 83705		Estimated Inches = Affidavits 1	Real Inches Legal Number 6053

RECEIVED

OCT 18 1993

WATER RESOURCES
WESTERN REGION

LEGAL NOTICE

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12055

BOISE WATER CORPORATION
PO BOX 7488
BOISE, ID 83707

Source: BOISE RIVER
Diversion Pt: LOT 7 (SENE)
Use: MUNICIPAL

Tributary: SNAKE RIVER
Sec 14 T 03N R 02E in ADA County.
(24.800 CFS)
(24.800 CFS)

Total Diversion:

Date Filed: 9/08/1993
Place of use is within the Boise city limits and the area outside the city limits served currently or in the future by Boise Water Corporation.

63-12060

JONES, M BURKE
9640 W PEBBLE BROOK LN
BOISE, ID 83703

Source: BOISE RIVER
Diversion Pt: LOT 1 (SWNESE)
LOT 2 (SENWSE)

Tributary: SNAKE RIVER
Sec 23 T 04N R 01E in ADA County.
Sec 23 T 04N R 01E in ADA County.

Use: AESTHETIC
Total Diversion:

Date Filed: 8/06/1993
In: ADA County
T04N R01E S23 Lot 6 (SENW)

63-12061

TIERNEY, JIM
9660 W PEBBLE BROOK LN
BOISE, ID 83703

Source: BOISE RIVER
Diversion Pt: LOT 1 (SWNESE)
LOT 2 (SENWSE)

Tributary: SNAKE RIVER
Sec 23 T 04N R 01E in ADA County.
Sec 23 T 04N R 01E in ADA County.

Use: AESTHETIC
Total Diversion:

Date Filed: 8/11/1993
In: ADA County
T04N R01E S23 Lot 6 (SENW)

Permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before October 25, 1993.

R. Keith Higginson, Director
Pub. October 7, 14, 1993

6053

PAN

, being duly

that she is the Principal Clerk of The newspaper printed and published at Boise, and having a general circulation therein has been continuously and uninterruptedly during a period of twelve consecutive publication of the notice, a copy of which is notice was published in The Idaho Section 60-108, Idaho Code as

consecutive daily ☐ single ☐ odd skip

the issue of OCTOBER 7, 1993

OCTOBER 14, 1993

SS.

y of OCTOBER in the year of a Notary Public, personally appeared AN, known or identified to name subscribed to the within instrument, sworn, declared that the statements therein to me that she executed the same.

Public for Idaho
BOISE, ID

My commission expires:

11-27-93

63-12061

TIERNEY, JIM
9660 W PEBBLE BROOK LN
BOISE, ID 83703

Source: BOISE RIVER

Tributary: SNAKE RIVER

Diversion Pt: LOT 1 (SWNESE) Sec 23 T 04N R 01E in ADA County.
LOT 2 (SENWSE) Sec 23 T 04N R 01E in ADA County.

Use: AESTHETIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 8/11/1993

In: ADA County
T04N R01E S23 Lot 6 (SENW)

RECEIVED - 10000

APR 15 1994