


63-05280 Bl. 2
Pl. L.1-6

63-11234
2 Wells per plat
No permit file

Pl. 3
D/20 Lot, Bl. not specified

IDWR MAP work




63-05350 2 Wells
Lot, Block
1 Apt. 51A (14 unit)
#1 Home
*New Appl. 3/93
D/23 + 4 Wells
Pl. L.1-4 + 11-17 Bl. 1, All of Bl. 3

STATE OF IDAHO
COUNTY OF CANYON ss
I, Melvin K. Davenport, a Professional Engineer in and for the State of Idaho, do hereby certify that the subdivision of VANAL HEIGHTS, Canyon County, Idaho, as shown on the Plat correct in WIT.
set my hand
1960.
Make
Regis. 63-04883
5 Rights:
- 05280
- 05350
- 11234
- NEW Appl. 3/93, no # yet
- 3/25/93
- CC: All S.O. & Region files
Instrument at the request of the requester, 2122 minutes past 3 o'clock P.M. this 23rd day of June, 1960 A.D.
S. State
Recorder
By *[Signature]*

A SUBDIVISION IN THE
NE 1/4 of SECTION 16, T3N, R.3W, B.M.
JUL 31 1993



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wayne Stephens
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
2 pumps in well (identical)	Franklin	20		Gould	Model 6CLCO
					2064CT5
					8 Stage

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

Installed meter:


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
McCrometer	Tot	McC.		96-7870	6	


2. Measurements: None - operating Pressure: 40-60 psi:

DATES
THE INTERIOR
SURVEY

T3N, R3W, Sec. 1, NENE




AS CONSTRUCTED - 11-01-95 CIJ
 Date: Oct 04, 1994
 Scale: 1" = 60'
 DWG No. E 941004



P/D - Well House

63-12000

Required minimum submergence of 10 feet at BEP.



Dimensions and Weights


HP	Stages	W.E. Order Number	W.E. Length	W.E. Wt. (lbs.)
5	2	6CLC00544CTS	20 ⁷ / ₂	71
		6CLC00564CTS	21 ³ / ₁₆	72
7 ¹ / ₂	3	6CLC00744CTS	25 ²¹ / ₆₄	88
		6CLC00764CTS	26 ⁶ / ₁₆	90
10	4	6CLC01064CTS	32 ³⁹ / ₆₄	106
15	6	6CLC01564CTS	42 ⁵⁵ / ₆₄	140
20	8	6CLC02064CTS	53 ³ / ₂	174
25	10	6CLC02564CTS	63 ²¹ / ₆₄	208
30	12	6CLC03064CTS	73 ³ / ₆₄	242
40	14	6CLC04064CTS	87 ⁵⁵ / ₆₄	274

(All dimensions in inches and weights in lbs. Do not use for construction purposes.)

PLEASE NOTE:

- Order motors separately.
- For intermediate horsepower pumps consult factory.
- Solid line is recommended operating range. The dotted line (-----) signifies an alternate pump selection is available.
- Please specify all options changes in W.E. order number.

4" NPT DISCHARGE CONNECTION



Materials of Construction

Part Name	Material
Shaft	ASTM A582 TYPE 416
Coupling	ASTM A582 S41600 CD
Suction Adapter	ASTM A48 CL 40
Discharge Bowl	ASTM A48 CL 30B
Rubber Bearings	RUBBER
Optional Bronze Bearings	ASTM B584
Discharge Bowl Bearing	ASTM B584
Taperlocks	ASTM A108 GR 101B
Bowl	ASTM A48 CL 30B
Upthrust Collar	ASTM A276 S41400
Impeller	ASTM B145-4A
Fasteners	SAE J429 GR 8
Cable Guard	ASTM A240 S 30400
Suction Strainer	ASTM A240 S 30400

63-12000

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This well has two identical pumps
in it and supplies water to the Vanel
Heights Subdivision.

Jan Tomic, Water Rights Examiner

Signature of Dept. Representative & Title

7-22-98

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:




1 of 3

P/O
well
House
on the
East
side
of lot 17.



P/O
well
with
2
pump
units.



63-12000

3 of 3

Plu

Completed
Homes

Lots 2 & 3
BLIC 3



Plu

House
under
Construction

Lot 3
BLIC 1



63-12000



MICROFILMED

MAR 26 1997

SEATTLE FILMWORKS CALL 1-800-FILMWORKS

PRINT 19 ROLL 61441549 25MAR96

520110

Page 125

NENE

15750



VANAL HEIGHTS

KARCHER ROAD / HWY. 55

16000

Well #1 Vanal Heights
Said to be Al Fierst

Well #3 John May

VANITA COURT

DEVON DRIVE

AVENUE


KIMBALL AVENUE

ELLIS AVENUE

ALBERT AVENUE

VISTA DRIVE

10TH AVENUE




Vanal Heights
Well Fund
15948 Kimball Ave


(SEE PAGE 120)

15882
(Well)

SECTION 16 T.3N., R.3W.




MICROFILMED
APR 14 1995



SOMERSET WEST SUBDIVISION

15500




Page 123

Sec. 9

SWSE Sec 9


SEE PAGE 120)

APR 14 1995



-well-Lloyd Floyd
Across from Lake
Lowell Market
NE NW Sec. 17

ADJOINS MAP Oc PG.127



APR 14 1995

ADJOINS MAP 0a PG. 117

Carlyle W. Briggs
5505 W. Franklin Rd.
Boise, Idaho 83705-1055
Tel. (208) 343-3381


Page 120

10: Bill Freeman - H&W DE
DATE: 10-2-1945
Well Logs -
Area Around Chamber Rd
5:00 AM to 5:00 PM
ADJ

12" WELL

DEER FLAT MANOR

KARCHER ROAD AND 10TH AVENUE
CANYON COUNTY, IDAHO



WELL DESIGN FOR:

DEER FLAT MANOR AT VANAL HEIGHTS SUBDIVISION FOR WAYNE E. STEPHENS
KARCHER ROAD AND 10th AVENUE, CANYON COUNTY, IDAHO
AUGUST 31, 1994

BY:

CARLYLE W. BRIGGS, P.E.
B & A ENGINEERS, INC.
AUGUST 24, 1994
SCALE: NONE
DWG. NO. CWB-940824

5505 W. FRANKLIN RD. BOISE, IDAHO 83705

RECEIVED

SEP 01 1994

DIVISION OF
ENVIRONMENTAL QUALITY
SWIRG

APR 14 1995

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
 County of Canyon)

Mary B. Scott

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times

—in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 9, 16, 1993

Mary B. Scott

STATE OF IDAHO)
)
 COUNTY OF CANYON)

On this 16th day of April in the year of 1993, before me, a Notary Public, personally appeared Mary B. Scott, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

Janne Lusk
 Notary Public for Idaho
 Residing at Nampa

MY COMMISSION EXPIRES
 JUNE 21st, 1997

NOTICE OF APPLICATION FOR WATER RIGHT
 The following application(s) have been filed to appropriate the public waters of the State of Idaho:

STEPHENS, WAYNE EUGENE

63-12000 ✓

24604 Emmett Rd.

Caldwell, ID 83605

Source: GROUNDWATER

Diversion Pt:

NENENE

Sec 16 T 03N R 03W in CANYON County,

Use: IRRIGATION

DOMESTIC

Date Filed: 3/1/1993

In: CANYON County

T03N R03W S16

6.0 ACRES TOTAL

NENE

Total Diversion: (.120 CFS)
 (.220 CFS)
 (.340 CFS)

The permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before April 26, 1993.
 R. KEITH HIGGINSON, Director
 April 9, 16, 1993

RECEIVED
 APR 20 1993

Department of Water Resources
 Western Regional Office

MAILED
 AUG 31 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-12000	)	
	)	ORDER OF
IN THE NAME OF WAYNE EUGENE STEPHENS	)	REINSTATEMENT

This matter having come before the Idaho Department of Water Resources (Department), the Department makes the following FINDINGS OF FACT, CONCLUSIONS OF LAW and ORDER:

FINDINGS OF FACT

1. On August 23, 1993, the Department issued Permit No. 63-12000 in the name of Wayne Eugene Stephens (permit holder) with a condition of approval that proof of construction of works and application of water to beneficial use be submitted on or before October 1, 1996.

2. On July 31, 1996, the Department sent a proof due notice to the permit holder by certified mail stating that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use.

3. On October 30, 1996, the Department sent a lapse notice to the permit holder since the Department had not received an acceptable proof of beneficial use or extension of time request.

4. Section 42-218a.2., Idaho Code, authorizes the Department to reinstate a lapsed permit, with the priority date advanced to the date that proof of beneficial use was received, upon submittal of evidence clearly establishing the extent of beneficial use prior to the proof due date and a showing of reasonable cause why the proof was submitted late.

5. On January 22, 1997, the permit holder submitted the proof of beneficial use form and a license examination fee in the amount of \$100.00 to the department.

RECORDED

MAR 26 1997

6. On February 27, 1997, the permit holder submitted a letter from his project consulting engineer Carlyle Briggs, which describes the events that led up to drilling the well and installing the water system. The permit holder also submitted five (5) receipts for materials purchased, the invoice for the well drilling and well log, and an affidavit from the excavator, who completed the installation of the water lines, stating that all work was completed prior to September 1996. The permit holder further explained that proof was not filed timely due to the fact that he misplaced the proof due notice and paperwork.

CONCLUSIONS OF LAW

1. The permit holder has submitted proof of beneficial use along with supporting evidence which establishes that water was in fact beneficially used within the authorized development period.

2. The permit holder has shown sufficient cause why the proof of beneficial use was not submitted in a timely manner.


3. The department should reinstate the permit with the date of priority advanced to the date proof of beneficial use and supporting information was received by the Department.

ORDER

IT IS HEREBY ORDERED that Permit No. 63-12000 is **REINSTATED**.

IT IS FURTHER ORDERED that the priority date is advanced to February 27, 1997.

Dated this 21st day of March, 1997.


L. GLEN SAXTON, Chief
Water Allocation Bureau

RECORDED

MAR 26 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JAN 22 1997

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-12000 Telephone No. 585-3134
2. Name(s) of Permit Holder(s): Wayne Eugene Stephens
3. Mailing Address: 24604 Emmett Rd Caldwell Idaho 83605
4. Source of Water: groundwater If GROUNDWATER (well), Date Drilled: mo. Aug / yr. 1995
- a. Well Driller: Don Adamson Drilling Permit Number:
- b. OPTIONAL:
Pump Horsepower: Two 20 HP Pressure (psi): 40 to 60 PSI Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 23 Stockwater (No. and type of stock):

Irrigation (No. of acres): 6 Other:

6. Total rate of diversion and/or volume for which proof is submitted: .34 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u> </u> or No <u>✓</u>
	Has the measuring device been installed?	Yes <u>✓</u> or No <u> </u>
Flow Measurement Port:	Is a flow measurement port required?	Yes <u> </u> or No <u> </u>
	Has the measurement port been installed?	Yes <u> </u> or No <u> </u>

8. Fee Enclosed: \$ 100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Wayne Stephens Telephone Number: 1-800-454-9425
Address: 24604 Emmett Rd Caldwell Idaho 83605

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Wayne Stephens owner Date: 11-13-96
(include your title, if on behalf of company or organization)

For Office Use Only
\$50 Fee Received by JFW
Date 10/2/95
Receipt No. W019939

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
OCT 04 1995

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right. -

Permit No. 63-12000 Drilling Permit # 63-94-W-0368-000

Name(s) of Permit Holder: Wayne Eugene Stephens

Mailing Address: 24604 Emmett RD Caldwell 83605

Date Proof is Due: 8/1/95 Telephone No. _____

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Well has been drilled but not improved

Costing \$ 44,000.

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

In process, Engineering, and approval from DEQ and Water Resources.

Permit holder(s) request an extension to one year 10-2, 19 96

FEE: \$50.00

Wayne Stephens
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to **October 1, 1996.**
IT IS FURTHER ORDERED that the permit be REINSTATED and the priority date is advanced to **May 2, 1993.**

Signed this 12th day of October, 19 95

A. Mark Taylor
Chief, Water Allocation Bureau

MAR 17 1995

DEPARTMENT OF WATER RESOURCES

Receipt No. W018609
 Received By CJH
 Date 3/8/95

APPLICATION FOR AMENDMENT OF A PERMIT

Applicant Wayne Eugene Stephens Phone 585-3134
Address 24604 Emmett Rd Caldwell ID 83605

I am the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-12000, and request that the permit and permit map be amended and/or changed as follows:

Purpose of Amendment: _____ Change point of diversion X Add point of diversion
 _____ Change place of use _____ Change nature of use _____ Change period of use _____ Other _____

1. Point of diversion: NE 1/4 NE 1/4 NE 1/4, Section 16, Township 3N, Range 3W, B.M.,
County of Canyon. Other points of diversion SE 1/4 NE 1/4 NE 1/4 Sec 16 T3N R3W

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 0.12 for IRR purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre feet per annum) (water use) (Begin month) (End month)

Amount 0.22 for Dom purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre feet per annum) (water use) (Begin month) (End month)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum) (water use) (Begin month) (End month)

3. Place of use or land to be irrigated: No Change

[illegible]

Total number of acres to be irrigated = 6

4. a. Who owns the property at the point of diversion? Applicant
b. Who owns the land to be irrigated at the place of use? "
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

APR 14 1995

Show 1/4 1/4, section, township, range and ditches. (the smallest subdivision represents 40 acres)

orig P/d

Newly added p/d

16

I hereby request approval of this change subject to the fact that no one will be injured by the change, and that the change will be made at my own risk.

Signed this 8 day of March, 1995

Wagner Stephen
Permit Holder

Preliminary check by Publication prepared by Date
Published in Publication dates

I, L. Glen Saxton, of the Department of Water Resources hereby
approve the above referenced application for permit. See the attached sheet for
the conditions of approval.

Witness my hand this 28 day of

March

19 95

J. Glen Saxton

Chief, Water Allocation Bureau

CONDITIONS OF APPROVAL

Amendment of Permit No. 63-12000

1. The previous conditions as set forth in Permit No. 63-12000 must be met.
2. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.

Dated this 28th day of March, 1995.


L. GLEN SAXTON
Chief, Water Allocation Bureau

APR 4 1995

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVING THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 63-12000) ORDER
IN THE NAME OF WAYNE EUGENE STEPHENS)
_____)

WHEREAS, Permit No. 63-12000 was issued with a
condition requiring the spacing of at least 500 feet from the
nearest well and,

WHEREAS, the Department of Water Resources has
determined that spacing of at least 500 feet from the nearest
well is not required because all wells close by are owned by the
permit holder.

NOW THEREFORE, the condition of approval on Permit No.
63-12000 requiring that spacing of at least 500 feet from the
nearest well REMOVED.

Dated this 25 day of May, 1994.

for *I. Glen Saxton*
I. GLEN SAXTON
Chief, Water Allocations Bureau

JUN 30 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12000

Proposed Priority: March 1, 1993 Maximum Diversion Rate: 0.34 CFS
This is to certify, that **WAYNE EUGENE STEPHENS**

24604 EMMETT RD
CALDWELL ID 83605

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.12 CFS
DOMESTIC	01/01 to 12/31	0.22 CFS
Totals		0.34 CFS

LOCATION OF POINT(S) OF DIVERSION: NENENE , Sec. 16, Township 03N, Range 03W
CANYON County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>				
<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>	
03N 03W 16	NENE 6			6	

Total number of acres irrigated: 6

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1995.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. A well drilled pursuant to this permit must be located at least 500 feet from any existing well. Well spacing closer than 500 feet must be approved by the Department of Water Resources.
7. Construction of the well must comply with Idaho well construction standards.

RECORDED

AUG 31 1993

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 63-12000

8. The right holder shall use the full allotment of his surface water right, to the extent it is available, in conjunction with groundwater diverted pursuant to this permit.
9. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
10. Point of diversion is located within Lot 6, Block 3, Vanal Heights Subdivision.
11. Places of use are located within Lots 1-4, and 11-17, Block 1, and Lots 1-12, Block 3, Vanal Heights Subdivision.
12. Domestic use is for 22 homes.
13. The domestic use authorized under this permit shall not exceed 13,000 gallons per day per dwelling in accordance with Section 42-111, Idaho Code.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

23 day of August, 1993

J. Glen Saylor
for R. Keith Higginson, Director

RECEIVED

AUG 31 1993

RECEIVED

MAR 4 1993

RECEIVED

AUG 04 1993

Form 202
6/83 Department of Water Resources
Western Regional Office

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 63-12000

RECEIVED

MAR 1 1993

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of applicant Wayne Eugene Stephens Phone (208)585-3134
Post office address 24604 Emmett Road, Caldwell, ID 83605

2. Source of water supply Groundwater which is a tributary of N/A

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 16 Township 3N Range 3W B.M. Canyon County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .22 cfs for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .12 cfs for Irrigation purposes from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .34 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 125 GPM Pump in well to provide
water for community water system.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 8 inches; proposed depth of well is 300 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

* new well for new mobile home & yards per Mrs. Stephens,
taken 3/25/93. No overlap with existing well in subd.
-52-

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 23²²
- Other; describe fully. Lawn irrigation for 23²² households at approximately 1/4 acre per household. Totalling 6 acres.

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	3W	16	D																
3N	3W	16	6																6

Total number of acres to be irrigated 6

10. Describe any other water rights used for the same purposes as described above. _____

- Who owns the property at the point of diversion? Wayne E. Stephens
- Who owns the land to be irrigated or place of use? Wayne E. Stephens
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Water will be used on Lots 1-4 and 11-17 of Block 1 and Lots 1-12 of Block 3 in Vanal Heights Subdivision (Plat Attached).^{*} There is approximately 1/4 acre of lawn per household requiring irrigation.

AUG 31 1993

** In subd. plat accompanied appl., but existing files had error. Also copy map known covering in 1991 - 8/25/93 for attached plat map*

63-05280 Bl. 2
Plat L. 1-b

63-11234


2 wells per plot
No permit file

Plat 3
D/20 lot, Bl. not specified

WELLS

AUG 31 1993

A SUBDIVISION IN THE
NE 1/4 of SECTION 16, T.3N, R.3W, B.M.



63-05350 2 wells
Lot, Block
unknown
#1 home


*New Appl. 3/93 D/23 + 4 wells
PID L. 6 Bl. 3
Plat L. 1-4 + 11-17 Bl. 1, All of Bl. 3

STATE OF IDAHO
COUNTY OF CANYON } ss
I, Melvin T. Davenport, a Professional Engineer in and for the State of Idaho, do hereby certify that the above is a true and correct copy of the original as shown to me by the person who, going in and out of the plat correct, in my hand set my hand 1960. **MLB**
Regis. **63-04883**
5 Rights
- 05280
- 05350
- 11234
- NEW APPL.
3/93, no
yet
- 52 3/25/93
My Co. **CC: All S.O.**
STATE OF ID. **S. Regis**
COUNTY OF C. **files**
I hereby
Instrument
at the request
of 22 minutes past 3 o'clock P.M.
this 22nd day of June 1960, A.D.
S.S. **404**
Recorder
By **Stewart**
1-61



IDWR MAP WORK

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wayne Stephens
(Applicant)

Received by BLM Date 3-1-93 Time 4:45 pm Preliminary check by SL
Fee \$ 15.00 Receipted by rf # C024882 Date 3-1-93
Publication prepared by GG Date 3/31/93 Published in Press-Tribune
Publication approved st Date 4-27-93
4/7 & 4/14/93

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.


d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

AUG 31 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
2 pumps in well (identical)	Franklin	20		Gould	Model 6CLC0 2064CTS 8 Stage

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

Installed meter:

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
McCrometer	Tot	McC.		96-7870	6	

2. Measurements: None - operating Pressure: 40-60 psi:

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for domestic and irrigation water for the Vandal Heights Subdivision. The Subdivision has developed lots 1-4, 11-17 in Block 1; and lots 1-12 in Block 3. Lot 6 in Block 3 was cut in half by a change in the street alignment and is now a small park. There will be no house on this lot. There ~~was~~^{were} 5 homes completed, and one under construction at the time of the exam.
 2. The well has two identical pump units in it, and the well house has a 2000 Gal. Air tank, flow meter, press. gage, controls, valves, piping, etc. The well pumps water to 6" mainlines which serve each lot through a meter at the lot line. The second pump acts as a back-up.
 3. The well is located on the East side of Lot 17, Block 1. This was a change in location from the proposed site in Lot 6, Block 3 (Cond. 10). It was also proposed to have 2 wells, but only one was developed with 2 pumps in it.
 4. The land where the Subdivision was developed was once a gravel pit. It was dry land, and did not receive any surface irrigation water. There is no surface water deliveries to this land (Cond. 8). Domestic use is for 23 lots. (Cond. 12 - 22 Homes).
- Have conditions of permit approval been met? ☐ yes ☐ no
5. Other wells adjacent to this subdivision serve different tracts of land, and other purposes.

Additional Computation Sheets Attached

Measured Method: None Theoretical (sl. :
one pump : - (the other pump is a back-up)

$$\phi = \frac{(8.8)(2044)(702)}{135'4 \cdot (40 \text{ psi}) \cdot (14.7 \text{ psi})} = 0.54 \text{ cfs} > 0.34 \text{ cfs}$$

$$Q_{\text{allowed}} = (0.02 \frac{\text{cfs}}{\text{Ac.}})(6 \text{ Ac.})$$

$$= 0.12 \text{ cfs}$$

Domestic: 22 Hmms

$$Q_{\text{allowed}} = 0.22 \text{ cfs}$$

TDH = 228' from Pump Perf.
Curve, $Q = 240 \text{ GPM} = 0.53 \text{ cfs}$

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (6.0 \text{ Acre}) (4.5 \frac{\text{A.F.}}{\text{Acre}}) = 27.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.12)(246)(1.9835) = 58.6$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 27.0 \text{ A/F}$$

Domestic: Permit - 22 Homes
 Draft - 23 Homes
 Actual - 23 lots (Homes)

Domestic: $AF_A = (0.6/\text{home})(22 \text{ homes/}$
 (Interval) $= 13.2 \text{ AF}_A$

Irrigated A.C. = (0.24 A.C.)(10 Lots) + (0.29)(4) + (0.33)(1) + (0.36)(1)
 + (0.20)(1) + (0.31)(1) + (0.35)(1) + (0.27)(2) + (0.28)(1)
 + (0.22)(1) + 0.16 A.C. (Park) = 6.31 A.C. @ 90%

NS
(Lots)

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)	Ac.
	From	To			
Irrigation	03/15	11/15	0.12	27.0	
Domestic	01/01	12/31	0.22	13.2	
Totals:			0.34	40.2	

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Note: He applied to have 2 wells, but decided to have one well with 2 pumps

I. AUTHENTICATION


Field Examiner's Name Don Zornes Date 12-16-78

Reviewer	Date
----------	------


SEAL

DATES
THE INTERIOR
SURVEY

T3N, R3W, Sec. 1, NENE



B. & A. ENGINEERS, INC. 5505 FRANKLIN ROAD, BOISE, IDAHO 83705 (208) 343-3381



See DWG No. EIE-940928
Detail Well Site Area



0 30 60 120


Vanal Heights Subdivision

Deer 11 Manor
Water System Layout
for
Wayne Stephens



NOTES

- ALL APPLICANCES AND CONSTRUCTION SHALL COMPLY WITH THE 1990 EDITION OF THE I.D.A.M. STANDARDS FOR PUBLIC WATER DISTRIBUTION SYSTEMS IN RELATION TO THE CONSTRUCTION OF ANY IMPROVEMENTS.
- CONSTRUCTION SHALL BE COMPLETED WITHIN THE SPECIFIED TIME FRAME. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR THE COST OF THE SAME.
- WATER MAINS SHALL BE CONSTRUCTED 4'-FEET BELOW THE FINISH STREET GRADE, UNLESS OTHERWISE SPECIFIED. THE MAINS SHALL BE ACCESSIBLE AT ALL TIMES. THE MAINS SHALL BE INSTALLED IN A MANNER THAT WILL ALLOW THEM TO BE REPAIRED WITHOUT THE NEED TO EXCAVATE THE STREET.
- WATER MAINS SHALL BE INSTALLED IN A MANNER THAT WILL ALLOW THEM TO BE REPAIRED WITHOUT THE NEED TO EXCAVATE THE STREET.
- WATER SERVICE LINES SHALL BE 18" DIA. C-90, CLASS 200 (PER 7.2) 1" IR. PIPE.
- WATER MAINS SHALL BE INSTALLED IN A MANNER THAT WILL ALLOW THEM TO BE REPAIRED WITHOUT THE NEED TO EXCAVATE THE STREET.
- ALL STORM WATER RETENTION TANKS SHALL BE SLOPED PRIOR TO ACCEPTING ANY STORM WATER.
- CONSTRUCTION SHALL BE COMPLETED WITHIN THE SPECIFIED TIME FRAME. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR THE COST OF THE SAME.
- CONSTRUCTION SHALL BE COMPLETED WITHIN THE SPECIFIED TIME FRAME. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR THE COST OF THE SAME.
- CONSTRUCTION SHALL BE COMPLETED WITHIN THE SPECIFIED TIME FRAME. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR THE COST OF THE SAME.



LINE	BEARING	DISTANCE
1	N 89°00'00"E	74.90'
2	S 00°00'00"E	11.07'
3	S 00°00'00"E	11.07'
4	S 00°00'00"E	11.07'
5	S 00°00'00"E	11.07'
6	S 00°00'00"E	11.07'
7	S 00°00'00"E	11.07'
8	S 00°00'00"E	11.07'
9	S 00°00'00"E	11.07'
10	S 00°00'00"E	11.07'
11	S 00°00'00"E	11.07'
12	S 00°00'00"E	11.07'
13	S 00°00'00"E	11.07'
14	S 00°00'00"E	11.07'
15	S 00°00'00"E	11.07'



STREET CROSS SECTION
See DWG. No. CMB-940907
Cross Section AA



AS CONSTRUCTED - 11-01-95 CJJ
Date: Oct 04, 1994
Scale: 1" = 60'
DWG No. 941004 63-12000



150w Reflector Flood Light
with Proximity Switch,
Manual Sw. Inside

63-12000


B+A ENGINEERS INC.

DEER FLAT MANOR - WATER SYSTEM
WELL PUMP HOUSE, PRESS. TANK, ETC.

SCALE: 1/2" = 1'-0" DRAWN BY: CWB

DATE: 11-9-95	SHEET 1 OF
---------------	------------

P/D - Well House



Dimensions and Weights


HP	Stages	W.E. Order Number	W.E. Length	W.E. Wt. (lbs.)
5	2	6CLC00544CTS	20 ¹ / ₂	71
		6CLC00564CTS	21 ¹ / ₈	72
7 ¹ / ₂	3	6CLC00744CTS	25 ¹ / ₄	88
		6CLC00764CTS	26	90
10	4	6CLC01064CTS	32 ³ / ₄	106
15	6	6CLC01564CTS	42 ³ / ₄	140
20	8	6CLC02064CTS	53 ¹ / ₂	174
25	10	6CLC02564CTS	63 ¹ / ₄	208
30	12	6CLC03064CTS	73 ³ / ₄	242
40	14	6CLC04064CTS	87 ³ / ₄	274

(All dimensions in inches and weights in lbs. Do not use for construction purposes.)

PLEASE NOTE:

- Order motors separately.
- For intermediate horsepower pumps consult factory.
- Solid line is recommended operating range. The dotted line (---) signifies an alternate pump selection is available.
- Please specify all options changes in W.E. order number.

4" NPT DISCHARGE CONNECTION



Materials of Construction

Part Name	Material
Shaft	ASTM A582 TYPE 416
Coupling	ASTM A582 S41600 CD
Suction Adapter	ASTM A48 CL 40
Discharge Bowl	ASTM A48 CL 30B
Rubber Bearings	RUBBER
Optional Bronze Bearings	ASTM B584
Discharge Bowl Bearing	ASTM B584
Taperlocks	ASTM A108 GR 101B
Bowl	ASTM A48 CL 30B
Upthrust Collar	ASTM A276 S41400
Impeller	ASTM B145-4A
Fasteners	SAE J429 GR 8
Cable Guard	ASTM A240 S 30400
Suction Strainer	ASTM A240 S 30400

63-12000

IDAHO DEPARTMENT OF WATER RESOURCES
WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-94-W-0368-000 OTHER APPLICABLE NO: 63-12 000
2. OWNER: Wayne Eugene Stephens Phone: (208) 585-3134
Address: 24604 Emmett Rd, Caldwell, ID 83605
3. WELL LOCATION: Twp 3 N, Rge. 3 W, Sec. 16, NE 1/4 NE 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Adamson Pump & Drilling Lic. No. 452
When Drilled? 7/28/95 to 9/13/95
5. WELL CONSTRUCTION:
Casing Diameter 16 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 420 ft. Method Drilled Reverse Circ.
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 135 ft. Water Temperature 66 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____


9. REMARKS:

This well has two identical pumps
in it and supplies water to the Vanel
Heights Subdivision.

Jan Tomic, Water Rights Examiner
Signature of Dept. Representative & Title

7-22-98
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



1 of 3



P/O
well
House
on the
East
side
of lot 17.



P/O
well
with
2
pump
units.

63-12000

2 of 3

P/O

2000 Gal

Air

Tank

in

Well

House



P/O

Flow

Meter

+

Pressure

Gage



63-12000

3 of 3

P/u

Completed
Homes

Lots 2 & 3

BLIC 3



P/u

House
under
Construction

Lot 3

BLIC 1



63-12000

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-12000 Reviewed by [Signature] Date 1-30-97

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
no Proof timely received?
If not, complete calculation below.

TYPES OF USE

dom. Irr.

Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

no Copy in the file? Drilling Permit No. 63-94-W 0368-000

200- Amount paid for permit

yes Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
100- Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
yes Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received 1-22-97

Date proof due 10-1-96 -

No. of days late after 60 =

Priority Date +

New Priority Date 1-22-97

DEFICIENCIES OR ACTION ITEMS

*Request late rein statement info.
Info. Received - Reinstate + advance priority to
~~Jan 22, 1997~~ Feb. 27, 1997.
Proof acceptable*

DATA ENTRY

New Address [Signature] Proof Made 1-22-97



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR
March 21, 1997

WAYNE EUGENE STEPHENS
24604 EMMETT RD
CALDWELL ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12000

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

Enclosed is an order reinstating your permit since proof was submitted after the proof due date of October 1, 1996. Please note that the priority date has been advanced to February 27, 1997.

Section 42-248, Idaho Code, which became affective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. If you have questions concerning the field examination, contact the **WESTERN** Regional Office in Boise at (208)334-2190.

Sincerely,


JULIE L. YARBROUGH
Senior Secretary

Enclosure

C: IDWR - Region

RECEIVED
MAR 26 1997

[illegible]

100



HARVARD

○

○
HHH



ITEM	QUANTITY			DESCRIPTION	UNIT PRICE	EXTENSION
	ORDERED	SHIPPED	B/O			
1	1	1	0	4' 0" WATEROUS FH DDP 6" MJ	732.54	732.54
2	1	1	0	6" MJ X MJ X FE TEE T/C	112.85	112.85
3	1	1	0	6" MJ X FE RW GATE VALVE	227.22	227.22
4	1	1	0	6" RR-60 BOLT PAK RING RR	12.34	12.34
5	2	2	0	6" 501 COUPLING RUMAC	68.72	137.44
6	4	4	0	6" 690 X 710 501 CPL GASKET	0.00	.00
7	10	10	0	5/8 X 8 501 CPLG BOLT-NUT	0.00	.00
8	4	4	0	3" 501 CPLG END FING BLACK	0.00	.00
9	4	4	0	6" MJ PACKAGED ACCESSORY SET	0.00	.00
10	1	1	0	DELIVERY - NO CHARGE	0.00	.00
SALES TAX:						51.12
TOTAL:						1283.51

NO MAT'L MAY BE RETURNED WITHOUT PRIOR AUTHORIZATION

ALL INVOICES 30 DAYS PAST DUE ARE
SUBJECT TO A FINANCE CHARGE OF 1.75%
PER MONTH (21% PER ANNUM)

W3 CO			S/P W3 CO		NET 30 DAYS	
PURCH ORDER NO	JOB NO	SLSM	DATE SHIPPED: 07/16/96		OUR ORDER NO	
		03			40487	

SOLD
TO

STEPHENS WAYNE
24604 EMMETT ROAD
CALDWELL ID 83605

SHIP
TO

STEPHENS WAYNE
24604 EMMETT ROAD
CALDWELL ID 83605
MAR 26 1997



**WATER & WASTE WATER
EQUIPMENT COMPANY**

Phone: (208) 377-0440 Fax: (208) 377-0493

5200 BETHEL ST.
BOISE, IDAHO 83706

P.O. BOX 9405
BOISE, IDAHO 83707-3405

← REMIT TO

STANDARD TERMS AND CONDITIONS OF SALE

TAXES - All Federal, State and Local sales, use, or similar taxes will be for buyer's account.

PAYMENT TERMS - The net amount of invoices shall be due and payable in cash 30 days after invoice date. The material is subject to shipment in whole or in part at the option of the seller and each such shipment is subject to immediate invoicing. If at any time, seller deems the financial responsibility of the buyer unsatisfactory it reserves the right to require payment in advance, or other security or guarantee that invoices will be paid promptly when due. If buyer fails to comply with the terms of payment or with any other terms of sale, seller shall have the right to withhold further deliveries or to cancel the unfilled portion of any order and all unpaid accounts shall thereupon become due and payable without prejudice to any claims for damages seller may be entitled to make. A SERVICE CHARGE OF 1% PER MONTH (2% PER ANNUM) WILL BE ADDED ON ANY PAST DUE ACCOUNTS; AND IF THE ACCOUNT IS NOT PAID WHEN DUE, BUYER AGREES TO PAY ALL REASONABLE COSTS OF COLLECTION INCLUDING A REASONABLE SUM FOR ATTORNEY FEES.

SHIPMENT - All risk of loss, damage and other incidence of title and ownership shall pass to the buyer upon delivery to carrier at seller's shipping point and such delivery shall constitute delivery to purchaser. SHIPPING DATES OR TIME OF ARRIVAL OF SHIPMENT AT DESTINATION WILL NOT BE GUARANTEED BY SELLER. SELLER SHALL NOT BE LIABLE FOR ANY DELAYS OR DEFAULTS IN MAKING SHIPMENT WHERE OCCASIONED BY ANY CAUSE OF ANY KIND OR EXTENT BEYOND ITS CONTROL, OR THE CONTROL OF ITS SUPPLIERS, MANUFACTURERS OR CONTRACTORS, WHICH PREVENT OR INTERFERE WITH SELLER MAKING SHIPMENT ON AN ESTIMATED DATE. In event of shipment delay, if the buyer and seller do not mutually agree to cancel the order for the item involved, the shipping date shall be automatically extended to the manufacturer's current estimate.

WARRANTY - Any warranties expressed or implied are limited to those provided by the manufacturer to the purchaser. Seller expressly warrants title, EXCEPT FOR SUCH EXPRESS WARRANTY, SELLER MAKES NO WARRANTY OF ANY KIND WHATSOEVER, EXPRESS OR IMPLIED, AND ALL WARRANTIES OF MERCHANDISE ABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND OTHER WARRANTIES OF WHATEVER KIND, ARE HEREBY DISCLAIMED BY SELLER AND EXCLUDED. Seller assumes no liability for any failure of manufacturer's specifications to meet buyer's requirements, nor does seller guarantee that materials furnished meet or conform to any specifications except as specifically noted in writing by seller.

CLAIMS - Any claims or exceptions by buyer for defective material must be made in writing within 30 days after buyer's receipt of materials, and buyer shall give seller an opportunity to investigate. SELLER IS FURNISHING BASIC MATERIALS AND PRODUCTS OF VARIOUS MANUFACTURERS AT STANDARD PRICES AND IS NOT INSURING BUYER AGAINST POSSIBLE CONSEQUENCES OF ERROR, OMISSION OR NEGLECT IN MANUFACTURE PRODUCTION OR DELIVERY EXCEPT FOR BREACH OF THE EXPRESS WARRANTY, SPECIFIED ABOVE. SELLER SHALL NOT, UNDER THE CIRCUMSTANCES BE LIABLE ON ACCOUNT OF ANY IMPERFECTION, DEVIATION FROM SPECIFICATIONS OR OTHER DEFECT IMPAIRING THE QUALITY, VALUE, OR SUITABILITY FOR ANY PURPOSE, OF ANY PRODUCT OR MATERIAL SOLD HEREUNDER, WHETHER CAUSED BY SELLER'S NEGLIGENCE OR OTHERWISE IN NO EVENT SHALL SELLER BE LIABLE FOR CONSEQUENTIAL SPECIAL OR CONTINGENT DAMAGES, OR ANY OTHER CLAIM OR DEMAND WHATSOEVER, EXCEPT TO THE EXTENT OF THE PURCHASE PRICE OF THE PRODUCT. THE REFUND OF WHICH SHALL BE BUYER'S SOLE AND EXCLUSIVE REMEDY HEREUNDER, BUYER ASSUMES ALL RISK OF LOSS, DAMAGE, OR DELAY INCIDENT OF THE FURNISHING OF ANY PRODUCT BY SELLER HEREUNDER, OR THE UTILIZATION THEREOF, EXCEPT TO THE EXTENT EXPRESSLY ABOVE PROVIDED. Seller shall have no responsibility to make any claim for loss, damage or injury to shipments caused by a carrier or others, after delivery to carrier at seller's shipping point. Any claim by buyer against seller for shortage or damage occurring prior to delivery to carrier must be made within 5 days after receipt of materials and accompanied by original transportation bill signed by carrier noting that carrier received materials from shipper in the condition claimed.

GENERAL - All prices on seller's quotations are for immediate acceptance and are subject to change without notice. Neither seller's quotation prices nor invoice charges for materials include any field or service work or operator training. If buyer requires technical assistance for materials furnished by seller, he may either arrange for this direct with the manufacturer at the manufacturer's normal charges, or with the seller's representative in which case such technical assistance shall be at the seller's current daily service rate, plus expenses.

When materials are returned for credit, the following conditions shall apply: (1) Materials must be returned within 30 days of receipt of invoice. (2) Materials must be returned in original condition, with no damage or alteration. (3) Materials must be returned with original invoice and packing slip. (4) Materials must be returned to the seller's shipping point. (5) Materials must be returned with original transportation bill signed by carrier noting that carrier received materials from shipper in the condition claimed. (6) Materials must be returned with original bill of lading. (7) Materials must be returned with original bill of sale. (8) Materials must be returned with original bill of exchange. (9) Materials must be returned with original bill of receipt. (10) Materials must be returned with original bill of delivery. (11) Materials must be returned with original bill of transfer. (12) Materials must be returned with original bill of assignment. (13) Materials must be returned with original bill of mortgage. (14) Materials must be returned with original bill of pledge. (15) Materials must be returned with original bill of hypothecation. (16) Materials must be returned with original bill of usufruct. (17) Materials must be returned with original bill of habitation. (18) Materials must be returned with original bill of usufruct. (19) Materials must be returned with original bill of habitation. (20) Materials must be returned with original bill of usufruct. (21) Materials must be returned with original bill of habitation. (22) Materials must be returned with original bill of usufruct. (23) Materials must be returned with original bill of habitation. (24) Materials must be returned with original bill of usufruct. (25) Materials must be returned with original bill of habitation. (26) Materials must be returned with original bill of usufruct. (27) Materials must be returned with original bill of habitation. (28) Materials must be returned with original bill of usufruct. (29) Materials must be returned with original bill of habitation. (30) Materials must be returned with original bill of usufruct. (31) Materials must be returned with original bill of habitation. (32) Materials must be returned with original bill of usufruct. (33) Materials must be returned with original bill of habitation. (34) Materials must be returned with original bill of usufruct. (35) Materials must be returned with original bill of habitation. (36) Materials must be returned with original bill of usufruct. (37) Materials must be returned with original bill of habitation. (38) Materials must be returned with original bill of usufruct. (39) Materials must be returned with original bill of habitation. (40) Materials must be returned with original bill of usufruct. (41) Materials must be returned with original bill of habitation. (42) Materials must be returned with original bill of usufruct. (43) Materials must be returned with original bill of habitation. (44) Materials must be returned with original bill of usufruct. (45) Materials must be returned with original bill of habitation. (46) Materials must be returned with original bill of usufruct. (47) Materials must be returned with original bill of habitation. (48) Materials must be returned with original bill of usufruct. (49) Materials must be returned with original bill of habitation. (50) Materials must be returned with original bill of usufruct. (51) Materials must be returned with original bill of habitation. (52) Materials must be returned with original bill of usufruct. (53) Materials must be returned with original bill of habitation. (54) Materials must be returned with original bill of usufruct. (55) Materials must be returned with original bill of habitation. (56) Materials must be returned with original bill of usufruct. (57) Materials must be returned with original bill of habitation. (58) Materials must be returned with original bill of usufruct. (59) Materials must be returned with original bill of habitation. (60) Materials must be returned with original bill of usufruct. (61) Materials must be returned with original bill of habitation. (62) Materials must be returned with original bill of usufruct. (63) Materials must be returned with original bill of habitation. (64) Materials must be returned with original bill of usufruct. (65) Materials must be returned with original bill of habitation. (66) Materials must be returned with original bill of usufruct. (67) Materials must be returned with original bill of habitation. (68) Materials must be returned with original bill of usufruct. (69) Materials must be returned with original bill of habitation. (70) Materials must be returned with original bill of usufruct. (71) Materials must be returned with original bill of habitation. (72) Materials must be returned with original bill of usufruct. (73) Materials must be returned with original bill of habitation. (74) Materials must be returned with original bill of usufruct. (75) Materials must be returned with original bill of habitation. (76) Materials must be returned with original bill of usufruct. (77) Materials must be returned with original bill of habitation. (78) Materials must be returned with original bill of usufruct. (79) Materials must be returned with original bill of habitation. (80) Materials must be returned with original bill of usufruct. (81) Materials must be returned with original bill of habitation. (82) Materials must be returned with original bill of usufruct. (83) Materials must be returned with original bill of habitation. (84) Materials must be returned with original bill of usufruct. (85) Materials must be returned with original bill of habitation. (86) Materials must be returned with original bill of usufruct. (87) Materials must be returned with original bill of habitation. (88) Materials must be returned with original bill of usufruct. (89) Materials must be returned with original bill of habitation. (90) Materials must be returned with original bill of usufruct. (91) Materials must be returned with original bill of habitation. (92) Materials must be returned with original bill of usufruct. (93) Materials must be returned with original bill of habitation. (94) Materials must be returned with original bill of usufruct. (95) Materials must be returned with original bill of habitation. (96) Materials must be returned with original bill of usufruct. (97) Materials must be returned with original bill of habitation. (98) Materials must be returned with original bill of usufruct. (99) Materials must be returned with original bill of habitation. (100) Materials must be returned with original bill of usufruct.

All quotations and sales shall be subject to seller's standard terms and conditions and buyer is conclusively presumed to have accepted such terms and conditions unless otherwise agreed in writing.

In the event of a purchase order, the terms and conditions of sale shall be deemed a notification of objection to such additional or different terms, or in the event such purchase order expressly limits acceptance to its terms the seller's acknowledgments in accordance with the terms herein shall be deemed a rejection of buyer's offer to purchase, and in either event seller's acknowledgement shall constitute an offer to sell which may be accepted only in accordance with its terms and conditions without modification, addition or alteration. Under those circumstances, the failure of buyer to deliver notification of objection to these terms and conditions of sale within a reasonable time shall be deemed an acceptance thereof and a contract shall be formed only upon such terms and conditions of sale.

This agreement constitutes the sole and entire agreement between buyer and seller and none of the terms and conditions contained herein may be added to, deleted, modified or altered except by written instrument signed by seller. There are no oral understandings representations or agreements relative to this agreement which are not fully expressed herein. The laws of the State of Idaho shall govern the validity, interpretation and enforcement thereof. All orders are received subject to approval and acceptance by an officer of the Company and seller reserves the right to reject any orders as well as the right to select its own customers.

WATER & WASTE
EQUIPMENT

QTY	QUANTITY			DESCRIPTION	UNIT PRICE	EXTENSION
	ORDERED	SHIPPED	S/O			
1	1	1	0	6" FE RW GATE VALVE	222.56	222.56
2	2	2	0	6" RR-60 BOLT PAK RING RR	12.34	24.68
3	1	1	0	4" MUELLER FLO FIRE HYDRANT	841.18	841.18
				SALES TAX:		54.42
TOTAL:						1142.84
ALL INVOICES 30 DAYS PAST DUE ARE SUBJECT TO A FINANCE CHARGE OF 1.75% PER MONTH (21% PER ANNUM)						
NO MAT'L MAY BE RETURNED WITHOUT PRIOR AUTHORIZATION!						
SHIP VIA				FOB		TERMS
W/C				S/P W3 CO		NET 30 DAYS
PURCH ORDER NO.	IOS NO.		SLSM	OUR ORDER NO.		
			03	DATE SHIPPED: 07/25/96		42265

SOLD
TO
 STEPHENS WAYNE
 24604 EMMETT ROAD
 CALDWELL ID 83605
SHIP
TO
 STEPHENS WAYNE
 24604 EMMETT ROAD
 CALDWELL ID 83605

MICROFILMED

MAR 26 1997


**WATER & WASTE WATER
EQUIPMENT COMPANY**

Phone: (208) 377-0440 Fax: (208) 377-0493

 5200 BETHEL ST.
 BOISE, IDAHO 83706

 P.O. BOX 9405
 BOISE, IDAHO 83707-3405

REMIT TO

STANDARD TERMS AND CONDITIONS OF SALE

TAXES - All Federal, State and Local sales, use, or similar taxes will be for buyer's account.

PAYMENT TERMS - The net amount of invoices shall be due and payable in cash 30 days after invoice date. The material is subject to shipment in whole or in part at the option of the seller and each such shipment is subject to immediate invoicing. If at any time, seller deems the financial responsibility of the buyer unsatisfactory it reserves the right to require payment in advance, or other security or guarantee that invoices will be paid promptly when due. If buyer fails to comply with the terms of payment or with any other terms of sale, seller shall have the right to withhold further deliveries or to cancel the unfilled portion of any order and all unpaid accounts shall thereupon become due and payable without prejudice to any claims for damages seller may be entitled to make. **A SERVICE CHARGE OF 1% PER MONTH (21% PER ANNUM) WILL BE ADDED ON ANY PAST DUE ACCOUNTS; AND IF THE ACCOUNT IS NOT PAID WHEN DUE, BUYER AGREES TO PAY ALL REASONABLE COSTS OF COLLECTION INCLUDING A REASONABLE SUM FOR ATTORNEY FEES.**

SHIPMENT - All risk of loss, damage and other incidence of title and ownership shall pass to the buyer upon delivery to carrier at seller's shipping point and such delivery shall constitute delivery to purchaser. **SHIPPING DATES OR TIME OF ARRIVAL OF SHIPMENT AT DESTINATION WILL NOT BE GUARANTEED BY SELLER. SELLER SHALL NOT BE LIABLE FOR ANY DELAYS OR DEFAULTS IN MAKING SHIPMENT WHERE OCCASIONED BY ANY CAUSE OF ANY KIND OR EXTENT BEYOND ITS CONTROL, OR THE CONTROL OF ITS SUPPLIERS, MANUFACTURERS OR CONTRACTORS, WHICH PREVENT OR INTERFERE WITH SELLER MAKING SHIPMENT ON AN ESTIMATED DATE.** In event of shipment delay, if the buyer and seller do not mutually agree to cancel the order for the item involved, the shipping date shall be automatically extended to the manufacturer's current estimate.

WARRANTY - Any warranties expressed or implied are limited to those provided by the manufacturer to the purchaser. Seller expressly warrants title, **EXCEPT FOR SUCH EXPRESS WARRANTY, SELLER MAKES NO WARRANTY OF ANY KIND WHATSOEVER, EXPRESS OR IMPLIED, AND ALL WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND OTHER WARRANTIES OF WHATEVER KIND, ARE HEREBY DISCLAIMED BY SELLER AND EXCLUDED.** Seller assumes no liability for any failure of manufacturer's specifications to meet buyer's requirements, nor does seller guarantee that materials furnished meet or conform to any specifications except as specifically noted in writing by seller.

CLAIMS - Any claims or exceptions by buyer for defective material must be made in writing within 30 days after buyer's receipt of materials, and buyer shall give seller an opportunity to investigate. **SELLER IS FURNISHING BASIC MATERIALS AND PRODUCTS OF VARIOUS MANUFACTURERS AT STANDARD PRICES AND IS NOT INSURING BUYER AGAINST POSSIBLE CONSEQUENCES OF ERROR, OMISSION OR NEGLECT IN MANUFACTURE, PRODUCTION OR DELIVERY EXCEPT FOR BREACH OF THE EXPRESS WARRANTY, SPECIFIED ABOVE. SELLER SHALL NOT, UNDER THE CIRCUMSTANCES BE LIABLE ON ACCOUNT OF ANY IMPERFECTION, DEVIATION FROM SPECIFICATIONS OR OTHER DEFECT IMPAIRING THE QUALITY, VALUE, OR SUITABILITY FOR ANY PURPOSE, OF ANY PRODUCT OR MATERIAL SOLD HEREUNDER, WHETHER CAUSED BY SELLER'S NEGLIGENCE OR OTHERWISE IN NO EVENT SHALL SELLER BE LIABLE FOR CONSEQUENTIAL SPECIAL OR CONTINGENT DAMAGES; OR ANY OTHER CLAIM OR DEMAND WHATSOEVER, EXCEPT TO THE EXTENT OF THE PURCHASE PRICE OF THE PRODUCT. THE REFUND OF WHICH SHALL BE BUYER'S SOLE AND EXCLUSIVE REMEDY HEREUNDER, BUYER ASSUMES ALL RISK OF LOSS, DAMAGE, OR DELAY INCIDENT OF THE FURNISHING OF ANY PRODUCT BY SELLER HEREUNDER, OR THE UTILIZATION THEREOF, EXCEPT TO THE EXTENT EXPRESSLY ABOVE PROVIDED.** Seller shall have no responsibility to make any claim for loss, damage or injury to shipments caused by a carrier or others, after delivery to carrier at seller's shipping point. Any claim by buyer against seller for shortage or damage occurring prior to delivery to carrier must be made within 5 days after receipt of materials and accompanied by original transportation bill signed by carrier noting that carrier received materials from shipper in the condition claimed.

GENERAL - All prices on seller's quotations are for immediate acceptance and are subject to change without notice. Neither seller's quotation prices nor invoice charges for materials include any field or service work or operator training. If buyer requires technical assistance for materials furnished by seller, he may either arrange for this direct with the manufacturer at the manufacturer's normal charges, or with the seller's representative in which case such technical assistance shall be at the seller's current daily service rate, plus expenses.

When materials are returned to seller for credit, they must be accompanied by a copy of the original invoice and a copy of the return material authorization (RMA) form. If the RMA form is not received, the materials will be returned to the buyer at the buyer's expense. If the RMA form is received, the materials will be returned to the buyer at the buyer's expense, less the cost of handling, reconditioning and the freight cost involved. Stock materials returned within 30 days of purchase will be credited for the full purchase price. Materials returned after 30 days will be credited for the full purchase price, less the cost of handling, reconditioning and the freight cost involved. If the materials are not returned within 30 days, the buyer will be charged a restocking fee of 10% of the purchase price. All quotations and sales shall be subject to seller's standard terms and conditions and buyer is conclusively presumed to have accepted such terms and conditions unless otherwise agreed in writing.

All quotations and sales shall be subject to seller's standard terms and conditions and buyer is conclusively presumed to have accepted such terms and conditions unless otherwise agreed in writing.

In the event of a purchase order, the terms of the purchase order shall be deemed a notification of objection to such additional or different terms, or in the event such purchase order expressly limits acceptance to its terms the seller's acknowledgments in accordance with the terms herein shall be deemed a rejection of buyer's offer to purchase, and in either event seller's acknowledgement shall constitute an offer to sell which may be accepted only in accordance with its terms and conditions without modification, addition or alteration. Under those circumstances, the failure of buyer to deliver notification of objection to these terms and conditions of sale within a reasonable time shall be deemed an acceptance thereof and a contract shall be formed only upon such terms and conditions of sale.

This agreement constitutes the sole and entire agreement between buyer and seller and none of the terms and conditions contained herein may be added to, deleted, modified or altered except by written instrument signed by seller. There are no oral understandings, representations or agreements relative to this agreement which are not fully expressed herein. The laws of the State of Idaho shall govern the validity, interpretation and enforcement thereof. All orders are received subject to approval and acceptance by an officer of the Company and seller reserves the right to reject any orders as well as the right to select its own customers.

WATER & WASTE

INDUSTRIAL

WATER & WASTE

INDUSTRIAL

ITEM NO.	QUANTITY			DESCRIPTION	UNIT PRICE	EXTENSION
	ORDERED	SHIPPED	B/O			
1	1	1	0	6" X 3' FLG X FLG 11 SPOOL	144.08	144.08
2	1	1	0	6" X 4' FLG X FLG 11 SPOOL	156.86	156.86
3	2	2	0	6" X 6' FLG X PE 11 SPOOL	139.49	278.98
4	1	1	0	6" FE RW GATE VALVE	222.56	222.56
5	1	1	0	6" FLANGED TEE 125#	111.02	111.02
6	2	2	0	6" FLANGED TEE 125#	73.81	147.62
7	2	2	0	6" RJ/IPS TRANS ALLEURY 86	10.72	21.44
8	20	20	0	6" 150' PVC D-900 R/A	2.89	57.80
9	40	40	0	6" SCH 40 PVC 1/4" PIPE	2.78	111.20
10	1	1	0	6" SH 40 COUPLING FVL SS	12.15	12.15
11	1	1	0	6" SH 40 90 ELL PVC SS	26.63	26.63
12	1	1	0	6" 501 COUPLING RUMAC	64.13	64.13
13	1	1	0	6" 501 COUPLING RUMAC	64.13	64.13
14						
15	1	1	0	6" 655 X 676 501 CPL BASKET	0.00	.00
16	3	3	0	6" 690 X 710 501 CPL BASKET	0.00	.00
17	10	10	0	5/8 X 8 501 CPLG BOLT-NU	0.00	.00
18	3	3	0	6" 501 CPLG END RING BLACK	0.00	.00
19	1	1	0	6" 501 COUPLING END RING RED	0.00	.00
20						
21	1	1	0	DELIVERY - NO CHARGE	0.00	.00
SALES TAX:						70.95
TOTAL:						1489.95

NO MAT'L MAY BE RETURNED WITHOUT PRIOR AUTHORIZATION

ALL INVOICES 30 DAYS PAST DUE ARE
SUBJECT TO A FINANCE CHARGE OF 1.75%
PER MONTH (21% PER ANNUM)

SHIP VIA			ECB	TERMS
W3 CO			SHIP FT	NET 30 DAYS
PURCH ORDER NO.	JOB NO.	SLSM	OUR ORDER NO.	
		03	DATE SHIPPED: 07/08/96 40705	

SOLD TO

STEPHENS WAYNE
24604 EMNETT ROAD
CALDWELL ID 83605

SHIP TO

STEPHENS WAYNE
MICROFILMED
MAR 26 1997



**WATER & WASTE WATER
EQUIPMENT COMPANY**

Phone: (208) 377-0440 Fax: (208) 377-0493

5200 BETHEL ST.
BOISE, IDAHO 83706

P.O. BOX 9405
BOISE, IDAHO 83707-3405

← REMIT TO

10-10-68

[REDACTED]

○ ○ ○

C
H
I
L
D

Who
opt
Self
Buy
ship
cre

Monitoring and freight costs involved. Materials normally stocked by seller may be returned for credit only if a return has been given by the factory. Materials will be credited less the cost of handling, reconditioning and the freight cost involved. Stock materials returned within 30 days.

In the

NAME _____ **DATE** _____

10

ITEM NO.	QUANTITY			DESCRIPTION	UNIT PRICE	EXTENSION
	ORDERED	SHIPPED	B/O			
1	1	1	0	4' 0" WATEROUS FH 1 1/2" 6" MJ	732.54	732.54
2	1	1	0	6" MJ X MJ X FE TEE 1/2"	112.85	112.85
3	1	1	0	6" MJ X FE RW GATE VALVE	227.22	227.22
4	1	1	0	6" RR-60 EOLT FAS RING RR	12.34	12.34
5	2	2	0	6" 501 COUPLING FUMAC	68.72	137.44
6	4	4	0	6" 690 X 710 501 UPL GASKET	0.00	.00
7	10	10	0	5/8 X 8 501 UPL BOLT-NUT	0.00	.00
8	4	4	0	6" 501 UPL END RING BLACK	0.00	.00
9	4	4	0	6" MJ PACKAGED ACCESSORY SET	0.00	.00
10	1	1	0	DELIVERY - NO CHARGE	0.00	.00
SALES TAX:						61.12
TOTAL:						1233.51

NO MAT'L MAY BE RETURNED WITHOUT PRIOR AUTHORIZATION

ALL INVOICES 30 DAYS PAST DUE ARE
SUBJECT TO A FINANCE CHARGE OF 1.75%
PER MONTH (21% PER ANNUM)

SHIP VIA			FCB	TERMS
W3 CO			S/P W3 CO	NET 30 DAYS
PURCH ORDER NO.	JOB NO.	SLSM	OUR ORDER NO.	
		03	DATE SHIPPED: 07/16/96 40487	

SOLD
TO

STEPHENS WAYNE
24604 EMMETT ROAD
CALDWELL ID 83605

SHIP
TO

STEPHENS WAYNE
24604 EMMETT ROAD
CALDWELL ID 83605

MICROFILM

MAR 26 1997



**WATER & WASTE WATER
EQUIPMENT COMPANY**

Phone: (208) 377-0440 Fax: (208) 377-0493

5200 BETHEL ST.
BOISE, IDAHO 83706

P.O. BOX 9405
BOISE, IDAHO 83707-3405

← REMIT TO

TAXES - All Federal, State and Local sales, use, or similar taxes will be for buyer's account.

SHIPMENT - All risk of loss, damage and other incidence of title and ownership shall pass to the buyer upon delivery to carrier at seller's shipping point and such delivery shall constitute delivery to purchaser. **SHIPPING DATES OR TIME OF ARRIVAL OF SHIPMENT AT DESTINATION WILL NOT BE GUARANTEED BY SELLER. SELLER SHALL NOT BE LIABLE FOR ANY DELAYS OR DEFAULTS IN MAKING SHIPMENT WHERE OCCASIONED BY ANY CAUSE OF ANY KIND OR EXTENT BEYOND ITS CONTROL, OR THE CONTROL OF ITS SUPPLIERS, MANUFACTURERS OR CONTRACTORS, WHICH PREVENT OR INTERFERE WITH SELLER MAKING SHIPMENT ON AN ESTIMATED DATE.** In event of shipment delay, if the buyer and seller do not mutually agree to cancel the order for the item involved, the shipping date shall be automatically extended to the manufacturer's current estimate.

CLAIMS - Any claims or exceptions by buyer for defective material must be made in writing within 30 days after buyer's receipt of materials, and buyer shall give seller an opportunity to investigate. **SELLER IS FURNISHING BASIC MATERIALS AND PRODUCTS OF VARIOUS MANUFACTURERS AT STANDARD PRICES AND IS NOT INSURING BUYER AGAINST POSSIBLE CONSEQUENCES OF ERROR, OMISSION OR NEGLIGENCE IN MANUFACTURE PRODUCTION OR DELIVERY EXCEPT FOR BREACH OF THE EXPRESS WARRANTY, SPECIFIED ABOVE. SELLER SHALL NOT, UNDER THE CIRCUMSTANCES BE LIABLE ON ACCOUNT OF ANY IMPERFECTION, DEVIATION FROM SPECIFICATIONS OR OTHER DEFECT IMPAIRING THE QUALITY, VALUE, OR SUITABILITY FOR ANY PURPOSE, OF ANY PRODUCT OR MATERIAL SOLD HEREUNDER, WHETHER CAUSED BY SELLER'S NEGLIGENCE OR OTHERWISE IN NO EVENT SHALL SELLER BE LIABLE FOR CONSEQUENTIAL SPECIAL OR CONTINGENT DAMAGES, OR ANY OTHER CLAIM OR DEMAND WHATSOEVER, EXCEPT TO THE EXTENT OF THE PURCHASE PRICE OF THE PRODUCT. THE REFUND OF WHICH SHALL BE BUYER'S SOLE AND EXCLUSIVE REMEDY HEREUNDER, BUYER ASSUMES ALL RISK OF LOSS, DAMAGE, OR DELAY INCIDENT OF THE FURNISHING OF ANY PRODUCT BY SELLER HEREUNDER, OR THE UTILIZATION THEREOF, EXCEPT TO THE EXTENT EXPRESSLY ABOVE PROVIDED.** Seller shall have no responsibility to make any claim for loss, damage or injury to shipments caused by a carrier or others, after delivery to carrier at seller's shipping point. Any claim by buyer against seller for shortage or damage occurring prior to delivery to carrier must be made within 5 days after receipt of materials and accompanied by original transportation bill signed by carrier noting that carrier received materials from shipper in the condition claimed.

Wh
opt
Sel
Buy
ship
cre

All quotations and sales shall be subject to seller's standard terms and conditions and buyer is conclusively presumed to have accepted such terms and conditions unless otherwise agreed in writing.

This agreement constitutes the sole and entire agreement between buyer and seller and none of the terms and conditions contained herein may be added to, deleted, modified or altered except by written instrument signed by seller. There are no oral understandings representations or agreements relative to this agreement which are not fully expressed herein. The laws of the State of Idaho shall govern the validity, interpretation and enforcement thereof. All orders are received subject to approval and acceptance by an officer of the Company and seller reserves the right to reject any orders as well as the right to select its own customers.

RECEIVED
JAN 10 1964

ADAMSON PUMP & DRILLING CO.

PUMPS - Dave Adamson - WELLS
1320 SMITH AVENUE - Nampa, IDAHO 83651
PHONE (208) 466-6439

To: Wayne Stephens
24604 Emmett Rd
Caldwell, ID 83605

INVOICE

No 001460

Date 11-27-95 Well Depth 485' Water Depth 135' Pump Setting _____

Quantity	Description	Amount
	One 16" Reverse Well	
	Consisting of:	
	485' Drilling	
	365' 16" Casing	
	50' Stainless Steel Screens	
	54,000# of Silica Sand	
	72,000# Bentonite	
	Ed Squires Services	
	Payments: 7/8	4320 - JE328
	JE# 324 7/8	5000 -
	324/327 JE# 323 (8/15	5000 -
	9/18	10,000 -
	JE 325 9/27	10,000 -
		34320 -
	Balance Due	9,883 13
	CK# 3516 Pd 2-13-96	(1000 -)
	MICROFILMED	8883 13
	MAR 26 1997	

An interest charge of 1 1/2% per month, plus attorney fees, will be charged on all accounts past due.
All accounts are past due on the first 10th of the month following completion of job.

1102 and to void

Handwritten signature

IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

Use Typewriter
or
Ball Point Pen

Pg 1 of 3

1. DRILLING PERMIT NO. 63-944-0368-000
Other IDWR No. WR# 63-12000

2. OWNER:

Name WAYNE STEPHENS
Address 24604 EMMETT RD
City CALDWELL State ID Zip 83605

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

N	E	S	W	Twp. <u>3</u>	North ☒ or South ☐
1	2	3	4	Rge. <u>3</u>	East ☐ or West ☒
5	6	7	8	Sec. <u>16</u>	SE 1/4 NE 1/4 NE 1/4
				Govt Lot _____	County _____

Address of Well Site ALVERTA AVE
TO EAST OF LT 17 City CALDWELL
(Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name VALLEY HTS

4. PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☐ Air Rotary ☐ Cable ☒ Other REVERSE

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Backs or Pounds	
BENTONITE	0	240	66,000#	5/8 GRAN.

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) _____
Was drive shoe seal tested? ☐ Y ☐ N ☐ How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
16	+2	420	26	STEEL	☒	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method _____
☒ Screens Screen Type HOUSION

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
270	280			16"	SS	☐	☐
306	326			5	5	☐	☐
405	420			5	5	☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

135 ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or control devices: _____

11. WELL TESTS:

☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
320	17'	153'	4 days

Water Temp. 66° Bottom hole temp. _____
Water Quality test or comments: 6 GB 10-IRON / 7.5 PH

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
4	0	3	TOP SOIL		
5	3	10	HARD PAN W/ GRAVEL		
28	10	14	HARD PAN COURSE SAND - GRAVEL		
	14	15	HARD PAN GRAVEL		
	15	20	GRAVEL + SAND		
	20	43	SAND		
	43	45	GRAVEL		
	45	67	SAND - MED COURSE		
	67	83	CLAY		
	83	95	SAND - SOME CLAY		
	95	104	CLAY		
	104	110	SAND		
	110	113	CLAY		
	113	130	SANDY CLAY (HARD)		
	130	133	CLAY		
	133	135	GRAY SAND - FINE		
	135	185	CLAY		
	185	191	SAND W/ PEA GRAVEL		
	191	192	CLAY		
	192	199	SAND W/ CLAY PIECES		
	199	203	CLAY		
	203	205	SAND (MED FINE)		
	205	206	CLAY - VERY HARD		
	206	211	CLAY - SOFT - STICKY		
	211	214	CLAY VERY HARD		
	214	230	CLAY - SOFT / STICKY		
	230	231	SAND (MED COURSE)		
	231	232	SANDY CLAY		
	232	234	SAND MED COURSE W/ SOME CLAY		
	234	235	CLAY		
	235	237	SAND		
	237	240	CLAY		
			CONTINUED		

Completed Depth _____ (Measurable)
Date: Started _____ Completed _____

13. DRILLER'S CERTIFICATION

We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name ADAMSON Pump & Drilling Firm No. 0457
Firm Official Steve Adamson Date 11-30-95
and BILL TANNER
Supervisor or Operator Date _____
(Sign once if Firm Official & Operator)


February 26, 1997

ATTN: DEPARTMENT OF WATER RESOURCES

This is a letter of explanation for filing late
for the Proof of Beneficial Use.

The only reason it is late is because it was
overlooked and got misplaced in a pile of papers.
It was found in mid-January 1996.

Sincerely,

A handwritten signature in cursive script that reads "Wayne E. Stephens". The signature is written in dark ink and is positioned above the printed name.

Wayne E. Stephens

MICROFILMED


MAR 26 1997

February 26, 1997

ATTN: DEPARTMENT OF WATER RESOURCES

I, Joe Gunics, working as Joe's Excavation worked on and completed water lines in DEER FLAT MANOR to all lots. The water boxes and meters were in place on all lots in the late summer of 1995.

In the summer of 1996 I tied the main line from the subdivision to the 2000 gallon tank at the well site. This was all completed by Sept. 1 of 1996.


Joe Gunics

MICROFILMED

MAR 26 1997

B. & A. Engineers, Inc.

CONSULTING ENGINEERS AND SURVEYORS

5505 W. Franklin Road

Boise, Idaho 83705-1055

Telephone - (208) 343-3381 • Fax (208) 342-5792

February 27, 1997

Julie Yarbrough, Senior Secretary
Idaho Dept. of Water Resources
1301 N. Orchard Street
Boise, Idaho 83720-9000
Tel: 327-7900
FAX: 327-7866

Dear Ms. Yarbrough:

Subject: Lapsed Permit No. 63-12000 - Wayne Stephens
Your Letter of Feb. 3, 1997

I am the consulting engineer retained by Wayne Stephens to perform engineering work on his Deer Flat Manor land development project in the Vanal Heights Subdivision, in Canyon County, Idaho in the vicinity of Highway 55 and 10th Ave. South. The subject well is located in this subdivision.

Apparently it was an oversight that the beneficial use filing was not timely made. Mr. Stephens works for the railroad, along with his land developer duties and just slipped up in not making a timely filing. There was also other good and valid reasons as to why the beneficial use filing was not made.

The application for a water right was made on March 1, 1993. Then there were concerns expressed by regulatory agencies, H. & W., DEQ, etc., to be answered. The permit was not approved by IDWR until August 23, 1993, with a priority date of March 1, 1993.

The well was drilled in September of 1995 after the site was moved several hundred feet at Idaho H. & W., DEQ request. This required a new well site to be purchased.

A test pump was installed and the well was pumped for several days from Oct. 25 to Oct. 31, 1995.

Land development plans were then instigated. On April 14, 1994 an "Application for Drilling Permit" was submitted. The drilling permit was subsequently approved on Feb. 9, 1995 after the well was moved to the new site adjacent to the development that was approved by H. & W., DEQ. The proposed well was within 500 feet of 2 other wells owned by the developer who furnished letters approving the well location. On May 25, 1994 the requested waiver was approved by IDWR. DEQ approved drilling the well by letter of Feb. 16, 1995 with lots of reservations and requirements. After further conversation and written correspondence with DEQ, the well was started by Adamson Pump and Drilling Co. on July 28, 1995. It was drilled to a total depth of 485 feet by September 13, 1995. An "As Constructed" elevation view of the well is dated Nov. 2, 1995.

MICROFILMED

MAR 26 1997

B. & A. Engineers, Inc. 5505 W. Franklin Road • Boise, Idaho 83705-1055

On September 18, 1995, a letter was written to John Carlson, IDWR, discussing how the well was drilled and test pumping to be done. Hydrograph logs were submitted from logging and TV inspection of the well performed on Sept. 13, 1995.

On October 25, 1995, the well was test pumped for 11 hours, at average flows of 240 GPM. The well was then run for several succeeding days without a record being kept.

At the end of the test pumping period (10-26-95) water samples were drawn by me for the extensive laboratory tests now required for a new well. Results of the various water tests were received up through Dec. 5, 1995. A pumping draw down curve was prepared. Copies are on file in the office of IDWR and H. & W., DEQ.

On November 17, 1995, final plans were submitted to H. & W., DEQ for the water system for which construction started on about May 12, 1994.

Following construction and testing of the well, a contract was entered into with Adamson Pump & Drilling co. to supply a production well pump. The test pump remained in the well and was operated periodically to pressurize the installed water system. Water services were installed into each lot at the time the water system was being installed.

Application was also made to H. & W., DEQ for approval of pump house and hydro-pneumatic pressure tank plans. H. & W., DEQ expressed concerns on Jan. 25, 1996, about the pressure tank not being ASME inspected and certified. It was finally determined that ASME does not inspect tanks for this purpose, and that it is sufficient for the tank manufacturer to certify that the tank was built to ASME standards.

On Feb. 19, 1996, a quotation was received from the Adamson Pump Co. for 2 production pumps to be installed in the well.

On Feb. 21, 1996, a sewage report was written for Southwest District Health Dept., as part of the requirements for installing, with copy to H. & W., DEQ. On March 7, 1996, H. & W., DEQ was still requiring ASME certification of the pressure tank. On April 23, 1996, H. & W., DEQ was still concerned about stated methods for operating the well and water system. These problems were subsequently and eventually worked out between the developer's attorney and the State Attorney of H. & W., DEQ.

A letter was received on June 6, 1996, from H. & W., DEQ approving the plans for the water system "As Constructed" and for the well house to be constructed. The well house floor had been poured and the pressure tank was setting in place. Construction then began on the pump house building, wiring and plumbing. Construction completion of the pump house stopped with the advent of winter, and is now resuming with final connections from the 2 pumps into permanent water system connections now taking place. One house has been connected to the water system since late year 1996. More lots are now being sold for more house construction and connections to the water system.

MICROFILMED

MAR 26 1997

B. & A. Engineers, Inc. 5505 W. Franklin Road • Boise, Idaho 83705-1055

I think you can see, from the above recitation, that Wayne Stephens has endured numerous hardships and unbelievable time delays, plus cost increases in his efforts to provide nice homes in a semi-rural setting, for people with limited incomes.

Please contact me if there is anything you think I can do in regard to this matter.

Very truly yours,



Carlyle W. Briggs, P.E., L.S.
Consulting Engineer for:
Deer Flat Development &
Wayne E. Stephens.



cc: Wayne E. Stephens

MICROFILMED

MAR 26 1997



MICROFILMED

MAR 26 1997

SEATTLE FILMWORKS CALL 1-800-FILMWORKS

PRINT 19 ROLL 61441549 25MAR96



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 3, 1997

Wayne Eugene Stephens
24604 Emmett Rd.
Caldwell, ID 83605

RE: Lapsed Permit No. 63-12000

Dear Permit Holder:

The department is in receipt the proof of beneficial use statement you submitted in connection with the above referenced lapsed permit. Proof of beneficial use was due October 1, 1996. Since the proof was received more than 60 days after the proof due date, the proof cannot be accepted unless additional information is submitted.

Pursuant to Section 42-218a, Idaho Code, (copy enclosed) the permit can be reinstated only if you submit the following:

- ▶ **Two (2) pieces of evidence** to show that beneficial use of the water did commence and to show the extent of the use of water during the authorized permit period from the time the permit was issued until the proof due date (August 23, 1993, to October 1, 1996) and;
- ▶ Reasonable cause why the proof of beneficial use was filed late.

You can submit pump records, affidavits, receipts from equipment purchased, or any other information that would verify use.

The proof of beneficial use statement along with any information which may have been submitted with it, will remain on file in this office for **60 days** to allow you the opportunity to submit the additional required information.

Please be aware that this permit is **lapsed** and is of no force nor effect until it is reinstated.

If you have any questions regarding this matter, please contact me at (208)327-7900.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

MICROFILMED

MAR 26 1997

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

October 30, 1996

WAYNE EUGENE STEPHENS
24604 EMMETT RD
CALDWELL ID 83605

LAPSE NOTICE

RE: PERMIT NO. 63-12000

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated July 31, 1996. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau


Enclosures

MICROFILMED

MAR 26 1997

CERTIFICATION OF MAILING

I hereby certify that on 10/30/96
~~a copy~~ an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



July 31, 1996

WAYNE EUGENE STEPHENS
24604 EMMETT RD
CALDWELL ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-12000

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

MAR 26 1997



Use Typewriter
or
Ball Point Pen

1. DRILLING PERMIT NO. 6274-W-0368 D00
Other IDWR No. WK# 63-12000

2. OWNER:

Name WAYNE STEPHENS
Address _____
City _____ State _____ Zip _____

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

N
 Twp. 3 North ☒ or South ☐
 Rge. 3 East ☐ or West ☒
 Sec. 16 1/4 SE 1/4 NE 1/4 NE 1/4
 Gov't Lot _____ County _____
 10 acres 40 acres 160 acres
 S
 W E

Address of Well Site _____

City _____
(Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name _____

4. PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK

☐ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☐ Air Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	

Was drive shoe used? ☐ Y ☐ N Shoe Depth(s) _____

Was drive shoe seal tested? Y ☐ N ☐ How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method _____

☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

_____ft. below ground Artesian pressure _____lb.
Depth flow encountered _____ft. Describe access port or
control devices:

11. WELL TESTS:

☐ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time

Water Temp. _____ Bottom hole temp. _____

Water Quality test or comments: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
28	260	262	SANDY CLAY		
	262	267	CLAY		
	267	273	SAND		
	273	275	CLAY		
	275	284	SAND		
	284	285	CLAY		
	285	289	SAND		
	289	313	CLAY		
	313	315	SANDY CLAY		
	315	323	SAND		
	323	326	CLAY		
	326	329	SAND		
	329	335	SANDY CLAY		
	335	338	SAND & PEA GRAVEL		
	338	345	CLAY		
	345	347	SAND CLAY		
	347	357	BLUE CLAY		
	357	364	BLUE SAND		
	364	366	BLUE CLAY		
	366	374	BLUE SAND		
	374	376	BLUE CLAY		
	376	379	BLUE SAND		
	379	380	BLUE CLAY		
	380	387	BLUE SAND		
	387	389	BLUE CLAY		
	389	391	SAND		
	391	394	BLUE CLAY		
	394	409	BLUE SAND		
	409	413	BLUE CLAY		
	413	416	BLUE SAND		
	416	418	BLUE CLAY		
	418	420	BLUE SAND		
	420	425	CONTINUED		

Completed Depth _____ (Measurable)

Date: Started _____ Completed _____

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name _____ Firm No. _____

Firm Official David Edman Date 11-30-95

and
Supervisor or Operator BILL TANNER Date _____

(Sign once if Firm Official & Operator)

Use Typewriter
or
Ball Point Pen

Department of Water Resources

1. DRILLING PERMIT NO. 63-94-W-0368-000
Other IDWR No. WR# 63-12000

2. OWNER:

Name WAYNE STEPHENS
Address _____
City _____ State _____ Zip _____

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.



Twp. 3 North ☒ or South ☐
 Rge. 3 East ☐ or West ☒
 Sec. 16 SE $\frac{1}{4}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$
 Gov't Lot _____ County _____

Address of Well Site _____

City _____

(Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name _____

4. PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK

☐ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☐ Air Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	

Was drive shoe used? ☐ Y ☐ N Shoe Depth(s) _____

Was drive shoe seal tested? Y ☐ N ☐ How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method _____

☐ Screens	Screen Type
----------------------------------	-------------

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

_____ ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or
control devices: _____

11. WELL TESTS:

☐ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time

Water Temp. _____ Bottom hole temp. _____

Water Quality test or comments: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Water

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
28	420	425	BLUE CLAY		
	425	432	BLUE SAND		
	432	434	BLUE CLAY		
	434	437	BLUE & TAN CLAY (Comb.)		
	437	440	BLUE SAND		
	440	442	BLUE CLAY		
	442	445	BLUE SAND		
	445	446	BLUE CLAY		
	446	451	BLUE SAND		
	451	485	BLUE & BLACK CLAY - HARD		

RECEIVED

DEC 06 1995

WATER RESOURCES
WESTERN REGION

MICROFILMED

Completed Depth _____ (Measurable)

Date: Started _____ Completed _____

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name _____ Firm No. 0451

Firm Official Arthur C. Johnson Date 11/30/45

and 271

Supervisor or Operator DILL LANNER Date _____

(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES

ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 63-12000 Reviewed by [Signature] Date 10-12-95

BASIC INFORMATION

10-4-95 Date stamp received
no Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?

_____ Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

Recommend extend to Oct. 1, 1996. on Basis of due diligence. Reinstate & advance priority to May 2, 1993.

PRIORITY CALCULATION

Date extension received	<u>10-2-95</u>	=	<u>275</u>
Proof due date	<u>8-1-95</u>	=	<u>213</u>
Number of days late	<u>lapsed 8-7-95</u>	=	<u>62</u>
Priority date	<u>3-1-93</u>	=	<u>60</u>
New Priority Date	<u>5-2-93</u>	=	<u>122</u>

DATA ENTRY

New Address X

Change Proof Due Date 10-1-96

Change Priority Date X



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 13, 1995

Wayne Eugene Stephens
24604 Emmett Rd.
Caldwell, ID 83605

RE: Permit No. 63-12000

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to **October 1, 1996**. Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department will not be able to grant additional requests based on due diligence.

Please be advised that since the extension was received after the proof due date of August 1, 1995, it was necessary for the department to reinstate your permit and advance your priority date to May 2, 1993.

If you have any questions or if I can be of any assistance, please feel free to contact me at (208)327-7900.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

C: IDWR - Regional Office

RECEIVED
NOV 08 1995

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

B. & A. Engineers, Inc.

CONSULTING ENGINEERS AND SURVEYORS

5505 W. Franklin Road

Boise, Idaho 83705-1055

Telephone - (208) 343-3381 • Fax (208) 342-5792

RECEIVED

SEP 19 1995

September 18, 1995

Department of Water Resources

John Carlson, Hydrogeologist
Idaho Dept. of Water Resources
1301 N. Orchard St., Statehouse Mail
Boise, Idaho 83720-9000
Tel. (208) 327-7900 Fax (208) 327-7866

Dear Mr. Carlson:

Subject: Deer Flat Manor (Vanal Heights Subdivision) Well Construction.
Karcher Road & 10th Ave., #15: T3N, R3W, Sec.16 NE-NE, Canyon Co. Drilling
Permit #63-94-W-0368-000, Water Right 63-11234 and 63-12000.

The subject well has now been drilled as shown on the enclosed field log (28' Dia. hole and 16" casing and 50 feet of 16" - 30.5 slot screen). Ed Squires conducted tests for resistivity, gamma-ray, etc., as shown on the enclosed field logs. A comparison of Ed Squires log with the drillers log indicated about a 5 foot slippage differential between the two logs, as platted onto the Squires log. Water bearing strata was marked onto a rough drawing of the aquifer area and screens installed at the locations shown in relation to what was judged to be the more accurate Squires log. Gravel pack material used was Colorado silica sand No.8-12 size. Bentonite chunks up to 3/4 size were fed into the well and a cable line was kept in motion to prevent any arching or hang-up of bentonite material, as it was fed slowly into the well. Most of the drilling mud was pumped or baled out by the time gravel packing and bentonite was placed. No bentonite was added to the drilling mud after a depth of 120 feet was reached. Well casing hole centers were placed at 60 foot intervals.

We plan to test pump the well for 8 hours or more at something in excess of 200 GPM. There is not really a good runoff channel to carry water pumped, so the well pump will be connected to temporary irrigation lines to irrigate and wet the extremely dry subdivision development area and streets under construction. The pump may run for several days time after test pumping is completed. This will provide a good opportunity to develop and flush the well and aquifer before the well is disinfected and water sampling begins. Present water surface in the well, prior to any development or test pumping is at 170 feet.

Your Memo of 2-9-95 to Bill Freeman mentioned something about "Proof of Beneficial Use" or request for a time extension being necessary by Aug. 1. Is there something we need to do about this, or has it already been completed?

RECEIVED

NOV 08 1995

I will provide test pumping data, draw down curve, and pump selection data after test pumping has been completed.

Very truly yours,

Carlyle W. Briggs
Carlyle W. Briggs, P.E. / L.S.
Consulting Engineer for
Deer Flat Manor Development



c.c. Idaho DEQ- Bill Freeman
Wayne Stephens
Adamson Pumps & Drilling
Ed Squires

Well Quantities

Colorado No. 8-12 sand in 3'x3'x3' 3,000# bags, 18 Each= c.y.
From 463' to 242', 28" Dia. hole, 16" Dia. screens & casing.


Bentonite, 3/4" size rock, slow dissolving
in 3'x3' x 3'- 6' high 3,000# bags, 21 Each, 1.167 cy per bag=24.51 c.y.

Filling Rate

Depth	Feet	to	Feet	Bags	Accum. Bags
27	242	-	215	2	2
30	215	-	185	2	4
20	185	-	165	1	5
7	165	-	158	1	6
8	158	-	150	2	8
29	150	-	121	2	10
35	121	-	86	2	12
55	86	-	71	1	13
16	71	-	55	1	14
7	55	-	48	1	15
7	48	-	41	1	16
8	41	-	33	1	17
33	33	-	0	4	21

MICROFILMED
NOV 08 1995

BORE HOLE WAS DRILLED 485'.
 AFTER pulling Drill steel out the
 well sluffed into 463'. AFTER Ed
 SQUIRE RAN Geo-Tech on well AND
 AFTER REVIEWING my log he came
 up with this Recommendation FOR
 SCREEN AND PIPE ASSEMBLY. WE ALSO
 noticed a 5' lag time in ACTUAL depth
 compared to my log. This will explain
 the difference in depths from my
 log AND SCREEN PREPOSAL. SCREEN
 size is .30 slot AND filter PACK
 will be Colorado 8-12 silica sand.





ADAMSON PUMPS & DRILLING CO.

PUMPS - *Dave Adamson* - WELLS

1320 SMITH AVENUE — NAMPA, IDAHO 83651

Phone (208) 466-6439

WELL DRILL LOG

DATE START 7-28-95

Post-It® Fax Note

7671

Date 9-14-95 # of pages 3

To <u>Carlyle W. Briggs</u>	From <u>Bill Tanne</u>
Co./Dept.	Co.
Phone #	Phone #
Fax #	Fax #

DEPTH

DIA	FROM	TO		WATER
1"	0	3	TOP SOIL	
	3	10	HARD PAN w/ GRAVEL	
"	10	14	HARD PAN w/ GRAVEL	
	14	15	HARD PAN	
	15	16	COURSE SAND & GRAVEL	
	16	17	HARD PAN	
	17	18	GRAVEL & SAND	
	18	19	SAND	
	19	20	GRAVEL	
	20	21	SAND	
	21	22	SAND	
	22	23	CLAY	
	23	24	SAND some clay	
	24	25	CLAY	
	25	26	SAND	
	26	27	CLAY	
	27	28	SANDY CLAY (Hard)	
	28	29	CLAY	
	29	30	GRAY SAND (FINE)	
	30	31	CLAY	
	31	32	SAND w/ PEE GRAVEL	
	32	33	CLAY	
	33	34	SAND w/ CLAY - PEE	
	34	35	CLAY	
	35	36	SAND	
	36	37	CLAY	
	37	38	CLAY	
	38	39	CLAY	
	39	40	CLAY	
	40	41	CLAY	
	41	42	CLAY	
	42	43	CLAY	
	43	44	CLAY	
	44	45	CLAY	
	45	46	CLAY	
	46	47	CLAY	
	47	48	CLAY	
	48	49	CLAY	
	49	50	CLAY	
	50	51	CLAY	
	51	52	CLAY	
	52	53	CLAY	
	53	54	CLAY	
	54	55	CLAY	
	55	56	CLAY	
	56	57	CLAY	
	57	58	CLAY	
	58	59	CLAY	
	59	60	CLAY	
	60	61	CLAY	
	61	62	CLAY	
	62	63	CLAY	
	63	64	CLAY	
	64	65	CLAY	
	65	66	CLAY	
	66	67	CLAY	
	67	68	CLAY	
	68	69	CLAY	
	69	70	CLAY	
	70	71	CLAY	
	71	72	CLAY	
	72	73	CLAY	
	73	74	CLAY	
	74	75	CLAY	
	75	76	CLAY	
	76	77	CLAY	
	77	78	CLAY	
	78	79	CLAY	
	79	80	CLAY	
	80	81	CLAY	
	81	82	CLAY	
	82	83	CLAY	
	83	84	CLAY	
	84	85	CLAY	
	85	86	CLAY	
	86	87	CLAY	
	87	88	CLAY	
	88	89	CLAY	
	89	90	CLAY	
	90	91	CLAY	
	91	92	CLAY	
	92	93	CLAY	
	93	94	CLAY	
	94	95	CLAY	
	95	96	CLAY	
	96	97	CLAY	
	97	98	CLAY	
	98	99	CLAY	
	99	100	CLAY	

WELL DEPTH:
CASING:
STATIC:

PUMPED _____ GPM _____ HR
IRON
PH _____ GRAINS
DEGREES

SCREEN
MFG.
DIAMETER
SLOT SIZE
OVERLAP

MicroFILMED

08/1995

114

284 - 285 Clay
 285 289 (4) Sand
 289 313 Clay
 313 315 Sandy Clay
 315 323 (1) Sand
 323 326 Clay
 326 329 (2) Sand
 329 335 Sandy Clay
 335 338 (3) Sand + Pez Gravel
 338 345 Clay
 345 347 Sand Clay
 347 357 (7) Blue Clay
 357 364 (7) Blue Sand
 364 366 Blue Clay
 366 374 (8) Blue Sand $\frac{366}{374}$
 374 376 Blue Clay
 376 379 (3) Blue Sand
 379 380 Blue Clay
 380 387 (7) Blue Sand
 387 389 Blue Clay
 389 391 (3) Sand
 391 394 Blue Sand Clay
 394 - 409 (5) Sand Blue $\frac{394}{409}$
 409 - 413 Blue Clay
 414 - 416 (1) Blue Sand
 416 - 418 Blue Clay
 418 - 420 (2) Blue Sand
 420 - 425 Blue Clay
 425 432 (7) Blue Sand
 432 434 Blue Clay
 434 - 437 Blue & Tan Clay Combination
 437 - 440 (3) Blue Sand
 440 - 442 (1) Blue Clay
 442 445 (2) Blue Sand
 445 - 446 Blue Clay
 446 - 451 (5) Blue Sand
 451 - 485 Blue & Black Clay Very Hard

356
 357 100

385 - 405 10
 306 - 326 20
 270 - 280 20


15 Tail 720
 Pack to 240

$$\begin{array}{r} 385 \\ 326 \\ \hline 59 \end{array}$$

$$\begin{array}{r} 306 \\ 280 \\ \hline 26 \end{array}$$

MIDLAND


NOV 08 1995




OUT: C:\VANAL\VANAL.GAM (ON) RC:17 BY:499 FR:111500K 9/13/95 14:49
468.8 0.0 26.71
#0-----NGamma-----100 CPS#

OUT: C:\VANAL\VANAL.SPT (OFF) RC:4116 BY:230427 FR:111500K 9/13/95 14:33
496.8 22.5 2819 16.432 171.54 80.45

-100.0--SP--100.0 mV #0-----sptRes-----200 ohms*




NOV 08 1995
72




20

420
220
150
30




326
16
300




Handwritten text, possibly a signature or date, located at the top right of the page.

NOV 08 1995



OUT:C:\VANAL\VANAL.SPT (ON) RC:621 BY:34707 FR:111700K 9/13/95 14:23
 60.5 -29.0 3331 15.443 215.68 151.87

-100.0-SP-100.0 mV *0-sptRes-200 ohms*




OUT:C:\VANAL\VANAL.SPT (ON) RC:22 BY:1156 FR:111732K 9/13/95 14:20
 1.0 0.0 8003 6.289 1272.53 65.65


-100.0-SP-100.0 mV *0-sptRes-100 ohms*


MICROFILMED

NOV 08 1995


OUT: C:\UANAL\UANAL.GAM (OFF) RC:4601 BY:133435 FR:111372K 9/13/95 15:17
0.6 0.0 25.2807








RECEIVED
NOV 08 1995



NOV 08 1995



NOV 0 8 1995

August 7, 1995

WAYNE EUGENE STEPHENS
24604 EMMETT RD
CALDWELL ID 83605

LAPSE NOTICE

RE: PERMIT NO. 63-12000

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated May 31, 1995. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

RECORDED

Enclosures

NOV 08 1995

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 8-7-95
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

[Signature]



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 31, 1995

WAYNE EUGENE STEPHENS
24604 EMMETT RD
CALDWELL ID 83605

COPY

PROOF DUE NOTICE

RE: PERMIT NO. 63-12000

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1995.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECORDED

NOV 08 1995





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

March 29, 1995

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

Wayne Eugene Stephens
24604 Emmett Rd
Caldwell ID 83605

RE: Permit No. 63-12000

Dear Water Right Holder(s):

Enclosed is a copy of your approved Application for Amendment submitted in connection with the above referenced permit.

If you have any questions concerning this document, please feel free to contact us.

Sincerely,

SHELLEY W KEEN
Water Rights Supervisor

SK:rl

Enclosure

PHILIP E. BATT

APR 14 1995

WR0749NP
No. 63-12000

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 03/28/95
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WAYNE EUGENE STEPHENS 24604 EMMETT RD CALDWELL ID 83605 (208) 585-3134	03/01/1993	IRRIGATION DOMESTIC	03-15 11-15 01-01 12-31	0.120 CFS 0.220 CFS	
TOTAL DIVERSION:					0.340 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T03N R03W S16 NENENE CANYON County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE														
				NENE	NWNE	SWNE	SENE	: NENW				NWNW	SWNW	SENW	: NESW				NWSW	SWSW	SESW	: NESE				NWSE	SWSE	SESE	:	SUM
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:		
03N	03W	16	:	06																							:	6.0		
																												TOTAL ACRES	6.0	

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: CANYON

Other Water Rights with Same Point(s) of Diversion and Source:
63-04883 63-05280 63-05350 63-09188 63-11234 63-12000

Other Water Rights Listing Overlapping Place(s) of use:
63-04883 63-05350 63-11234 63-12000

Conditions of Approval:

- 26A - Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
- 01G - Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
- 046 - Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
- 468 - Construction of the well must comply with Idaho well construction standards.
- 803 - The right holder shall use the full allotment of his surface water right, to the extent it is available, in conjunction with groundwater diverted pursuant to this right.
- 03A - The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Conditions of Approval:

- After specific notification by the department, the right holder
- shall install a suitable measuring device or shall enter into an
- agreement with the department to determine the amount of water
- diverted from power records and shall annually report the
- information to the department.

Remarks: A point of diversion is located within Lot 6, Blk. 3, Vanal Heights Subdivision.
Places of use are located within Lots 1-4, and 11-17, Blk. 1, and Lots 1-12, Blk. 3, Vanal Heights Subdivision.
Domestic use is for 22 homes.
The domestic use authorized under this permit shall not exceed 13,000 gallons per day per dwelling in accordance with Section 42-111, Idaho Code.

Dates: App. Received: 03/01/1993 Priority Date: 03/01/1993
Proof Due Date: 08/01/1995 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: 63 Field Exam Fee:

Comments: Date: 08/10/1993 User-ID: ZIMMERMA Subject: MORATORIUM EXEMPTION
This permit is located within the Boise River Drainage Moratorium Area; however, its multiple domestic use is within the acceptable parameters of the Moratorium guidelines.

Date: 08/10/1993 User-ID: ZIMMERMA Subject: DIVERSION DESCRIPTION
Proposed well of 8" by 300' deep with 125 gpm pump.

Date: 05/25/1994 User-ID: SKAGGS Subject: ORDER REMOVING PERMIT CONDITION NO. 6.
On 05-23-94 a request was received from the right holder to remove condition no. 6 of the permit. The matter was reviewed and an Order issued removing the condition on 05-25-94. (See File)

Audit: 03/28/95 CZIMMERM

AMENDMENT OF PERMIT REVIEW

Reviewed by Cindy Zimmerman

on 3/28/95

PERMIT NO. 63-12000 NAME Stephens Ad OK? N/A

TYPE: A = AMENDED E = CHANGE N/U I = CHANGE P/D & P/U
B = CHANGE P/D F = CHANGE Per/U J = ADD P/D & CHANGE P/U
C = ADD P/D G = OTHER
D = CHANGE P/U H = CHANGE P/D & + P/D

AREA OF CONCERN: BRD Mor GWMA Trust/Non-trust

B/U PROOF DUE DATE: 8/1/95 Submitted? Yes No Due -6 months? Yes No

SURFACE WATER: <flow chart>

In Water District - 005; WD No.
+ 0.2 cfs - 01J
- 0.2 cfs - 01H
Not in WD; +0.2 cfs - 01M
-0.2 cfs - No MD

GROUNDWATER: <flow chart>

+ 0.2 cfs - 01M
- 0.2 cfs - No MD
Drilling Permit - Included? No.
- Not included? 046-~~46A~~-46B (on permit)
- NA

LOCATION:

Swan Falls Flag - (1, Blank or Other)
Trust - 051-052-053 (Consumptive Uses); NA
Non Trust <1> - 048-049; NA

RIVER BASINS (Surface Water)

Boise (63) - 05A & 11E, N/A
Payette (65) - 047 (Payette Lake), 064 (consump. use), NA
Snake (01, 02 & 03) - 11A (01), 061 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 06A/09E/010 (WQ/Choose One), 042-002,
- 07A (Spec.), 044 (Policy 5G)
Power - (Use Power Review)
Mining - 06A/010/09E (WQ) & 054 (req.)
Storage (3 comp?) - 18A (multi MD in WD), 18B (+10' dam)
Domestic - 021 (Boise R + L Peak), 064 (Payette R)

NON LAND OWNER - 004
PROTEST AGREEMENT - 020

Recommended conditions same as on the permit or subsequent amendment(s)
to the permit? Yes Yes + cond ✓ No

Conditions of Approval: Standard, 01M
(do not include any conditions already on permit)

Comments

State of Idaho
Department of Water Resources

AMENDMENT ANALYSIS SHEET

RECEIVED
MAR 17 1995
Department of Water Resources

INITIAL REVIEW BY: LG

Right Number 63-12000

Applicant Wayne Stephens

Purpose of Amendment: ☐ Change point of diversion. ☒ Add diversion point(s).

☐ Increase amount. ☐ Change place of use. ☐ Other _____

CHECK:

☒ Description of amended point(s) of diversion.

☒ Amount, nature and period of use. If increased, delay date of priority.

☒ Description of amended places of use. If expanded, delay date of priority.

☒ Ownership of point of diversion and place of use.

☒ Map.

☒ Signature (must be permit holder).

☒ Fee.

☒ Existing water rights from the same source, amended place of use.

☐ Right number(s) _____

☒ Yes ☒ No Should amendment be advertised?

☒ Yes ☒ No Should date of priority be delayed? If yes, to what date? _____

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received.

☒ Amendment published correctly.

☒ Protests processed.

☒ Approve.

☐ Deny.

Conditions _____

By DW Date 3/14/1995

STATE OFFICE PROCESSING:

☒ Amendment correct and complete. By CZ Date 3/28/95

☒ Approved copy sent to applicant and to Region. By an Date 3/29/95

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

M E M O R A N D U M

Date: February 9, 1995

TO: Bill Freeman; D.E.Q

FROM: John Carlson, ^{de}Hydrogeologist, IDWR

RE: Deer Flat Manor, Well Site Karcher Rd. and 10th Ave. #15:
T3N R3W Sec.16 NE-NE, Canyon Co. Drilling Permit #63-94-W-0368-
000, Water Right 63-11234 and 63-12000.

Dear Mr Freeman:

We have reviewed Mr. Briggs proposal for the Deer Flat Manor Well site.

The proposal as diagramed is to place a minimum 18" .375" wall temporary casing to a depth of around 30'. Drill an 18" well bore to a total depth of around 350'. Place approx. 200+ feet of .375" wall 12" dia. surface casing and 220'+ of 3" dia. tremie. An assemblage of 8" headpipe and 30' of .040" slot 8" well screen and 8" tailpipe will extend below the 18" surface casing coupled with a packer. A filter pack will be placed through the 3" dia. tremie, with removal of tremie and 18" I.D. temporary casing as a concrete seal is pumped through the tremie.

With the above information we offer the following comments.

- 1] The uppermost unconfined aquifer shall be thoroughly sealed.
- 2] The screened, perforated, filter packed or otherwise open and commingled strata shall not exceed 30% of the total well depth as measured from the bottom of the open interval (s) to the top of the open intervals (s). If however through geophysical logging of the well it can be demonstrated that the aquifers to be produced from are under similar hydraulic head and quality this may be waived and a greater open (screened or filter packed section) may be approved. Likewise the aquifers within the screened/filter packed area to be produced from shall be of similar hydraulic head, temperature and quality. If there are notable variations encountered as the well is drilled and/or developed

APR 14 1995

Pg 2 Deer Flat Manor

the Department will be notified for evaluation.

3] The deepest casing string shall be sealed into the aquitard above the uppermost open interval.

4] Drilling fluids shall be developed with water which meets or exceeds drinking water standards.

5] As a cement grout is intended, additives will be used to control fluid losses and shrinkage. Mix water quality and quantity shall follow manufacturers specifications paying close attention to cement grind and water ratios, eliminating free H₂O. The use of bentonite to reduce hydraulic conductivity shall not exceed 4% and shall be rehydrated prior to mixing. Silica flour or 200 mesh silica sand may be used in a ratio of 30-50% to reduce permeability and increase the stability of the grout. The use of NACL may be used to reduce fluid loss but retarding and acceleration properties shall be taken into account with mixing ratios.

6] A 50% excess of seal materials shall be on hand in the event of lost circulation whether bentonite or cement is used. If the seal material does not make it back to the surface, perforation and squeezing or tremieing at the top of the tagged location of seal shall be undertaken.

7] Another means of seal placement or seal material may be approved after review by the Department of Water Resources. The project engineer or geologist will be on site during seal placement should any peculiarities arise which require further evaluation.

8] Centralizers shall be located no more than 60' apart the entire depth on all strings of casing.

9] The 3" O.D. tremie will be a tight fit within the annular space of the 12.75" O.D. casing and the min. 18" I.D. temporary casing, or approx. a 2.6" annular space if the 12" is centralized. However, as the tremie and 18" casing is removed the centralizers should keep a minimum 2" annular space on the opposite side and allow sufficient space for a full cement sheath.

APR 14 1995

Pg 3 Deer Flat Manor

10] Two Water Rights referencing the above 1/4-1/4 for a point of diversion and in the name of Wayne Stephens appear on department records. A Permit 63-12000 for Dom. .22 cfs/22 homes and Irr. .12 cfs/6 acres, and Water Right License 63-11234 for Dom. .20 cfs/20 homes and Irr. .10 cfs/5 acres. The Permit requires either proof of beneficial use be submitted by Aug. 1, 1995 or an extension of time for submitting beneficial use be submitted. The Drilling Permit has been extended to the proof due date. If a separate water supply well for drilling fluid is to be installed, it will be permitted under separate application and abandoned per the following.

11] If this well or any test wells should require abandonment, a proposal which meets Idaho's well construction standards 3,12,1. shall be submitted to the department on the proper form for approval prior to the commencement of abandonment.



Thank you for this opportunity to comment.

APR 14 1995

Sheet 10

Page 125

NENG



Vanal Heights
Well Fund
15948 Kimball Ave

(SEE PAGE 120)


15882
(Well)



APR 14 1995

SECTION 16 T.3N., R.3W.


(SEE PAGE 1.)



4575

SECTION 9 T.3N., R.3W.


APR 14 1995



15500

SOMERSET WEST SUBDIVISION

15250




Page 123

Sec. 9
SWSE
Sec 9

SEE PAGE 120)


APR 14 1995



CANYON COUNTY

NOV 14 1994

ADJOINS MAP Oc PG.127



ADJOINS MAP 00 PG. 117

Carlyle W. Briggs
5505 W. Franklin Rd.
Boise, Idaho 83705-1055
Tel. (208) 343-3381

Page 120

101 Bill Freeman - H&W DEC
ONE 1-10-34 TUES
Well Logs -
Area Around Chamber Rd
5 1900 Ridge Road
AD
15000

Ident. No. 63-94-W-0368-000
Water Right No. 63-12000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR DRILLING PERMIT

1. Name: WAYNE EUGENE STEPHENS O 208-585-3134
Address: 24604 EMMETT RD
CALDWELL ID 83605

2. Proposed Well Location: Township 03N, Range 03W, Sec. 16, NENENE
CANYON County

Street Address of Well Site: VANITA CRT
CALDWELL ID

Lot, Block, and Subdivision: Lt 006
Blk 003
VANAL HEIGHTS

3. Proposed Use of Well: Non-Domestic Non-Domestic

4. Well Construction Information:

- A. New Well
 - B. Proposed Surface Diameter 10 In. Proposed Maximum Depth 300 Ft.
 - C. Anticipated Bottom Hole Temperature: 85 F or less (Cold water well)
- (NOTE: Construction diagrams and/or other information may be requested for monitor, low temperature geothermal, municipal and artesian wells.)

5. Construction Start Date: 5/15/1994

6. Anticipated Well Driller: ADAMSON PUMP & DRILLING (No. 0457)
NOTE: The actual well driller must be identified prior to drilling.

7. Applicant's Signature _____ Date _____
Title _____
(Owner, Firm Representative, Other)

Fee \$ 200.00 Received by _____ No. W017446 Date 5/ 4/1994

APR 14 1995

(Continued)

ACTION OF THE DEPARTMENT OF WATER RESOURCESThis permit is **APPROVED**Date: **5/ 4/1994**

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. **READ CAREFULLY!**

CONDITIONS OF APPROVAL:


1. This drilling permit is valid for two (2) months from the approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required prior to construction of this well. The local Health Department should be contacted for septic tank/drainfield locations. Domestic wells must not be drilled closer than 100' from any drainfield and 50' from any septic tank.
3. The well shall be constructed by a driller currently licensed in the state of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If the bottom hole temperature of 85 Degrees F (29.44 oC) or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
8. Idaho Code, S 55-2201 - 55-2210 requires the applicant and/or his contractors to contact "Digline" (Dig Line is a locator service) not less than 3 working days prior to the start of any excavation for this project. The "Dig Line " Number for your area is 1-800-342-1585.
9. The uppermost unconfined aquifer shall be thoroughly sealed. All seals will be placed from the bottom up.
10. A 50% excess of seal material shall be on hand in the event of lost circulation. If the seal material does not make it back to the surface, tremieing or perforation and squeezing is to commence at the top of the tagged seal position and will continue until returns reach the surface or the department is satisfied aquifers are sufficiently isolated and/or protected from waste and contamination.
11. The project engineer or geologist will be on site during seal placement should any peculiarities arise which require further evaluation. Any alteration of the proposed or herein modified well construction procedure shall be approved by the department before they are undertaken.
12. Another means of seal placement or seal material may be approved after the Department has had an opportunity to review said changes. A 24 hour review period will be provided for department personel should said changes become necessary.

(Continued)

APR 14 1994

CONDITIONS OF APPROVAL:

13. If a neat cement grout is to be utilized as a seal material, additives such as the following shall be added to reduce dehydration and shrinkage. Mix water quantity shall strictly follow manufacturers specifications paying close attention to cement grind and water ratios, eliminating free H₂O. Water quality of the mix water should meet drinking water standards.
14. The use of bentonite added to cement grout to reduce hydraulic conductivity shall not exceed 4% and shall be prehydrated prior to mixing with the neat cement. The bentonite shall not contain chemical polymers which effect long term stability, and are often found in drilling fluid grade bentonites, but will be specifically recommended by the manufacturer for use as a seal material.
15. Drilling fluids shall be developed with water which meets or exceeds drinking water standards.
16. The screened, perforated, filterpacked or otherwise open and commingled strata which are to be produced from, shall be of similiar hydraulic head, temperature and quality. If there are notable variations encountered as the well is drilled and/or developed the Department will be notified for evaluation.
17. A silica flour or 200 mesh silica sand shall be utilized in a ratio of 30-50% to reduce permeability and increase the stability of the grout.
18. The use of NACL should be used to help reduce shrinkage. A 2% by wt. solution may be added at the well site with the anticipation of the resulting acceleration or reduction of set time for this low concentration. Higher concentrations are not recommened without further approval as a reduction of compressive strength will result.
19. Centralizers shall be located no more than 60' apart the entire depth on all strings of casing placed in the well. Excepting those <60' in length.
20. The screened, perforated, filter packed or otherwise open and commingled strata shall not exceed 30% of the total well depth as measured from the bottom of the open interval (s) to the top of the open intervals (s). If however through geophysical logging of the well it can be demonstrated that the aquifers to be produced from are under similar hydraulic head and quality this may be waived and a greater open (screened or filter packed section) may be approved. Likewise the aquifers within the screened/filter packed area to be produced from shall be of similar hydraulic head, temperature and quality. If there are notable variations encountered as the well is drilled and/or developed The Department will be notified for evaluation.


Signature of Authorized Dept. Representative
Title*****
EXTENSION OF DRILLING PERMIT

Extension Approved by: _____

Approval Date: 2/ 9/1995


Expires On: 8/ 1/1995

APR 14 1995

12" WELL

DEER FLAT MANOR

KARCHER ROAD AND 10TH AVENUE
CANYON COUNTY, IDAHO



WELL DESIGN FOR:

DEER FLAT MANOR AT VANAL HEIGHTS SUBDIVISION FOR WAYNE E. STEPHENS
KARCHER ROAD AND 10th AVENUE, CANYON COUNTY, IDAHO
AUGUST 31, 1994

BY:

CARLYLE W. BRIGGS, P.E.
B & A ENGINEERS, INC. 5505 W. FRANKLIN RD. BOISE, IDAHO 83705
AUGUST 24, 1994
SCALE: NONE
DWG. NO. CWB-940824

RECEIVED

SEP 01 1994

DIVISION OF
ENVIRONMENTAL QUALITY
SWIRG

APR 14 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

May 26, 1994

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

WAYNE STEPHENS
24604 EMMETT RD
CALDWELL ID 83605

RE: Permit No. 63-12000

Dear Mr. Stephens:

Enclosed is an Order removing the permit requirement that specifies a 500 foot distance from existing wells.

If you have any questions about this Order please contact this office.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

NOT RECORDED

JUN 30 1994

MEMORANDUM

TO: FILE 63-12000 *sk* *ju*
FROM: PAM SKAGGS/STATE OFFICE
SUBJECT: POINT OF DIVERSION REVIEW
DATE: May 24, 1994

=====

The right holder has submitted a request to waive Condition No. 6 of the Permit that restricts development of a new well within 500 feet of an existing well without Department approval. The driller is scheduled to begin next week and the right holder is seeking a drilling permit.

I researched the database for other rights with a point of diversion in the same QQ and found 3 statutory claims, 1 license and this permit all in the name of the Wayne Stephens, Vanal Heights Water Co. or Well Lot and Lakeview Water Co. These rights were identified on the application for permit as existing rights used to supply the subdivision. I also found a license in the name of Sweetwater Inc. that also serves a portion of this subdivision. (See P/D Overlap Report & map attached.)

Existing wells within a 500 foot range all provide water to the subdivision with a possible private well on one lot. Mark Slifka discussed the matter with the right holder and felt that the drilling permit could be issued. There doesn't appear to be any reason why a drilling permit with appropriate conditions should not be approved.

RECEIVED
JUN 30 1994

OD-5813
WR5813NP
SELECTION FILE: SK1

IDAHO DEPARTMENT OF WATER RESOURCES
WATER MASTER REPORT
BY WATER SOURCE/POINT OF DIVERSION

DATE: 05/24/94
TIME: 07:53:16
PAGE: 1

WATER RIGHT NUMBER	CURRENT OWNER NAME	PRIORITY DATE	STG	POINT OF DIVERSION	POD FLAG TOTAL DIVERSION	TOTAL ACRES	WATER USES
-----------------------	--------------------	------------------	-----	--------------------	-----------------------------	----------------	------------

WATER SOURCE: GROUNDWATER


63-05350	STEPHENS, WAYNE	08/20/1958	S	03N 03W 16	NENE	0.160 CFS	2.0 01,43
63-05350	VANAL HEIGHTS WATER CO.	06/23/1960	S	03N 03W 16	NENE	0.890 CFS	4.0 01,43
63-05350	VANAL HEIGHTS WELL LOT	06/01/1962	S	03N 03W 16	NENE	0.240 CFS	43
63-05350	SWEETWATER INC.	11/08/1978	L	03N 03W 16	NENE	0.320 CFS	43
63-05350	LAKEVIEW WATER CO	02/28/1990	L	03N 03W 16	NENE	0.240 CFS	5.0 01,43
63-05350	STEPHENS, WAYNE EUGENE	03/01/1993	P	03N 03W 16	NENENE	0.340 CFS	6.0 01,43

JUN 30 1994

63-11234

2 wells per plot
p/m D/20
air permit file

63-05350
p/m L.1-6
p/m L.1-6



TOWN MAP WORK

ADJ. 8 1 1993
VANITA
HELENE
A SUBDIVISION IN THE
NE 1/4 OF SECTION 16, T.3N, R.3W, B.M.

STATE OF IDAHO
COUNTY OF CANYON

I, Melvin K. Davenport, a Professional Engineer in and for the State of Idaho, do hereby certify that the above is a true and correct copy of the original of VANAL HEIGHT Canyon Court my direction Plat correct. IN WIT, set my hand 1960. Make Regis. 63-04883



STATE OF ID.
COUNTY OF C.

960 before in and for ally appear ne to be the 1 to the fore- edged to me one hereunto Serial Seal 1-61-1

CC: All S.O. & Region files

Instrument at the request of the requestor 122 minutes past 3 o'clock P.M. 1960, A.D. this 23rd day of June S.S. J.T.R.

Recorder By *Thomson*

63-12000

*New Appl. 3/93 D/23 + 4 beds

P/D L.6 Bl. 3

p/m L.1-4 & 11-17 Bl. 1, all of Bl. 3

2 Apr 115

1 apt. bld. (14 unit)

1 home

63-05350

Lot, Black

(unknown)

May 23, 1994

Jim Johnson
Water Right Supervisor

RECEIVED
MAY 23 1994
Department of Water Resources

RE: Water Right No. 63-12000

Sir;

Regarding the conditions and remarks on this permit to appropriate water. It states on condition 6 that this well will not be drilled within 500 ft. of existing wells.

I own two wells that will be within the area, but I intend to drill to a lower stratus of water and seal off the upper stratus.

(Existing Water Right No. 63-11234.)

I would appreciate it if we could waver this condition.

Sincerely,

Wayne Stephens

Wayne Stephens

RECEIVED

JUN 30 1994

RECEIVED

JUN 30 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 23, 1993

WAYNE EUGENE STEPHENS
24604 EMMETT RD
CALDWELL ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12000

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.


You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

RECEIVED

AUG 31 1993

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECEIVED
AUG 31 1993

APPLICATION FOR PERMIT STATE OFFICE REVIEW

Application #: 63-12000 Date: 8/10/93 Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes Boise R. Drainage Mor.

SYSTEM COMPLETED:

No - 26A-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

GROUNDWATER:

+ 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing), NMR

- 0.2 cfs - NMR <flow chart>

Drilling Permit:

Included w/permit - P99 Permit No.

Existing well - N/A (if drilled before 7/1/87)

No WD permit? - 046-46A(IRR)-46B-P23 (if drilled after 7/1/87)

SURFACE WATER: not in WD - 01C-P03 (+.2 w/pump), NMR <flow chart>

LOCATION:

Water District - WD No. 63

Surface water - 005 or 005-01J-P08(+.2)
or 005-01H-P01(-.2 w/pump); NMR

Groundwater - P05 (if well has not been drilled)

Irrigation Dist. - 023

Canal Co. Areas - 023

Drainage Districts - 024

Flood Control Dist. - 063

Boise Front (63) - 058 (Groundwater temperature)

Swan Falls Flag - B (1, Blank or Other)

Trust - 051-052-053-P74(Consumptive Uses)

Non Trust <1> - 048-049

RIVER BASINS (Surface): Water District Control Condition (005) &....

Boise (63) - 05A (req), 11E (non-domestic use)

Payette (65) - 047-P04, -P

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

Fish Propagation - 06A, 09E-P10 (WQ/Choose One) & 010, 042 (req), 002-P06(MD), 07A(Special), 044(Policy 5G)

Power - 08A, 17K, 025, 027 (req); 01F-P19; 09E-P10; +25 cfs-P18; 17G or 17M; 18B-P09

Mining - 06A, 010, or 09E-P10 & 054 (req)

Storage(✓ 3 compo.) - 18A-for multi MD in WD, 18B-P09 (+10'Size)

Rec/Wildlf/Aesthetic - 027-if +½ A. pond (Non-Consumptive)

Domestic (surface - 021 - Boise River upstream from L Peak
restricted areas) 27A - Payette River & main tributaries

OWNERSHIP:

Non land owner - 004

PROTESTED:

Hearing agreement - 020

REMARKS:

① PFD w/in Lts 6, Bk. 3, Canal Hts Sub.

② PFD w/in Lts 1-4 & 11-17, Bk 1, and Lts 1-12, Bk 3, Canal Hts Sub.

③ W01(22) ④ W04 (dwelling)

803

OTHER CONDITIONS:

8 -1-199 5

BENEFICIAL USE DUE:

COMMENTS:

① Mor. Exempt ② Div Desc.

WR0749NP
No. P63-12000

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 08/10/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WATNE EUGENE STEPHENS 24604 EMMETT RD CALDWELL ID 83605 (208) 585-3134	03/01/1993	IRRIGATION DOMESTIC	03-15 11-15 01-01 12-31	0.12 CFS 0.22 CFS	
TOTAL DIVERSION:					0.34 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T03N R03W S16 NE NE NE

Place of use Legal Description for: IRRIGATION

												NE				NW				SW				SE					
T	R	S	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	: SUM
03N	03W	16	:	06	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	6.0
TOTAL ACRES																												6.0	

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: CANYON

Other Water Rights with Same Point(s) of Diversion and Source:

63-04883 63-05280 63-05350 63-09188 63-11234 63-12000

Other Water Rights Listing Overlapping Place(s) of use:

63-04883 63-05350 63-11234 63-12000

Conditions of Approval:

- 26A - Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
- 01G - Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
- 046 - Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
- 46A - A well drilled pursuant to this permit must be located at least 500 feet from any existing well. Well spacing closer than 500 feet must be approved by the Department of Water Resources.
- 46B - Construction of the well must comply with Idaho well construction standards.
- 803 - The right holder shall use the full allotment of his surface water right, to the extent it is available, in conjunction with groundwater diverted pursuant to this permit.
- 03A - The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

Conditions of Approval:

- cubic feet per second for each acre of land.

Remarks: Point of diversion is located within Lot 6, Block 3, Vanal Heights Subdivision.
Places of use are located within Lots 1-4, and 11-17, Block 1, and Lots 1-12, Block 3, Vanal Heights Subdivision.
Domestic use is for 22 homes.
The domestic use authorized under this permit shall not exceed 13,000 gallons per day per dwelling in accordance with Section 42-111, Idaho Code.

Dates: App. Received: 03/01/1993 Priority Date: 03/01/1993
Proof Due Date: 08/01/1995 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: 63 Field Exam Fee:

Comments: Date: 08/10/1993 User-ID: ZIMMERMA Subject: MORATORIUM EXEMPTION
This permit is located within the Boise River Drainage Moratorium Area; however, its multiple domestic use is within the acceptable parameters of the Moratorium guidelines.

Date: 08/10/1993 User-ID: ZIMMERMA Subject: DIVERSION DESCRIPTION
Proposed well of 8" by 300 ' deep with 125 gpm pump.

Audit: 08/10/93 ZIMMERMA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: FL DATE: 3/25/93 APPLICATION: 63-12000

REQUIRED INFORMATION

☐ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☐ Address:
☐ Source: (See USGS Quad for names of water sources)
☐ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☐ County:
☐ Quantity: (flow and/or volume) Gov't. Lots:
☐ Period of use: N P/D
☐ Nature of proposed use: (Include description of use) N P/U
☐ Description of diverting works:
☐ Time required for beneficial use of water:
☐ Place of use or acres irrigated:
☐ Map:
☐ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☐ Fee:
☐ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☐	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☒	☐	Critical groundwater area:
☒	☐	Groundwater management area:
☒	☐	1992 moratorium <i>SUBDIVISION EXEMPTION, OK for adventure & process</i>
☒	☐	Diversion within interim protected river area
☒	☐	Send dam safety information:
☒	☐	Send power requirement letter:
☒	☐	Send fish farm requirement letter:
☒	☐	Power residency affidavit:
☒	☐	Power efficiency form:
☒	☐	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒	☐	Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☒	☐	* <u>REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT</u>

DATE REQUESTED: _____
☒ Additional information on reverse side:

RECEIVED
AUG 04 1993

Department of Water Resources

PROCESSING

APPLICATION NO. 63-12000

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☒ ☐
☐ ☐
☐ ☐
☐ ☐

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☐
☐ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest April 26, 1992

Protest dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required: >.20 cfs

Water delivered by water master? District # _____

Special conditions of approval or cover letter: _____

26A (Allow 2 years), OIA

See below for additional information

Recommended Date or Priority 3/1/1993Recommended by: DecDate 7/28/1993

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

Don't know if it matters but appl states .34 cfs & 125 gpm/pump, ~~which~~
 which is only .28 cfs.

Overlap (see attached subd. plat added to appl. by reviewer):

Appl. proposes a new well for home (mobile home) to be built so
 no ~~actual~~ real overlap occurs.

Several other wells for existing homes & at least 1 apartment bldg.
 and laws are found.

Irrig. district water possibly available in subd.



July 27, 1993

State of Idaho
Dept. of Water Resources
Western Region
Attn: David R. Tuthill *DR*
2735 Airport Way
Boise, ID 83705-5082

Dear Mr. Tuthill:

This letter is sent in regards to the Application for Permit #63-12000 for Wayne E. Stephens.


Your letter dated May 4, 1993 transmitted a letter from the Department of Health & Welfare, Division of Environmental Quality dated April 23, 1993, for comment response.

Please note the following enclosed documents:

- ° Letter dated July 14, 1993 from DEQ approving the preliminary well site assessment prepared by Blakley, Buturla Consulting Engineers (BBCE).
- ° BBCE's letter dated July 16, 1993 to DEQ with signed statement.
- ° BBCE's is presently under contract with Wayne Stephens to prepare the detailed plans and specifications per DEQ's April 23, 1993 request item 2.
- ° All design and construction is under the direction of a professional engineer.

I hope this fulfills your comment requirements. Should you have any questions please contact me.

Very Truly Yours,



Frank J. Buturla, P.E.

RECORDED**AUG 31 1993**

cc: Wayne Stephens
Monte Marcus, DEQ

LIST OF ENCLOSURES

May 4, 1993	State of Idaho, Department of Water Resources
April 23, 1993	Idaho Dept. of Health & Welfare, Division of Environmental Quality
July 6, 1993	State of Idaho, Department of Water Resources
July 14, 1993	Idaho Dept. of Health & Welfare, Division of Environmental Quality
July 16, 1993	Blakley, Buturla Consulting Engineers

124120
AUG 31 1993



IDAHO DEPARTMENT
OF HEALTH AND WELFARE

DIVISION OF
ENVIRONMENTAL QUALITY

1420 North Hilton, Boise, ID 83706-1280, (208) 334-0550

Cecil D. Andrus, Governor

July 14, 1993

LAKEVIEW.WSA

RECEIVED

JUL 16 1993

Wayne E. Stephens
24604 Emmett Road
Caldwell ID 83605

RE: Lakeview Water Co
Well Site Assessment

Dear Mr. Stephens:

Frank Buturla has reviewed the data I sent him earlier, and has responded with his preliminary well site assessment dated June 9, 1993.

He recommended that the site be accepted for a new Public Water Supply well. Due to a heavy workload I am waiving DEQ on-site review and am accepting the site on behalf of the Division of Environmental Quality (DEQ), based on the information provided and with the following comments:

1. The data was not signed and I am asking Mr. Buturla to send a signed copy for our files.
2. Improper construction, operation, or maintenance may result in system disapproval.
3. This well, along with all other sources nationwide must be evaluated for potential surface water impacts. If such impacts are found, then more extensive treatment could be required. You will be notified of any requirements, along with all other systems in the state, in several months.

Mr. Buturla may now submit the remaining engineering reports, checklists, and plans and specification for review.

Sincerely,

Monty G. Marchus

Monty G. Marchus, P.E.
Water Quality Engineer

pc: George Varin, DEQ
Frank Buturla, Blakely Buturla Engineering

AUG 31 1993



TRANSMITTAL

DATE: July 16, 1993

TO: Division of Environmental Quality
Attn: Monte Marchus
1420 N. Hilton
Boise, ID 83706

() For your action
(x) For your files

Transmitted By: Frank J. Buturla, P.E.

Reference: Lakeview Water Co. - Well Site Evaluation

BBCE Job No.: DC021293

We received a copy of the letter you sent to Wayne E. Stephens dated 14 July 1993. The letter indicated that the Well Site Evaluation for the Lakeview Water Co. has been approved pending the submittal of a signed copy of the previously submitted data.

Enclosed please find the first page of the originally submitted data, which I have signed.

If you have any questions or need additional information please feel free to call me.

MICROFILMED
AUG 31 1993

Amable


1/9

WELL SITING CHECKLIST:

Step I Administrative Information

- A. Date Received _____
- B. Name & Location of Project
Lakeview Water Company Blocks 1 and 3
Vanal Heights Subdivision
NE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 16
Township 3 North, Range 3 West, Canyon Co.
- C. Is this Project New X or an Addition _____
- D. Owners Name, Address & Phone
Wayne E. Stephens
24604 Emmett Road
Caldwell, ID 83605
(208)585-3134
- E. Consulting Engineers Name, Firm's Name, Address & Phone
Frank J. Buturla - Blakley, Buturla Consulting Engineers
2922 East Cleveland Blvd.
Caldwell, ID 83605
(208)454-3033
- F. Others Name, Address & Phone
- G. DEQ and/or PWS No. _____
- H. DEQ Address & Phone
Division of Environmental Quality
Southwest Idaho Regional Office
1420 North Hilton
Boise, Idaho 83706-1260
- I. 7th District Health Contact _____ Phone _____

MAILED
AUG 31 1993



CONVERSATION MEMORANDUM

DATE 7/27/93

FILE 63-12000

NAME OF PARTY Wayne Stephens

EMPLOYEE Dave Tuthill

RE: Response to July 6 letter

Mr. Stephens will respond to letter ASAP.

Dr

RECEIVED

AUG 31 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

July 6, 1993

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

WAYNE E STEPHENS
24604 EMMETT RD
CALDWELL ID 83605

Re: Application for Permit of Water Right No. 63-12000

Dear Mr. Stephens:

NOTICE OF PENDING ORDER REJECTING APPLICATION FOR PERMIT

On March 1, 1993, you filed with the Department of Water Resources an application for permit of water right, no. 63-12000 to provide water for domestic and irrigation located within Sec. 16, T03N, R03W, NENE.

On May 4, 1993, the department sent you a copy of a comment letter sent to us by the Department of Health & Welfare, Division of Environmental Quality. We asked that you review this and let us know what your plans were regarding the above-referenced application. Since that time we have had no further communication from you.

The purpose of this letter is to request that you withdraw your application or explain why the Department should not reject your application. Enclosed is a withdrawal form that should be signed and returned to me, unless you have an explanation that would prevent the Department from rejecting your application.

If you fail to respond to this inquiry within thirty (30) days from the date of this letter, the Department will act to reject your application. The application will be rejected on the grounds that it is speculative in that you are not prepared to continue with this application.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:st

Enclosure

RECORDED
AUG 31 1993

I hereby certify that on this 7th day of July, 1993, I sent the original copy of this letter, postage prepaid, to the person and address listed above.

Sincerely,

Sue Taylor

Sue Taylor
Secretary/Office Coordinator

RECEIVED
AUG 31 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 4, 1993

WAYNE E STEPHENS
24604 EMMETT RD
CALDWELL ID 83605

Re: Application for Permit #63-12000

Dear Applicant:

Enclosed is a comment letter sent to us by the Department of Health & Welfare, Division of Environmental Quality. Please review this and let us know what your plans are regarding the above-referenced application.

Sincerely,

A handwritten signature in cursive script that reads "David R. Tuthill, Jr.".

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:st

Encl.

RECORDED

AUG 31 1993



IDAHO DEPARTMENT
OF HEALTH AND WELFARE

DIVISION OF
ENVIRONMENTAL QUALITY

5m

1420 North Hilton, Boise, ID 83706-1260, (208) 334-0550

Cecil D. Andrus, Governor

April 23, 1993

IDWRWELL.1

David R. Tuthill, P.E. *DR*
Manager, Western Regional Office
Idaho Dept. of Water Resources
2735 Airport Way
Boise, ID 83705

RECEIVED
APR 26 1993

Department of Water Resources
Western Regional Office

RE: IDWR - Public Waters Appropriation Permit
Permit No. 63-12000

Dear Mr. Tuthill:

The project must be conducted under the design and supervision of an Idaho registered professional engineer. The process to follow is:

1. The engineer must submit a preliminary site evaluation based on proximity of pollution sources. We will evaluate the proposal, conduct a site inspection, and issue a written site approval if warranted. The applicant should give his consultant the enclosed checklist.
2. Detailed plans and specifications must be submitted to this office for review. The well may not be drilled until all approvals are obtained from both DEQ and IDWR. The last approval will come from DEQ; we will not issue approval until final approvals of both IDWR permits (appropriation permit and well drilling permit) have been submitted.
3. This will be a Public Water System and must have one (1) source of water for less than twenty-five (25) connections and two (2) sources for twenty-five (25) or more connections.

We will pay particular attention to the following items:

1. Construction must be done under the general supervision of the professional engineer. The contract assuring this must be submitted with the application.
2. Numerous water quality parameters must be tested as soon as the well is completed.

Sincerely,

Monty G. Marchus

Monty G. Marchus, P.E.
Water Quality Engineer

cc: Wayne Eugene Stephens, Applicant (w/encl)

AUG 31 1993



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Mary B. Scott

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times

—in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 9, 16, 1993

Mary B. Scott

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 16th day of April in the year of 1993, before me, a Notary Public, personally appeared Mary B. Scott, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

RECEIVED
APR 20 1993

Department of Water Resources
Western Regional Office

APR 21 1993

AUG 31 1993

Janet Lusk
Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JUNE 21st, 1997



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 7, 1993

IDAHO DEPT OF HEALTH & WELFARE
DIV OF ENV QUALITY
SWIRO
1420 N HILTON
BOISE, ID 83706

Re: Application for Permit No. 63-12000 in the name of Wayne
Eugene Stephens

Dear Sir:

Enclosed is a copy(s) of the above-referenced
application(s) for permit which may be of interest to your
agency. Please review the application(s) and submit any
comments you may have.

This office normally completes the processing of an
application within a six-week period and is required to take
final action shortly thereafter, however, if your agency
desires to file a formal protest against the approval of this
application(s), your written protest must be received in this
office by April 26, 1993.

If you have any questions regarding the application,
please contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:st

Enclosure(s):

NOTED

AUG 31 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

MARCH 31, 1993

Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 26, 1993.

Yours truly,

GAIL GARRETT
Secretary

Encl.

MAR 31 1993
AUG 31 1993

63-12000

STEPHENS, WAYNE EUGENE
24604 EMMETT RD
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NENENE Sec 16 T 03N R 03W in CANYON County.

Use: IRRIGATION (.120 CFS)
DOMESTIC (.220 CFS)
Total Diversion: (.340 CFS)

Date Filed: 3/ 1/1993

In: CANYON County
T03N R03W S16 NENE

6.0 ACRES TOTAL

RECEIVED
AUG 31 1993