







Bridge

F O R E S T

Creek

ROAD

Headquarters

Camp

(PARADISE PEAK)
3071 III NE

AN

40 ACRE TRACTS:
NWNW NENW

River

ROAD

T4N

R13E

Lot
Location

well
Location
APPROX.

Section
Line

21 Skunk
PACK

Boise

1" = 1,950 ft.
NENW is "M.S. 2941
Portland No. 5", NO
South Lot.

MAP RECEIVED 11/5/92
from applicant with
locations marked

-52

Fork

WATER

FEB 04 1993


Fletcher

ROYAL ELK VALLEY SUBDIVISION


PORTLAND CLAIM No. 5, T 4 N, R 13 E, B. M. S 22
CAMAS COUNTY, IDAHO

1914

PREPARED BY
SAWTOOTH ENGINEERING



FEB 04 1993




NOTES

1. There is hereby reserved a drainage easement of sufficient width to allow free flow of drainage water along all existing drainage areas.
2. Finish floor elevation of all dwellings shall be at least 3' above the highest evidence of highwater perpendicular to the South Fork Boise River.
3. All structures located in Block 1 shall have a 100' min. setback to the east bank of the South Fork Boise River.
4. U.S. Forest Service Road is not a County Road and is not maintained during winter months.

UNPLATTED
E. BYRAM Property


SOUTH FORK BOISE RIVER



LEGEND

- ALUM. CAP
- SET 5/8" x 30"
- SET 1/2" x 24"
- SET WITNESS CORNER
- ① LOT NUMBER
- WITNESS CORNER DIST.
- ACCESS APPROACH LOCATION
- EXISTING DRAINAGE CHANNEL

U.S. FOREST SERVICE




UNPLATTED
G. BYRAM P.

G. P. F. S.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Patricia S. Bishop
(Applicant)



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11958

Priority: October 16, 1992

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that COLLEEN BISHOP
PAUL BISHOP
LISE BISHOP
PATRICK BISHOP

422 IDAHO ST
GOODING ID 83330

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 16, 1992; and has submitted Proof of Beneficial Use on November 5, 1993. An examination indicates that the works have a diversion capacity of 0.190 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 22, Township 04N, Range 13E
CAMAS County

PLACE OF USE: DOMESTIC

TWN RGE SEC

04N 13E 22

NENW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

AUG 09 1996

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 63-11958

CONDITIONS OF APPROVAL AND REMARKS

5. Place of use is located within Lot 5, Blk. 1, Royal Elk Subdivision.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 28th day of JUNE, 1976.


KARL J. DREHER, Director



20 1976

RECEIVED

NOV 05 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ N/A

Date _____

Receipt No. _____

Receipt by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11958 Telephone No. (208) 934-8318
2. Name(s) of Permit Holder(s): Patrick Bishop
3. Mailing Address: 422 Idaho St
4. Source of Water: well

If GROUNDWATER, Well Driller's Name: Self w/ Backhoe Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.04 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ✓ No _____ Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes ✓ No _____ Installed? _____ Yes _____ No

8. Fee Enclosed: \$ _____ (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Patrick Bishop (208) 934-8318
Name Telephone No.

422 Idaho St Coaling Idaho 83330
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

11-2-93
Date

Patrick S. Bishop
Signature (and title, if on behalf of a company or organization)

DEC 02 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11958

Proposed Priority: October 16, 1992 Maximum Diversion Rate: 0.04 CFS
This is to certify, that COLLEEN BISHOP

PAUL BISHOP
LISE BISHOP
PATRICK BISHOP
422 IDAHO ST
GOODING ID 83330

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		NENW , Sec. 22, Township 04N, Range 13E CAMAS County

PLACE OF USE: DOMESTIC
TWN RGE SEC


04N 13E 22 NENW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 3, 1994.
2. Subject to all prior water rights.
3. Place of use is located within Lot 5, Block 1, Royal Elk Subdivision.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

22nd day of December, 1992

for 
R. Keith Higginson, Director

RECORDED

FEB 04 1993

RECEIVED

OCT 1 1992

Form 202
6/85

Department of Water Resources
Western Regional Office

Ident. No. 63-11958

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

- Name of applicant Paul & Lise Bishop Phone 934-8518
Post office address 422 Idaho St Gooding, Idaho 83330
- Source of water supply Hand Dug Well which is a tributary of South Fork Boise River
groundwater
- Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot —
Sec. 22 Township 4 N Range 13 E B.M. Camas County; additional
points of diversion if any: None
- Water will be used for the following purposes:
Amount .040 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
- Total quantity to be appropriated is (a) .040 and/or (b) —
cubic feet per second acre feet per annum
- Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Hand Dug Well, 10 feet
for Culinary Purpose
b. Height of storage dam — feet; active reservoir capacity — acre-feet; total
reservoir capacity — acre-feet; period of year when water will be diverted to storage:
— to — inclusive.
c. Proposed well diameter is 10" Pipe inches; proposed depth of well is 10 feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
- Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

FEB 04 1993

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. ONE
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
410	13 E	22					D	~~SW~~											


Total number of acres to be irrigated _____


10. Describe any other water rights used for the same purposes as described above. None

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? " FEB 04 1993
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: well located Behind Cabin Across Ditch
In center of Lot #5
This has been on existing use since 1985.

Remarks: Property also known as L. 5, Bl. 1, Royal Elk Valley Subdivision,
within M.S. 2941 (outland No. 5). PER applicant's info received 10/26/92





O T H
Bridge

63 11 1955

F O R E S T

Creek

Road

Headquarters
Camp

(PARADISE PEAK)
3071 III NE

N

40 ACRE TRACTS:
NENW

River

Road

T4N

R3E

Lot
Location

Well
Location
APPROX.

Section
Line

21 Skunk
Creek

Boise
River

1" = 1950 ft.
NENW in M.S. 2941
Portland No. 5, NO
South Lot.

MAP RECEIVED 11/5/92
from applicant with
locations marked

-52


FEB 04 1993

Fletcher

ROYAL ELK VALLEY SUBDIVISION

PORTLAND CLAIM NO. 5, T. 4 N., R. 13 E., B. 1 M. S. 22
CAMAS COUNTY, IDAHO


PREPARED BY
SAWTOOTH ENGINEERING
1984



NOTES

1. There is hereby reserved a drainage easement of sufficient width to allow free flow of drainage water along all existing drainage ways.
2. Finish floor elevations of all dwellings shall be at least 3' above the highest evidence of long-term periodicity to the South Fork Boise River.
3. All structures located in Block 1 shall have a 100' min. setback to the east bank of the South Fork Boise River.
4. U.S. Forest Service Road is not a County Road and is not mentioned during winter months.


SOUTH FORK BOISE RIVER




U.S. FOREST SERVICE

LEGEND

- ALUM. CAP.
- SET 5/8" x 30"
- SET 1/2" x 24"
- SET WITNESS CORNER
- SET WITNESS
- WITNESS CORNER DIST.
- ACCESS APPROACH LOCATION
- EXISTING DRAINAGE CHANNEL



FEB 04 1993



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Patrick S. Bishop
(Applicant)

Received by MM MTS Date 10-19-92 Time 1:26pm Preliminary check by SR
Fee \$ 30.00 Receipted by MTS # 5015080 Date 10-16-92
Publication prepared by GG Date 11/11/1992 Published in Good Leader
Publication approved ST Date 12-8-92
11/19 & 11/26/92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED

FEB 04 1993

AFFIDAVIT of PUBLICATION

RECEIVED
NOV 27 1992

State of Idaho }
County of Gooding } ss.

Department of Water Resources
Western Regional Office

Ratty Nance, being first duly sworn, deposes and says that she is the printer (publisher) of the Lincoln County Journal, a newspaper published every week in Shoshone, County of Lincoln, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 18 day of November, 1992, and the date of the last publication was on the 25 day of November, 1992.

Ratty Nance

Subscribed and sworn to before me this 25th day of November, 1992.

(SEAL)

Norma DeVoe
NOTARY PUBLIC

GOODING COUNTY LEADER
Gooding, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2X

Lines tabular at _____ 6¢/Pica
352 Lines straight at 17.60 5¢/Pica
Subsequent lines at 14.08 4¢/Pica
TOTAL COST 31.68

COPY OF NOTICE

(Paste Here)

Pat Bishop groundwater
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

FEB 04 1993

No 5515

13776

**NOTICE OF APPLICATION FOR
WATER RIGHT**

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

63-11958 ✓

BISHOP, COLLEEN

BISHOP, PATRICK

BISHOP, LISE

BISHOP, PAUL

422 IDAHO ST

GOODING, ID 83330

Source: GROUNDWATER

Diversion Pt: NENW Sec 22T 04N R

13E in CAMAS County.

Use: DOMESTIC (.040 CFS)

Total Diversion (.040 CFS)

Date Filed: 10/16/1992

In: CAMAS County

T04N R13E S22 NENW

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before DECEMBER 7,
1992.

s/ R. KEITH HIGGINSON, DIREC-
TOR

Pub: 11-18/25 _____ G13376



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 1, 1996


COLLEEN BISHOP
PAUL BISHOP
LISE BISHOP
PATRICK BISHOP
422 IDAHO ST
GOODING ID 83330

RE: WATER RIGHT NO. 63-11958

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,


Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure


AUG 09 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11958

DATE 6/28/96

REVIEWER: S H A R L A

NAME	Change <u>OK</u>	Address Change <u>No</u>
SOURCE	<u>✓</u>	Is change clarification of originally intended source? <u>✓</u> If not, prepare Notice of Intent to Void <u> </u>
POINT OF DIV	<u>✓</u>	Amendment required <u>No</u>
PLACE OF USE	<u>✓</u>	Amendment required <u>No</u>

Does map agree with written description? yes no verified by county assessors office

OVERLAPS P/D P/U

RATE OF DIV	
Permitted Rate	<u>.04</u> cfs
Fee limit	<u>.04</u> cfs <u>no fee reqd or paid</u>
Measured	<u> </u> cfs <u>no measurement made</u>
Theoretical	<u>.18</u> cfs <u>3 x 8.8 x .7 / 10 + (2.31 x 40) = .18</u>
	<u>.19</u> Recommended Total Div Rate <u>.04</u> cfs

ANNUAL VOLUME/ NATURE OF USES	<u>✓</u>	Use <u>Domestic</u>	Volume Calculation <u>1.2 standard</u> af
			af
			af
			af
		SUBTOTAL	<u>1.2</u> af

Flow rate .04 cfs X 365 days X 1.98 = 29.0 af
 Total volume recommended 1.2 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS D/I home.

CONDITIONS Watermaster Control WD#
 GW Measurement/Measuring Device
 Overlap
 Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim Filed <u>NA</u>	1st Amend/Letter <u>NA</u>
Adjustment Memo <u>NO</u>	2nd Amend Letter <u>NA</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 06 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11958

1. Owner: Paul, Colleen, Lise, & Patrick Bishop Phone No. 934-8318

Current Address: 422 Idaho Street, Gooding, ID 83330

2. Accompanied by: _____ EXAM DATE: 3/30/94

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-04278

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NW	22	4N	13E	CAMAS	Camas County Assessors Office and Plat Map.

2. Place(s) of Use:

Indicate Method of Determination Same as P/D

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	13E	22					D												

AUG 09 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. *NR*

(No Field Exam Required, Therefore NO System Diagram)											

Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4. *NR*

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	BRIGGS & STRATTON	3	N/A	N/A	N/A

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

NR

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

[Stamp]

AUG 09 1996

E. NARRATIVE/REMARKS/COMMENTS

OVERLAP P/M Same QG, different place of use.

Following data confirmed by Camas County Assessors Office:

Parcel No. RPOD1900010050

Lot 5, Block 1, Royal Elk Subdivision

T4N R13E Sec. 22, NENW

~~Plus also within~~ LOCATION AKA M.S. 2941 per quit lot plat
-JL
11/14/94

Well dug by owner with backhoe, approximately 10' deep. A 3 h.p. motor pumps water from well, which is used by the home.

~~motor~~ is System capacity of 0.19 cfs is much greater than the requested Allocation of 0.04 cfs. Therefore, recommend Licensing for 0.04 cfs for domestic use.

No Adjudication Claim Filed.

$$\text{Theoretical: } Q = \frac{(8.8)(0.7)(3)}{5.48 + (2.31 \times 40)} = \frac{18.48}{102.4974} = 0.18 \text{ cfs}$$

NOTE: Dynamic Pumping Level Assumed to be 5', since well depth is only 10'±.

System pressure assumed at 40 psi due to motor size.

Have conditions of permit approval been met? ☒ yes ☐ no

AUG 09 1996

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

(See theoretical capacity calculation in narrative, section E.)

G. VOLUME CALCULATIONS1. Volume Calculations for Irrigation: *N/A* $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

*D = 1.2 AFA***H. RECOMMENDATIONS**

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>1/1</i>	<i>12/31</i>	<i>0.04</i>	<i>1.2</i>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<i>0.04</i>	<i>1.2</i>

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other


I. AUTHENTICATIONField Examiner's Name *Rick Collingwood* Date *3/30/94*

Reviewer _____ Date _____

SEAL

RECEIVED

G 0 9 1996



November 19, 1993

COLLEEN BISHOP
PAUL BISHOP
LISE BISHOP
PATRICK BISHOP
422 IDAHO ST
GOODING ID 83330

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11958

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED

DEC 02 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-11958 Reviewed by VZA Date 11-09-93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? Dom.
yes Address same as permit? _____
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

____ Surface water source
✓ Ground water source
NO Drilling permit required? Hand dug well
____ Copy in the file? Drilling Permit No. _____
____ Amount paid for permit _____ Correct?
____ Well log in the file?

LICENSE EXAMINATION FEE

N/A Required?
____ Amount Submitted
____ Correct?

MEASURING DEVICE

NO Required?
____ Installed?
✓ Waiver requested?

PRIORITY CALCULATION

Date proof received _____
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address N/A

Proof Made 11-5-93

October 31, 1993

COLLEEN BISHOP
PAUL BISHOP
LISE BISHOP
PATRICK BISHOP
422 IDAHO ST
GOODING ID 83330

PROOF DUE NOTICE

RE: PERMIT NO. 63-11958

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 02 1993

CERTIFIED MAIL

NO. 140891



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

December 23, 1992

COLLEEN BISHOP
PAUL BISHOP
LISE BISHOP
PATRICK BISHOP
422 IDAHO ST
GOODING ID 83330

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11958

Dear Permit Holder(s):

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosure

~~RECEIVED~~
MICROFILMED
FEB 01 1993
APR 26 1993

APPLICATION FOR PERMIT REVIEW

Bjm

Application #: 63-11958 Date: 12-21-92 Reviewer: Brenda Miller

SYSTEM COMPLETED:

- No - 26A-P17
 Complete in 1 year - P16
 Yes
 Proof not submitted - P16
 Proof submitted - N/A

AREA OF CONCERN?

YES
SNAKE RIVER BASIN
(Exempt Status)

GROUNDWATER:

- GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
 - No measurement required <flow chart>
 LT. 0.2 cfs - No measurement required <flow chart>
 Drilling Permit:
 Approved w/permit - P99 Permit No. SHALLOW Well/N/A
 Not included - 046-46A-46B-P23 (after 7/1/87), N/A
 SURFACE WATER: not in w/d - 01C-P03 (=GT.2 w/pump), NMR <flow chart>

LOCATION:

- Water Districts - WD No. 63
 Surface water - R04, R04-01H-P01(LT.2 w/pump)
 - R04-01J-P08(GT.2), NMR <flow chart>
 Groundwater - P05
 Irrigation Districts - 023
 Canal Co. Areas - 023
 Drainage Districts - 024
 Boise Front (63) - 058 (Groundwater)
 Swan Falls Flag - (1, Blank or Other)
 Trust - 051-052-053-P74(Consumptive Uses)
 Non Trust <1> - 048-049

RIVER BASINS:

- (Surface Water) Water District Control Condition &....
 Boise (63) - 05A & 11E
 Payette (65) - 047-P04, 059-P71
 Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

- Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
 042(req.), 002-P06(MD), 07A(Spec.),
 044(Policy 5G)
 Power - Use Power Review
 Mining - 06A, 010, or 09E-P10 & 054(req.)
 Storage - 18A-for multiple measuring devices(In WD),
 18B-P09(Size)
 Rec/Wildlf/Aes - 027(Non-Consumptive)
 Domestic - 021 (Boise River - upstream from L Peak)
 (restricted areas) 27A (Payette River & main tributaries)

OWNERSHIP:

- Non land owner - 004

PROTESTED:

- Agreement - 020

Beneficial Use Due Date - 01-03-1994

Other Conditions/Remarks: -

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SC DATE: 10/26/92 APPLICATION: 63-11958

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ☐ No* ☐ In form to receipt:

Gov't. Lots:
N P/D
N P/U

ADDITIONAL INFORMATION

YES NO

N/A Overlapping place of use: (Describe source & relationship to present application on the back.)
Overlapping point of diversion:
Field check required: Field check by: _____
Field report attached:
Critical groundwater area:
Groundwater management area:
1992 moratorium
Diversion within interim protected river area
Send dam safety information:
Send power requirement letter:
Send fish farm requirement letter:
Power residency affidavit:
Power efficiency form:
Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
DEC 14 1992

Department of Water Resources

Camas Co.

PROCESSING

APPLICATION NO.

63-11958

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☐
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒

Publication dates and paper recorded on application:

Protests received: Final date for protest December 7, 1992

Protest dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority 10/16/1992Recommended by: [Signature] Date 12/8/1992

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

10-31-92 NOV 5 1992

Department of Water Resources
Western Regional Office

Sir - I can understand your

confusion. On the
Application, the X mark
on NW $\frac{1}{4}$ was Done to
mark out the D. Another
D was put on NE $\frac{1}{4}$.

This was Done by
me. Schulte in Twin Falls.

I have Drawn the Lot
on your map. Hopefully
this will ~~be~~ straighten
this out.

Thank
P.S. Bishop

FEB 04 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 29, 1992

Paul, Colleen, Patrick, or Lise Bishop
422 Idaho Street
Gooding, ID. 83330

RE: Application for Permit

Dear Applicants:

Your application for permit for a domestic well was received at this office on 10/19/92. Before the application can be advertised and processed, additional information is needed.

Please review the attached map. The application states that the well is or will be in NENW Sec. 22, and that the home is or will be in NENW or perhaps NWNW. The subdivision plat that you included with your application does not allow me to confirm the location of the well and homesite. Please mark the location of your property on the enclosed map and return it to me within 30 days. Note that the map outlines Section 22 and the two 40-acre tracts in question. Based on your response, the application will be processed.

Let me know if you have any questions.

Sincerely,

Steve Lester
Water Rights Supervisor

Enclosure: Topographic Map

RECEIVED

FEB 04 1993

DATE: OCTOBER 16, 1992

TO: DAVID TUTHILL, MANAGER
WESTERN REGION

FROM: MEL SCHULTE *MTS.*
WATER RESOURCE AGENT
SOUTHERN REGION

Steve
RECEIVED

OCT 19 1992

Department of Water Resources
Western Regional Office

DAVE:

ENCLOSED ARE THREE APPLICATIONS FOR PERMIT AND ONE PROOF OF BENEFICIAL USE THAT WE RECEIVED AT SOUTHERN. THEY ALL RELATE TO SUBDIVISIONS AT THE EXTREME EASTERN EDGE OF BASIN 63 SO THEY NEED TO BE PROCESSED AT WESTERN. THERE IS A QUESTION CONCERNING WHERE THE SECTION 18-19 LINE CROSSES BYRAM'S LITTLE SMOKEY SUBDIVISION. I WAS PROMISED BY THE APPLICANTS A COPY OF A CURRENT SURVEY AND WILL FORWARD IT TO YOUR OFFICE WHEN I RECEIVE IT.

IT'S MY UNDERSTANDING THE APPLICANTS WERE ADVISED BY AN ATTORNEY TO FILE THESE PERMITS EVEN THOUGH THEY ARE EXEMPT. EVIDENTLY THERE IS A CONFLICT AMONG PROPERTY OWNERS THAT MOTIVATED THE FILINGS. IF QUESTIONS ARISE OR I CAN PROVIDE ANY ADDITIONAL INFORMATION PLEASE LET ME KNOW.

HOPE ALL IS GOING WELL FOR YOU AND THE WESTERN STAFF. SAY HELLO TO EVERYONE FOR ME. TAKING THIS POSITION AT SOUTHERN HAS BEEN A GOOD MOVE FOR ME.

MTS.
ENC.

RECEIVED
FEB 04 1993

RECEIPT
For Monies Paid
to the
IDAHO DEPARTMENT OF WATER RESOURCES

Receipt No: 5015080

Date: 10/16/1992
Time: 09:38:21

Received From: BISHOP, PATRICK

Type of Payment	Program Acct Class	Amount
PERMIT FEE	64103 229 21 1155	30.00

Total

CHECK 6744

\$30.00

Region: SOUTHERN

Signature: Schulte

RECEIVED

FEB 04 1993

BISHOP, COLLEEN
BISHOP, PATRICK
BISHOP, LISE
BISHOP, PAUL
422 IDAHO ST
GOODING, ID 83330

Source: GROUNDWATER

Diversion Pt: NENW Sec 22 T 04N R 13E in CAMAS County.

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 10/16/1992

In: CAMAS County
T04N R13E S22 NENW

REPORT

FEB 04 1993