

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. Section 13, T.3N., R.2W., Boise Meridian

CS

X

SE 1/4


MICROFILMED
MAY 20 1992

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Larry Blodice
City Engineer (Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	150	W66362021	well-line	8"


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flowmeter	In-line	Water Spectronics	ML-04	923575	8	10-14-92

2. Measurements: Pump Set - ? well dimensions 20" x 607'
 mainline pressure 60 PSI
 Pump work - ~~longer pump~~ PL-155 from proof and well log



63-11729



MAILED
JUN 30 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11729

Priority: March 6, 1992

Maximum Diversion Rate:

2.68 CFS

This is to certify, that CITY OF NAMPA

411 THIRD ST S

NAMPA ID 83651

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 6, 1992; and has submitted Proof of Beneficial Use on May 24, 1993. An examination indicates that the works have a diversion capacity of 2.920 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	2.68 CFS	

LOCATION OF POINT(S) OF DIVERSION:


NENWE , Sec. 13, Township 03N, Range 02W
CANYON County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Place of use is located within city limits of Nampa.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30TH day of April, 1994.

Acting for  R. Keith Higginson, Director

JUN 30 1994

OFFICE USE ONLY
Amt. of Fee \$ 150.00
Date 5-24-93
Receipt No. 0027612
Receipt by CA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

MAY 24 1993

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11729 Telephone No. 465-2220
2. Name(s) of Permit Holder(s): City of Nampa
3. Mailing Address: 411 3rd Street So., Nampa, ID 83651
4. Source of Water: Groundwater

If **GROUNDWATER**, Well Driller's Name: Hiddleston & Sons Date Drilled: Aug-Oct 1992

OPTIONAL:

Pump horsepower: 150 Pressure (psi): 70 Dynamic pumping level (ft.): 155

5. Extent of Use (as authorized by the permit):

Domestic (No. of households) Stockwater (No. and type of stock)

Irrigation (No. of acres) Other Municipal

6. Total rate and/or volume for which proof is submitted 2.68 cfs OR acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

8. Fee Enclosed: \$ 150.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Tony Chavez, Waterworks Superintendent 465-2209

Name Telephone No.

411 3rd Street So., Nampa, ID 83651

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUL 01 1993

April 30, 1993
Date

Larry Hiddleston City Engineer
Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11729

Proposed Priority: March 6, 1992

Maximum Diversion Rate:

2.68 CFS

This is to certify, that CITY OF NAMPA
411 THIRD ST S
NAMPA ID 83651

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

MUNICIPAL

01/01 to 12/31

2.68 CFS

LOCATION OF POINT(S) OF DIVERSION:

NENWSE , Sec. 13, Township 03N, Range 02W
CANYON County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1993.
2. Subject to all prior water rights.
3. Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Place of use within city limits of Nampa.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

30th day of April, 1992

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

MAY 20 1992

RECEIVED
MAR 06 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources
Western Regional Office

To appropriate the public waters of the State of Idaho

1. Name of applicant City of Nampa Phone (208) 465-2220

Post office address 411 Third Street South, Nampa, Idaho 83651

2. Source of water supply Groundwater which is a tributary of N/A

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot

Sec. 13 Township 3.N Range 2.W B.M. Canyon County; additional

points of diversion if any:

4. Water will be used for the following purposes:

Amount 2.68 for Municipal purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 2.68 and/or (b)
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. The facility will consist of a
municipal potable water well with a vertical turbine pump plus piping and valves
required to connect to the City of Nampa's existing municipal water system.

b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total
reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:
N/A to N/A inclusive.

c. Proposed well diameter is 16 inches; proposed depth of well is 600 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

One (1) years (minimum 1 year).

MAY 20 1992

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. City of Nampa, Canyon County, Idaho
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

P/W = City of Nampa per item
86 JL 3/16/92


Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. No other water rights are filed on this location for this purpose.

- Who owns the property at the point of diversion? City of Nampa, Canyon County, Idaho
- Who owns the land to be irrigated or place of use? City of Nampa, Canyon County, Idaho
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

12. Remarks: The well is necessary to provide the City of Nampa with adequate water supply. The well will be competitively bid, with the bid opening planned for mid-May, 1992.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. Section 13, T.3N., R.2W., Boise Meridian



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Larry Blodice
City Engineer (Applicant)

Received by Ad Date 3-6-92 Time 11:10 Preliminary check by FR
Fee \$ 85.00 Receipted by Ad # W014260 Date 3-6-92
Publication prepared by Gg Date 3-25-92 Published in Press-Tribune
Publication approved st Date 4-20-92 4/1 & 4/8/92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECORDED

MAY 20 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 2, 1994

CITY OF NAMPA
411 THIRD ST S
NAMPA ID 83651

RE: WATER RIGHT NO. 63-11729

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

MAY 3 0 1994

WR0749NP
No. L63-11729

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 04/21/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY	WATER USE	USE PERIOD		DIVERSION	DIVERSION
		DATE		FROM	TO	RATE	VOLUME
C	CITY OF NAMPA 411 THIRD ST S NAMPA ID 83651 (208) 465-2220	03/06/1992	MUNICIPAL	01-01	12-31	2.68 CFS	
TOTAL DIVERSION:						2.68 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 2.92 CFS

Point(s) of Diversion: T03N R02W S13 NENWSE CANYON County

Pou County:

Remarks: Place of use is located within city limits of Nampa.


Dates: App. Received: 03/06/1992 Priority Date: 03/06/1992
Proof Due Date: 06/01/1993 Proof Made Date: 05/24/1993
Exam Made Date: 09/17/1993 Exam Sent to S.O.: 03/28/1994
Licensed Date:

Misc: Water District Number: 63 Field Exam Fee: R (Received)

Comments: Date: 04/21/1994 User-ID: CHAPMAN Subject: WELL INFORMATION
This point of diversion is known as well #12.

Audit: 04/21/94 CHAPMAN.

LICENSE REVIEW CHECKLIST



PERMIT NO. 63-11729 DATE 4-21-94

NAME	Yes	No ☒	Or Address Change?
PRIORITY DATE	☐	☒	Advance? ☐ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐	☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☐	☒	Amendment needed? _____
	☐	☒	Overlaps? _____
PLACE OF USE	☐	☒	Amendment needed? _____
	☐	☒	Overlaps? _____
DIV RATE	☐	☒	Measurement done? _____ Theoretical only? ☒ <u>Q = 2.92</u>
			Capacity: <u>2.92</u> Combined rates exceed capacity _____ Allowable amount: <u>Permit limit / 2.68</u>
ANNUAL VOLUME	<u>- NA -</u>		Season of use: _____ Calculations: _____ Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☐	☒	Change(s) in Nature of Use? _____ Amendment necessary? _____
REMARKS	☐	☒	Multiple p/d(s) in ¼ ¼? _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring/Locking Devices
	☐	☒	Watermaster control - District _____
	☐	☒	Irrigation Overlap
	☐	☒	Water Quality
	☐	☒	Other _____

COMMENTS: WELL KNOWN AS #12

RECOMMENDED	CFS	VOLUME	LICENSE ☒
<u>Municipal</u>	<u>2.68</u>	<u> </u>	
_____	_____	_____	1ST AMENDMENT LETTER _____
_____	_____	_____	FINAL AMENDMENT LETTER _____
_____	_____	_____	



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

APR 01 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11729

1. Owner: City of Nampa Phone No. 465-2220

Current Address: 411 3rd ST So Nampa ID 83651

2. Accompanied by: Jack Heistand EXAM DATE: 9/17/93

Address: _____ Phone No. 465-2209

Relationship to Permit Holder: Water technician

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: N/A

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:


Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NW	SE	13	3N	2W	Canyon	Site Visit, orthophoto

2. Place(s) of Use: Municipal - See remarks Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

JUN 30 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	150	W66362021	well-line	8"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flowmeter	In-line	water specialties	ML-04	923575	8	10-14-92

2. Measurements: Pump Set - ? well dimensions 20" x 607'
 mainline pressure 60 psi
 Pump work - higher pump - PL-155 from proof and well log

E. NARRATIVE/REMARKS/COMMENTS

Well put on line this year - has been used only infrequently as it is a booster supply. No pumping records available. This well ties into the internal domestic supply system. System is a variable-frequency drive.

Place of use is within the city limits of Nampa.

There are no pumping records available. Total flow based on theoretical formula & pump test

well not operating time of exam.

Project engineers - JUB

well aka well 12

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED
JUN 30 1994

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$\frac{150 \times 8.8 \times .7}{155 + (100 \times 2.31)} = \frac{2.92}{3.45} \text{ cfs: system capacity}$$

↓ from well log test pump
@ 1250 gpm + proof form

Supports 2.68 permit amount.

G. VOLUME CALCULATIONS

N/A

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Municipal	1/1	12/31	2.68	N/R
Totals:			2.68	

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Cindy Hodges Date 9/28/93

Reviewer _____ Date _____

SEAL

4631

21



PRISON

4829

710 000
FEET

BM 2500

PACIFIC

BM 258

486

256

Water

the School

30

4028

80

4827

421

35

482

42

JUN 30 1994

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-92-W-0597 OTHER APPLICABLE NO: 63-11729
2. OWNER: City of Nampa Phone: 415-2220
Address: _____
3. WELL LOCATION: Twp 3N, Rge. 2W, Sec. 13, NW 1/4 SE 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Hiddleston Lic. No. 35
When Drilled? 10-29-92
5. WELL CONSTRUCTION: TD=607
Casing Diameter 20 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 390 ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 72 ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☐ Irrigation ☐ Stock
☐ Test ☒ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

JUN 30 1994

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☒ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:** _____

C. J. Hodges

Signature of Dept. Representative & Title

9/17/93

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED



JUN 30 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources, within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>City of Nampa</u> Address <u>411 Third Street South Nampa, ID 83658</u> Drilling Permit No. <u>63-92-W-597</u> Water Right Permit No. <u>63-11729</u>	2. WATER LEVEL Static water level <u>72</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ Describe character of temperature zones below:																																																																																																																																																																																																																
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Modification ☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 8.)	3. WELL TEST DATA ☒ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td>541</td> <td>118</td> <td></td> </tr> <tr> <td>1000</td> <td>155</td> <td></td> </tr> <tr> <td>1250</td> <td>155</td> <td></td> </tr> <tr> <td>1500</td> <td>186</td> <td>18</td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	541	118		1000	155		1250	155		1500	186	18																																																																																																																																																																																																	
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																																															
541	118																																																																																																																																																																																																																
1000	155																																																																																																																																																																																																																
1250	155																																																																																																																																																																																																																
1500	186	18																																																																																																																																																																																																															
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Monitor ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☒ Other <u>Municipal</u> (specify type)	8. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>24</td> <td>0</td> <td>4</td> <td>Soil</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>4</td> <td>14</td> <td>Cleache</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>14</td> <td>32</td> <td>Gray Lava</td> <td></td> <td></td> </tr> <tr> <td>24-20</td> <td>32</td> <td>50</td> <td>Tan Clay</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>50</td> <td>63</td> <td>Tan Sand</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>63</td> <td>97</td> <td>Tan Sand & Large Gravel</td> <td>X</td> <td></td> </tr> <tr> <td>"</td> <td>97</td> <td>117</td> <td>Tan Clay</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>117</td> <td>153</td> <td>Tan Sand & Some Clay</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>153</td> <td>183</td> <td>Sandy Clay Tan</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>183</td> <td>195</td> <td>Tan Clay</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>195</td> <td>220</td> <td>Tan Sandy Clay</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>220</td> <td>226</td> <td>Tan Sand</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>226</td> <td>245</td> <td>Clay & Tan Sand</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>245</td> <td>286</td> <td>Sand with Some Clay Sand Fine</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>286</td> <td>318</td> <td>Tan Clay some Sand</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>318</td> <td>321</td> <td>Sand</td> <td>X</td> <td></td> </tr> <tr> <td>"</td> <td>321</td> <td>364</td> <td>Clay with Sand Streaks</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>364</td> <td>385</td> <td>Tan Sandy Clay</td> <td></td> <td></td> </tr> <tr> <td>20-16</td> <td>385</td> <td>404</td> <td>Tan Clay</td> <td></td> <td></td> </tr> <tr> <td>16</td> <td>404</td> <td>420</td> <td>Sand</td> <td>X</td> <td></td> </tr> <tr> <td>"</td> <td>420</td> <td>426</td> <td>Sandy Tan Clay</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>426</td> <td>435</td> <td>Sand</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>435</td> <td>463</td> <td>Sand & Clay</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>463</td> <td>482</td> <td>Sand</td> <td>X</td> <td></td> </tr> <tr> <td>"</td> <td>482</td> <td>518</td> <td>Clay Tan</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>518</td> <td>532</td> <td>Sand</td> <td>X</td> <td></td> </tr> <tr> <td>"</td> <td>532</td> <td>537</td> <td>Tan Clay</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>537</td> <td>546</td> <td>Sand</td> <td>X</td> <td></td> </tr> <tr> <td>"</td> <td>546</td> <td>551</td> <td>Tan Clay</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>551</td> <td>570</td> <td>Sand</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>570</td> <td>582</td> <td>Sandy Clay</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>582</td> <td>598</td> <td>Sand</td> <td>X</td> <td></td> </tr> <tr> <td>16</td> <td>598</td> <td>607</td> <td>Blue Clay</td> <td></td> <td></td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	24	0	4	Soil			"	4	14	Cleache			"	14	32	Gray Lava			24-20	32	50	Tan Clay			"	50	63	Tan Sand			"	63	97	Tan Sand & Large Gravel	X		"	97	117	Tan Clay			"	117	153	Tan Sand & Some Clay			"	153	183	Sandy Clay Tan			"	183	195	Tan Clay			"	195	220	Tan Sandy Clay			"	220	226	Tan Sand			"	226	245	Clay & Tan Sand			"	245	286	Sand with Some Clay Sand Fine			"	286	318	Tan Clay some Sand			"	318	321	Sand	X		"	321	364	Clay with Sand Streaks			"	364	385	Tan Sandy Clay			20-16	385	404	Tan Clay			16	404	420	Sand	X		"	420	426	Sandy Tan Clay			"	426	435	Sand			"	435	463	Sand & Clay			"	463	482	Sand	X		"	482	518	Clay Tan			"	518	532	Sand	X		"	532	537	Tan Clay			"	537	546	Sand	X		"	546	551	Tan Clay			"	551	570	Sand			"	570	582	Sandy Clay			"	582	598	Sand	X		16	598	607	Blue Clay		
Bore Diam.	Depth		Material	Water																																																																																																																																																																																																													
	From	To		Yes	No																																																																																																																																																																																																												
24	0	4	Soil																																																																																																																																																																																																														
"	4	14	Cleache																																																																																																																																																																																																														
"	14	32	Gray Lava																																																																																																																																																																																																														
24-20	32	50	Tan Clay																																																																																																																																																																																																														
"	50	63	Tan Sand																																																																																																																																																																																																														
"	63	97	Tan Sand & Large Gravel	X																																																																																																																																																																																																													
"	97	117	Tan Clay																																																																																																																																																																																																														
"	117	153	Tan Sand & Some Clay																																																																																																																																																																																																														
"	153	183	Sandy Clay Tan																																																																																																																																																																																																														
"	183	195	Tan Clay																																																																																																																																																																																																														
"	195	220	Tan Sandy Clay																																																																																																																																																																																																														
"	220	226	Tan Sand																																																																																																																																																																																																														
"	226	245	Clay & Tan Sand																																																																																																																																																																																																														
"	245	286	Sand with Some Clay Sand Fine																																																																																																																																																																																																														
"	286	318	Tan Clay some Sand																																																																																																																																																																																																														
"	318	321	Sand	X																																																																																																																																																																																																													
"	321	364	Clay with Sand Streaks																																																																																																																																																																																																														
"	364	385	Tan Sandy Clay																																																																																																																																																																																																														
20-16	385	404	Tan Clay																																																																																																																																																																																																														
16	404	420	Sand	X																																																																																																																																																																																																													
"	420	426	Sandy Tan Clay																																																																																																																																																																																																														
"	426	435	Sand																																																																																																																																																																																																														
"	435	463	Sand & Clay																																																																																																																																																																																																														
"	463	482	Sand	X																																																																																																																																																																																																													
"	482	518	Clay Tan																																																																																																																																																																																																														
"	518	532	Sand	X																																																																																																																																																																																																													
"	532	537	Tan Clay																																																																																																																																																																																																														
"	537	546	Sand	X																																																																																																																																																																																																													
"	546	551	Tan Clay																																																																																																																																																																																																														
"	551	570	Sand																																																																																																																																																																																																														
"	570	582	Sandy Clay																																																																																																																																																																																																														
"	582	598	Sand	X																																																																																																																																																																																																													
16	598	607	Blue Clay																																																																																																																																																																																																														
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Auger ☐ Reverse rotary ☐ Cable ☒ Mud ☐ Other _____ (backhoe, hydraulic, etc.)	10. Work started <u>8-3-92</u> Finished <u>10-8-92</u>																																																																																																																																																																																																																
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>.375 inches</td> <td>20 inches</td> <td>0 feet</td> <td>39 feet</td> </tr> <tr> <td>.375 inches</td> <td>16 inches</td> <td>2 feet</td> <td>390 feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Float shoe Was a packer or seal used? ☒ Yes ☐ No K-Packer Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation? _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☒ Yes ☐ No Manufacturer <u>Johnson</u> Type <u>304</u> Top Packer or Headpipe <u>366</u> Bottom of Tailpipe <u>No Tail Pipe</u> Diameter <u>10</u> Slot size <u>.040</u> Set from <u>405</u> feet to <u>440</u> feet Diameter <u>10</u> Slot size <u>.040</u> Set from <u>585</u> feet to <u>600</u> feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel <u>8-12</u> Placed from <u>387</u> feet to <u>600</u> feet Surface seal depth <u>390</u> Material used in seal: ☒ Cement grout ☐ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between brass Describe access port <u>2" Back Pipe</u>	Thickness	Diameter	From	To	.375 inches	20 inches	0 feet	39 feet	.375 inches	16 inches	2 feet	390 feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLER'S CERTIFICATION We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Riddleston, L. Son</u> Firm No. <u>35</u> Rt. <u>3</u>, Box <u>610-D</u> Address <u>Mtn Home, ID 83647</u> Date <u>10-29-92</u> Signed by Drilling Supervisor <u>Ken J. Mark</u> (Operator) <u>Ken J. Mark</u> (If different than the Drilling Supervisor)																																																																																																																																																																																				
Thickness	Diameter	From	To																																																																																																																																																																																																														
.375 inches	20 inches	0 feet	39 feet																																																																																																																																																																																																														
.375 inches	16 inches	2 feet	390 feet																																																																																																																																																																																																														
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																																														
Number	From	To																																																																																																																																																																																																															
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																																															
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																																															
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																																															
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Subdivision Name _____</td> </tr> <tr> <td>Lot No. _____ Block No. _____</td> </tr> <tr> <td>County <u>Canyon</u></td> </tr> <tr> <td>Address of Well Site <u>Between Garrity and Flamingo</u></td> </tr> </table> (Give at least name of road) _____ N _____ E _____ W _____ S _____ _____ 3 _____ 4 _____ 5 _____ 6 _____ 7 _____ 8 _____ 9 _____ 10 _____ _____ 11 _____ 12 _____ 13 _____ 14 _____ 15 _____ 16 _____ 17 _____ 18 _____ 19 _____ 20 _____	Subdivision Name _____	Lot No. _____ Block No. _____	County <u>Canyon</u>	Address of Well Site <u>Between Garrity and Flamingo</u>																																																																																																																																																																																																													
Subdivision Name _____																																																																																																																																																																																																																	
Lot No. _____ Block No. _____																																																																																																																																																																																																																	
County <u>Canyon</u>																																																																																																																																																																																																																	
Address of Well Site <u>Between Garrity and Flamingo</u>																																																																																																																																																																																																																	

63-11729



JUN 30 1994

May 28, 1993

CITY OF NAMPA
411 THIRD ST S
NAMPA ID 83651

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11729

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
JUL 01 1993

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-11729

Reviewed by Klg

Date 5/25/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?

municipal

yes Address same as permit?

yes Proof timely received?

Correct Uses? yes

If not, complete calculation below.

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

data Copy in the file? Drilling Permit No. 63-92-W-0597-000

200 Amount paid for permit yes Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

250 Amount Submitted

yes Correct?

MEASURING DEVICE

yes Required?

no Installed?

no Waiver requested?

PRIORITY CALCULATION

Date proof received NA

Date proof due -

No. of days late =

Priority Date +

New Priority Date

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address

needs a flow
Proof Made 5/24/93
5/28/93 Klg

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	COUNTY
63-92-W-0597-000	O	CITY OF NAMPA 411 THIRD ST SOUTH NAMPA, ID 83651	03N	02W	13	NW SE		CANYON

Subdivision Location and Description:

Subdivision Name:

Well Site Address: BETWEEN GARRITY AND FLAMINGO

City, State:

Lot(s):

Block(s):

Geographic Location:

Accuracy Code:

Lat: : : N

Long: : : W

Proposed Use of Well: Municipal

Proposed Casing Diameter: 16 In.

Proposed Depth: 600 Ft.

Well Use Comments:

Driller License No: 0035

Firm Name: HIDDLESTON & SON INC
Official: RON HIDDLESTON

Permit Status: Permit

Verbal Issue Date:

Date Received: 07/29/1992

Date Approved: 07/29/1992

Proposed Start Date: 07/29/1992

Extension Date:

Extension Expiration:

Receipt No.

W015152

Receipt Date

07/29/1992

Fee

\$ 200.00

Specific Conditions:

Permit Remarks:

----- WELL DRILLER'S LOG REPORT -----

Drilling Permit No: 63-92-W-0597-000

Water Right No: 63-11729

Injection Permit No:

Nature of Work: NEW WELL

Construction Method: ROTARY & MUD

Number of Monitor Wells:

Casing Diameter: 20 In.

Depth of Casing: 390 Ft.

Total Depth: 607 Ft.

Screen Installed? Yes

Static Water Level: 72 Ft.

Temperature: F.

Production Rate: 1500.00 GPM

Actual Start Date: 08/03/1992

Well Finish Date: 10/08/1992

Log Received Date: 11/04/1992

Certification Date: 10/29/1992

Field Inspection Date:

Inspector:

Well Log Remarks: CASING: STEEL .375 20" FROM +0 TO 39 FT.

.375 16" FROM 2 TO 390 FT.

SCREEN USED TYPE-304 10" DIAM. SLOT 40 FROM 405 TO 440 FT.

FROM 585 TO 600 FT.

JUN 30 1994

March 31, 1993

CITY OF NAMPA
411 THIRD ST S
NAMPA ID 83651

PROOF DUE NOTICE

RE: PERMIT NO. 63-11729

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED

JUL 01 1993

CERTIFIED MAIL

NO. 140026

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name City of Nampa

Address 411 Third Street South Nampa, ID 83651

Drilling Permit No. 63-92-W-597

Water Right Permit No. 63-11729

2. NATURE OF WORK

☒ New well

☐ Deepened

☐ Replacement

☐ Well diameter increase

☐ Modification

☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.)

3. PROPOSED USE

☐ Domestic

☐ Irrigation

☐ Monitor

☐ Industrial

☐ Stock

☐ Waste Disposal or Injection

☒ Other Municipal (specify type)

4. METHOD DRILLED

☒ Rotary

☐ Air

☐ Auger

☐ Reverse rotary

☐ Cable

☒ Mud

☐ Other _____ (backhoe, hydraulic, etc.)

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness

Diameter

From

To

.375 inches 20 inches + 0 feet 39 feet

.375 inches 16 inches 2 feet 390 feet

_____ inches _____ inches _____ feet _____ feet

Was casing drive shoe used?

☐ Yes

☒ No

Float shoe

Was a packer or seal used?

☒ Yes

☐ No

K-Packer

Perforated?

☐ Yes

☒ No

How perforated?

☐ Factory

☐ Knife

☐ Torch

☐ Gun

Size of perforation? _____ inches by _____ inches

Number

From

To

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

Well screen installed?

☒ Yes

☐ No

Manufacturer

Johnson

Type

304

Top Packer or Headpipe

366

Bottom of Tailpipe

No Tail Pipe

Diameter 10 Slot size .040 Set from 405 feet to 440 feet

Diameter 10 Slot size .040 Set from 585 feet to 600 feet

Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 8-12

Placed from 387 feet to 600 feet

Surface seal depth 390 Material used in seal: ☒ Cement grout

☐ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit

☐ Temp. surface casing ☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded

☐ Solvent Weld ☐ Cemented between strata

Describe access port 2" Back Pipe

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

W

E

S

Subdivision Name _____

Lot No. _____ Block No. _____

County Canyon

Address of Well Site Between Garrity and Flamingo
(give at least name of road)

T. 3 N ☒ or S ☐

NW 1/4 SE 1/4 Sec. 13 , R. 2 E ☐ or W ☒

7. WATER LEVEL

Static water level 72 feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>541</u>	<u>118</u>	
<u>1000</u>	<u>155</u>	
<u>1250</u>	<u>155</u>	
<u>1500</u>	<u>186</u>	<u>18</u>

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
24	0	4	Soil		
"	4	14	Cleache		
"	14	32	Gray Lava		
24-20	32	50	Tan Clay		
"	50	63	Tan Sand		
"	63	97	Tan Sand & Large Gravel	X	
"	97	117	Tan Clay		
"	117	153	Tan Sand & Some Clay		
"	153	183	Sandy Clay Tan		
"	183	195	Tan Clay		
"	195	220	Tan Sandy Clay		
"	220	226	Tan Sand		
"	226	245	Clay & Tan Sand		
"	245	286	Sand with Some Clay Sand Fine		
"	286	318	Tan Clay some Sand		
"	318	321	Sand		X
"	321	364	Clay with Sand Streaks		
"	364	385	Tan Sandy Clay		
20-16	385	404	Tan Clay		
16	404	420	Sand		X
"	420	426	Sandy Tan Clay		
"	426	435	Sand		
"	435	463	Sand & Clay		
"	463	482	Sand		X
"	482	518	Clay Tan		
"	518	532	Sand		X
"	532	537	Tan Clay		
"	537	546	Sand		X
"	546	551	Tan Clay		
"	551	570	Sand		
"	570	582	Sandy Clay		
"	582	598	Sand		X
16	598	607	Blue Clay		

10.

Work started 8-3-92 finished 10-8-92

11. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Hiddleston & Son,

Firm Name INC. Firm No. 35

Rt 3, Box 610-D

Address Mtn Home, ID 83647 Date 10-29-92

Signed by [Signature] Drilling Supervisor

and

(Operator) Ken & Mark

(If different than the Drilling Supervisor)

May 1, 1992

CITY OF NAMPA
411 THIRD ST S
NAMPA ID 83651

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11729

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

BRENDA L. MILLER
Technical Records Specialist

BLM:clz

Enclosures

RECORDED

MAY 20 1992



J-U-B ENGINEERS, INC.

212 Tenth Avenue South • Nampa, Idaho 83651 • Telephone (208) 467-5252

RECEIVED

MAR 06 1992

March 5, 1992

Department of Water Resources
Western Regional Office

Mr. Steve Lester
Senior Water Resource Agent
Idaho Department of Water Resources
2735 Airport Way
Boise, Idaho 83705

Re: City of Nampa - Water Right Application Permit

Dear Steve:

Enclosed is the Water Right Application Permit for the City of Nampa's proposed municipal well. As you recall, I discussed this project and permit with you on Monday, March 2, 1992. Per our conversation, enclosed is a check for \$85.00 for the review fee.

Currently, our project schedule is to advertise for bids the end of this month and open bids and award the contract to drill the well by the middle of May, 1992. Hopefully this will allow adequate time to review and approve the Water Right Permit.

Your early review of this Application would be greatly appreciated. If you have any questions or need additional information, please contact myself or Bryan Donaldson (467-5252) at our Nampa office.

Sincerely,

J-U-B ENGINEERS, Inc.

Jeff T. Conner, E.I.T.

JTC:kg
Enclosures
cc: File 10427

MICROFILMED

MAY 20 1992

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11698

PAULSEN FARMS
22009 TRAVIS RD
WILDER, ID 83676
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SWSESW

Sec 10 T 04N R 05W in CANYON County.

Total Diversión: (2.700 CFS)
(2.700 CFS)

Date Filed: 3/6/1992
In: CANYON County
T04N R05W S10
S11
135.0 ACRES TOTAL

NWSE

NESW
SWSE

SESW
SESE

63-11710

MATSUMOTO BROS INC
PO BOX 112
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

LOT 3 (NWSW)

Sec 19 T 04N R 02W in CANYON County.

Total Diversión: (2.000 CFS)
(2.000 CFS)

Date Filed: 3/12/1992
In: CANYON County
T04N R02W S19
R03W S24
170.0 ACRES TOTAL

NENE

SWNE

NESW
SENE

Lot 3 (NWSW)
NENW

63-11711

HILLWATER RANCH
28569 DIXIE RD
PARMA, ID 83660
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

LOT 3 (NENW)

Sec 5 T 04N R 05W in CANYON County.

Total Diversión: (3.180 CFS)
(3.180 CFS)

Date Filed: 3/12/1992
In: CANYON County
T04N R05W S05
T05N R05W S32
159.0 ACRES TOTAL

Lot 3 (NENW)

Lot 4 (NWNW)

SWNW

SENE
SESW

63-11714

ERDLEY, FLORENCE
15317 FLORIDA AVE
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NESW

Sec 14 T 03N R 03W in CANYON County.

Total Diversión: (.800 CFS)
(.800 CFS)

Date Filed: 3/13/1992
In: CANYON County
T03N R03W S14
40.0 ACRES TOTAL

NESW

63-11717

MIYASAKO FARMS
PO BOX 1060
HOMEDALE, ID 83628
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NENW

Sec 36 T 04N R 05W in CANYON County.

Total Diversión: (2.220 CFS)
(2.220 CFS)

Date Filed: 3/16/1992
In: CANYON County
T04N R05W S25
S36
111.0 ACRES TOTAL

SWSE

SESE
NENW

63-11718

NAITO FARMS INC
9998 HWY 45
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NENE

Sec 13 T 03N R 03W in CANYON County.

Total Diversión: (.720 CFS)
(.720 CFS)

Date Filed: 3/17/1992
In: CANYON County
T03N R03W S13
36.0 ACRES TOTAL

NENE

63-11719

NAITO FARMS INC
9998 HWY 45
NAMPA, ID 83686

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)

) ss.

County of Canyon)

APR 13 1992

Department of Water Resources
Western Regional Office

Sharla O'Krakel

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper
Two Times

—in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 1, 8, 1992

Sharla O'Krakel

STATE OF IDAHO)

)

COUNTY OF CANYON)

On this 8th day of April in the year of 1992, before me, a Notary Public, personally appeared Sharla O'Krakel, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JUNE 21st, 1997

Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/17/1992
In: CANYON County
T03N R04W S07
S08
227.0 ACRES TOTAL

KOCH, JAIME B
KOCH, GENEVIEVE
4702 LINCOLN RD
CALDWELL, ID 83605
Source: MASON CREEK
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/18/1992
In: CANYON County
T04N R03W S24
3.5 ACRES TOTAL

GREEN ACRES FARMS
14501 LOCUST LN
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/19/1992
In: CANYON County
T03N R04W S36
120.0 ACRES TOTAL

PERKINS, FRANCES
PERKINS, GALEN E.
14501 LOCUST LN
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:

Use: IRRIGATION

Date Filed: 3/19/1992
In: CANYON County
T02N R03W S10
67.0 ACRES TOTAL

KRAMER, KELLY
KRAMER, VICKY
1288C SOUTH SIDE BLVD
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt:

Use: IRRIGATION

Date Filed: 3/19/1992
In: CANYON County
T01N R02W S25
80.0 ACRES TOTAL

KRAMER, VERNON
KRAMER, KELLY
7663 BASE LINE RD
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/19/1992
In: CANYON County
T01S R02W S02
80.0 ACRES TOTAL

STANLEY, WELTON
17447 CAN-ADA RD
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/20/1992
In: CANYON County
T03N R02W S01

SWNE Sec 7 T 03N R 04W in CANYON County.
(4.540 CFS)
Total Diversion: (4.540 CFS)

SWNE NWSE SWSE SESE
NWSW SWSW
63-11720

NWNE Sec 24 T 04N R 03W in CANYON County.
(.110 CFS)
Tributary: BOISE RIVER
Total Diversion: (.110 CFS)

NWNE
63-11721

NENW Sec 36 T 03N R 04W in CANYON County.
(2.400 CFS)
Total Diversion: (2.400 CFS)

SWNE NENW SENW
63-11722

NWNE Sec 10 T 02N R 03W in CANYON County.
NENW Sec 10 T 02N R 03W in CANYON County.
(1.340 CFS)
Total Diversion: (1.340 CFS)

NWNE NENW
63-11723

NESW Sec 25 T 01N R 02W in CANYON County.
NWSW Sec 25 T 01N R 02W in CANYON County.
(1.600 CFS)
Total Diversion: (1.600 CFS)

NESW NWSW
63-11724

LOT 3 (NENW) Sec 2 T 01S R 02W in CANYON County.
(1.600 CFS)
Total Diversion: (1.600 CFS)

Lot 3 (NENW) SENW
63-11728

SESENE Sec 1 T 03N R 02W in CANYON County.
(1.920 CFS)
Total Diversion: (1.920 CFS)

SWNE SENE SENW NESE

63-11729

CITY OF NAMPA
411 THIRD ST S
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: MUNICIPAL

Date Filed: 3/6/1992
Place of use within city limits of Nampa.

LAWRENCE, PAUL E
3845 S POWERLINE RD
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/17/1992
In: CANYON County
T01N R02W S15
80.0 ACRES TOTAL

CHRISTENSEN, MICHAEL
8725 BIGFOOT
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/11/1992
In: CANYON County
T01N R02W S15
80.0 ACRES TOTAL

WESTCOTT, EDWARD
202 W ELM
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
DOMESTIC

Date Filed: 3/19/1992
In: CANYON County
T04N R04W S27
30.0 ACRES TOTAL

TERADA, NOBU
111753 LONE STAR RD
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/4/1992
In: CANYON County
T03N R02W S30
40.0 ACRES TOTAL

BLATTNER, W R
2730 S LINDER
MERIDIAN, ID 83642
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/17/1992
In: CANYON County
T02N R01W S31
160.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protest must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 20, 1992.

R. KEITH HIGGINSON, Director
April 1, 8, 1992

NENWSE Sec 13 T 03N R 02W in CANYON County.
(2.680 CFS)
Total Diversion: (2.680 CFS)

63-11730

NWNE Sec 15 T 01N R 02W in CANYON County.
(1.600 CFS)
Total Diversion: (1.600 CFS)

63-11734

NENE Sec 16 T 01N R 02W in CANYON County.
(1.600 CFS)
Total Diversion: (1.600 CFS)

63-11735

NENE Sec 27 T04N R 04W in CANYON County.
(.600 CFS)
(.040 CFS)
Total Diversion: (.640 CFS)

63-11736

SWNE Sec 30 T 03N R 02W in CANYON County.
(.800 CFS)
Total Diversion: (.800 CFS)

63-11739

SENE Sec 31 T 02N R 01W in CANYON County.
(3.200 CFS)
Total Diversion: (3.200 CFS)

NENE NWNE SWNE SENE

63-11729

CITY OF NAMPA
411 THIRD ST S
NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: NENWSE Sec 13 T 03N R 02W in CANYON County.

Use: MUNICIPAL (2.680 CFS)
Total Diversion: (2.680 CFS)

Date Filed: 3/ 6/1992

Place of use within city limits of Nampa.

RECEIVED
MAY 20 1992