




T4N
R5W
5.25
36

plu

pld

31

63- 11717

AUG 08 1994

Miyasako Farms = partners
Dan, Randy, Kevin
Miyasako
Drilling Permit 63-92-W-281

-No govt lots
-some distortion due
to map splicing



Q1. ADRIANGLE LOCATION

WILDER, IDAHO
N4337.5-W11652.5/7.5
1981

Produ
Ortho
photog
Project
coordin
(Transv
1000-meter Universal Transverse Mercator grid, zone 11
1927 North American Datum
To place on the predicted North American Datum 1983 move
the projection lines 16 meters north and 78 meters east
as shown by dashed corner ticks
Photomagey rectified by optical scanning
Where double or mismatched image occur use the
mean of image position for map point

[illegible][illegible]

-  Point of Diversion
 Place of Use
 SECTION LINES
 1/4 1/4 LINES
- MICROFILMED
 OCT 02 2002

● 63-11717 ●
PLACE OF USE
BY DAN NELSON
2000 AERIAL PHOTO



0.2 0 0.2 0.4 Miles

89 TOTAL ACRES

- Point of Diversion
 - Place of Use
 - SECTION LINES MICROFILMED
 - 1/4 1/4 LINES
- OCT 02 2002




63-11717
SYSTEM DIAGRAM □
BY DAN NELSON
2000 AERIAL PHOTO




0.2 0 0.2 0.4 Miles

- Main Distribution Box
- ↘ Ditches
- Point of Diversion
- ▨ Place of Use
- Section Lines
- 1/4 1/4 Lines



MICROFILMED
OCT 02 2002

SYSTEM DIAGRAM




MICROFILMED
OCT 02 2002

Design Point 1100 gpm / 24.5 cfs

Horsepower for 2 Stages

MICROFILMED
2002 JUL 2



Efficiency as Follows	Number of Pumps	For 24.5 cfs
LOWER	1	2
	2	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY

HYDRAULIC PERFORMANCE WARRANTY			
1	2624331	8 7/8"	40385
2	2624331	8 11/16"	35492
3	2624331	8 3/16"	
4	2624331	7 11/16"	

Customer	T & F Farms Inc.		
Item	Bowl's in Well 63-92-W-281		
Peerless Ref. No.	Laboratory Performance		
SIZE	12 MB	RPM	1760
CURVE	2842487		

PUMP DESCRIPTION: Driver _____ Head _____ ft. Column _____
BOWL _____ PERFORMANCE: Capacity _____ gpm; Head _____ ft. Eff _____ % BHP _____
GUARANTEED FIELD _____





PHOTOGRAPHER AND DATE OF PHOTOS Daniel A. Nelson 10-21-1999

FILE NO. 63-11717



MICROFILMED

OCT 9 2 2002





PHOTOGRAPHER AND DATE OF PHOTOS Daniel H. Nelson 10-21-1999

FILE NO. 63-11717



Earth
ditch
to North
West Field

Cement
ditch
to North
East Fields



MICROFILMED

001




PHOTOGRAPHER AND DATE OF PHOTOS

Daniel A. Nelson

10-21-1999

FILE NO. AND LEGAL DESCR.

63-11717



MICROFILMED


OCT 2 2002



DISTRIBUTION
BOX. CANAL
WATER ENTER
HERE AND ARE
DISTRIBUTED

System Diagram
Land is irrigated by
Furrow irrigation

MICROFILMED
OCT 02 2002




SW SE
Sec 25
36 AC

SE SE
Sec 25
23 AC


NE NW
Sec. 36
30 AC.

TOTAL IRRIGATED ACRES
EQUALS 89 ACRES
MICROFILMED
OCT 02 2002

SEE E-9A



UPPER PHEASANT RIDGE ROAD



MICROFILMED
OCT 02 2002



State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-11717

Priority: March 16, 1992

Maximum Diversion Rate: 1.78 CFS

It is hereby certified that MIYASAKO FARMS
PO BOX 1060
HOMEDALE ID 83628-1060 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated March 16, 1992; and have
submitted Proof of Beneficial Use on January 31, 1996. An examination indicates that the works have a
diversion capacity of 2.14 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

BENEFICIAL USE

IRRIGATION

PERIOD OF USE

03/01 to 11/15

DIVERSION RATE

1.78 CFS

LOCATION OF POINT OF DIVERSION:

GROUND WATER NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 36, Twp 04N, Rge 05W, B.M., CANYON County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N 05W 25															36.0	23.0	59.0
04N 05W 36							30.0										30.0

Total Acres: 89

CONDITIONS OF APPROVAL

1. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor exceed a combined annual maximum diversion volume of 401.0 af at the field headgate for the lands above.
2. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with ground water diverted under this right and shall only divert ground water under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
3. If the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use, this right to divert groundwater shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.

MICROFILMED

OCT 07 2002

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-11717

4. This right when combined with all other rights shall provide no more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
5. The issuance of this right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 23rd day of September, 2002.

Acting for

KARL J. DREHER
Director

MICROFILMED
OCT 02 2002

RECEIVED

JAN 31 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11717 Telephone No. (208) 337-3003
2. Name(s) of Permit Holder(s): Miyasako Farms
3. Mailing Address: P.O. Box 1060 Homedale ID 83628
4. Source of Water: Ground Water If GROUNDWATER (well), Date Drilled: mo. 07 / yr. 1992
- a. Well Driller: Riverside Drilling Drilling Permit Number: 63-92-W-281
- b. **OPTIONAL:**
Pump Horsepower: 100 hp Pressure (psi): _____ Dynamic pumping level (ft): 254
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 111 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 2.22 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete.)
WE HAVE A DITCH WITH AUB. METER
- | | | | | |
|------------------------|--|-----------|----|-------------|
| Measuring Device: | Is a measuring device required? | Yes _____ | or | No <u>X</u> |
| | Has the measuring device been installed? | Yes _____ | or | No <u>X</u> |
| Flow Measurement Port: | Is a flow measurement port required? | Yes _____ | or | No <u>X</u> |
| | Has the measurement port been installed? | Yes _____ | or | No <u>X</u> |
8. Fee Enclosed: \$ 150.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Kevin, Randy, Dan Miyasako Telephone Number: (208) 337-3287
3344
Address: P.O. Box 1060 Homedale ID 83628
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Don Miyasako (Partner)

(include your title, if on behalf of company or organization)

Date: 2/29/96

FEB 23 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 63-11717

Proposed Priority: March 16, 1992

Maximum Diversion Rate:

2.22 CFS

This is to certify, that **MIYASAKO FARMS**

PO BOX 1060

HOMEDALE ID 83628-1060

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	2.22 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 36, Township 04N, Range 05W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	05W	25	SWSE 40.0	SESE 40.0		80.0
		36	NENW 31.0			31.0

Total number of acres irrigated: 111.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1996.
2. Subject to all prior water rights.
3. Prior to diversion of water under this right, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to use power records to determine the amount of water diverted from each point of diversion listed under this right.
4. The right holder shall measure and annually report diversions of water and other pertinent hydrologic and system information as required by Section 42-701(5), Idaho Code.
5. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
7. This approval does not authorize the construction of any new well or the deepening or enlargement of any existing well.
8. Failure to comply with any condition of approval is cause for the Director to cancel this right.
9. The issuance of this right does not grant any right-of-way or easement across the land of another.

JAN 24 1996

State of Idaho
Department of Water Resources

Permit To Appropriate Water


NO. 63-11717

CONDITIONS OF APPROVAL AND REMARKS

10. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased, or used on any other place of use.
11. This permit does not authorize the development and irrigation of land not previously irrigated under prior temporary approval of this application.
12. Water bearing zone to be appropriated is 265 to 510 feet.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

16th day of January, 1996.



for
Karl J. Dreher, Director

RECEIVED
JAN 24 1996

RECEIVED

JUN 31 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name: MIYASAKO FARMS 208-337-3003
Address: PO BOX 1060
HOMEDALE ID 83628

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NENW Sec. 36, Township 04N, Range 05W
CANYON County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	2.200		

5. Total quantity to be appropriated is:
2.200 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP, GRAVITY IRRIGATION
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 12 inches; proposed depth of well is 400
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 years.

8. Description of proposed uses:
SUPPLEMENTAL IRRIGATION

9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
04N	05W	25	SWSE 40	SESE 40		80
		36	NENW 31			31

MAILED

AUG 08 1994

Total number of acres irrigated: 111

10. Describe any other water rights used for the same purposes.
WILDER IRRIGATION DISTRICT

* Applicant specified 2.22 cfs (e 1" per acre) during office visit. Database

corrected 3/16/92. Not an increase; is a clarification -JL

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT & JOE ITANO
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
CASH RENTAL OF LAND

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Don Mjorals
Applicant

Received by JE Date 3/16/92 Time 10:48 Preliminary check by CY4
Fee \$ 85⁰⁰ Receipted by JE # W014312 Date 3/16/92
Publication prepared by ST GG Date 6-14-95 Published in Press-Tribune
4/1 & 4/8/92
Publication approved ST Date 4-20-92
ST 7-13-95

RECEIVED

AUG 08 1994

Date: 06/12/95
Time: 08:49:51

FIRST PAGE


13. Remarks: Water bearing zone to be appropriated is 265 to 510 feet. _____

(GOLD2=Update) (GOLD4=Prev Screen) (GOLD6=End of Data) (Enter=Exit)
(GOLD3=Add Std Rmk) (GOLD5=Next Screen) (GOLD8=Cancel)

RECEIVED
JUL 31 1995

Department of Water Resources

9



63-11717

AUG 08 1994

-No quit lots

-some distortion due to map spreading

Produ

Ortho

photog

Project

coordin

(Transv

1000-meter

Universal Transverse Mercator grid, zone 11

1927 North American Datum

To place on the predicted North American Datum 1983 move

the projection lines 16 meters north and 78 meters east

as shown by dashed corner ticks

Photomagey rectified by optical scanning

Where double or mismatched image occur use the


mean of image position for map

MIYASAKO FARMS = partners

DAN, RANDY, KEVIN

Miyasaku

Drilling Permit 63-92-W-281



QUADRANGLE LOCATION

WILDER, IDAHO

N4337.5 - W11652.5/7.5

1981

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11698

PAULSEN FARMS
22009 TRAVIS RD
WILDER, ID 83676
Source: GROUNDWATER
Diversión Pt: SWSESW
Use: IRRIGATION

Sec 10 T 04N R 05W in CANYON County.
(2.700 CFS)
Total Diversión: (2.700 CFS)

Date Filed: 3/ 6/1992
In: CANYON County
T04N R05W S10
S11
135.0 ACRES TOTAL

NWSE NESW SWSE SESW SESE

63-11710

MATSUMOTO BROS INC
PO BOX 112
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversión Pt: LOT 3 (NWSW)
Use: IRRIGATION

Sec 19 T 04N R 02W in CANYON County.
(2.000 CFS)
Total Diversión: (2.000 CFS)

Date Filed: 3/12/1992
In: CANYON County
T04N R02W S19
R03W S24
170.0 ACRES TOTAL

NENE SWNE NESW Lot 3 (NWSW) SENE NENW

63-11711

HILLWATER RANCH
28569 DIXIE RD
PARMA, ID 83660
Source: GROUNDWATER
Diversión Pt: LOT 3 (NENW)
Use: IRRIGATION

Sec 5 T 04N R 05W in CANYON County.
(3.180 CFS)
Total Diversión: (3.180 CFS)

Date Filed: 3/12/1992
In: CANYON County
T04N R05W S05
T05N R05W S32
159.0 ACRES TOTAL

Lot 3 (NENW) Lot 4 (NWNW) SWNW SENW SESW

63-11714

ERDLEY, FLORENCE
15317 FLORIDA AVE
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt: NESW
Use: IRRIGATION

Sec 14 T 03N R 03W in CANYON County.
(.800 CFS)
Total Diversión: (.800 CFS)

Date Filed: 3/13/1992
In: CANYON County
T03N R03W S14
40.0 ACRES TOTAL

NESW

63-11717

MIYASAKO FARMS
PO BOX 1060
HOMEDALE, ID 83628
Source: GROUNDWATER
Diversión Pt: NENW
Use: IRRIGATION

Sec 36 T 04N R 05W in CANYON County.
(2.220 CFS)
Total Diversión: (2.220 CFS)

Date Filed: 3/16/1992
In: CANYON County
T04N R05W S25
S36
111.0 ACRES TOTAL

SWSE SESE NENW

63-11718

NAITO FARMS INC
9998 HWY 45
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt: NENE
Use: IRRIGATION

Sec 13 T 03N R 03W in CANYON County.
(.720 CFS)
Total Diversión: (.720 CFS)

Date Filed: 3/17/1992
In: CANYON County
T03N R03W S13
36.0 ACRES TOTAL

NENE

63-11719

NAITO FARMS INC
9998 HWY 45
NAMPA, ID 83686

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

APR 13 1992

Department of Water Resources
Western Regional Office

Sharla O'Krakel

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times

—in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 1, 8, 1992

Sharla O'Krakel

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 8th day of April in the year of 1992, before me, a Notary Public, personally appeared Sharla O'Krakel, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

Notary Public for Idaho
Residing at Nampa

AUG 08 1994

MY COMMISSION EXPIRES
JUNE 21st, 1997

Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/17/1992
In: CANYON County
T03N R04W S07
S08
227.0 ACRES TOTAL

KOCH, JAIME B
KOCH, GENEVIEVE
4702 LINCOLN RD
CALDWELL, ID 83605
Source: MASON CREEK
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/18/1992
In: CANYON County
T04N R03W S24
3.5 ACRES TOTAL

GREEN ACRES FARMS
14501 LOCUST LN
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/19/1992
In: CANYON County
T03N R04W S36
120.0 ACRES TOTAL

PERKINS, FRANCES
PERKINS, GALEN E.
14501 LOCUST LN
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:

Use: IRRIGATION

Date Filed: 3/19/1992
In: CANYON County
T02N R03W S10
67.0 ACRES TOTAL

KRAMER, KELLY
KRAMER, VICKY
1288C SOUTH SIDE BLVD
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt:

Use: IRRIGATION

Date Filed: 3/19/1992
In: CANYON County
T01N R02W S25
80.0 ACRES TOTAL

KRAMER, VERNON
KRAMER, KELLY
7663 BASE LINE RD
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/19/1992
In: CANYON County
T01S R02W S02
80.0 ACRES TOTAL

STANLEY, WELTON
17447 CAN-ADA RD
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/20/1992
In: CANYON County
T03N R02W S01

SWNE Sec 7 T 03N R 04W In CANYON County.
(4.540 CFS)
Total Diversion: (4.540 CFS)

SWNE NWSE SWSE SESE
NWSW SWSW

NWNE Sec 24 T 04N R 03W In CANYON County.
(.110 CFS)
Tributary: BOISE RIVER
Total Diversion: (.110 CFS)

NENW Sec 36 T 03N R 04W In CANYON County.
(2.400 CFS)
Total Diversion: (2.400 CFS)

SWNE NENW SENW

NWNE Sec 10 T 02N R 03W In CANYON County.
NENW Sec 10 T 02N R 03W In CANYON County.
(1.340 CFS)
Total Diversion: (1.340 CFS)

NESW Sec 25 T 01N R 02W In CANYON County.
NWSW Sec 25 T 01N R 02W In CANYON County.
(1.600 CFS)
Total Diversion: (1.600 CFS)

NESW NWSW

LOT 3 (NENW) Sec 2 T 01S R 02W In CANYON County.
(1.600 CFS)
Total Diversion: (1.600 CFS)

Lot 3 (NENW) SENW

SESENE Sec 1 T 03N R 02W In CANYON County.
(1.920 CFS)
Total Diversion: (1.920 CFS)

SWNE SENE SENW NESE
NWSE

63-11729

CITY OF NAMPA
411 THIRD ST S
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: MUNICIPAL

Date Filed: 3/ 6/1992
Place of use within city limits of Nampa.

LAWRENCE, PAUL E
3845 S POWERLINE RD
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/17/1992
In: CANYON County
T01N R02W S15
80.0 ACRES TOTAL

CHRISTENSEN, MICHAEL
8725 BIGFOOT
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/11/1992
In: CANYON County
T01N R02W S15
80.0 ACRES TOTAL

WESTCOTT, EDWARD
202 W ELM
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
DOMESTIC

Date Filed: 3/19/1992
In: CANYON County
T04N R04W S27
30.0 ACRES TOTAL

TERADA, NOBU
111753 LONE STAR RD
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/ 4/1992
In: CANYON County
T03N R02W S30
40.0 ACRES TOTAL

BLATTNER, W R
2730 S LINDER
MERIDIAN, ID 83642
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/17/1992
In: CANYON County
T02N R01W S31
160.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protest must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 20, 1992.
R. KEITH HIGGINSON, Director
April 1, 8, 1992

AUG 08 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

September 24, 2002

MIYASAKO FARMS
PO BOX 1060
HOMEDALE ID 83628-1060

RE: License No. 63-11717 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

OCT 02 2002


CERTIFICATE OF SERVICE

I hereby certify that on September 24 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

63-11717

**MIYASAKO FARMS
PO BOX 1060
HOMEDALE ID 83628-1060**



**Kari Lynn Townsend
Secretary**

MICROFILMED

OCT 02 2002

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

OCT 02 2002

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

OCT 02 2002

LICENSE REVIEW CHECKLIST

Permit No. 63-11717 Date: 9-18-02 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s): Wilder Swig Dist.
File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 2.32 cfs

Fee Limit 3.0 cfs

driller Measured 2.24 cfs

Theoretical 2.14 cfs

Recommended Total Diversion Rate 1.78

Water Uses OK

Change (P46)

Season of Use per new Standards

3/1 11/15

Irrigation 1.78 cfs X af

Stockwater _____ cfs _____ af

Domestic _____ cfs _____ af

_____ cfs _____ af

_____ cfs _____ af

Total 1.78 cfs X af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (106/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

3 placed

Volume Determination

1.78 cfs x 1.9835 x 260 days = 917.96 af (vs) 89 acres x 4.5 (FHR) = 400.5 af ~401.
~918. 3.5 (con)

Remarks: _____

Additional Conditions

_____ Watermaster Control
_____ GW Measurement/Measuring Device
_____ Other
Trust R55 - remove 051)
Non-trust (048)

GW Dist? _____
Water Msmt. Dist? _____
Crit. GWMA? _____
GWMA? _____
Government Lots? _____

Advance Priority? yes

no

If yes, explain why below.

SRBA Claim? NO

Adjust memo _____

Amend Letters _____

P87, S06

Second Amendment Notice _____

S06

AUG 30 2002

Permit No: 63-11717

Department of Water Resources
Page 1

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 63-11717

Exam Date: 10/19/1999

1. **Current Owner:** MIYASAKO FARMS
PO BOX 1060
HOMEDALE ID 83628-1060
(208)337-3003

2. **Accompanied by:** DANIEL MIYASAKO

Phone No: SAME AS ABOVE

Address: SAME AS ABOVE

Relationship to Permit Holder: PARTNER

3. **SOURCE**

TRIBUTARY

GROUND WATER

B. OVERLAP REVIEW

1. **Other water rights with the same place of use:** WILDER IRRIGATION DISTRICT
2. **Other water rights with the same point of diversion:** NONE

C. DIVERSION AND DELIVERY SYSTEM

1. **LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER

NE1/4NW1/4

Sec. 36, Twp 04N, Rge 05W, B.M.

CANYON County

Method of Determination: VISUAL INSPECTION AND USE OF 2000 AERIAL PHOTOGRAPHY

2.

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N 05W 25															36.0	23.0	59.0
04N 05W 36							30.0										30.0

Total Acres: 89

Method of Determination: SAME AS POINT OF DIVERSION

3. **YES** Delivery System Diagram Attached (required). Indicate all major components and distances between components. Indicate weir size/pipe as applicable.

YES Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.

YES Aerial Photo Attached (required for irrigation of 10+ acres).

YES Photo of Diversion and System Attached

MICROFILMED

OCT 02 2002

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
POINT OF DIVERSION	US MOTORS HOLLOWSHAFT	100 Hp	1392434	WORTHINGTON	10 INCH DISCHARGE

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. **Measurements:**

The well was not turned on during my field exam, and it would be cost prohibitive to request that the pump be turned on due to demand charges. Therefore, I performed a theoretical calculation on the well to determine the flow rate and compared it to the pump curve and well logs.

E. FLOW CALCULATIONSYES Additional Computation Sheets Attached

Measured Method:

Permit → 2.22 cfs
 Pump Curve → 2.45 cfs
 Theoretical calculation → 2.14 cfs
 89 acres X 0.02 cfs/acre → 1.78 cfs

PLEASE NOTE: This permit is limited by the rate per acre for the 89 acres irrigated. Therefore, I recommend that this permit be licensed for 1.78 cfs.

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 89 \text{ acres} \times 4.5 \text{ afa} = 400.5 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days In Irrigation season}) \times 1.9835 = 1.78 \text{ cfs} \times 260 \text{ days} \times 1.9835 = 918 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 400.5 \text{ afa}$$

2. Volume Calculations for Other Uses:

MICROFILMED

OCT 02 2002

G. NARRATIVE/REMARKS/COMMENTS

The water for this permit is diverted by a 100 Hp pump from a well located in the NENW S36 T4N R5W. The water from the pump is run through a 10-inch mainline due east of the well approximately 20 ft. At this point the mainline "T"s and distributed in different directions.

The first direction that the water can go is due north under Upper Pheasant Ridge road to a diversion box on the other side of the road. At the diversion box the water can be transported through a ditch traveling due north to irrigate the west field in the SWSE S25. The water can also travel due east to a ditch midway through the ¼ ¼ that travels north to irrigate the east field in the SWSE S25, or the water can continue on east to another northbound ditch that irrigated the west field in the SESE S25. The east field in the SESE S25 is irrigated from the eastbound ditch before it discharges into the drain ditch.

The second direction that the water can go is through a portable mainline that travels due south to the ditch on the south end of the field in the NENW S36. This field is irrigated from the ditch.

Overlapping water rights:

The only overlapping water rights for this permit are the Wilder Irrigation District rights (WID). The WID rights are the main source of water supply for this property. This permit is supplemental to the WID rights, so overlapping rights should not be a problem.

Recommendations:

I recommend that this permit be licensed for 1.78 cfs and 400.5 afa for 89 acres. The license should be conditioned that when combined with WID water that this license cannot supply more than 0.02 cfs per acre and 4.5 afa per acre. The full allocation of surface water should be used before the WID water is diverted.

Have conditions of permit approval been met? ☒ Yes ☐ No

The well is an open discharge system and measurement and reporting can be done using power records.

H. RECOMMENDATIONS**1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.780 CFS	400.50 AF
<u>Totals:</u>		1.780 CFS	400.50 AF

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

DANIEL A. NELSON – SENIOR AGENT

Field Examiner's Name Daniel A. Nelson Date 7-19-02

Reviewer _____ Date _____ SEAL

MICROFILMED


OCT 02 2002

63-11717

PLACE OF USE


BY DAN NELSON

2000 AERIAL PHOTO




0.8 0 0.8 1.6 Miles

- Point of Diversion
 - ▨ Place of Use
 - ▭ SECTION LINES
 - ▭ 1/4 1/4 LINES
- MICROFILMED
OCT 9 2 2002




● 63-11717 ●
PLACE OF USE
BY DAN NELSON
2000 AERIAL PHOTO



0.2 0 0.2 0.4 Miles


89 TOTAL ACRES

- Point of Diversion
- ▨ Place of Use
- ▭ SECTION LINES MICROFILMED
1/4 1/4 LINES



11/12/2002

63-11717
SYSTEM DIAGRAM □
BY DAN NELSON
2000 AERIAL PHOTO




0.2 0 0.2 0.4 Miles

A horizontal scale bar with alternating black and white segments. The segments are labeled with the numbers 0.2, 0, 0.2, and 0.4, followed by the word 'Miles'.


- Main Distrtution Box
- ↘ Ditches
- Point of Diversion
- ▨ Place of Use
- Section Lines
- 1/4 1/4 Lines

MICROFILMED

OCT 3 2 2002



SYSTEM DIAGRAM



UPPER PHEASANT RIDGE ROAD

The water from the well is diverted into a buried mainline that travels under ground to the east. The mainline "T"s with one leg traveling north under Upper Pheasant Ridge Road to a distribution box. From the distribution box the water is sent north through an earthen ditch or east through a cement ditch to irrigate the lands in S25. The other leg of the "T" travels due south through a partial buried mainline that connects to a portable mainline that discharges into an earthen ditch that irrigates the field in S36.

MICROFILMED

SEP 2 2002

GROUNDWATER THEORETICAL ANNALYSIS

FILE: 63-11717

DATE: 3-29-02

BY: Dan Nelson

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8 \times (HP) \times (EFF.))}{TDH}$

Q = CFS

HP = Total Brake Horsepower of pumping plant (including booster)

Eff. = Pumping plant efficiency (assume 70% or 0.70)

TDH = Total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = Depth to water in FEET from land surface to puijping water level

PSI = Pumping pressure measured in PSI near pump (if open discharge assume [0])

$$Q = \frac{(8.8) \times (\underline{100 \text{ HP}}) \times (0.70) = 616}{[(\underline{265}) + (\underline{10} \times 2.31)] 288.1} = \frac{2.14 \text{ CFS}}{960 \text{ gpm}}$$

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
Measurement ()	Measurement ()	Motor Make, Serial or ID
Owner ()	Owner ()	
Area estimate ()	Estimate (X)	Pump Make, Serial or ID, rating
Well Logs (X)	Owner Gage ()	
Booster (Y) (N)		


REMARKS: During The pump test The Draw down
OF The well was 265 FT @ 1005 gpm.
This well pumps approx 1100 gpm. I use
The pumping level of 265 FT because
The calculations were very close
TO Data From The well log and The Pump
curve supplied By The applicant.
The pressure was estimated at 10 psi since
The pump open discharges INTO a cement
Ditch. all OF This information seems
TO FIT very well with amount OF Dispersion
Rate that is allowable For This permit

MICROFILMED

SEP 3 2 2002

Horsepower for _____ Stages

Design Point 1100 gpm / 2.45 cfs



Total Head in Feet for _____ Stages

PUMP DESCRIPTION: Driver _____ Head _____ Column _____
 BOWL ☐ PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 GUARANTEED FIELD ☐



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-92-W-281 OTHER APPLICABLE NO: 63-11717
2. OWNER: Miyasako Farms Phone: (208) 337-3003
Address: P.O. Box 1060, Homedale, ID 83628-1060
3. WELL LOCATION: Twp 4N, Rge. 5W, Sec. 36, NE 1/4 NW 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Riverside Drilling Lic. No. 333
When Drilled? 10-2-1992
5. WELL CONSTRUCTION:
Casing Diameter 16 inches Water tight cap? ☐ Yes ☒ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe TURBINE PUMP
Depth of Casing UNKNOWN ft. Method Drilled UNKNOWN
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving GOOD
Auger to a depth of NONE ft. Evidence of Annular Seal ☐ Yes ☒ No CEMENT Pad.
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water UNKNOWN ft. Water Temperature UNKNOWN °F
Flowing Artesian ☐ Yes ☒ No Pressure: UNKNOWN (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: MICROFILMED

OCT 12 2002

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This well looks to be in
very good condition and well maintained

David A. Nelson - Senior Water Right Agent
Signature of Dept. Representative & Title

10-21-1999
Inspection Date


PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

Please see Field Exam.



PHOTOGRAPHER AND DATE OF PHOTOS Daniel H. Nelson 10-21-1999

FILE NO. 63-11717



✓
Earth
DITCH
TO NORTH
WEST Field

←
CEMENT
DITCH
TO NORTH
EAST Fields



NORTH Fields

21 10 99

MICROFILMED




PHOTOGRAPHER AND DATE OF PHOTOS

David A. Nelson

10-21-1989

FILE NO. AND LEGAL DESCR.

63-11717



MICROFILMED

017 0 2 2002

FIELD NOTES

PERMIT NUMBER 63-11717

PLEASE NOTE: These documents are for backup purposes only and are not apart of actual Beneficial Use Field Report.

MICROFILMED

OCT 12 2002

~~JOKES~~

WORTHINGTON Pump NO NUMBERS

Hollow shaft US MOTORS

100hp

1800 RPM

440 VOLT 5

122.5 AMPS

5F 1.0

Serial # 1392434

POWER METER

POLE # 225

NO MULTIPLIER

GE METER


43.2 Kh

METER # 9011763 (SN 10872397)

2771480647

MICROFILMED


OCT 02 2002





DISTRIBUTION
BOX - Canal
WATER (100%)
ENTER AREA
AND AREAS
DISTRIBUTION

System Diagram
and is irrigated by
NARROW irrigation

NOV 10 2002





MICROFILMED
OCT 9 2 2002





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 20, 1996

MIYASAKO FARMS
PO BOX 1060
HOMEDALE ID 83628-1060

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 63-11717

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that one of the conditions of your water right permit requires that the permit holder install a measuring device or enter into an agreement with the department to use power records to determine the amount of water diverted from this right (refer to condition #3 of your permit.) If you have any questions regarding the installation of the measuring device or your options, please contact Scott King or Gary Spackman at (208)327-7900.

If you have questions concerning the field examination, please feel free to contact the WESTERN Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

FEB 23 1996

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-11717 Reviewed by Jay Date 2-14-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? Inc.
yes Address same as permit? _____
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

_____ Surface water source
☒ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 63-92-W-0281-000
200 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
150 Amount Submitted
yes Correct?
yes Required?
no Installed?
_____ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	- / +	_____
Date proof due	_____		_____
No. of days late	_____		_____
Priority Date	_____		_____
New Priority Date	_____		_____

DEFICIENCIES OR ACTION ITEMS

advise of Md Requirement
Proof acceptable

DATA ENTRY

New Address _____ Proof Made 1-31-96



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 23, 1996

MIYASAKO FARMS
PO BOX 1060
HOMEDALE ID 83628-1060

RE: Water Right No. 63-11717

Dear Water Right Holder(s):

Early in 1996, the department issued the above referenced permit to you authorizing the diversion of water from a well(s) to be used to supplement the irrigation of land which is primarily irrigated with surface water shares. Most of these permit applications were originally filed in 1992 and are sometimes referred to as "1992 drought permits".


The purpose of this letter is to specifically call to your attention some of the conditions of approval dealing with use of water under your permit(s). Please note the following:

- You are required to measure and annually report to the department the amount of water you have diverted from your well. This includes the amount of water diverted during the 1996 irrigation season.
- You are required to use all of the surface water to which you are entitled each season in connection with use of water under your permit.
- If you sell, transfer, lease or use your surface water rights on any other place of use, the permit issued to you to divert supplemental groundwater is not valid.

The department plans to field inspect use of water under the drought permits to determine compliance with the conditions listed on the permits.

If you have questions, please feel free to contact the department.

Sincerely,


L. GLEN SAXTON
Chief, Water Allocation Bureau

AUG 21 1996

cc: IDWR - W. Region



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 17, 1996

MIYASAKO FARMS
PO BOX 1060
HOMEDALE ID 83628-1060

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11717

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Please note that one of the conditions of approval on your permit requires that you install a measuring device or sign an agreement with the department to determine your diversion using power records prior to diverting water. You may choose to install a measuring device, or you may ask the department to review your system to determine whether your diversion can be estimated with power records. Another condition of approval requires that you measure your diversion and record other important hydrologic and physical features and report them annually to the department. The department will shortly send you further information about measuring devices, flow estimation using power records, and annual reporting forms. If you have questions about these requirements, please call the department at (208) 327-7900 and ask for someone in the Water Distribution Section.

RECEIVED
JAN 24 1996

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures.

File 44-1114-1
JUL 24 1956

BASIN 63 MORATORIUM APPLICATION
STATE OFFICE REVIEW

by Cindy Zimmerman
Date: 1/16/92

No.: 63-11717

Name: Miyasaka Farms

Ad OK? ✓ /Gvmt Lts: ✓

Correct Fee? ✓ Receipt #: W014312 Priority: 3/16/92

PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED: - Yes (P16) No (if no put in order on hold)

GROUNDWATER SOURCE:

+ 5 acres <POU>
=/- 5 acres <POU>

- 066-(P55) 067, 065, 03A
- 066-P55, 067, 065, 057

DRILLING PERMIT

Number
Existing well

- P/D same Yes/No (if no show Shelley)
- 068 _____, drilled _____
- 068

LOCATION:

Boise Front LoGeo
Swan Falls Flag
Trust

- 058 (-85° GW temp only)
- B <SEE CODE CHART>
- 051-052-053-P74 (Consumptive Uses), NA

OWNERSHIP: Non-land owner - 004 (PD/PU) appt Joe Itano / rental

CONDITION CODES: - 069, _____

PARAGRAPH CODES: - _____

STANDARD REMARKS: - 1) WB8, 2) W06, 3) Water Zone 265'-510',

BENEFICIAL USE DUE: - 5-1-1996

COMMENTS: - Partners: Dan, Randy, Kevin Miyasaka

RE-ADVERTISING FOR SUPPLEMENTAL
IRRIGATION RIGHT (MORATORIUM BACKLOG)

APPLICATION NO. 63.11717

RECEIVED
JUL 31 1995

Department of Water Resources

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☐ ☒ Publication dates and paper recorded on application:
☐ ☒ Protests received. Final date for protest 7-16-95
☐ ☒ Protest dates, resolution of protest recorded on application:
☐ ☒ Recommendations attached:
☐ ☒ Measuring device required:
☐ ☒ Measuring port required:
☐ ☒ Water delivered by water master? District # _____
☐ ☒ Special conditions of approval or cover letter: _____

☐ ☒ See below for additional information.

Recommended Date or Priority 3/16/1992

Recommended by: DW Date 7/28/95

STATE OFFICE REVIEW _____

☐ See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

LEGAL NOTICES

LEGAL NOTICES

LEGAL NOTICES

LEGAL NOTICES

T04N R02W S27 SWSW
S28 SESE
S34 NWNW SWNW
146.0 ACRES TOTAL
Water bearing zone to be appropriated is 280 to 300 feet.
63-11665
WOODARD, STEPHEN E
18139 DEAN LN
NAMPA, ID 83687
Source: GROUNDWATER
Diversión Pt: SENW Sec 26 T 04N R 02W in CANYON County.
Use: IRRIGATION { 0.800 CFS }
Total Diversion { 0.800 CFS }
Date Filed: 2/19/1992
In: CANYON County
T04N R02W S28 SENW
40.0 ACRES TOTAL
Water bearing zone to be appropriated is 105 to 145 and 180 to 200 feet.
63-11668

NOE, LLOYD
NOE, JOAN
6601 DICKMAN RD
MELBA, ID 83641
Source: GROUNDWATER
Diversión Pt: SESE Sec 24 T 01N R 02W in CANYON County.
Use: IRRIGATION { 2.400 CFS }
Total Diversion { 2.400 CFS }
Date Filed: 2/13/1992
In: CANYON County
T01N R02W S24 SESE
S25 NENE NWNE
120.0 ACRES TOTAL
Water bearing zone to be appropriated is 160 to 250 feet.
63-11669

CHASE, CARL F
12317 LONE STAR RD
NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt: SESE Sec 18 T 03N R 02W in CANYON County.
Use: IRRIGATION { 2.840 CFS }
Total Diversion { 2.840 CFS }
Date Filed: 2/18/1992
In: CANYON County
T03N R02W S18 NESW Lot 3(NWSW) SESE NESE
SWSE
142.0 ACRES TOTAL
Water bearing zone to be appropriated is 18 to 80 feet.
63-11670

WISSEL, CLINTON
WISSEL, JUDITH
15451 MIDWAY RD
NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt: LOT 4 (SWSW) Sec 18 T 03N R 02W in CANYON County.
Use: IRRIGATION { 3.600 CFS }
Total Diversion { 3.600 CFS }
Date Filed: 2/25/1992
In: CANYON County
T03N R02W S18 Lot 3(NWSW) Lot 4(SWSW)
R03W S13 SWNE SENE NESE NWSE
180.0 ACRES TOTAL
Water bearing zone to be appropriated is 100 to 300 feet.
63-11677

SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt: NWNE Sec 22 T 03N R 04W in CANYON County.
Use: IRRIGATION { 1.280 CFS }
Total Diversion { 1.280 CFS }
Date Filed: 2/10/1992
In: CANYON County
T03N R04W S22 NWNE SWNE NENW
64.0 ACRES TOTAL
Water bearing zone to be appropriated is 150 to 600 feet.
63-11678

SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt: NWSW Sec 14 T 03N R 04W in CANYON County.
Use: IRRIGATION { 2.000 CFS }
Total Diversion { 2.000 CFS }
Date Filed: 2/10/1992
In: CANYON County
T03N R04W S14 SWNW NWSW SWSW
100.0 ACRES TOTAL
Water bearing zone to be appropriated is 335 to 700 feet.
63-11679

SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt: NWNW Sec 26 T 03N R 04W in CANYON County.
Use: IRRIGATION { 2.000 CFS }

NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt: SWSE Sec 20 T 02N R 01W in CANYON County.
Use: IRRIGATION { 1.600 CFS }
Total Diversion { 1.600 CFS }
Date Filed: 3/2/1992
In: CANYON County
T02N R01W S20 NWSE SWSE
80.0 ACRES TOTAL
Water bearing zone to be appropriated is 75 to 125 feet.
63-11711

HILLWATER RANCH
28569 DIXIE RD
PARMA, ID 83660
Source: GROUNDWATER
Diversión Pt: LOT 3 (NENW) Sec 5 T 04N R 05W in CANYON County.
Use: IRRIGATION { 3.180 CFS }
Total Diversion { 3.180 CFS }
Date Filed: 3/12/1992
In: CANYON County
T04N R05W S05 Lot 3(NENW) Lot 4(NWNW) SWNW SENW
T05N R05W S32 SESW
159.0 ACRES TOTAL
Water bearing zone to be appropriated is 78 to 168 feet.
63-11714

ERDLEY, FLORENCE
15317 FLORIDA AVE
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt: NESW Sec 14 T 03N R 03W in CANYON County.
Use: IRRIGATION { 0.800 CFS }
Total Diversion { 0.800 CFS }
Date Filed: 3/13/1992
In: CANYON County
T03N R03W S14 NESW
40.0 ACRES TOTAL
Water bearing zone to be appropriated is 80 to 120 feet.
63-11717

MIYASAKO FARMS
PO BOX 1080
HOMEDALE, ID 83628
Source: GROUNDWATER
Diversión Pt: NENW Sec 38 T 04N R 05W in CANYON County.
Use: IRRIGATION { 2.220 CFS }
Total Diversion { 2.220 CFS }
Date Filed: 3/16/1992
In: CANYON County
T04N R05W S25 SWSE SESE
S36 NENW
111.0 ACRES TOTAL
Water bearing zone to be appropriated is 265 to 510 feet.
63-11721

GREEN ACRES FARMS
14501 LOCUST LN
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt: NENW Sec 36 T 03N R 04W in CANYON County.
Use: IRRIGATION { 2.400 CFS }
Total Diversion { 2.400 CFS }
Date Filed: 3/19/1992
In: CANYON County
T03N R04W S36 SWNE NENW SENW
120.0 ACRES TOTAL
Water bearing zone to be appropriated is 350 to 450 feet.
63-11722

PERKINS, FRANCES
PERKINS, GALEN E.
14501 LOCUST LN
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt: NWNE Sec 10 T 02N R 03W in CANYON County.
NENW Sec 10 T 02N R 03W in CANYON County.
Use: IRRIGATION { 1.340 CFS }
Total Diversion { 1.340 CFS }
Date Filed: 3/19/1992
In: CANYON County
T02N R03W S10 NWNE NENW
67.0 ACRES TOTAL
Water bearing zone to be appropriated is 350 to 450 feet.
63-11723

KRAMER, KELLY
KRAMER, VICKY
1288C SOUTH SIDE BLVD
MELBA, ID 83641
Source: GROUNDWATER
Diversión Pt: NESW Sec 25 T 01N R 02W in CANYON County.
NWSW Sec 25 T 01N R 02W in CANYON County.
Use: IRRIGATION { 1.600 CFS }
Total Diversion { 1.600 CFS }
Date Filed: 3/19/1992
In: CANYON County
T01N R02W S25 NESW NWSW
80.0 ACRES TOTAL
Water bearing zone to be appropriated is 227 to 368 feet.

JAN 24 1996

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS.
County of Canyon)

Carolyn Spath

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Twice

— in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

June 21, 28, 1995

Carolyn Spath

STATE OF IDAHO)
)
COUNTY OF CANYON)

2097 On this 28th day of June
in the year of 1995, before me, a Notary Public, personally appeared Carolyn Spath, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

Jeanne Lusk

Notary Public for Idaho
Residing at Nampa
MY COMMISSION EXPIRES
JUNE 21st, 1997

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

The original newspaper affidavit
is in file # 02-07464.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before JULY 10, 1995. The protestant must also send a copy of the protest to the applicant.
KARL J. DREHER, Director
June 21, 28, 1995

RECEIVED
JUN 29 1995
WATER RESOURCES
WESTERN REGION

63-11717

MIYASAKO FARMS
PO BOX 1060
HOMEDALE, ID 83628

Source: GROUNDWATER

Diversion Pt: NENW Sec 36 T 04N R 05W in CANYON County.

Use: IRRIGATION (2.220 CFS)
 Total Diversion: (2.220 CFS)

Date Filed: 3/16/1992

In: CANYON County
 T04N R05W S25 SWSE SESE
 S36 NENW

111.0 ACRES TOTAL

Water bearing zone to be appropriated is 265 to 510 feet.

Form No. 202a.
10/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: cy4 DATE: 3/20/92 APPLICATION: 63-11717

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address: on application
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ☐ No ☐ In form to receipt:

Gov't. Lots:
P/D
P/U

ADDITIONAL INFORMATION

YES	NO	
☐	☒	Overlapping place of use: (Describe source & relationship to present application on the back.)
☐	☒	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☐	☐	Critical groundwater area:
☐	☐	Groundwater management area:
☐	☐	Diversion within interim protected river area
☐	☐	Send dam safety information:
☐	☐	Send power requirement letter:
☐	☐	Send fish farm requirement letter:
☐	☐	Power residency affidavit:
☐	☐	Power efficiency form:
☐	☐	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☐	Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☐	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED:

Additional information on reverse side:

"M Appl" released for processing
-R 6/12/95

RECEIVED
MAY 8 1992

Department of Water Resources

PROCESSING

APPLICATION NO. 63-11717

YES NO

☒ ☒
☒ ☒
☒ ☒

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☒

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ _____

Publication dates and paper recorded on application:

Protests received. Final date for protest April 20, 1992

Protest dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District # _____

Special conditions of approval or cover letter: _____

26A (Allow 2 yrs)

well drilling permit issued

See below for additional information

Recommended Date or Priority 3/16/1992

Recommended by: Arr

Date 5/4/1992

STATE OFFICE REVIEW

See below for additional information. By _____

Date _____

ADDITIONAL INFORMATION

RESPONSE FORM

Boise River Basin Moratorium Application

RECEIVED

MAY 31 1995

WATER RESOURCES
WESTERN REGION

Name of Applicant: MIYASAKO FARMS

Address: PO BOX 1060

HOMEDALE, ID 83628

Water Right No.: 63-11717

Do you wish to proceed with development of the
water right as proposed in the application?

X Yes No

(If the response is no, please complete
and return the enclosed withdrawal form.)

If the source of water that you propose to
appropriate is ground water, what aquifer
level do you propose to develop to obtain water? 265 ft to 510 ft

Signature: *Randy Miyasaka*

Printed Name: Randy Miyasaka

Please return this form to:

Idaho Department of Water Resources
Western Regional Office
2735 Airport Way
Boise, ID 83705

RECEIVED

JAN 24 1996

NRSB09NP
No. 63-11717

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 05/17/95
PAGE: 65

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MIYASAKO FARMS PO BOX 1060 HOMEDALE ID 83628 (208) 337-3003	03/16/1992	IRRIGATION	03-15 11-15	2.220 CFS	
TOTAL DIVERSION:					2.220 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: APPLICATION

Point(s) of Diversion:

T04N R05W S36

NENW

CANYON County

Place of use Legal Description for: IRRIGATION

		NE				NW				SW				SE					
T	R S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUN	
04N	05W 25	:		:		:		:		:		:		:		40	40	80.0	
04N	05W 36	:		:		31	:			:		:		:				31.0	
TOTAL ACRES																	111.0		

Pol County: CANYON

Other Rights: WILDER IRRIGATION DISTRICT

Dates:	App. Received:	03/16/1992	Priority Date:	03/16/1992
	Proof Due Date:		Proof Made Date:	
	Exam Made Date:		Exam Sent to S.O.:	
	Licensed Date:			

Nisc:	Water District Number:	Field Exam Fee:
-------	------------------------	-----------------

6577 4 11 95



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 19, 1995

**Distribution: Applicants Whose Water Right Applications Were Held
Without Action Under the Boise River Basin
Moratorium**

Dear Applicant:

As you might be aware, on May 3, 1995 the Director of the Department of Water Resources, Mr. R. Keith Higginson, signed an Amended Moratorium Order which provides for the processing of previously held applications within the Boise River Basin, with certain restrictions. Enclosed for your information is a copy of the Order.

As provided in the Order, this office will resume the processing of these applications in order of priority at a rate of 30 applications per month. Depending on how many applicants wish to proceed with development of their projects, the processing of the 338 presently-held applications could require as much as a year. To enable you to make an estimate as to when your application(s) will be processed, please be advised that 244 of the applications have priority (receipt) dates of 1992; 32 are dated 1993; 37 are dated 1994; and 25 are dated 1995.

As new applications are received, they are sorted into two groups. Those that would not have been held back under the moratorium are processed immediately. To assure fairness in processing, those that would have been held back under the moratorium, such as irrigation applications, are placed at the end of the moratorium processing line.

Note that the Order requires that all applications held under the moratorium will be advertised (or re-advertised if previously advertised), in order to enable neighboring water users to examine the proposed uses in view of water availability information gained during recent drought years. There will be no additional charge to the applicants for this process. For applications that propose use of ground water, the advertisement must include an indication of the depth interval from which the applicant proposes to withdraw water.

Please find enclosed a Profile Report which provides information from our water rights data base describing each of your moratorium-held applications. In addition we have included one response form for each application, which enables you to indicate whether you wish to proceed with processing of your water right application(s).


JAN 24 1996

May 19, 1995

In case you no longer intend to develop a water use as described on an application, please complete and return the enclosed Withdrawal Form. Because of the time and effort already devoted to researching water availability in the Boise River basin, the Department will not be able to provide refunds of fees for applications that are withdrawn.

If you have questions about this process, or if you need assistance in completing the response form, please feel free to contact this office at (208) 334-2190. Response forms received no later than May 31, 1995, will be used in compiling the applications that will be advertised during June.

Sincerely,



David R. Tuthill, Jr., P. E.
Manager, Western Region Office

Enclosures

Amended Moratorium Order
Profile Report(s)
Response Form(s)
Application Withdrawal Form(s)

RECEIVED
JAN 24 1996



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 27, 1994

MIYASAKO FARMS
PO BOX 1060
HOMEDALE ID 83628

RE: PERMIT NO. M63-11717

REINSTATEMENT OF PERMIT APPROVAL

Dear Reinstated Permit Holder(s):

Enclosed is an reinstatement order **authorizing diversion of water** under the above referenced permit.

The Department has reinstated your permit for the remainder of the 1994 irrigation season and the reinstatement will expire on November 15, 1994. When your permit expires, you must make the pump and motor inoperable, and you cannot operate the pump without approval from the Department of Water Resources. The Director may reinstate the permit again next year if drought conditions persist.

Please remember water diverted under your reinstated permit is only to be used on the lands identified on your permit. You must obtain the approval of the Department before using your water anywhere else.

If diversion from your well causes interference with other wells with an earlier priority, you may be required to cease pumping or compensate the affected party. Idaho law specifically protects groundwater levels for domestic wells which were in use prior to 1978.

If you have any questions please let me know.

Sincerely,

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

AUG 08 1994

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF APPLICATION)
FOR PERMIT NO. 63-11717 IN)
THE NAME OF MIYASAKO FARMS)
_____)

REINSTATEMENT ORDER

This matter having come before the Idaho Department of Water Resources (department), as a result of drought conditions being experienced during the 1994 irrigation season, the department makes the following Findings of Fact, Conclusions of Law and Order:

FINDINGS OF FACT

1. In May 1992, the department issued the above captioned temporary permit (permit) to use ground water during the 1992 irrigation season to offset the effects of the drought and the associated reduced surface water supply. The permit expired on November 15, 1992.

2. The permit was conditioned that the Director of the department retained jurisdiction to reinstate the permit if drought conditions justify resumption of ground water use.

3. Water supply conditions during 1994 justify reinstatement of the permit by the Director.

CONCLUSIONS OF LAW

1. The Director is authorized under Chapter 2, Title 42, Idaho Code, to issue water right permits authorizing the diversion and use of the state's water resources.

2. The Director should reinstate the above captioned permit with certain conditions and limitations.

ORDER

IT IS THEREFORE, HEREBY ORDERED that the above captioned permit is **REINSTATED** with the following conditions and limitations:

1. The permit expires on November 15, 1994.

2. The right to divert water under the above captioned permit is void if the surface water appurtenant to the place of use has been sold, transferred, leased or used on any other place of use without the approval of the department.

AUG 08 1994

3. The permit holder shall use the full allotment of surface water to the extent it is available before diversion is authorized under this reinstated permit.

4. The permit holder shall employ reasonably efficient methods of water application to conserve the water of the state of Idaho.

5. The rate of diversion of water for irrigation under this right and all other rights shall not exceed 0.02 cfs for each acre of land.


6. This use is subject to all prior water rights.

7. The place of use authorized is only that shown on the permit. Permit holder shall prevent use of this water on land for which it is not authorized.

8. This reinstatement does not authorize the construction of new wells or the deepening of existing wells.

9. Failure to comply with the above conditions and limitations of permit use voids this reinstatement.

Dated this 27th day of July, 1994.


L. GLEN SAXTON
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11717

Proposed Priority: March 16, 1992 Maximum Diversion Rate: 2.22 CFS

This is to certify, that **MIYASAKO FARMS**
PO BOX 1060
HOMEDALE ID 83628

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	2.22 CFS

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 36, Township 04N, Range 05W
CANYON County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>					
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	05W	25	SWSE 40	SESE 40		80
		36	NENW 31			31

Total number of acres irrigated: 111

CONDITIONS/REMARKS:

1. This permit to appropriate water expires at the end of the 1992 irrigation season. The Director retains jurisdiction to reinstate the permit if drought conditions justify resumption of groundwater use.
2. A well drilled pursuant to this permit must be located at least 500 feet from any existing well. Well spacing closer than 500 feet must be approved by the Department of Water Resources.
3. This right to divert groundwater is void if the surface water right appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.
4. The permit holder shall use the full allotment of his surface water right, to the extent it is available, in conjunction with groundwater diverted pursuant to this permit.
5. The permit holder must employ reasonably efficient methods of water application to conserve the water of the State of Idaho.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
7. Construction of the well must comply with Idaho well construction standards.
8. This right is subject to all prior rights.

AUG 08 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11717

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

26 th day of May, 1992

[Signature]
for R. Keith Higginson, Director



2000

000000

DROUGHT RELIEF QUESTIONNAIRE

RECEIVED

JUL 25 1994

Department of Water Resources

If you are not interested in having a 1994 temporary permit reinstatement, or if you did not drill a well in 1992, disregard this questionnaire. No response is necessary.

Please answer the questions below. Your answers will help the department assess the need for use of the wells to complete the 1994 irrigation season and the extent of water use that will occur if the department again authorizes use of the wells.

1. Temporary permit identification number. 213-11717
(See cover letter)

2. a) Person responding to this questionnaire

DAN MIYASAKO

b) Relationship to applicant? Partner

3. Do you expect to use all of your surface water supplies for the land identified on the attached application prior to the end of the 1994 irrigation season? Yes X No

4. What is the source of supply? (Name of Canal)

Dear Flat Low Line, Sanders

5. What date do you expect this to occur? Approx. Aug 1

6. List the type of crop, acreage and volume of water in acre feet (AF) needed under the temporary permit to complete the 1994 irrigation season. List only for the lands included in the land list of the attached application for permit.

CROP	ACRES	ACRE FEET
<u>Wheat</u>	<u>31</u>	<u>20</u>
<u>ONION</u>	<u>36</u>	<u>36</u>
<u>Potato</u>	<u>44</u>	<u>20</u>

11 |

This questionnaire needs to be completed and returned to the department by August 1, 1994 in order to be considered as a request to reinstate a temporary permit.

RECEIVED

JUL 25 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 20, 1994

MIYASAKO FARMS
PO BOX 1060
HOMEDALE ID 83628

RE: Water Right No. M63-11717

Dear Water Right Holder(s):

In 1992, the Department issued you a temporary permit to use groundwater from your well, if you drilled one, to replace depleted storage water supplies. This temporary permit expired on November 15, 1992.

During 1994, since available surface water supplies are again substantially below normal, the department has received a number of requests to re-authorize use of the "1992 drought relief" wells.

The department is willing to consider reinstating the temporary permits for the remainder of 1994 provided you can show that you used water under the 1992 temporary approval and that water will be used only on the lands identified on the temporary permit. Enclosed is a questionnaire which you must complete and return to the department if you want to be considered for reinstatement in 1994.

Also enclosed, for your reference, is a record of your application for permit.

Please be advised that unless the department specifically reinstates the expired permit, you are not authorized to divert and use the water from the well identified on the temporary permit.

If you have any questions, please feel free to contact me at Ph. 327-7947.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Jim Johnson', with a horizontal line extending to the right.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

March 31, 1994

MIYASAKO FARMS
PO BOX 1060
HOMEDALE ID 83628

RE: Water Right No. M63-11717

Dear Water Right Holder(s):

In 1992, the Department of Water Resources issued the above referenced permit allowing the diversion of water for the 1992 irrigation season only. The permit included a condition:

This permit to appropriate water expires at the end of the 1992 irrigation season. The Director retains jurisdiction to reinstate the permit if drought conditions justify resumption of groundwater use.

It now appears that 1994 early season water supply and precipitation conditions are such that short-term use of the wells that were drilled under this authority could be beneficial prior to the start of water delivery through the canal systems in the Boise Valley. We have been advised that most of the canals will not be able to deliver water for another 10 to 14 days.

Therefore, you are hereby notified that the permit is reinstated for temporary use during the period April 1 through April 15, 1994 only. All other conditions of the permit continue to apply. One requirement was that the well be disconnected from the power system at the end of the approved period of use, which under this reinstatement is April 15, 1994.

The existing moratorium in the Boise Valley area is not changed by this temporary reinstatement of the 1992 drought well permit. This temporary reinstatement does not authorize the construction of a new well or alteration of an existing well.

If you have any questions, please contact this office.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

443

3004



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 9, 1994

Miyasako Farms
c/o Kevin L. Miyasako
P.O. Box 1060
Homedale, ID 83628

RE: APPLICATION FOR PERMIT NO. 63-11717

Dear Mr. Miyasako:

I have reviewed your letter dated March 3, 1994 in connection with the above referenced application. Your letter asks that the department allow you to use an existing well for irrigation during March and April 1994 until surface water is provided for irrigation use.

A review of the water right application file shows that in May 1992, the department approved use of water from the well through the end of the 1992 irrigation season. In April 1993, the department amended the moratorium order for the Boise River drainage removing the provisions for the temporary use of wells in connection with a normally full surface water supply. The Boise River drainage is still subject to the terms of the moratorium order.

Hence, the department can not authorize use of water from the well as you have requested. The department will maintain the application on file in case conditions change in the future allowing the department to further consider approval of the application.

Sincerely,

NORMAN C. YOUNG
Administrator

c: IDWR - W. Region
Water Alloc. Bur - Saxton

INTER-DEPARTMENT MEMO — 1

FROM Dave Tustill

DATE 3/7/94

TO Glen Saxton

SUBJECT Attached Letter

Glen, would you plz respond to this request?

Thanks, Dave

SIGNATURE

RECEIVED
MAR 09 1994
Department of Water Resources

RECEIVED
MAR 07 1994
WATER RESOURCES
WESTERN REGION

MARCH 3, 1994

DEPARTMENT OF WATER RESOURCES
2735 AIRPORT WAY
BOISE, ID 83705

ATTN: DAVE TUTHILL

MIYASAKO FARMS DRILLED A WELL IN 1992. THE WELL IS
LOCATED AT THE NE $\frac{1}{4}$, NW $\frac{1}{4}$, SEC. 36, TWP. 4 N., RANGE
5 W. IN CANYON COUNTY ALONG LOWER PLEASANT RIDGE
ROAD. OUR DRILLING PERMIT NUMBER IS 63-92-W-281. - 63-11717

WE ARE REQUESTING PERMISSION TO TEMPORARILY TURN OUR
WELL ON IN MARCH AND APRIL OF 1994 UNTIL RECLAMATION
WATER BECOMES AVAILABLE TO US. DUE TO THE WEATHER
WE ARE ABLE TO PLANT EARLY BUT WOULD LIKE TO HAVE THE
WELL TURNED ON IN CASE UNFAVORABLE WEATHER STARTS
TO STRESS THE SEEDLINGS. WE NEED THE DEPARTMENT TO
GRANT OUR REQUEST AS QUICKLY AS POSSIBLE AS IDAHO
POWER WILL NEED SOME LEAD TIME TO TURN OUR POWER
ON.

3/15 to 11/15

Application for Permit

THANK YOU.

Kevin L. Miyasako
rep. farm

KEVIN L. MIYASAKO

AUG 08 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

Pg 1 of 2

1. WELL OWNER

Name Miyasako Farms
Address PO Box 1060, Homedale, ID 83628
Drilling Permit No. 63-92-W-281
Water Right Permit No. 63-11717

7. WATER LEVEL

Static water level 159 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Well diameter increase
- ☐
- Modification
-
- ☐
- Abandoned (describe abandonment or modification procedures
-
- such as liners, screen, materials, plug depths, etc. in lithologic
-
- log, section 9.)

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
590	208'	15 hrs 10 min
1005	265'	Total
1330	280'	

3. PROPOSED USE

- ☐
- Domestic
- ☒
- Irrigation
- ☐
- Monitor
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED


- ☐
- Rotary
- ☐
- Air
- ☐
- Auger
- ☒
- Reverse rotary
-
- ☐
- Cable
- ☐
- Mud
- ☐
- Other _____
-
- (backhoe, hydraulic, etc.)

5. WELL CONSTRUCTION*See Sectional Attached

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness Diameter From To
* .250 inches 16" inches + _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feetWas casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation? _____ inches by _____ inches
Number From To_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feetWell screen installed? ☒ Yes ☐ No Full flow louvered
Manufacturer Roscoe Moss Type Wire wrap
Top Packer or Headpipe _____
Bottom of Tailpipe _____Diameter 16" Slot size .090 Set from _____ feet to _____ feet
Diameter 16" Slot size .040 Set from _____ feet to _____ feet
Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8 minus
Placed from 138' feet to 533' feetSurface seal depth 138' Material used in seal: ☐ Cement grout
☒ Bentonite ☒ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit
☐ Temp. surface casing ☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded
☐ Solvent Weld ☐ Cemented between strataDescribe access port 1 1/4" pipe w/ cap

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Canyon
NE 1/4 NW 1/4 Sec. 36, T. 4N S ☐ R. 5W W ☐

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
28"	0	4	Top soil		X
28"	4	8	Hardpan, rocks		X
"	8	28	Sand, gravel, rocks		X
"	28	108	Clay		X
"	108	157	Clay, small layers sand at 147		
"	157	161	Fine-coarse sand	X	
"	161	233	Clay		X
"	233	237	Fine sand	X	
"	237	243	Clay		X
"	243	253	Fine sand	X	
"	253	263	Clay		X
"	263	269	Pea gravel	X	
"	269	310	Blue clay		X
"	310	320	Sand	X	
"	320	329	Clay		X
"	329	343	Fine-coarse sand, pea gravel	X	
"	343	360	Clay		X
"	360	371	Sand	X	
"	371	448	Clay		X
"	448	458	Fine sand	X	
"	458	475	Blue clay		X
"	475	493	Sand, pea gravel	X	
"	493	533	Clay		X

RECEIVED

JUL 30 1992

Department of Water Resources

10.

Work started 6-2-92 finished 6-12-92

11. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Riverside Drilling Firm No. 333Address P.O. Box 720 Date 6-22-92
Parma, ID 83660

Signed by Drilling Supervisor _____

and

(Operator) _____
(If different than the Drilling Supervisor)

Miyasako Farms
P.O. Box 1060
Homedale, ID 83628


pg 2 of 2

Drilling Permit # 63-92-W-281
Water Permit # 63-11717

Surface Seal

Totals

Blank	412'
Wire Wrap	60'
Louvered	40'
Total	512'



4N 5W SEC 36



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 26, 1992

MIYASAKO FARMS
PO BOX 1060
HOMEDALE ID 83628

RE: PERMIT NO. 63-11717

LETTER OF TEMPORARY PERMIT APPROVAL

Dear Permit Holder:

Enclosed is a copy of your approved permit. your proposed use of water qualifies for a narrow exception to the Snake River Basin Moratorium established by the Director on May 15, 1992. The exception allows the use of groundwater during the drought to protect agricultural uses which normally have an adequate supply of water. Please carefully review the conditions of approval.

The Department has approved your permit for the 1992 irrigation season. Diversion of groundwater is not authorized after the 1992 season, and the permit expires. The Director may reinstate the permit in a subsequent year if drought conditions persist. You will be responsible for requesting reinstatement during future irrigation seasons.

When your permit expires, you must make the pump and motor inoperable, and cannot operate the pump without approval from the Department of Water Resources.

Your permit is for supplemental use only to augment your surface water supply. If the surface water you own is sold, transferred, leased or used on any other land without the approval of the Department of Water Resources, you automatically lose your right to divert groundwater. You must obtain the approval of the Department before using your water anywhere other than where it has traditionally been used.

In addition, you must fully utilize your available surface water to the extent possible. The surface water need not be fully consumed or diverted prior to use of groundwater. You cannot, however, simply divert token quantities of surface water and rely primarily on your groundwater diversion. Surface water must be your primary source of water.

AUG 08 1994

If you want to locate your well closer than 500 feet from an existing well, you must obtain the approval of the Department of Water Resources. We realize that under certain circumstances, it may be impossible to locate the well 500 feet away from another well. You must, however, be cognizant of possible interference resulting from pumping of your well.

If diversion from your well causes interference with other wells with an earlier priority, you may be required to cease pumping or compensate the affected party. Idaho law specifically protects groundwater levels for domestic wells which were in use prior to 1978.

If general water levels in the geographical area of your well decline below reasonable levels, the Department may require you to cease diverting from your well.

You must efficiently apply the water to the land and conserve water to the extent possible. Excessive irrigation, delivery systems with substantial losses, and application methods which cause substantial percolation or evaporation are not acceptable.

Sincerely,

JIM JOHNSON
Water Right Supervisor

JJ:cz

Enclosure

18 1934

RECEIVED
MAY 26 1992

MORATORIUM EXEMPTION QUESTIONNAIRE

IF YOUR APPLICATION PROPOSES AN IRRIGATION USE, PLEASE COMPLETE AND RETURN THE FOLLOWING:

Department of Water Resources
Regional Office

- Has ALL the land you propose to irrigate been irrigated with surface water in the past? YES

- Do you summer fallow any of your irrigated land? If so, how many acres? NO - However This year I have set-aside some ground not included in this application.

- List the water right(s) you have used to irrigate the land listed on the application. If you have received water from a canal company or water district, please identify the name of canal or water district.

See Attached Page.

- During the last ten years, how many years has your surface irrigation water been available for the entire irrigation season? 16 years counting 1992.

Turn-off Dates:

1992 - July 15-30 Est.
1991 - Sept. 30
1988 - Sept. 23
1987 - Sept. 30

Turn on Dates were in April.

- What crops have you grown in the past ten years?
Onion, Potatoes, Grain, Corn Seed, Alfalfa Seed, Sugar Beets, Beans

I understand if my proposed diversion of groundwater is approved as a supplemental use, that I can only use my well during periods of drought, when a full supply of water is not available. I also agree that my surface water will be fully used to the extent available, will not be sold or used on other lands, and that a change in use of my surface water may result in revocation of any groundwater right granted pursuant to my application for supplemental water.

Dated this 26 day of May, 1992.

RECEIVED

AUG 08 1992

(Please sign) Dan Miyasako

DIRECTORS
WARREN TOLMIE
JOHN J. HOCKBERGER
VERNON E. CASE
STEPHEN K. GARMAN
THOMAS E. DORSEY
CHARLES F. DEGEUS
WARREN D. TRUESDELL, JR.

Wilder Irrigation District

709 CLEVELAND BOULEVARD • P.O. BOX 416

Caldwell, Idaho
83606-0416

TELEPHONE (208) 459-3421

DONNA M. YOUNG
SECRETARY-TREASURER

May 22, 1992

Mr. Danny Miyasako
Miyasako Farms
P.O. Box 1060
Homedale, Idaho 83628


Dear Mr. Miyasako:

The water allocation in the Wilder Irrigation District is 3.75 acre feet of water per acre of land when available. There is an allotment set at the beginning of each irrigation season. The allotment set for the 1992 irrigation season is 1.00 acre foot of water per acre of irrigable land for.

Therefore the allotment for the property owned by Miyadako Farms in Section 36, T4N. R5WBM, NE $\frac{1}{4}$ NW $\frac{1}{4}$ is 1 acre foot of water per acre of irrigable land. The property owned by Joe Itano in Section 25 T4N R5W, S $\frac{1}{2}$ SE $\frac{1}{4}$ also has 1 acre foot of water per irrigable land for the 1992 irrigation season.

Sincerely,

WILDER IRRIGATION DISTRICT



Donna M. Young
Secretary/Treasurer

RECEIVED
MAY 28 1992

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

COPY for
63-11717

1. Applicant (please print) MIYASAKO FARMS

2. Mailing Address PO Box 1060

City & State Homebale ID Zip Code 83628 Telephone 337-3003

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location NE 1/4 NW 1/4, or Gov't Lot No. _____

Sec. 36, Twp. 4N, Rge. 5W, County Canyon

Street Address of Well Site _____

Lot, block and subdivision _____

4. Proposed use of well:

() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.

No. of proposed wells: _____

() Other _____
(Describe)

5. Well construction information:

A. ☒ New well () Deepen () Enlarge () Replace - See Condition 9

B. Proposed Surface Diameter 12" Proposed Maximum Depth 400'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date 5/4/92

Anticipated Well Driller RIVERSIDE DRILLING #333
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature James Miyasaka Date 5/4/92

Title Partner
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date May 4, 1992

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

10. Water cannot be diverted from this well to irrigation use until water right application # 63-11717 is approved by BOWA.

[Signature]
Signature of Authorized Department Representative

MANAGER, Western Region Office
Title

Receipt No. W014617 Received by RL Fee \$200.00 Date 5/4/92

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date NOV 08 1994

This extension is good for 60 days beyond the above extension approval date.

Diversion Pt: NENW Sec 36 T 04N R 05W in CANYON County.

Date Filed: 3/16/1992

In: CANYON County
T04N R05W S25
S36

AUG 08 1994