

EFH 24

No Lots in $5\frac{1}{2}$ of section

82
3/6/92

RIW

RIE


3N1W Sec 1 SE SW

Deerfield Manor

MERIDIAN QUADRANGLE

IDAHO

7.5-MINUTE SERIES (ORTHO PHOTOQUAD)



WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Application	63-11684	Deerfield Manor Subdivision c/o Darrell Taylor	0.06
Full Assignment	63-11684	Deerfield Manor Homeowners Association	0.06

JUL 0 1 1983

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11684

Priority: March 29, 1992

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

9.0 AF

This is to certify, that DEERFIELD MANOR HOMEOWNERS ASSN
1876 NW 11TH ST

MERIDIAN ID 83642

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 2, 1992; and
has submitted Proof of Beneficial Use on July 28, 1993. An examination indicates
that the works have a diversion capacity of .170 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.06 CFS	9.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 1, Township 03N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01W	1	SESW	2		2

Total number of acres irrigated: 2

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Point of diversion located within Lot 1, Blk. 1, Deerfield Manor Subdivision.
7. Place of use located within Lots 1-14, Blk. 1, Deerfield Manor Subdivision.
8. Domestic use is for 14 homes.

MICROFILMED

AUG 08 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11684

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29th
day of June, 1994.

Acting for R. Keith Higginson, Director



AUG 08 1994

RECEIVED

JUL 2 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 50.00

Date 7-28-93

Receipt No. C028238

Receipt by JW

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11684 Telephone No. 887-1459
2. Name(s) of Permit Holder(s): Deerfield Manor Sub.
3. Mailing Address: 1876 N-W 11th Meridian Idaho 83642
4. Source of Water: Ground Water

If **GROUNDWATER**, Well Driller's Name: 63-92-W-214 Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 2 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.06 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes X No Installed? _____ Yes X No

OR

Flow Measurement Port: Required? _____ Yes X No Installed? _____ Yes X No

8. Fee Enclosed: \$ \$50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Bob Dunn 888-6871 OR Doug Ogilvie 887
Name Telephone No. 1459

1696 N-W 11th Meridian 1876 N-W 11th
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7-22-93
Date

Doug Ogilvie (Pres.) Deerfield Manor Sub
Signature (and title, if on behalf of a company or organization)

OCT 20 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-11684)
IN THE NAME OF DEERFIELD MANOR SUBDIVISION) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before July 1, 1993; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit had lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on July 28, 1993;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-11684 be REINSTATED with an advance in priority to March 29, 1992.

Dated this 9th day of September, 1993.


L. GLEN SAXTON
Chief, Water Allocation Bureau

OCT 20 1993

RECEIVED

JUN 08 1993

State of Idaho

Department of Water Resources
Department of Water Resources

ASSIGNMENT OF PERMIT

I, DARRELL TAYLOR, hereby assign to DEERFIELD MANOR HOMEOWNERS ASSOC.
of 1696 N.W. 11TH ST MERIDIAN, ID. 83642
Address

All my right, title, and interest in and to Permit No. 63-11684
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. 63-11684 to appropriate the public waters of
the State of Idaho. (Describe that portion of the permit being
assigned by listing the acreage within each 40 acre subdivision, the
point of diversion and the amount of water in cubic feet per second for
direct diversion, or acre feet for storage)

Made this 1 day of June, 19 93.

[Signature]
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Gda) ss

On this 1st day of June, 19 93, personally appeared before
me the signer(s) of the above instrument, who duly acknowledged to me that
he (she) (they) executed the same.


seal

[Signature]
Notary Public residing at

My commission expires

Boise, ID.

122-98



JUL 01 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11684

Proposed Priority: March 2, 1992 Maximum Diversion Rate: 0.06 CFS

This is to certify, that DEERFIELD MANOR SUBDIVISION

C/O DARRELL TAYLOR

428 E STATE AVE

MERIDIAN ID 83642

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/15 to 11/15

0.06 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESW, Sec. 1, Township 03N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

03N 01W 1

SESW 2

2

Total number of acres irrigated:

2

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1993.
2. Subject to all prior water rights.
3. The issuance of this right in no way grants any right-of-way or easement across the land of another.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Place of use located within Deerfield Manor Subdivision, Lots 1-14.
6. Point of diversion located within Lot 1, Deerfield Manor Subdivision.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

16 day of

June

1992

for *[Signature]*
R. Keith Higginson, Director

MICROFILMED

JUN 25 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11863

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

16th day of June, 1992

R. Keith Higginson
for R. Keith Higginson, Director



RECEIVED
JUN 25 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: DEERFIELD MANOR SUBDIVISION
Address: C/O DARRELL TAYLOR
428 EAST STATE AVE
MERIDIAN ID 83642
208-888-2422
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWSESW Sec. 1, Township 03N, Range 01W
ADA County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.060		
5. Total quantity to be appropriated is:
0.060 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
WELL, PIPELINE, UNDERGROUND SPRINKLER SYSTEMS
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 30
feet.
 - d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
IRRIGATION
9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
03N	01W	1	SESW 2			2

Total number of acres irrigated: 2
10. Describe any other water rights used for the same purposes.

JUN 25 1992

11. a. Who owns the property at the point of diversion?
HOMEOWNERS
b. Who owns the land to be irrigated or place of use?
HOMEOWNERS
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.


12. Remarks:

Place of use also known as Deerfield Manor Subdivision, Lots 1-14
Point of diversion aka Lot 1, Deerfield Manor Subdivision

13. Map of proposed point of diversion and place of use attached? ☒

Database
changes
3/2/92
GJH

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by GJH Date 3/2/92 Time 1100 Preliminary check by R
Fee \$ 30.00 Receipted by GJH # W014217 Date 3/2/92
Publication prepared by GG Date 3-11-92 Published in ID Statesman
3/19 & 3/26/92
Publication approved st Date 4-6-92

MICROFILMED

JUN 25 1992

63-11684

EFH 24

No Lots in $5\frac{1}{2}$ of Section

RIW
3N1W Sec 1 SE SW


RIE

gr
3/6/92

Deerfield Manor

MERIDIAN QUADRANGLE
IDAHO

7.5-MINUTE SERIES (ORTHO PHOTOQUAD)





PLAT OF DEERFIELD MANOR SUBDIVISION

A PORTION OF THE E 1/2 OF THE E 1/2 OF THE
W 1/2 OF THE SE 1/4 OF THE SW 1/4,

SECTION 1, T.3N., R.1W., B.M.
MERIDIAN, ADA COUNTY, IDAHO

1992



NOTES:

1. BUILDING SETBACKS SHALL BE IN ACCORDANCE WITH THE ZONING ORDINANCE AT THE TIME OF ISSUANCE OF THE BUILDING PERMIT, OR AS ALLOWED BY CONDITIONAL USE.
2. ANY RESUBDIVISION OF THIS PLAT SHALL CONFORM TO THE APPLICABLE ZONING REGULATIONS IN EFFECT AT THE TIME OF RESUBDIVISION, OR AS ALLOWED BY CONDITIONAL USE.
3. ALL LOTS ARE HEREBY DESIGNATED AS HAVING A PERMANENT PUBLIC UTILITIES, DRAINAGE AND IRRIGATION EASEMENT OVER THE TEN (10) FEET ADJACENT TO ANY STREET THAT IS DEDICATED TO THE USE OF THE PUBLIC. THE EASEMENT SHALL NOT PRECLUDE THE CONSTRUCTION OF HARD SURFACED DRIVEWAYS TO EACH LOT.
4. SUBDIVIDER WILL COMPLY WITH THE DISCLOSURE REQUIREMENTS OF SECTION 31-3805 OF THE IDAHO CODE.
5. A TEN (10) FOOT UTILITY EASEMENT IS LOCATED ALONG THE EXTERIOR BOUNDARY LINES.
6. ALL INTERIOR LOT LINES HAVE A TEN (10) FOOT PUBLIC UTILITIES, DRAINAGE AND IRRIGATION EASEMENT LYING FIVE (5) FEET ON EITHER OF SAID LOT LINES.



TEALEY'S LAND SURVEYING

479 MAIN ST. • BOISE, IDAHO
208-385-0636

Project No. 817

Sheet 1 of 2

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

352.23

Department of Water Resources

Western Region

Account Number

47628

Identification

NOTICE OF APPLICATION FOR WATER RIGHT

Ordered By

Gail Garrett

P.O. Number

Rate

nt

Run Dates

March 19, 26, 1992

State of Idaho
Department of Water Resources
Western Region
2735 Airport Way
Boise, Idaho 83705

Estimated Inches

Real Inches

Affidavits

1

Legal Number

1729

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11666

LILLQUIST, STAN M
LILLQUIST, MARILYN A
3544 N. HARTLEY RD
EAGLE, ID 83616

Source: GROUNDWATER
Diversions Pt: NWSESE Sec 34 T 05N R 01W in ADA County
Use: IRRIGATION (.150 CFS)
DOMESTIC (.040 CFS)
Total Diversions: (.190 CFS)
Date Filed: 2/19/1992

In: ADA County
T05N R01W S34 SESE
5.0 ACRES TOTAL

63-11667

L J RANCHES
4785 N TENMILE RD
MERIDIAN, ID 83642

Source: GROUNDWATER
Diversions Pt: NENENE Sec 36 T04N R 01W in ADA County
Use: IRRIGATION (2.000 CFS)
STOCKWATER (.020 CFS)
Total Diversions: (2.000 CFS)
Date Filed: 2/20/1992

In: ADA County
T04N R01W S26 NWSW
S28 SESE
S34 NENE NWNE NENW
100.0 ACRES TOTAL

63-11680

RITTERSBACHER, DAVID
RITTERSBACHER, JOY
8855 TARP LN
BOISE, ID 83709

Source: GROUNDWATER
Diversions Pt: SESWNW Sec 1 T 02N R 01E in ADA County
Use: IRRIGATION (.280 CFS)
Total Diversions: (.280 CFS)
Date Filed: 2/26/1992

In: ADA County
T02N R01E S01 SWNW
14.0 ACRES TOTAL

63-11681

SCHOOL DISTRICT NO 2
911 MERIDIAN ST
MERIDIAN, ID 83642

Source: GROUNDWATER
Diversions Pt: NENW Sec 33 T 04N R 01E in ADA County
Use: IRRIGATION (.200 CFS)
Total Diversions: (.200 CFS)
Date Filed: 2/26/1992

In: ADA County
T04N R01E S33 NENW
7.0 ACRES TOTAL

63-11684

DEERFIELD MANOR SUBDIVISION
C/O DARRELL TAYLOR
428 E STATE AVE
MERIDIAN, ID 83642

Source: GROUNDWATER
Diversions Pt: SWSESW Sec 1 T 03N R 01W in ADA County
Use: IRRIGATION (.060 CFS)
Total Diversions: (.060 CFS)
Date Filed: 3/2/1992

In: ADA County
T03N R01W S01 SESW
2.0 ACRES TOTAL

63-11687

BURNETT, DOUGLAS W
P O BOX 179
DONNELLY, ID 83615

Source: GROUNDWATER
Diversions Pt: NENE Sec 29 T 03N R 01E in ADA County
NWNE Sec 29 T 03N R 01E in ADA County
Use: IRRIGATION (1.300 CFS)
Total Diversions: (1.300 CFS)
Date Filed: 3/4/1992

In: ADA County
T03N R01E S 29 NENE NWNE SWNE
65.0 ACRES TOTAL

ENGLESBY, TIM
ENGLESBY, SHARON
7171 HIGHLAND VALLEY RD
BOISE, ID 83712

Source: GROUNDWATER
Diversions Pt: NWNWSW Sec 34 T 03N R 03E in ADA County
Use: IRRIGATION (.120 CFS)
STOCKWATER (.020 CFS)
Total Diversions: (.140 CFS)
Date Filed: 3/5/1992

In: ADA County
T03N R03E S34 NWSW
4.0 ACRES TOTAL

63-11703

RADLER, FRANK
2285 E LAKE HAZEL
MERIDIAN, ID 83642

Source: GROUNDWATER
Diversions Pt: LOT 2 (NWNE) Sec 5 T 02N R 01E in ADA County
Use: IRRIGATION (2.200 CFS)
STOCKWATER (.130 CFS)
Total Diversions: (2.330 CFS)
Date Filed: 2/28/1992

In: ADA County
T02N R01E S05 Lot 2(NWNE) SWNE Lot 3(NENW) SENW
110.0 ACRES TOTAL

63-11706

DAVIS, TERRY D
DAVIS, JANICE IRENE
955 S TRANQUIL LN
EAGLE, ID 83616

Source: GROUNDWATER
Diversions Pt: Lot 5 (NWSW) Sec 14 T 04N R 01W in ADA County
Use: IRRIGATION (.200 CFS)
DOMESTIC (.040 CFS)
RECREATION (.040 CFS)
RECREATION STORAGE (1.400 AF)
Total Diversions: (.200 CFS)
Date Filed: 2/13/1992

In: ADA County
T04N R01W S14 Lot 5(NWSW) Lot 5(SWSW)
S15 Lot 1(NESE) SESE
10.0 ACRES TOTAL

63-11708

HOFF COMPANIES INC
5257 FAIRVIEW AVE #230
BOISE, ID 83706

Source: GROUNDWATER
Diversions Pt: SWNW Sec 20 T 04N R 01E in ADA County
NESW Sec 20 T 04N R 01E in ADA County
NWSW Sec 20 T 04N R 01E in ADA County
SESE Sec 20 T 04N R 01E in ADA County
Use: DOMESTIC (2.000 CFS)
Total Diversions: (2.000 CFS)
Date Filed: 3/3/1992

In: ADA County
T04N R01E S18 SESE
S19 Lot 1 (NENE)
S20 NWNE Lot 7(SWNE) Lot 8(SENE) NENW
Lot 5(NWNW) SWNW Lot 6(SENW) NESW
NWSW NESE NWSE

63-11709

SELTZER, JAMES M
202 SANDRA ST
EAGLE, ID 83616

Source: WASTE WATER Tributary: BOISE RIVER
Diversions Pt: NWSW Sec 10 T 04N R 01E in ADA County
Use: STOCKWATER (.020 CFS)
STOCKWATER STORAGE (.30 AF)
WILDLIFE STORAGE (.30 AF)
Total Diversions: (.020 CFS)
Date Filed: 3/5/1992

In: ADA County
T04N R01E S10 NWSW

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 6, 1992.
R. KEITH HIGGINSON, Director
Pub. March 19, 26, 1992

1729

FILED

JUN 25 1992

FORWARD WHITE COPY TO WATER RESOURCES



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 29, 1994

DEERFIELD MANOR HOMEOWNERS ASSN
1876 NW 11TH ST
MERIDIAN ID 83642

RE: WATER RIGHT NO. 63-11684

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in dark ink, appearing to be 'Jim Johnson', with a horizontal line extending to the right.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

MAILED

AUG 08 1994

Cindy Zimmerman

Permit #: 63-11684 Name: Deerfield Manor Sub Date: 6/27/94

	Yes	No	
NAME	☒	☐	Or Address Change?
SOURCE	☒	☐	Changes/Clarification source _____ Prelim. Order to Void - Source change.
P/D	☒	☐	Amendment Needed? clarify? _____ -P39, P38 Overlap(s) _____
P/U	☒	☐	Amendment Needed? reduce? _____ -P41, P38 Overlap(s) _____ *P/D & P/U Amend? P37, P38 (See list for feds.)
RATE	☒	☐	Measurement Done? $2A \times .03 \text{ cfs} / A = 0.06 \text{ cfs}$.
	☒	☐	Theoretical Only? $\frac{8.8 \times .7 \times 3}{15 + (2.31 \times 40)} = 0.17 \text{ cfs}$.
	☒	☐	Capacity <u>0.17</u> cfs Allowable Amount: <u>0.06</u> cfs
VOLUME	☒	☐	Season of Use: (irr) <u>3/15 - 11/15</u> days <u>246</u> Calculations: $2A \times 4.5 \text{ AF} / A = 9.0 \text{ AF}$ Flow limit: $.06 \times 246 \times 1.9835 = 29.3 \text{ AF}$ Allowable volume <u>9.0</u> AF
USES	☒	☐	Change(s) in Nature of Use? _____ -P46 Amendment Needed? _____
REMARKS	☒	☐	Multiple p/d's in $\frac{1}{4}$? _____ Other <u>① wdr(14) ② P/U Lts 1-14, Bk 1, Deerfield Manor Sub.</u> <u>③ P/D in Ltr, Bk 1, Deerfield Manor Sub.</u>
CONDITIONS	☒	☐	Measuring/Locking Devices R04 Watermaster Control - Water District <u>63</u> <u>352</u> Irrigation Overlap Water Quality Other
PRIORITY	☒	☐	Correct fee submitted? Receipt No. <u>C028238</u> Order to Reinstate Needed? Done? <u>9/9/93</u> Advance(d)? <u>Yes</u> Advanced to: <u>3/29/92</u> App Rcd <u>3/2/92</u> Priority <u>3/2/92</u> Exam done <u>2/28/94</u>

COMMENTS:

RECOMMENDED

CFS

DIV VOL

LICENSE: P49

1rr/2A

0.06

9.0

#1 AMEND LTR: P46 or
P39/P41/P37 & P38

TOTAL

C. B. G.

9.0

#2 AMEND LTR: P42/P47

WR0749NP
No. L63-11684

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 06/27/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	DEERFIELD MANOR HOMEOWNERS ASSN 1876 NW 11TH ST MERIDIAN ID 83642 (208) 887-1459	03/29/1992	IRRIGATION	03-15 11-15	0.06 CFS	9.00 AFA
TOTAL DIVERSION:					0.06 CFS	9.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.17 CFS

Point(s) of Diversion: T03N R01W S01 SESW ADA County

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE				
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
			:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	
03N	01W	1	:					:					:					:					:	2.0
																							TOTAL ACRES	2.0

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:
63-03355 63-11022 63-11684

Other Water Rights Listing Overlapping Place(s) of use:
63-03355 63-11022 63-11684

Conditions of Approval:

- R52 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: Point of diversion located within Lot 1, Blk. 1, Deerfield Manor
Subdivision.
Place of use located within Lots 1-14, Blk. 1, Deerfield Manor
Subdivision.
Domestic use is for 14 homes.

Dates: App. Received: 03/02/1992 Priority Date: 03/29/1992 (Priority Date Advanced.)
Proof Due Date: 07/01/1993 Proof Made Date: 07/28/1993 (Proof Received Late.)
Exam Made Date: 02/28/1994 Exam Sent to S.O.: 04/22/1994
Licensed Date:

Misc: Water District Number: 63 Field Exam Fee: R (Received)

Audit: 06/27/94 CZIMMERM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAY 03 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11684

1. Owner: Deerfield Manor Subdivision, c/o Janice Ostlund Phone No. 888-2422

Current Address: 428 E. STATE AVE., Meridian, ID 83642

2. Accompanied by: Janice Ostlund EXAM DATE: 2/28/94

Address: Same Phone No. Same

Relationship to Permit Holder: Developer

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02388, 63-11022, 63-03355

2. Other water rights with the same point of diversion: 63-11022, 63-03355

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SW	1	3N	1W	Ada	Aerial Map


2. Place(s) of Use:

Indicate Method of Determination Same AS P/D

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	1W	1												2.0					2.0

MAINTAINED
AUG 08 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

N/A Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	^{model} Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FRANKLIN Elec.	3	2823028/110	N/A	2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - Pressurized System

RECEIVED

AUG 08 1974

E. NARRATIVE/REMARKS/COMMENTS

OVERLAPS - P/D Same QD, different P/D's.
P/U Same QD, different P/U's.

Well supplies water to 14 homes, for domestic irrigation of approximately 2.0 acres of lawn area. Due to pump size, alternate system of irrigation used. Only 3 residences irrigate at one time. System is on timer.

No well log was found, so assumed static depth of 5' as per wells in area.

System capacity is much greater than the requested allocation of 0.06 cfs, therefore recommend licensing for 0.06 cfs for irrigation of ~~2.0~~ 2.0 acres.

(No adjudication claim filed)

$$\text{Theoretical: } Q = \frac{(2.8)(0.7)(3)}{15 + (2.31 \times 40)} = \frac{18.48}{107.4} \approx 0.17 \text{ cfs}$$

Note: Dynamic Pumping level determined by office diagram and specifications.

System pressure of 40 psi assumed as per pump size.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED
AUG 08 1994

F. FLOW CALCULATIONS Theoretical _____ Additional Computation Sheets Attached

Measured Method:

(See Narrative, Section E, for theoretical capacity of system)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.0 \times 4.5 = 9.0 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.06 \times 246 \times 1.9835 = 29.3 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 9.0 \text{ AFA}$

2. Volume Calculations for Other Uses: N/A

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRRIGATION</u>	<u>3/15</u>	<u>11/15</u>	<u>0.06</u>	<u>9.0</u>
Totals:			<u>0.06</u>	<u>9.0</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name Rick Collingwood Date 4/8/94

Reviewer _____ Date _____

SEAL



AUG 08 1994



(Waiting on
well log)

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: _____

2. OWNER: _____ Phone: _____
Address: _____

3. WELL LOCATION: Twp 3N, Rge. 1W, Sec. 1, SE 1/4 SW 1/4
County Ada (Provide sketch map and photo on reverse.)

4. DRILLER: Knife Well Drilling Lic. No. _____
When Drilled? _____

5. WELL CONSTRUCTION

Casing Diameter 8 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of 30' ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION

Depth to Static Water _____ ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

AUG 08 1994

9.

HEMA 13:

(No well log available)

Rick Collingwood, Water Rights Examiner

Signature of Dept. Representative & Title

2/28/94

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED

AUG 08 1994



PHOTO ONE-

View northeasterly of ~~south~~ south end of subdivision. Well house is small structure to the right.



>

Well inside above shown well house.

AUG 08 1994

PHOTO TWO-



PHOTO THREE-

View southeasterly of homes in subdivision

>

PHOTO FOUR-

RECEIVED
AUG 08 1994

September 10, 1993

DEERFIELD MANOR HOMEOWNERS ASSOCIATION
1876 NW 11TH ST
MERIDIAN ID 83642

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11684

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

OCT 20 1993

INTER-DEPARTMENT MEMO

TO: BOB Whitney
FROM: K. Gustafson

SUBJECT: Well Log
DATE: 9/8/98

BOB- Attached is correspondence to Mike Kner requesting a well log for a well drilled in the spring of 1992. I have had no response. Will accept proof because permit holder complied. However, I'm sure you will want to pursue another Notice of Violation.

() For your information

6/19/98

() Response required

Karen Gustafson
signature



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 30, 1993

Mike Knie
Mike Knie Drilling
19313 Birchwood
Caldwell, ID 83605

Re: Permit No. 63-11684 - Deerfield Manor Subdivision
Drilling Permit No. 63-92-W-0214-000
Drilling Date: Spring/1992
Proposed Location: 03N, 01W, Sec. 01, SE $\frac{1}{4}$ SW $\frac{1}{4}$

Dear Mr. Knie:

On August 4, 1993, the Department corresponded with you and explained the need to submit the above referenced well drillers report. The Department allowed 20 days in which to submit the report. As of this date, the Department still has not received the required well drillers report.

As you know, you are required by law to submit your well drillers report within 30 days of the date of completion. Because the well was completed in 1992, your well log is over one year late.

The Department will allow an additional 10 days in which to submit the report. If, at the end of that time, the Department has not received the required well drillers report, this information will be turned over to the proper staff for violation and penalty review.

If you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

COPIED 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 4, 1993

Mike Knie
Knie Well Drilling
115 Holly
Caldwell, ID 83605

Re: Permit No. 63-11684 - Deerfield Manor Subdivision
Drilling Permit No. 63-92-W-0214-000
Drilling Date: Spring/1992
Proposed Location: 03N, 01W, Section 01, SE $\frac{1}{4}$ SW $\frac{1}{4}$

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a well log which should have been submitted 30 days after completion of the construction of this well.

While it is possible that you have submitted the log, we have been unable to locate it. Please supply me with another copy. Please address any correspondence directly to me. Your response should be received within 20 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of the permit holders system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

C: Permit Holder

8/9/93 - Remaild
19313 Buchwood



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 28, 1993

DEERFIELD MANOR HOMEOWNERS ASSOCIATION
1696 NW 11TH ST
MERIDIAN ID 83642

Re: Permit No. 63-11684

Dear Permit Holder(s):

We acknowledge receipt of the correspondence assigning the ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name and title.


JIM JOHNSON
Water Rights Supervisor

JJ:dc

RECEIVED
JUL 01 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
North Orchard Street
Boise, Idaho 83706-2237

XXXXX ID




RECEIVED

MAY 12 1993

Department of Water Resources

83642-2351 02

Sent By Regular
mail to Gene Taylor
per her phone request



JUL 01 1993

K D3

Kuma 83634

Send again to 3675 10 Mile



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

North Orchard Street
Boise, Idaho 83706-2237

CERTIFIED MAIL

NO. 140196

RECEIVED

MAY 4 1993

Department of Water Resources

Taylor

364-2400

Recent to same address.

8882400

perkins Taylor



7002444

U.S. POSTAGE

JUL 01 1993

83642-2351 02



April 30, 1993

DEERFIELD MANOR SUBDIVISION
C/O DARRELL TAYLOR
428 E STATE AVE
MERIDIAN ID 83642

PROOF DUE NOTICE

RE: PERMIT NO. 63-11684

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

CERTIFIED MAIL

NO. 140146

140177

UNRECORDED

JUL 01 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 17, 1992

DEERFIELD MANOR SUBDIVISION
C/O DARRELL TAYLOR
428 E STATE AVE
MERIDIAN ID 83642

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11684

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

BRENDA L. MILLER
Technical Records Specialist

BLM:cz

Enclosures

MICROFILMED

JUN 25 1992

APPLICATION FOR PERMIT REVIEW

Application #: 63-11684
Date: 6-12-92

Reviewer: Brenda Miller

Brenda

SYSTEM COMPLETED:

- No - 26A-P17
- Complete in 1 year - P16
- Yes
- Proof not submitted - P16
- Proof submitted - N/A

GROUNDWATER:

- GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
- NMR <fl ch>, A of C
- LT. 0.2 cfs - No measurement required <flow chart>
- Drilling Permit:
- (Approved) w/permit - P99 # 63-92-W-214
- Not included - 046-046A-046B-P23 (after 7/1/87), N/A
- SURFACE WATER: not in w/d - 01C-P03 (=GT.2 w/pump), NMR <flow chart>

LOCATION:

- Water Districts - WD No. 63
- Surface water - 005, 005-01H-P01(LT.2 w/pump)
- 005-01J-P08(GT.2), NMR <flow chart>
- Groundwater *EXISTING* - P05
- Irrigation Districts - 023
- Canal Co. Areas - 023
- Drainage Districts - 024
- Boise Front (63) - 058 (Groundwater *OUTSIDE AREA*)
- Swan Falls Flag - (1, Blank or Other)
- Trust - 051-052-053-P74(Consumptive Uses)
- Non Trust <1> - 048-049

RIVER BASINS:

- (Surface Water) Water District Control Condition &....
- Boise (63) - 05A & 11E
- Payette (65) - 047-P04, 059-P71
- Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

- Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One), 042(req.), 002-P06(MD), 07A(Spec.), 044(Policy 5G)
- Power - Use Power Review
- Mining - 06A, 010, or 09E-P10 & 054(req.)
- Storage - 18A-for multiple measuring devices(In WD), 18B-P09(Size)
- Rec/Wildlf/Aes - 027(Non-Consumptive)
- Domestic - 021(restricted areas)

OWNERSHIP:

- Non land owner - 004

PROTESTED:

- Agreement - 020

Beneficial Use Due Date: -

Other Conditions Recommended

07-01-1993

Form No. 202a.
10/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SR DATE: 3/5/92 APPLICATION: 63-11684

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

Gov't. Lots:
N P/D
N P/U

ADDITIONAL INFORMATION

YES NO

N/A } Overlapping place of use: (Describe source & relationship to present application on the back.)
 } Overlapping point of diversion:
 } Field check required: Field check by:
 } Field report attached:
 } Critical groundwater area:
 } Groundwater management area:
 } Diversion within interim protected river area
 } Send dam safety information:
 } Send power requirement letter:
 } Send fish farm requirement letter:
 } Power residency affidavit:
 } Power efficiency form:
 } Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
 } Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
 } *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED:

Additional information on reverse side:

RECEIVED
APR 21 1992

Drilling Permit Appl. Attached.

Department of Water Resources

PROCESSING

APPLICATION NO.

63-11684

YES NO

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES / NO

✓

Affidavit of publication received:

Application published correctly: If not, record action taken.

[illegible]

Publication dates and paper recorded on application:

Protests received. Final date for protest

April 6, 1992.

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, DET

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

(Well drilling permit issued)

✓ See below for additional information

Recommended Date or Priority 3/2/1992

Recommended by:

Dr.

Date _____

4/17/1992

STATE OFFICE REVIEW

See below for additional information. By

Date

ADDITIONAL INFORMATION

Irrig 2 rows, overlap track N/A.

JUN 25 1992

State of Idaho
Department of Water Resources

MICROFILMED

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Deerfield Manor Sub c/o Darrell Taylor
2. Mailing Address 428 East State Ave
City & State Meridian ID Zip Code 83642 Telephone 888 2422
() Well Owner () Well Operator ☒ Other, specify Developer
3. Proposed well location SE 1/4 SW 1/4, or Gov't Lot No. _____
Sec. 01, Twp. 3N, Rge. 01W, County Ada
Street Address of Well Site NW 11th Ave, Meridian
Lot, block and subdivision Deerfield Manor Sub, lot 1
4. Proposed use of well:
() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
☒ Non-Domestic: Any beneficial use not included within the definition of domestic. Irrigation (0.06 cfs)
() Injection
() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
() Other _____
(Describe)
5. Well construction information:
A. ☒ New well () Deepen () Enlarge () Replace - See Condition 9
B. Proposed Surface Diameter 8 Proposed Maximum Depth 30
C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)
6. Construction Start Date _____
Anticipated Well Driller Knier Well Drilling JUN 25 1992
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature See Request for Expedited Approval Date _____
Title _____
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 4/7/1992

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFUL

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

David E. Tuttle
Signature of Authorized Department Representative

Mr. Western Reg Off
Title

Receipt No. W014217 Received by GJH Fee 200- Date 3/2/92

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

RECEIVED
JUN 25 1992

Drilling Permit No. 63-92-W-214

Water Right No. 63-11684


REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Deerfield Manor Subdivision / Darrell Taylor., Applicant, requests issuance of Drilling Permit prior to approval of a water right. The request is made for the following reason(s):

HOUSES ARE BEING BUILT AT PRESENT WITH SOME READY TO SELL
CITY IS REQUIRING WELL BE IN BEFORE GIVING OCCUPANCY PERMIT

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

4-9-92 Date
 Applicant's Signature

DEVELOPER Applicant's Title

MED

JUN 25 1992

63-11684

DEERFIELD MANOR SUBDIVISION
C/O DARRELL TAYLOR
428 E STATE AVE
MERIDIAN, ID 83642

Source: GROUNDWATER

Diversion Pt: SWSESW Sec 1 T 03N R 01W in ADA County.

Use: IRRIGATION (.060 CFS)
Total Diversion: (.060 CFS)

Date Filed: 3/ 2/1992

In: ADA County
T03N R01W S01 SESW

2.0 ACRES TOTAL

MICROFILMED

JUN 25 1992