


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RL Syme
(Applicant)
Resident

63-11679
PLACE OF USE
T3N R4W



0.2 0 0.2 0.4 Miles

-  Point of Diversion
-  Place of Use
-  Section Lines
-  1/4 1/4 Lines



63-11679
PLACE OF USE
94.5 ACRES TOTAL
T3N R4W



0.2 0 0.2 0.4 Miles

- Point of Diversion
- Place of Use
- Section Lines
- 1/4 1/4 Lines





63-11679

63-11679

SYSTEM DIAGRAM

The water for this system is diverted from the well and discharged into the main canal/ditch and run through a series of tiles and ditches to irrigate the fields by furrow irrigation.



-  Ditches, Mainlines, and Tiles
-  Point of Diversion
-  Place of Use
-  Section Lines
-  1/4 1/4 Lines



63-11679

63-11679


SYSTEM DIAGRAM

The water for this system is diverted from the well and discharged into the main canal/ditch and run through a series of tiles and ditches to irrigate the fields by furrow irrigation.



0.2 0 0.2 0.4 Miles

A horizontal scale bar with alternating black and white segments, corresponding to the mile markings above it.


-  Ditches, Mainlines, and Tiles
-  Point of Diversion
-  Place of Use
-  Section Lines
-  1/4 1/4 Lines



63-11679

PHOTOGRAPHER AND DATE OF PHOTOS DANIEL A NELSON 10/9/2001

FILE NUMBER 63-11679



These are photos of the main ranch well the well described in this permit. The well is a 75 Hp pump with a 10 inch discharge. The bottom picture shows the point I measured the well. This well seems to be in fairly good condition with no major problems. It open discharges into a ditch approximately 1/8 of a mile north of the well. The ditches feed all of the orchards in the area. It was not possible to get a good picture of the place of use since all of the lands irrigated are in orchards.

63-11679


Idaho Dept. of Water Resources
Place of Use Comparison Report

[illegible]

[illegible][illegible]

[illegible]

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SE 54 523 34 40

Place(s) of Use

TYP.	RGE.	SEC.	NEX				NWX				SWX				SEX				TOTALS
			NEX	NWX	SWX	SEX	NEX	NWX	SWX	SEX	NEX	NWX	SWX	SEX	NEX	NWX	SWX	SEX	
3N	40	23												40					40
3W	40	26					40												40
																			00

Recommended Amendments:

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ None
☐ Other

Examiner's Signat. Ed E. Morris

Checked by DBS

Approved by Robyn

Date 11/14/80

Date 8/26/80

Date 1/7/80



T2811 H/NW

T2817 H/NW

T3010 H/NW

T3012

TRANSFER TO OWYHEE

T5989

T3015

LIZZARD BUTTE

9 21.2

11 12.2

10 13.4

12 16.9

2 11.9

4 17.5

4 12.3

2 12.7

2 25.2

3 11.9

4 12.3

2 12.7

3 11.9

4 12.3

2 12.7

3 11.9

4 12.3

2 12.7


3 11.9


4 12.3

2 12.7


3 11.9


4 12.3






Main
Ranch





RECEIVED
AUG 08 1994

-  Private groundwater diversions
-  Private Boise River diversions
-  Private and small organized (Snake River diversions)
-  Private groundwater and small organized (Snake River diversions)
-  Boise-Kuna Irrigation District (Boise River diversions)
-  Farmers' Cooperative Ditch Co. (Boise River diversions)
-  Nampa & Meridian Irrigation District (Boise River diversions)
-  Pioneer Irrigation District (Boise River diversions)
-  Riverside Irrigation District (Boise River diversions)
-  Wilder Irrigation District (Boise River diversions)
-  Black Canyon Irrigation District (Payette River diversions)
-  District surface water and supplemental private groundwater diversions



IRRIGATED CROPLAND CANYON COUNTY IDAHO

APRIL 1975

1 0 1 2 3 4 5 MILES
SCALE 1:126,720

Prepared by Idaho Department of Water Resources
U.S. Soil Conservation Service Base Map



Data for this county is available from IDWR.

RECEIVED

MAR 27 1996

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

FOR OFFICE USE ONLY

Amt. of Fee \$: 125
Receipt No. 10020615
Receipt By: DB
Date Received: 3-27-96

RECEIVED

MAR 27 1996

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11679 Telephone No. 208-459-4821

2. Name(s) of Permit Holder(s): SYMMS FRUIT RANCH, INC.

3. Mailing Address: 14068 SUNNY SLOPE ROAD; CALDWELL, IDAHO 83605

4. Source of Water: GROUNDWATER If GROUNDWATER (well), Date Drilled: mo. 6 / yr. 92

a. Well Driller: PETE COPE DRILLING Drilling Permit Number: 63 - 92 - W - 327

b. **OPTIONAL:**
Pump Horsepower: 75 Pressure (psi): 50 Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): Stockwater (No. and type of stock):

Irrigation (No. of acres): 100 Other:

6. Total rate of diversion and/or volume for which proof is submitted: 2.00 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes X or No

Has the measuring device been installed? Yes X or No

Flow Measurement Port: Is a flow measurement port required? Yes X or No

Has the measurement port been installed? Yes X or No

8. Fee Enclosed: \$ 125.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: R. A. SYMMS Telephone Number: 208-459-4821

Address: SYMMS FRUIT RANCH, INC.; 14068 SUNNY SLOPE ROAD; CALDWELL, IDAHO 83605

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] PRESIDENT Date: MARCH 25, 1996
(include your title, if on behalf of company or organization)

APR 30 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 63-11679

Proposed Priority: February 10, 1992 Maximum Diversion Rate: 2.00 CFS

This is to certify, that **SYMMS FRUIT RANCH INC**
14068 SUNNY SLOPE RD
CALDWELL ID 83605

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	2.00 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NWNW , Sec. 26, Township 03N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	04W	26	NWNW 40.0	SWNW 20.0		60.0
		27	NENE 40.0			40.0

Total number of acres irrigated: 100.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1996.
2. Subject to all prior water rights.
3. Prior to diversion of water under this right, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to use power records to determine the amount of water diverted from each point of diversion listed under this right.
4. The right holder shall measure and annually report diversions of water and other pertinent hydrologic and system information as required by Section 42-701(5), Idaho Code.
5. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
7. This permit does not authorize the construction of any new well or the deeping or enlargement of any existing well.
8. Failure to comply with any condition of approval is cause for the Director to cancel this right.

RECORDED

JAN 24 1996

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 63-11679

CONDITIONS OF APPROVAL AND REMARKS

9. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased, or used on any other place of use.
10. This permit does not authorize the development and irrigation of land not previously irrigated under prior temporary approval of this application.
11. Water bearing zone to be appropriated is 160 to 400 feet.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

12th day of January, 1996.

Karl J. Dreher

for
Karl J. Dreher, Director

JAN 24 1996

Form 202
6/85**RECEIVED**

FEB 10 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 63-11679

Department of Water Resources
 Western Regional Office

To appropriate the public waters of the State of Idaho

1. Name of applicant SYMMS FRUIT RANCH, INC. Phone 208-459-4821
 Post office address 14068 Sunny Slope Road, Caldwell, Idaho 83605

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot _____
 Sec. 26 Township 3N Range 4W B.M. Canyon County; additional
 points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2 cfs for Irrigation purposes from 15 March to 15 Nov. (both dates inclusive)
 (cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 2cfs and/or (b) _____
 cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

Well -- water delivered to fields via PVC pipe

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
 reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
 _____ to _____ inclusive.

c. Proposed well diameter is 16" inches; proposed depth of well is 500' feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

* per standard season limitations

for 2/10/92

AUG 08 1994

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	4W	26					40	20											60
3N	4W	27	40																40

Total number of acres to be irrigated 100

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Symms Fruit Ranch, Inc.


b. Who owns the land to be irrigated or place of use? Symms Fruit Ranch, Inc.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

AUG 08 1994

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

R. A. [Signature]
(Applicant)
Resident

Received by MM Date 02-10-92 Time 11:35am Preliminary check by FL
Fee \$ 6500 Receipted by JN # W014126 Date 2-10-92
Publication prepared by GG Date 2/26/92 Published in Press-Tribune
Publication approved ST Date 3-25-92
7/13/95

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

AUG 08 1994

Idaho Department of Water Resources
Water Rights Remarks Screen

Date: 06/12/95
Time: 07:47:53

Water Right Number: 63-11679

FIRST PAGE

13. Remarks: Water bearing zone to be appropriated is 160 to 400 feet. _____

(GOLD2=Update) (GOLD4=Prev Screen) (GOLD6=End of Data) (Enter=Exit)
(GOLD3=Add Std Rmk) (GOLD5=Next Screen) (GOLD8=Cancel)

52

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 20 2001
K
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11679

1. Owner: SYMMS FRUIT RANCH INC. Phone No. (208) 459-4821

Current Address: 14068 SUNNY SLOPE RD, CALDWELL, ID 83605

2. Accompanied by: RICHARD A. SYMMS EXAM DATE : 9/27/2001

Address: SAME AS ABOVE Phone No. SAME AS ABOVE

Relationship to Permit Holder: PRESIDENT

3. Source: GROUNDWATER tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: WILDER IRRIGATION RIGHTS

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
Point of diversion			NW	NW	26	3N	4W	CANYON	VISUAL INSPECTION AND USE OF 2000 AERIAL PHOTOS AND GIS

2. Place(s) of Use:

Indicate Method of Determination SAME AS POINT OF DIVERSION

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	4W	26						32.8	21.4	3.4									57.6 AC
3N	4W	27	36.9																36.9 AC
																			TOTAL ACRES 94.5

63-11679

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/pipe i.d. as applicable.

SEE ATTACHED SHEET.

YES Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

YES Aerial Photo Attached (required for irrigation of 10+ acres).

YES Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
POINT OF DIVERSION	GENERAL ELECTRIC	75 Hp	066075242	WELLLINE	10 " DISCHARGE

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
POLYSONIC METER	ULTRASONIC	TYME FLYTE		150231	N/A	SPRING 2000

2. **Measurements:** A measurement was made using the polysonic meter. The measurement seemed well within standards and criteria.

63-11679

E. NARRATIVE/REMARKS/COMMENTS

The water for this permit is diverted from a well in the NWNW of S26. The water is then transported by a 10 inch mainline to a canal approximately ¼ mile east of the well. The water is open discharged into the canal and is distributed through a series of ditches and tiles. The tiles run through the orchards to supply water to the fields that irrigated with furrow irrigation. Water from water right 63-8469 covers the lands in the NENW S26, so this permit should not cover those lands. The water from the other well could be diverted into the same main canal to deliver the 7 acres west of the canal. These acres look like they should be covered under this permit, but the main canal is used as the main distribution system and water can be delivered to all of these lands from many sources.

OVERLAP

The only significant overlap for this right is the Wilder Irrigation District rights. This permit was filed to supplement the canal water. Therefore, there should not be any problem with overlap for this permit.

RECOMMENDATIONS:

I recommend that this permit be licensed for 1.38 cfs and 425.3 afa. When combined with the Wilder Irrigation District rights this permit should be limited to 0.02 cfs per acre and 4.5 afa per acre. The surface water should be utilized if available before the groundwater is used on these acres. The water from this well should only be used if surface water is not available or the full amount of surface water is not delivered due to drought or other conditions

Have conditions of permit approval been met? X yes ___ no

This is an open discharge system and this well can be monitored using power records.

63-11679

F. FLOW CALCULATIONS

YES Additional Computation Sheets Attached

Measured Method:

Theoretical = 1.61 cfs

Polysonic Measurement = 1.38 cfs

Acre limitation 0.02 cfs/acre X 94.5 acres = 1.89 cfs

Permit Limitation = 2.00 cfs

The limiting factor for this permit would be the actual measurement made on the well. Therefore this permit should be recommended at 1.38 cfs.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 94.5 \times 4.5 = 425.25 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.38 \times 260 \times 1.9835 = 711.6798 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 425.3 \text{ afa}$$

B

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial use	Period Of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/1	11/30	1.38 CFS	425.3 AFA
TOTAL			1.38 CFS	425.3 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

DANIEL A. NELSON – SENIOR AGENT


Field Examiner's Name Daniel A. Nelson Date 10-11-2001

Reviewer _____ Date _____


SEAL


63-11679

63-11679
PLACE OF USE
T3N R4W




0.2 0 0.2 0.4 Miles


- Point of Diversion
-  Place of Use
-  Section Lines
-  1/4 1/4 Lines




63-11679
PLACE OF USE
94.5 ACRES TOTAL
T3N R4W



0.2 0 0.2 0.4 Miles

- Point of Diversion
-  Place of Use
-  Section Lines
-  1/4 1/4 Lines




63-11679


63-11679

SYSTEM DIAGRAM

The water for this system is diverted from the well and discharged into the main canal/ditch and run through a series of tiles and ditches to irrigate the fields by furrow irrigation.



-  Ditches, Mainlines, and Tiles
-  Point of Diversion
-  Place of Use
-  Section Lines
-  1/4 1/4 Lines




63-11679


63-11679

SYSTEM DIAGRAM

The water for this system is diverted from the well and discharged into the main canal/ditch and run through a series of tiles and ditches to irrigate the fields by furrow irrigation.



-  Ditches, Mainlines, and Tiles
-  Point of Diversion
-  Place of Use
-  Section Lines
-  1/4 1/4 Lines



63-11679

POLYSONIC READINGS

PERMIT #: 63-11679

MAIN WELL POINT OF DIVERSION

FIRST SET OF INFORMATION:

SET-UP IMPUTE DATA USED DURING
PREPARATION FOR FLOW MEASUREMENTS.

SECOND SET OF INFORMATION:

THESE ARE THE READINGS TAKEN FOR
THIS PUMP. THE TOTAL FLOW WAS
AVERAGED OVER A 10 MINUTE READING.

FLWS IN GALLONS PER MINUTE (GPM)

619 GPM FLOW RATE

FLWS IN CUBIC FEET PER SECOND (CFS)

619 GPM / 448.8 = 1.38 CFS FLOW RATE

MODE SELECT
INPUT

OUTER DIAMETER
10.760 IN

PIPE MATERIAL
? PVC

WALL THICKNESS
0.3700 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
8.101 IN U

10:10+618.162E 0GPM 00R
+00000 *10 G 00R
-00000 *10 G 00R

10:11+618.162E 0GPM 00R
+00058 *10 G 00R
-00000 *10 G 00R

10:12+614.992E 0GPM 00R
+00123 *10 G 00R
-00000 *10 G 00R

10:13+622.389E 0GPM 00R
+00185 *10 G 00R
-00000 *10 G 00R

10:14+628.729E 0GPM 00R
+00246 *10 G 00R
-00000 *10 G 00R

10:15+619.747E 0GPM 00R
+00309 *10 G 00R
-00000 *10 G 00R

10:16+612.615E 0GPM 00R
+00370 *10 G 00R
-00000 *10 G 00R

10:17+618.955E 0GPM 00R
+00434 *10 G 00R
-00000 *10 G 00R

10:18+613.407E 0GPM 00R
+00494 *10 G 00R
-00000 *10 G 00R

10:19+623.181E 0GPM 00R
+00556 *10 G 00R
-00000 *10 G 00R

10:20+627.144E 0GPM 00R
+00619 *10 G 00R
-00000 *10 G 00R

main well

GROUNDWATER THEORETICAL ANNALYSIS

FILE: 63-11679

DATE: 9-10-2001

BY: DAN NELSON.

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8 \times (HP) \times (EFF.))}{TDH}$

Q = CFS

HP = Total Brake Horsepower of pumping plant (including booster)

Eff. = Pumping plant efficiency (assume 70% or 0.70)

TDH = Total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = Depth to water in FEET from land surface to puijping water level

PSI = Pumping pressure measured in PSI near pump (if open discharge assume [0])

$$Q = \frac{(8.8) \times (75 \text{ Hp}) \times (0.70) = 462}{[(204) + (36 \times 2.31)] = 287.16} = 1.66 \text{ CFS} \quad 722 \text{ gpm.}$$

LIFT FROM:

Measurement ()

Owner ()

Area estimate (X)

Well Logs ()

PSI FROM:

Measurement ()

Owner ()

Estimate ()

Owner Gage (✓)

Booster (Y) (N)

NOTES ON PUMP:

Motor Make, Serial or ID

Pump Make, Serial or ID, rating

REMARKS: IN ORDER TO ESTIMATE PUMPING
LEVEL I SUBTRACTED STATIC WATER DEPTH FROM
TOTAL DEPTH OF WELL AND DIVIDED BY 2.
(445 - 37) / 2 = 204 ESTIMATED PUMPING LEVEL

ACTUAL MEASURED AMOUNT WAS 1619 GPM.
THIS WOULD PUT THE THEORETICAL WITHIN
16.6% OF ACTUAL MEASUREMENT.
THIS SEEMS REASONABLE SINCE THEORETICALS
ARE KNOWN TO BE +/- 35% ACCURACY

1.3-116799

SD-4110
INQUIRY ONLY

Idaho Department of Water Resources
Well Log Screen 1

Date: 10/09/01
Time: 07:38:19

Drilling Permit Number: 63-92-W-0157-000

5. Well Construction Information:

B. Construction Method: REVERSE ROTARY

Surface Casing Diameter: 16 In.	Depth of Casing:	304 Ft.
Screen Installed? (Y/N) Y	Static Water Level:	37 Ft.
Closed-In Pressure:	PSI.	Temperature:
Production Rate:	G.P.M.	Total Depth: 445 Ft.

(Enter=Exit)
(GOLDS=Cancel)

63-11679

SD-4111
INQUIRY ONLY

Idaho Department of Water Resources
Well Log Dates - Modify

Date: 10/ 9/2001
Time: 07:38:41

Drilling Permit Number: 63-92-W-0157-000

Actual Start Date:	06/15/1992	Well Log
Well Completed Date:	06/18/1992	Status: M - Sent To/Micr
Certification Date:	06/19/1992	Driller License Number: 0213
Log Received Date:	06/22/1992	Violation Flag: -

Field Examination Data:

Exam Date	Inspector
/ /	
/ /	
/ /	
/ /	
/ /	

(Enter=Exit)
(GOLD8=Cancel)

IDAHO DEPARTMENT OF WATER RESOURCES
WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-92-W-0157-000 OTHER APPLICABLE NO: 63-11679
2. OWNER: SYMMES FRUIT RANCH Phone: 459-4821
Address: 1406B SUNNY SLOPE RD
3. WELL LOCATION: Twp 3N, Rge. 4W, Sec. 26, NW 1/4 NW 1/4
County CANYON (Provide sketch map and photo on reverse.)
4. DRILLER: _____ Lic. No. _____
When Drilled? _____
5. WELL CONSTRUCTION:
- Casing Diameter 16 inches Water tight cap? ☐ Yes ☒ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe TURBINE
Depth of Casing UNKNOWN ft. Method Drilled UNKNOWN
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving GOOD
Auger to a depth of -0- ft. Evidence of Annular Seal ☐ Yes ☒ No Cement Pad
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
- Depth to Static Water UNKNOWN ft. Water Temperature UNKNOWN °F
Flowing Artesian ☐ Yes ☒ No Pressure: UNKNOWN (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
- | | | |
|---------------------------------------|---|-------------------------------------|
| ☐ Domestic | ☒ Irrigation | ☐ Stock |
| ☐ Test | ☐ Municipal | ☐ Industrial |
| ☐ Abandoned | ☐ Waste Disposal/Injection | ☐ Not Used |
| ☐ Other: _____ | | |

63-11679

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☒ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: THIS WELL LOOKS TO BE IN GOOD

CONDITION



Daniel A. Nelson Senior Agent
Signature of Dept. Representative & Title

9-27-06
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

PHOTOGRAPHER AND DATE OF PHOTOS DANIEL A NELSON 10/9/2001

FILE NUMBER 63-11679



These are photos of the main ranch well the well described in this permit. The well is a 75 Hp pump with a 10 inch discharge. The bottom picture shows the point I measured the well. This well seems to be in fairly good condition with no major problems. It open discharges into a ditch approximately 1/8 of a mile north of the well. The ditches feed all of the orchards in the area. It was not possible to get a good picture of the place of use since all of the lands irrigated are in orchards.

63-11679

FIELD NOTES

PERMIT NUMBER 63-11679

PLEASE NOTE: These documents are for backup purposes only and are not apart of actual Beneficial Use Field Report.

WATER RIGHT LICENSE

THIS IS TO CERTIFY that **SYNNS FRUIT RANCH**

Caldwell, Idaho

has complied with the terms and conditions of Permit

3-8469

Issued pursuant to Application for Permit dated February 22, 1977

February 15, 1980

at he has applied water to a beneficial use. An examination by the Department indicates that the works have capacity for the diversion of 71 cfs water from a groundwater source.

and that the permit holder has applied to a beneficial use as

established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from March 15 to November 15	77 cfs and	345 acre feet

from _____ of and _____
from _____ is and _____
from _____ (Printed Name)

subject, however, to the condition that no more than 71 cfs of water be stored at any one time, and that the amount so stored shall be used for the purpose mentioned and is limited to the amount which can actually be beneficially used and shall not exceed _____.

345 more feet per year, said waters to be diverted within the SE 1/4, Sec. 23, Twp. 3N,

Boe 4W B.N. in the County of Canyon

Description and location of place of use:

[illegible]

Total number of news initiated _____ 80

~~This right when combined with all other rights shall provide no more than 4.5 af per acre for the lands above, nor shall it provide more than .02 cfs per acre.~~

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30 day of

January 19 81

High School
Director

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

CONTACT WITH PERMIT HOLDER

DATE _____

INITIALS _____

REMARKS

☒ Appointment letter mailed:

☐ Telephone call made:

(List Telephone No. used)

☐ Appointment scheduled for _____

(Date, time, location)

EXAMINATION

Date 15/4/4

Accompanied by *DICK SYMES*

Total Q measured

7-71 CFS

If source is surface water, estimate total flow of source

Methods of measurement *011/1KE, Piezometer Tube* Meets Permit requirements

Measurement calculations: $8 \times 4 \text{ in} \times 29 \text{ in Head} = 1320 \text{ gms} \times 7 \text{ /CES}$

1.98 # 245 days # 572 US

WELL/VERSION NO.	MOTOR HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
50	45	ELC	R21078	well	46118	0.1 FIC	Good	2nd Head

System Description well, pond into concrete ditch system and irrigation system

**Code with map on reverse side. Disregard code if only one.*

RECOMMENDED AMOUNTS

Irrigation requirement = 4.5

AFA/Act

USE

Q (cfs)

V (afa)

FROM

TO

191970

子

345

345


Total



345.0

Remarks This wall is tied into the irrigation system of the Fruit Ranch
License will be for exchange on premises. I cannot really say what is intended
by the wall.

MAP/Attach Aerial Photo



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SE SQ 323 3N 40

Place(s) of Use

TWP	RGE	SEC	NEX				NWX				SWX				SEX				TOTALS
			NEX	NWX	SWX	SEX	NEX	NWX	SWX	SEX	NEX	NWX	SWX	SEX	NEX	NWX	SWX	SEX	
3N	46	23																40	
3N	46	26					40											40	
																		60	

Recommended Amendments:

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above

☒ None
☐ Other

Examiner's Signature


Checked by

Approved by

Date

Date

Date



USE TYPEWRITER OR
BALLPOINT PENForm 238-7
4/92STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER STIMMS FRUIT RANCH Name _____ Address <u>14068 SUNNY SLOPE RD</u> <u>63-92-W-327</u> Drilling Permit No. _____ Water Right Permit No. <u>63-11679</u>	7. WATER LEVEL <u>50</u> Static water level _____ feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ Describe artesian or temperature zones below.																																																																																																																																																																																		
2. NATURE OF WORK ☐ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Modification ☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																															
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																	
3. PROPOSED USE <u>IRRIGATION</u> ☐ Domestic ☐ Irrigation ☐ Monitor ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>63</td><td>0</td><td>7</td><td>TOPSOIL</td><td> </td><td>X</td></tr> <tr><td> </td><td>7</td><td>8</td><td>SAND GRAVEL ROCK</td><td> </td><td>X</td></tr> <tr><td> </td><td>8</td><td>15</td><td>SOFT SANDSTONE</td><td> </td><td>X</td></tr> <tr><td> </td><td>15</td><td>25</td><td>LITE BRN CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>25</td><td>35</td><td>SAND GRAVEL ROCK</td><td> </td><td>X</td></tr> <tr><td> </td><td>35</td><td>55</td><td>FINE TO CRSE SAND</td><td>X</td><td> </td></tr> <tr><td> </td><td>55</td><td>70</td><td>LITE BRN CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>70</td><td>75</td><td>SANDSTONE</td><td> </td><td>X</td></tr> <tr><td> </td><td>75</td><td>78</td><td>LITE BRN CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>78</td><td>93</td><td>FINE TO CRSE SAND</td><td>X</td><td> </td></tr> <tr><td> </td><td>93</td><td>100</td><td>BRN CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>100</td><td>107</td><td>GREY CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>107</td><td>121</td><td>FINE TO CRSE SAND</td><td>X</td><td> </td></tr> <tr><td> </td><td>121</td><td>135</td><td>GREY CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>135</td><td>140</td><td>SANDSTONE</td><td> </td><td>X</td></tr> <tr><td> </td><td>140</td><td>151</td><td>GREY CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>151</td><td>198</td><td>FINE TO CRSE SAND W/ PEA</td><td> </td><td>X</td></tr> <tr><td> </td><td> </td><td> </td><td>GRAVEL</td><td> </td><td>X</td></tr> <tr><td> </td><td>198</td><td>211</td><td>GREY SANDY CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>211</td><td>213</td><td>BRN CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>213</td><td>295</td><td>GREY CLAY W/ SHALE</td><td> </td><td>X</td></tr> <tr><td> </td><td>295</td><td>297</td><td>FINE SAND</td><td>X</td><td> </td></tr> <tr><td> </td><td>297</td><td>325</td><td>GREY CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>325</td><td>367</td><td>FINE TO CRSE SAND W/ PEA</td><td> </td><td>X</td></tr> <tr><td> </td><td> </td><td> </td><td>GRAVEL & SANDSTONE BALLS</td><td>X</td><td> </td></tr> <tr><td> </td><td>367</td><td>371</td><td>GREY SANDSTONE</td><td> </td><td>X</td></tr> <tr><td> </td><td>371</td><td>405</td><td>FINE TO CRSE SAND</td><td>X</td><td> </td></tr> <tr><td> </td><td>405</td><td>425</td><td>SANDY BLUE CLAY</td><td> </td><td>X</td></tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	63	0	7	TOPSOIL		X		7	8	SAND GRAVEL ROCK		X		8	15	SOFT SANDSTONE		X		15	25	LITE BRN CLAY		X		25	35	SAND GRAVEL ROCK		X		35	55	FINE TO CRSE SAND	X			55	70	LITE BRN CLAY		X		70	75	SANDSTONE		X		75	78	LITE BRN CLAY		X		78	93	FINE TO CRSE SAND	X			93	100	BRN CLAY		X		100	107	GREY CLAY		X		107	121	FINE TO CRSE SAND	X			121	135	GREY CLAY		X		135	140	SANDSTONE		X		140	151	GREY CLAY		X		151	198	FINE TO CRSE SAND W/ PEA		X				GRAVEL		X		198	211	GREY SANDY CLAY		X		211	213	BRN CLAY		X		213	295	GREY CLAY W/ SHALE		X		295	297	FINE SAND	X			297	325	GREY CLAY		X		325	367	FINE TO CRSE SAND W/ PEA		X				GRAVEL & SANDSTONE BALLS	X			367	371	GREY SANDSTONE		X		371	405	FINE TO CRSE SAND	X			405	425	SANDY BLUE CLAY		X
Bore Diam.	Depth		Material	Water																																																																																																																																																																															
	From	To		Yes	No																																																																																																																																																																														
63	0	7	TOPSOIL		X																																																																																																																																																																														
	7	8	SAND GRAVEL ROCK		X																																																																																																																																																																														
	8	15	SOFT SANDSTONE		X																																																																																																																																																																														
	15	25	LITE BRN CLAY		X																																																																																																																																																																														
	25	35	SAND GRAVEL ROCK		X																																																																																																																																																																														
	35	55	FINE TO CRSE SAND	X																																																																																																																																																																															
	55	70	LITE BRN CLAY		X																																																																																																																																																																														
	70	75	SANDSTONE		X																																																																																																																																																																														
	75	78	LITE BRN CLAY		X																																																																																																																																																																														
	78	93	FINE TO CRSE SAND	X																																																																																																																																																																															
	93	100	BRN CLAY		X																																																																																																																																																																														
	100	107	GREY CLAY		X																																																																																																																																																																														
	107	121	FINE TO CRSE SAND	X																																																																																																																																																																															
	121	135	GREY CLAY		X																																																																																																																																																																														
	135	140	SANDSTONE		X																																																																																																																																																																														
	140	151	GREY CLAY		X																																																																																																																																																																														
	151	198	FINE TO CRSE SAND W/ PEA		X																																																																																																																																																																														
			GRAVEL		X																																																																																																																																																																														
	198	211	GREY SANDY CLAY		X																																																																																																																																																																														
	211	213	BRN CLAY		X																																																																																																																																																																														
	213	295	GREY CLAY W/ SHALE		X																																																																																																																																																																														
	295	297	FINE SAND	X																																																																																																																																																																															
	297	325	GREY CLAY		X																																																																																																																																																																														
	325	367	FINE TO CRSE SAND W/ PEA		X																																																																																																																																																																														
			GRAVEL & SANDSTONE BALLS	X																																																																																																																																																																															
	367	371	GREY SANDSTONE		X																																																																																																																																																																														
	371	405	FINE TO CRSE SAND	X																																																																																																																																																																															
	405	425	SANDY BLUE CLAY		X																																																																																																																																																																														
4. METHOD DRILLED <u>REVERSE ROTARY</u> ☐ Rotary ☐ Air ☐ Auger ☐ Reverse rotary ☐ Cable ☐ Mud ☐ Other _____ (backhoe, hydraulic, etc.)	10. DEPARTMENTAL CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Name <u>PETE COPE DRILLING</u> Firm No. <u>213</u> Address <u>6505 W CHINDEN</u> Date <u>6/29/92</u> Signed by Drilling Supervisor <u>Joseph Jones</u> and _____ (Operator) _____ (# different than the Drilling Supervisor)																																																																																																																																																																																		
5. WELL CONSTRUCTION <u>SEE ATTACHED</u> Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation? _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☒ Yes ☐ No Manufacturer <u>ROSCOE MOSS</u> Type <u>VEE WIRE</u> Top Packer or Headpipe _____ Bottom of Tailpipe _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel <u>3/8</u> Placed from <u>425</u> feet to <u>105</u> feet Surface seal depth <u>105</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☒ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>2" PIPE</u>	Thickness	Diameter	From	To	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ Block No. <u>AUG 08 1994</u> County <u>CANYON</u> Address of Well Site <u>SUNNY SLOPE RD</u> (give at least name of road) T. <u>3N</u> N ☐ or S ☐ <u>1/4</u> <u>1/4</u> <u>1/4</u> Sec. <u>26</u>, R. <u>4W</u> E ☐ or W ☐																																																																																																																																																						
Thickness	Diameter	From	To																																																																																																																																																																																
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																
Number	From	To																																																																																																																																																																																	
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																	
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																	
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																	

pg 2 of 2

SYMMS FRUIT RANCH
 14068 SUNNY SLOPE RD
 CALDWELL ID 83605
 Permit# 63-92-W-~~327~~ 157

"16" casing record .250 wall welded

2	-	160	162
200	-	330	130
400	-	412	12

304 total casing

16" Screen record .40 slot Roscoe Moss Continuous wire.

160	-	200	40
330	-	400	70

110 total screen

414 total screen+casing

5" Casing Record .250 Wall Welded

1.5	-	189	190.5
199	-	214	15

205.5

5" Screen Record .40 Slot Stainles Houston Continuous wire

199	-	199	10
-----	---	-----	----

10

RECEIVED

AUG 08 1994

63-11679

PLACE OF USE


100 TOTAL ACRES

T3N R4W



0.3 0 0.3 0.6 Miles

-  Place of Use
-  Point of Diversion
-  Section Lines
-  1/4 1/4 lines



10.76 Diam
.370 THICK

GEN. ELECT
75 HP
066075242

Wollia

36 PSI Discharge PSI

POLYSONIC READINGS

PERMIT #: 63-11679

MAIN WELL POINT OF DIVERSION

FIRST SET OF INFORMATION:

SET-UP IMPUTE DATA USED DURING
PREPARATION FOR FLOW MEASUREMENTS.

SECOND SET OF INFORMATION:

THESE ARE THE READINGS TAKEN FOR
THIS PUMP. THE TOTAL FLOW WAS
AVERAGED OVER A 10 MINUTE READING.


FLows IN GALLONS PER MINUTE (GPM)

619 GPM FLOW RATE

FLows IN CUBIC FEET PER SECOND (CFS)

619 GPM / 448.8 = 1.38 CFS FLOW RATE

main well



Sunnyvale

Sunnyvale Hall

Well

2630

2635

Well

22

LATERAL

BM 2375

BM 2364

BM

Gravel Pits

2652

LIZARD

2300

SUNNYVALE AIRPORT

BM 2684

BM 2691

VARNELL

27

26

SUNNYVALE SLOPE

BM

2247

Lizard Butte

2634

2487

2510

LOW

2500

LINE

Marring (BM 2249)

BM 2237

Pickle Butte

2319


MARRING


35

STURGEON

ROAD

2367







SYMMS FRUIT RANCH, INC.

14068 Sunny Slope Road • Caldwell, Idaho 83605

Telephone: (208) 459-4821 • L.D. 459-8064

Fax: (208) 459-6932

RECEIVED

JUL 29 1996

Department of Water Resources

July 26, 1996

Glen Saxton
Department of Water Resources
1301 North Orchard Street
Boise, Idaho 83720

Re: Water Right No. 63-11676, 63-11678, 63-11679 ✓

Dear Mr. Saxton,

Per your request in letter of 23 July, 1996, the above referenced wells have been used as follows:

1992 - All three wells were used from the time they were completed to the end of the irrigation season. All three wells were completed and used during 1992.

1993 - None of these wells were used in 1993 as the permits were not valid for the 1993 irrigation season.

1994 - These wells were not used until late in the irrigation season, because your department did not reinstate the permits until the end of July. Water was diverted from all three wells during August and September of 1994.

1995 - Permits 63-11678 and 63-11679 were not used in 1995 as surface water was available at these locations. 63-11676 was used approximately half of the 1995 irrigation season.

1996 - 63-11678 and 63-11679 have not, and we do not intend to use them during the 1996 irrigation season, as surface water is available. 63-11678 has been, and will be used upon occasion (approximately 50%) during the 1996 irrigation season.

We are using these wells within the guidelines of our permits and using the water for beneficial use. I spoke to Julie Yarbrough today by telephone and she indicated that all paper work on these permits was completed.

AUG 21 1996




Glen Saxton
Department of Water Resources
July 26, 1996
Page 2

All of these wells are adapted to be measured with a Grain Land FM-400R flowmeter. At this time none of the above wells are operating. If your department plans to measure the water diverted from these wells, please give me advance notice and we will have them in operation for your inspection.

Please advise if you need additional information.

Sincerely,

A handwritten signature in cursive script, appearing to read "R. A. Symms".

R. A. Symms
President

RAS:rbb

100-104442
JUL 21 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 23, 1996

SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL ID 83605

RE: Water Right No. 63-11679

Dear Water Right Holder(s):

Early in 1996, the department issued the above referenced permit to you authorizing the diversion of water from a well(s) to be used to supplement the irrigation of land which is primarily irrigated with surface water shares. Most of these permit applications were originally filed in 1992 and are sometimes referred to as "1992 drought permits".

The purpose of this letter is to specifically call to your attention some of the conditions of approval dealing with use of water under your permit(s). Please note the following:

- You are required to measure and annually report to the department the amount of water you have diverted from your well. This includes the amount of water diverted during the 1996 irrigation season.
- You are required to use all of the surface water to which you are entitled each season in connection with use of water under your permit.
- If you sell, transfer, lease or use your surface water rights on any other place of use, the permit issued to you to divert supplemental groundwater is not valid.

The department plans to field inspect use of water under the drought permits to determine compliance with the conditions listed on the permits.

If you have questions, please feel free to contact the department.

Sincerely,

L. Glen Saxton
L. GLEN SAXTON
Chief, Water Allocation Bureau

cc: IDWR - W. Region

AUG 21 1996

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-11679 Reviewed by [Signature] Date 3-28-96

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

irr

Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

yes Copy in the file? Drilling Permit No. 63-92-W-0327-000

200- Amount paid for permit

yes Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

125- Amount Submitted

yes Correct?

MEASURING DEVICE

yes Required?

yes Installed?

 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 3-27-96

February 28, 1996

SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11679

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

APR 30 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 17, 1996

SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NOS. 63-11678 AND 63-11679


Dear Permit Holder:

Enclosed are copies of your approved applications for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permits.

Enclosed are forms entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop these permits into licensed water rights. Also enclosed are forms entitled "Proof of Beneficial Use". If your projects are already completed, you should complete and submit these forms immediately.

Please note that one of the conditions of approval on your permits requires that you install measuring devices or sign an agreement with the department to determine your diversion using power records prior to diverting water. You may choose to install measuring devices, or you may ask the department to review your system to determine whether your diversions can be estimated with power records. Another condition of approval requires that you measure your diversions and record other important hydrologic and physical features and report them annually to the department. The department will shortly send you further information about measuring devices, flow estimation using power records, and annual reporting forms. If you have questions about these requirements, please call the department at (208) 327-7900 and ask for someone in the Water Distribution Section.

Sincerely,


Shelley W. Keen
Water Rights Supervisor

SK:rl
Enclosures



JAN 24 1996

BASIN 63 MORATORIUM APPLICATION
STATE OFFICE REVIEW

by Cindy Zimmerman
Date: 1/11/96

No.: 63-11679

Name: Symms Fruit Ranch

Ad OK? ✓ /Gvmt Lts: ✓

Correct Fee? ✓ Receipt #: W014126 Priority: 2/10/92

PROTESTED: - 020 (Protest Agr) or W19 (See Final/Prelim Order)

SYSTEM COMPLETED: - Yes-(P16)No (if no put in order on hold)

GROUNDWATER SOURCE:

+ 5 acres <POU>

=/- 5 acres <POU>

- ~~66-P55~~, 067, 065, 01A
- 066-P55, 067, 065, 057

DRILLING PERMIT

Number

Existing well

- P/D same Yes/No (if no show Shelley)

- 63-92-W-0151 - 000, drilled 6/92
- ~~068~~

LOCATION:

Boise Front LoGeo

Swan Falls Flag

Trust

- 058 (-85° GW temp only)

- B <SEE CODE CHART>

- 051-052-053-P74 (Consumptive Uses), NA

OWNERSHIP: Non-land owner - 004 (PD/PU) _____

CONDITION CODES: - ~~069~~, _____

PARAGRAPH CODES: - _____

STANDARD REMARKS: - ~~WB8~~, ~~W06~~, ~~Water Zone~~ 160' - 400',

BENEFICIAL USE DUE: - 5-1-1996

COMMENTS: - ① Corp off.

MEMORANDUM

TO: Application for Permit No. 63-11679
FROM: Dave Tuthill *Dra*
DATE: August 17, 1995
RE: Review of Application

In accordance with Order Condition No. 3 of the Boise River Basin Amended Moratorium Order dated May 3, 1995, this application has been reviewed and screened by the department. The review committee consisted of the following personnel:

Doug Davidson, representing well construction concerns.
Janet Crockett, representing water quality concerns.
Shane Bendixsen, representing hydrologic concerns.
Dave Tuthill, representing regulatory concerns.

Any additional conditions of approval found to be needed have been added to the supplemental staff analysis sheet which has been prepared and is included in this file.

RECEIVED

JAN 24 1996

RE-ADVERTISING FOR SUPPLEMENTAL
IRRIGATION RIGHT (MORATORIUM BACKLOG)

APPLICATION NO. 63-11679

FINAL REGIONAL PROCESSING REVIEW

YES NO

/ / Affidavit of publication received:
/ / Application published correctly: If not, record action taken.

/ Publication dates and paper recorded on application:
/ Protests received. Final date for protest 7-10-95
/ Protest dates, resolution of protest recorded on application:
/ Recommendations attached: Approve, DAW
/ Measuring device required:
/ Measuring port required:
/ Water delivered by water master? District #
/ Special conditions of approval or cover letter:
Well drilled. Allow 1 year.

/ See below for additional information.

Recommended Date or Priority 2/10/1992

Recommended by: DAW Date 8/21/95

STATE OFFICE REVIEW

See below for additional information. By Date

ADDITIONAL INFORMATION

536 NENW Lot 5(NWNW) Lot 8(SWNW) Lot 8(SENW)
3.0 ACRES TOTAL 63-11632 ✓

RVEY
SIDE BLVD
3687
UNDWATER

NWSW Sec 27 T 04N R 02W in CANYON County.

ION
Total Diversion { 2.880 CFS }
1/3/1992 { 2.880 CFS }

County

R02W S27 NWNW SWNW NWSW
S28 NENE SENE

44.0 ACRES TOTAL
bearing zone to be appropriated is 25 to 260 feet.
63-11642 ✓

RIDA AVE

ID 83605

UNDWATER

SENE Sec 11 T 03N R 03W in CANYON County.

ION
Total Diversion { 1.480 CFS }
2/6/1992 { 1.480 CFS }

N County

R03W S11 NENW SENW

4.0 ACRES TOTAL

bearing zone to be appropriated is 175 to 215 feet.
63-11647 ✓

RCHARD

AF, ID 83626

ROUNDWATER

NESE Sec 28 T 04N R 04W in CANYON County.

ION
Total Diversion { 0.920 CFS }
2/11/1992 { 0.920 CFS }

N County

R04W S28 NESW SESW

46.0 ACRES TOTAL

bearing zone to be appropriated is 250 to 350 feet.
63-11651 ✓

ON, STEVE

OD, DOUGLAS J

MURCHILL COURT

N, TX 77024

GROUNDWATER

Pt: SWSE Sec 5 T 03N R 01W in CANYON County.

ION
Total Diversion { 1.600 CFS }
2/11/1992 { 1.600 CFS }

ON County

R01W S05 SESW SWSE

80.0 ACRES TOTAL

bearing zone to be appropriated is 20 to 200 feet.
63-11655 ✓

AN, GERALDINE

AN, LOYD

186

ID 83641

GROUNDWATER

Pt: NWNENW Sec 25 T 01N R 02W in CANYON County.

ION
Total Diversion { 0.800 CFS }
2/12/1992 { 0.800 CFS }

YON County

1N R02W S25 NENW

40.0 ACRES TOTAL

bearing zone to be appropriated is 150 to 250 feet.
63-11657 ✓

OWARD

CHINDEN

IAN, ID 83642

GROUNDWATER

Pt: SENESE Sec 29 T 04N R 02W in CANYON County.

ION
Total Diversion { 2.360 CFS }
2/13/1992 { 2.360 CFS }

YON County

4N R02W S29 NENE SENE NESE SESE

118.0 ACRES TOTAL

bearing zone to be appropriated is 200 to 300 feet.
63-11659 ✓

IDA CORPORATION

ER HOP CO

OX 287

ER, IDA 83676

GROUNDWATER

ion Pt: SESE Sec 16 T 04N R 05W in CANYON County

ION
Total Diversion { 2.860 CFS }
2/13/1992 { 2.860 CFS }

Filed: 2/13/1992

ANYON County

S10W SFSW

180.0 ACRES TOTAL

Water bearing zone to be appropriated is 100 to 300 feet.

63-11677 ✓

SYMMS FRUIT RANCH INC

14068 SUNNY SLOPE RD

CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NWNW Sec 22 T 03N R 04W in CANYON County.

Use: IRRIGATION
Total Diversion { 1.280 CFS }
{ 1.280 CFS }

Date Filed: 2/10/1992

In: CANYON County

T03N R04W S22 NWNW SWNE NENW

64.0 ACRES TOTAL

Water bearing zone to be appropriated is 150 to 600 feet.

63-11678 ✓

SYMMS FRUIT RANCH INC

14068 SUNNY SLOPE RD

CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NWSW Sec 14 T 03N R 04W in CANYON County.

Use: IRRIGATION
Total Diversion { 2.000 CFS }
{ 2.000 CFS }

Date Filed: 2/10/1992

In: CANYON County

T03N R04W S14 SWNW NWSW SWSW

100.0 ACRES TOTAL

Water bearing zone to be appropriated is 335 to 700 feet.

63-11679 ✓

SYMMS FRUIT RANCH INC

14068 SUNNY SLOPE RD

CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NWNW Sec 26 T 03N R 04W in CANYON County.

Use: IRRIGATION
Total Diversion { 2.000 CFS }
{ 2.000 CFS }

Date Filed: 2/10/1992

In: CANYON COUNTY

T03N R04W S26 NWNW SWNW

S27 NENE

100.0 ACRES TOTAL

Water bearing zone to be appropriated is 160 to 400 feet.

63-11682 ✓

LOWE, DERALD W

6373 ROBINSON RD

KUNA, ID 83634

Source: GROUNDWATER

Diversion Pt: NWSW Sec 32 T 02N R 01W in CANYON County.

Use: IRRIGATION
Total Diversion: { 2.000 CFS }
{ 2.000 CFS }

Date Filed: 2/28/1992

In: CANYON County

T02N R01W S32 NESW NWSW SWSW SESW

139.0 ACRES TOTAL

Water bearing zone to be appropriated is 170 to 220 feet.

63-11693 ✓

KRAJNIK, ED

KRAJNIK, ORVETA

KRAJNIK, GARY

9749 RIM RD

NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: NENE Sec 20 T 02N R 02W in CANYON COUNTY.

Use: IRRIGATION
Total Diversion { 1.600 CFS }
{ 1.600 CFS }

Date Filed: 2/4/1992

In: CANYON County

T02N R02W S20 NENE NWNW

80.0 ACRES TOTAL

Water bearing zone to be appropriated is 150 to 250 feet.

63-11694 ✓

GOSSETT, CHARLES ELMER

9458 MISSOURI AVE

NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: NWSE Sec 21 T 02N R 02W in CANYON County.

Use: IRRIGATION
Total Diversion { 1.560 CFS }
{ 1.560 CFS }

Date Filed: 3/6/1992

In: CANYON County

T02N R02W S21 NWSE SWSW

78.0 ACRES TOTAL

Water bearing zone to be appropriated is 160 to 200 feet.

63-11700 ✓

BATT, FRED

BATT, NORM

PO BOX 646

WILDER, ID 83676

Source: GROUNDWATER

Diversion Pt: SWSW Sec 9 T 04N R 05W in CANYON County.

Use: IRRIGATION
Total Diversion { 3.770 CFS }
{ 3.770 CFS }

Date Filed: 3/6/1992

In: CANYON County

T04N R05W S09

S10

NENE

SENE

NESE

SESE

A)

T03N R0

Water bear

PERKINS, I

PERKINS,

14501 LOC

NAMPA, IC

Source: GF

Diversion F

Use: IRRIC

Date Filed

In: CANYO

T02N

Water bea

KRAMER

KRAMER

1288C SC

MELBA,

Source: C

Diversion

Use: IRR

Date File

In: CAN'

T01N

Water b

KRAME

KRAME

7663 B.

MELBA

Source:

Diversic

Use: IR

Date F

In: CA

TO

Water

ELLIO

ELLIO

2364

MELE

Source

Diversion

Use: I

Date

In: C/

T

Water

STAI

1744

NAM

Source

Diversion

Use:

Date

In: C

Wa:

TEF

117

NA

Source

Diversion

Use:

Da

In:

W:

BL

27

M:

Sc

Di

U:

JAN 24 1996

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS.
County of Canyon)

Carolyn Spath

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Twice

— in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

June 21, 28, 1995

Carolyn Spath

STATE OF IDAHO)
)
COUNTY OF CANYON)

NOTICE OF APPLICATION FOR WATER RIGHT
The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

The original newspaper affidavit
is in file # 02-07464.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before JULY 10, 1995. The protestant must also send a copy of the protest to the applicant.
KARL J. DREHER, Director
June 21, 28, 1995

2097

On this 28th day of June
in the year of 1995, before me, a Notary Public, personally appeared Carolyn Spath, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

RECEIVED
JUN 29 1995
WATER RESOURCES
WESTERN REGION

James Lusk
Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JUNE 21st, 1997

63-11679

SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NWNW Sec 26 T 03N R 04W in CANYON County.

Use: IRRIGATION (2.000 CFS)
 Total Diversion: (2.000 CFS)

Date Filed: 2/10/1992

In: CANYON County
 T03N R04W S26 NWNW SWNW
 S27 NENE

100.0 ACRES TOTAL

Water bearing zone to be appropriated is 160 to 400 feet.

RECEIVED

JAN 24 1996

Form No. 202a.
10/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: JR DATE: 2/18/92 APPLICATION: 63-11679

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.) *attached*
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use: Gov't. Lots: N P/D
Nature of proposed use: (Include description of use) N P/U
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ ☐ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☐ Critical groundwater area:
☐ ☐ Groundwater management area:
☐ ☐ Diversion within interim protected river area
☐ ☐ Send dam safety information:
☐ ☐ Send power requirement letter:
☐ ☐ Send fish farm requirement letter:
☐ ☐ Power residency affidavit:
☐ ☐ Power efficiency form:
☐ ☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☐ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
MAR 30 1992

Department of Water Resources

*Drilling Permit Application attached
"M Appl" released for processing - JR 6/12/95*

PROCESSING

APPLICATION NO. 63-11679

YES NO

☒ ☐

In form for advertising:

☒ ☐

Statewide advertising:

☒ ☐

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒

I.D. Health and Welfare

☐ ☒

I.D. Fish and Game

☐ ☒

I.D. Lands

☐ ☒

Adjudication Bureau

YES NO

☐ ☒

U.S. BLM

☐ ☒

U.S. Forest Svc.

☐ ☒

Water Dist. # _____

☐ ☒

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐

Affidavit of publication received:

☒ ☐

Application published correctly: If not, record action taken.

☒ ☐

Publication dates and paper recorded on application:

☐ ☒

Protests received. Final date for protest March 23, 1992

☐ ☒

Protest dates, resolution of protest recorded on application:

☐ ☒

Recommendations attached: Approve, DRT

☐ ☒

Measuring device required:

☐ ☒

Measuring port required:

☐ ☒

Water delivered by water master? District # _____

☐ ☒

Special conditions of approval or cover letter: _____

Drilling permit issued

☒ See below for additional information

Recommended Date or Priority 2/10/1992

Recommended by: DRT

Date 3/24/1992

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

Overlap

PID 63-05172 different well (domestic use).

Ph

"

"

"

"

63-05198 spring for domestic use.

63-05299

"

"

"

"

and irrig. 2 acres SWNW.

RECEIVED

MAY 30 1995

WATER RESOURCES
WESTERN REGION

RESPONSE FORM

Boise River Basin Moratorium Application

Name of Applicant: SYMMS FRUIT RANCH INC

Address: 14068 SUNNY SLOPE ROAD
CALDWELL IDAHO 83605

Water Right No.: 63-11679

Do you wish to proceed with development of the
water right as proposed in the application?
(If the response is no, please complete
and return the enclosed withdrawal form.)

☒ Yes ☐ No

If the source of water that you propose to
appropriate is ground water, what aquifer
level do you propose to develop to obtain water? 160 ft to 400 ft

Signature: R. A. Symms

Printed Name: R. A. SYMMS

Please return this form to:

Idaho Department of Water Resources
Western Regional Office
2735 Airport Way
Boise, ID 83705

RECEIVED

JAN 24 1996



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 19, 1995

Distribution: Applicants Whose Water Right Applications Were Held Without Action Under the Boise River Basin Moratorium

Dear Applicant:

As you might be aware, on May 3, 1995 the Director of the Department of Water Resources, Mr. R. Keith Higginson, signed an Amended Moratorium Order which provides for the processing of previously held applications within the Boise River Basin, with certain restrictions. Enclosed for your information is a copy of the Order.

As provided in the Order, this office will resume the processing of these applications in order of priority at a rate of 30 applications per month. Depending on how many applicants wish to proceed with development of their projects, the processing of the 338 presently-held applications could require as much as a year. To enable you to make an estimate as to when your application(s) will be processed, please be advised that 244 of the applications have priority (receipt) dates of 1992; 32 are dated 1993; 37 are dated 1994; and 25 are dated 1995.

As new applications are received, they are sorted into two groups. Those that would not have been held back under the moratorium are processed immediately. To assure fairness in processing, those that would have been held back under the moratorium, such as irrigation applications, are placed at the end of the moratorium processing line.

Note that the Order requires that all applications held under the moratorium will be advertised (or re-advertised if previously advertised), in order to enable neighboring water users to examine the proposed uses in view of water availability information gained during recent drought years. There will be no additional charge to the applicants for this process. For applications that propose use of ground water, the advertisement must include an indication of the depth interval from which the applicant proposes to withdraw water.

Please find enclosed a Profile Report which provides information from our water rights data base describing each of your moratorium-held applications. In addition we have included one response form for each application, which enables you to indicate whether you wish to proceed with processing of your water right application(s).


JAN 24 1996

May 19, 1995

In case you no longer intend to develop a water use as described on an application, please complete and return the enclosed Withdrawal Form. Because of the time and effort already devoted to researching water availability in the Boise River basin, the Department will not be able to provide refunds of fees for applications that are withdrawn.

If you have questions about this process, or if you need assistance in completing the response form, please feel free to contact this office at (208) 334-2190. Response forms received no later than May 31, 1995, will be used in compiling the applications that will be advertised during June.

Sincerely,



David R. Tuthill, Jr., P. E.
Manager, Western Region Office

Enclosures

Amended Moratorium Order
Profile Report(s)
Response Form(s)
Application Withdrawal Form(s)

RECEIVED
JAN 24 1996

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF APPLICATION)
FOR PERMIT NO. 63-11679 IN)
THE NAME OF SYMMS FRUIT)
RANCH INC)
_____)

REINSTATEMENT ORDER

This matter having come before the Idaho Department of Water Resources (department), as a result of drought conditions being experienced during the 1994 irrigation season, the department makes the following Findings of Fact, Conclusions of Law and Order:

FINDINGS OF FACT

1. In May 1992, the department issued the above captioned temporary permit (permit) to use ground water during the 1992 irrigation season to offset the effects of the drought and the associated reduced surface water supply. The permit expired on November 15, 1992.

2. The permit was conditioned that the Director of the department retained jurisdiction to reinstate the permit if drought conditions justify resumption of ground water use.

3. Water supply conditions during 1994 justify reinstatement of the permit by the Director.

CONCLUSIONS OF LAW

1. The Director is authorized under Chapter 2, Title 42, Idaho Code, to issue water right permits authorizing the diversion and use of the state's water resources.

2. The Director should reinstate the above captioned permit with certain conditions and limitations.

ORDER

IT IS THEREFORE, HEREBY ORDERED that the above captioned permit is **REINSTATED** with the following conditions and limitations:

1. The permit expires on November 15, 1994.

2. The right to divert water under the above captioned permit is void if the surface water appurtenant to the place of use has been sold, transferred, leased or used on any other place of use without the approval of the department.

MICROFILMED

AUG 08 1994

3. The permit holder shall use the full allotment of surface water to the extent it is available before diversion is authorized under this reinstated permit.

4. The permit holder shall employ reasonably efficient methods of water application to conserve the water of the state of Idaho.

5. The rate of diversion of water for irrigation under this right and all other rights shall not exceed 0.02 cfs for each acre of land.


6. This use is subject to all prior water rights.

7. The place of use authorized is only that shown on the permit. Permit holder shall prevent use of this water on land for which it is not authorized.

8. This reinstatement does not authorize the construction of new wells or the deepening of existing wells.

9. Failure to comply with the above conditions and limitations of permit use voids this reinstatement.

Dated this 27th day of July, 1994.



L. GLEN SAXTON
Chief, Water Allocation Bureau



AUG 08 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

July 27, 1994

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL ID 83605

RE: PERMIT NO. M63-11679

REINSTATEMENT OF PERMIT APPROVAL

Dear Reinstated Permit Holder(s):

Enclosed is an reinstatement order authorizing diversion of water under the above referenced permit.


The Department has reinstated your permit for the remainder of the 1994 irrigation season and the reinstatement will expire on November 15, 1994. When your permit expires, you must make the pump and motor inoperable, and you cannot operate the pump without approval from the Department of Water Resources. The Director may reinstate the permit again next year if drought conditions persist.

Please remember water diverted under your reinstated permit is only to be used on the lands identified on your permit. You must obtain the approval of the Department before using your water anywhere else.

If diversion from your well causes interference with other wells with an earlier priority, you may be required to cease pumping or compensate the affected party. Idaho law specifically protects groundwater levels for domestic wells which were in use prior to 1978.

If you have any questions please let me know.

Sincerely,


JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

RECEIVED

AUG 08 1994

WA

RECEIVED

DROUGHT RELIEF QUESTIONNAIRE

JUL 26 1994

If you are not interested in having a 1994 temporary permit reinstatement, or if you did not drill a well in 1992, disregard this questionnaire. No response is necessary.

Please answer the questions below. Your answers will help the department assess the need for use of the wells to complete the 1994 irrigation season and the extent of water use that will occur if the department again authorizes use of the wells.

1. Temporary permit identification number. M63-11679
(See cover letter)

2. a) Person responding to this questionnaire
R.A. SYLINS

b) Relationship to applicant? Pres

3. Do you expect to use all of your surface water supplies for the land identified on the attached application prior to the end of the 1994 irrigation season? Yes ☒ No ☐

4. What is the source of supply? (Name of Canal)
LOW LINE

5. What date do you expect this to occur? _____

6. List the type of crop, acreage and volume of water in acre feet (AF) needed under the temporary permit to complete the 1994 irrigation season. List only for the lands included in the land list of the attached application for permit.

CROP	ACRES	ACRE FEET
~~PEARS~~	~~23~~	
PEARS	23	46
PEACHES	4	8
APPLES	55	110

This questionnaire needs to be completed and returned to the department by August 1, 1994 in order to be considered as a request to reinstate a temporary permit.

AUG 08 1994

orig

WR5807NP
(00-117)

IDAHO DEPARTMENT OF WATER RESOURCES
LISTING OF WATER RIGHTS

DATE: 07/20/94
PAGE: 29

RIGHT NUMBER	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	MAXIMUM DIVERSION	STAGE
M63-11679	SYMMS FRUIT RANCH INC 14068 SUNNY SLOPE RD CALDWELL ID 83605	02/10/1992	IRRIGATION	03-15 11-15	2.00 CFS	MORATORIUM

2.00 CFS TOTAL
0.00 AFA TOTAL

SOURCE: GROUNDWATER

TRIBUTARY:

POINT OF DIVERSION:
T03N R04W S26

NWNW

PLACE OF USE: IRRIGATION

T03N R04W S26

NWNW 40.0

SWNW 20.0

S27

NENE 40.0

100.0 ACRES TOTAL

CONDITIONS OF APPROVAL:

REMARKS:

OTHER RIGHTS:

08 1994



SYMMS FRUIT RANCH, INC.

*Growers and Shippers of Apples,
Peaches, Cherries, Plums, Pears, Nectarines,
Grapes, Onions and Potatoes.*

14068 Sunny Slope Road, Caldwell, Idaho 83605
Telephone (208) 459-4821 / L.D. 459-8064
Fax: (208) 459-6932

April 19, 1994

Mr. Tim Luke
Department of Water Resources
1301 North Orchard
P. O. Box 83720
Boise, Idaho 83720-0098

Dear Mr. Luke,

I write regarding our telephone conversation today with reference to moratorium wells that were permitted for use in 1992 and also from 1-15 April, 1994. It is my request that you allow the use of these wells during the irrigation season of 1994.

As you are aware, the Boise Project allotment for 1994 is 2.5 acre feet. In the fruit business, we typically use 4 acre feet of water per irrigation season, and we have found that we can exist with 3 acre feet. However, with less than 3 acre feet we must make other accommodations (ie. using wells, or not planting all acres) so that we have the equivalent of at least 3 acre feet of water. It is not possible as late as April to change the number of acres that are planted to fruit. This means that we will have a water shortage in 1994 and we need to use all of our wells. The moratorium wells were drilled, at considerable expense, for use during a water shortage. It is not our intent, nor is it to our advantage, to use these wells unless it is necessary. The fruit business is not similar to the grain business. We cannot raise a full crop with less than 3 acre feet of water.

The fruit business is very competitive, and I do not believe it is proper for a governmental agency to put our business at an unfair disadvantage unless it is proven that we are doing damage to someone else. In this case, there is no proof that our pumping water from a temporary well has done, or will ever do, damage to someone else.

Therefore, again I request that your office approve the pumping of moratorium wells during this 1994 irrigation season.

Sincerely,

R. A. Symms
President

cc: Keith Higginson
K. Henley





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 20, 1994

SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL ID 83605

RE: Water Right No. M63-11679

Dear Water Right Holder(s):

In 1992, the Department issued you a temporary permit to use groundwater from your well, if you drilled one, to replace depleted storage water supplies. This temporary permit expired on November 15, 1992.

During 1994, since available surface water supplies are again substantially below normal, the department has received a number of requests to re-authorize use of the "1992 drought relief" wells.

The department is willing to consider reinstating the temporary permits for the remainder of 1994 provided you can show that you used water under the 1992 temporary approval and that water will be used only on the lands identified on the temporary permit. Enclosed is a questionnaire which you must complete and return to the department if you want to be considered for reinstatement in 1994.

Also enclosed, for your reference, is a record of your application for permit.

Please be advised that unless the department specifically reinstates the expired permit, you are not authorized to divert and use the water from the well identified on the temporary permit.

If you have any questions, please feel free to contact me at Ph. 327-7947.

Sincerely,

A handwritten signature in dark ink, appearing to be 'JJ', followed by a horizontal line.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

RECEIVED

AUG 08 1994

March 31, 1994

SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL ID 83605

RE: Water Right No. M63-11679

Dear Water Right Holder(s):

In 1992, the Department of Water Resources issued the above referenced permit allowing the diversion of water for the 1992 irrigation season only. The permit included a condition:

This permit to appropriate water expires at the end of the 1992 irrigation season. The Director retains jurisdiction to reinstate the permit if drought conditions justify resumption of groundwater use.

It now appears that 1994 early season water supply and precipitation conditions are such that short-term use of the wells that were drilled under this authority could be beneficial prior to the start of water delivery through the canal systems in the Boise Valley. We have been advised that most of the canals will not be able to deliver water for another 10 to 14 days.

Therefore, you are hereby notified that the permit is reinstated for temporary use during the period April 1 through April 15, 1994 only. All other conditions of the permit continue to apply. One requirement was that the well be disconnected from the power system at the end of the approved period of use, which under this reinstatement is April 15, 1994.

The existing moratorium in the Boise Valley area is not changed by this temporary reinstatement of the 1992 drought well permit. This temporary reinstatement does not authorize the construction of a new well or alteration of an existing well.

If you have any questions, please contact this office.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

AUG 08 1994

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

rces
Pg 1 of 2

1. WELL OWNER SYNTH FRIEL RANCH Name _____ Address <u>14068 SUNNY SLOPE RD</u> <u>63-92-W-227-157</u> Drilling Permit No. _____ Water Right Permit No. <u>11679</u>	7. WATER LEVEL 50 Static water level _____ feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ Describe artesian or temperature zones below.																																																																																																																																																																																		
2. NATURE OF WORK NEW WELL ☐ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Modification ☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.)	8. WELL TEST DATA NOT AVAILABLE ☐ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%;">Discharge G.P.M.</th> <th style="width: 33%;">Pumping Level</th> <th style="width: 33%;">Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																															
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																	
3. PROPOSED USE IRRIGATION ☐ Domestic ☐ Irrigation ☐ Monitor ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>3</td><td>0</td><td>7</td><td>TOPSOIL</td><td> </td><td>X</td></tr> <tr><td> </td><td>7</td><td>8</td><td>SAND GRAVEL ROCK</td><td> </td><td>X</td></tr> <tr><td> </td><td>8</td><td>15</td><td>SOFT SANDSTONE</td><td> </td><td>X</td></tr> <tr><td> </td><td>15</td><td>25</td><td>LITE BRN CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>25</td><td>35</td><td>SAND GRAVEL ROCK</td><td> </td><td>X</td></tr> <tr><td> </td><td>35</td><td>55</td><td>FINE TO CRSE SAND</td><td>X</td><td> </td></tr> <tr><td> </td><td>55</td><td>70</td><td>LITE BRN CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>70</td><td>75</td><td>SANDSTONE</td><td> </td><td>X</td></tr> <tr><td> </td><td>75</td><td>78</td><td>LITE BRN CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>78</td><td>93</td><td>FINE TO CRSE SAND</td><td>X</td><td> </td></tr> <tr><td> </td><td>93</td><td>100</td><td>BRN CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>100</td><td>107</td><td>GREY CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>107</td><td>121</td><td>FINE TO CRSE SAND</td><td>X</td><td> </td></tr> <tr><td> </td><td>121</td><td>135</td><td>GREY CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>135</td><td>140</td><td>SANDSTONE</td><td> </td><td>X</td></tr> <tr><td> </td><td>140</td><td>151</td><td>GREY CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>151</td><td>198</td><td>FINE TO CRSE SAND W/PEA</td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td>GRAVEL</td><td>X</td><td> </td></tr> <tr><td> </td><td>198</td><td>211</td><td>GREY SANDY CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>211</td><td>213</td><td>BRN CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>213</td><td>295</td><td>GREY CLAY W/ SHALE</td><td> </td><td>X</td></tr> <tr><td> </td><td>295</td><td>297</td><td>FINE SAND</td><td>X</td><td> </td></tr> <tr><td> </td><td>297</td><td>325</td><td>GREY CLAY</td><td> </td><td>X</td></tr> <tr><td> </td><td>325</td><td>367</td><td>FINE TO CRSE SAND W/ PEA</td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td>GRAVEL & SANDSTONE BALLS</td><td>X</td><td> </td></tr> <tr><td> </td><td>367</td><td>371</td><td>GREY SANDSTONE</td><td> </td><td>X</td></tr> <tr><td> </td><td>371</td><td>405</td><td>FINE TO CRSE SAND</td><td>X</td><td> </td></tr> <tr><td> </td><td>405</td><td>425</td><td>SANDY BLUE CLAY</td><td> </td><td>X</td></tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	3	0	7	TOPSOIL		X		7	8	SAND GRAVEL ROCK		X		8	15	SOFT SANDSTONE		X		15	25	LITE BRN CLAY		X		25	35	SAND GRAVEL ROCK		X		35	55	FINE TO CRSE SAND	X			55	70	LITE BRN CLAY		X		70	75	SANDSTONE		X		75	78	LITE BRN CLAY		X		78	93	FINE TO CRSE SAND	X			93	100	BRN CLAY		X		100	107	GREY CLAY		X		107	121	FINE TO CRSE SAND	X			121	135	GREY CLAY		X		135	140	SANDSTONE		X		140	151	GREY CLAY		X		151	198	FINE TO CRSE SAND W/PEA						GRAVEL	X			198	211	GREY SANDY CLAY		X		211	213	BRN CLAY		X		213	295	GREY CLAY W/ SHALE		X		295	297	FINE SAND	X			297	325	GREY CLAY		X		325	367	FINE TO CRSE SAND W/ PEA						GRAVEL & SANDSTONE BALLS	X			367	371	GREY SANDSTONE		X		371	405	FINE TO CRSE SAND	X			405	425	SANDY BLUE CLAY		X
Bore Diam.	Depth		Material	Water																																																																																																																																																																															
	From	To		Yes	No																																																																																																																																																																														
3	0	7	TOPSOIL		X																																																																																																																																																																														
	7	8	SAND GRAVEL ROCK		X																																																																																																																																																																														
	8	15	SOFT SANDSTONE		X																																																																																																																																																																														
	15	25	LITE BRN CLAY		X																																																																																																																																																																														
	25	35	SAND GRAVEL ROCK		X																																																																																																																																																																														
	35	55	FINE TO CRSE SAND	X																																																																																																																																																																															
	55	70	LITE BRN CLAY		X																																																																																																																																																																														
	70	75	SANDSTONE		X																																																																																																																																																																														
	75	78	LITE BRN CLAY		X																																																																																																																																																																														
	78	93	FINE TO CRSE SAND	X																																																																																																																																																																															
	93	100	BRN CLAY		X																																																																																																																																																																														
	100	107	GREY CLAY		X																																																																																																																																																																														
	107	121	FINE TO CRSE SAND	X																																																																																																																																																																															
	121	135	GREY CLAY		X																																																																																																																																																																														
	135	140	SANDSTONE		X																																																																																																																																																																														
	140	151	GREY CLAY		X																																																																																																																																																																														
	151	198	FINE TO CRSE SAND W/PEA																																																																																																																																																																																
			GRAVEL	X																																																																																																																																																																															
	198	211	GREY SANDY CLAY		X																																																																																																																																																																														
	211	213	BRN CLAY		X																																																																																																																																																																														
	213	295	GREY CLAY W/ SHALE		X																																																																																																																																																																														
	295	297	FINE SAND	X																																																																																																																																																																															
	297	325	GREY CLAY		X																																																																																																																																																																														
	325	367	FINE TO CRSE SAND W/ PEA																																																																																																																																																																																
			GRAVEL & SANDSTONE BALLS	X																																																																																																																																																																															
	367	371	GREY SANDSTONE		X																																																																																																																																																																														
	371	405	FINE TO CRSE SAND	X																																																																																																																																																																															
	405	425	SANDY BLUE CLAY		X																																																																																																																																																																														
4. METHOD DRILLED REVERSE ROTARY ☐ Rotary ☐ Air ☐ Auger ☐ Reverse rotary ☐ Cable ☐ Mud ☐ Other _____ (backhoe, hydraulic, etc.)	10. 6/22/92 Work started _____ finished _____																																																																																																																																																																																		
5. WELL CONSTRUCTION SEE ATTACHED Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation? _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☒ Yes ☐ No Manufacturer <u>ROSCOE MOSS</u> Type <u>VEE WIRE</u> Top Packer or Headpipe _____ Bottom of Tailpipe _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel <u>3/8</u> Placed from <u>425</u> feet to <u>105</u> feet Surface seal depth <u>15</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☒ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>2" PIPE</u>	Thickness	Diameter	From	To	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLER'S CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>PETE COPE DRILLING</u> Firm No. <u>213</u> Address <u>6505 W CHINDEN</u> Date <u>6/29/92</u> Signed by Drilling Supervisor <u>Joseph J. Cope</u> and (Operator) _____																																																																																																																																																						
Thickness	Diameter	From	To																																																																																																																																																																																
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																
Number	From	To																																																																																																																																																																																	
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																	
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																	
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																	
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ Block No. _____ County <u>CANYON</u> Address of Well Site <u>SUNNY SLOPE RD</u> (give at least name of road) T. <u>3N</u> N ☐ or S ☐ <u>NW</u> 1/4 NW 1/4 Sec. <u>26</u>, R. <u>4W</u> E ☐ or W ☐	RECEIVED AUG 08 1992 AUG 08 1994 Department of Water Resources																																																																																																																																																																																		

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

pg 1

1. WELL OWNER
SYNMS FRUIT RANCH
Name _____
Address 14068 SUNNY SLOPE RD
63-92-W-327
Drilling Permit No. _____
Water Right Permit No. 11679

2. NATURE OF WORK
NEW WELL
☐ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase ☐ Modification
☐ Abandoned (describe abandonment or modification procedures
such as liners, screen, materials, plug depths, etc. in lithologic
log, section 9.)

3. PROPOSED USE IRRIGATION
☐ Domestic ☐ Irrigation ☐ Monitor
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED REVERSE ROTARY
☐ Rotary ☐ Air ☐ Auger ☐ Reverse rotary
☐ Cable ☐ Mud ☐ Other _____
(backhoe, hydraulic, etc.)

5. WELL CONSTRUCTION SEE ATTACHED
Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness Diameter From To
_____ inches _____ inches + _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation? _____ inches by _____ inches
Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☒ Yes ☐ No
Manufacturer ROSCOE MOSS Type VEE WIRE
Top Packer or Headpipe _____
Bottom of Tailpipe _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8
Placed from 425 feet to 105 feet

Surface seal depth 105 Material used in seal: ☐ Cement grout
☒ Bentonite ☒ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit
☐ Temp. surface casing ☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded
☐ Solvent Weld ☐ Cemented between strata

Describe access port 2" PIPE

7. WATER LEVEL 50
Static water level _____ feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.


8. WELL TEST DATA
☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8	0	7	TOPSOIL		X
	7	8	SAND GRAVEL ROCK		X
	8	15	SOFT SANDSTONE		X
	15	25	LITE BRN CLAY		X
	25	35	SAND GRAVEL ROCK		X
	35	55	FINE TO CRSE SAND	X	
	55	70	LITE BRN CLAY		X
	70	75	SANDSTONE		X
	75	78	LITE BRN CLAY		X
	78	93	FINE TO CRSE SAND	X	
	93	100	BRN CLAY		X
	100	107	GREY CLAY		X
	107	121	FINE TO CRSE SAND	X	
	121	135	GREY CLAY		X
	135	140	SANDSTONE		X
	140	151	GREY CLAY		X
	151	198	FINE TO CRSE SAND W/PEA		
			GRAVEL	X	
	198	211	GREY SANDY CLAY		X
	211	213	BRN CLAY		X
	213	295	GREY CLAY W/ SHALE		X
	295	297	FINE SAND	X	
	297	325	GREY CLAY		X
	325	367	FINE TO CRSE SAND W/ PEA		
			GRAVEL & SANDSTONE BALLS	X	
	367	371	GREY SANDSTONE		X
	371	405	FINE TO CRSE SAND	X	
	405	425	SANDY BLUE CLAY		X

10. _____ started _____ finished _____

6. LOCATION OF WELL
Sketch map location must agree with written location

Subdivision Name _____
Lot No. _____ Block No. AUG 08 1994
County CANYON
Address of Well Site SUNNY SLOPE RD
(give at least name of road)
T. 3N N ☐ or S ☐
NW 1/4 NW 1/4 Sec. 26, R. 4W E ☐ or W ☐

7. DRILLER'S CERTIFICATION
I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.
Name PETE COPE DRILLING Firm No. 213
Address 6505 W CHINDEN Date 6/29/92
Signed by Drilling Supervisor Joseph Jones
and
(Operator) _____
(If different than the Drilling Supervisor)

C

pg 2 of 2

SYMMS FRUIT RANCH
14068 SUNNY SLOPE RD
CALDWELL ID 83605
Permit# 63-92-W-~~227~~ 151

"16" casing record .250 wall welded

2	-	160	162
200	-	330	130
400	-	412	12

304 total casing

16" Screen record .40 slot Roscoe Moss Continuous wire.

160	-	200	40
330	-	400	70

110 total screen

414 total screen+casing

5" Casing Record .250 Wall Welded

1.5	-	189	190.5
199	-	214	15

205.5

5" Screen Record .40 Slot Stainles Houston Continuous wire

189	-	199	10
-----	---	-----	----

10

AUG 08 1994

Pg. 2

SYMMS FRUIT RANCH
14068 SUNNY SLOPE RD
CALDWELL ID 83605
Permit# 63-92-W-327

"16" casing record .250 wall welded

2	-	160	162
200	-	330	130
400	-	412	12

304 total casing

16" Screen record .40 slot Roscoe Moss Continuous wire.

160	-	200	40
330	-	400	70

110 total screen

414 total screen+casing

5" Casing Record .250 Wall Welded

1.5	-	189	190.5
199	-	214	15

205.5

5" Screen Record .40 Slot Stainles Houston Continuous wire

189	-	199	10
-----	---	-----	----

10

3N 4W Sec 26



AUG 08 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11679

Proposed Priority: February 10, 1992 Maximum Diversion Rate: 2.00 CFS
This is to certify, that SYMMS FRUIT RANCH INC

14068 SUNNY SLOPE RD
CALDWELL ID 83605

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	2.00 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNW , Sec. 26, Township 03N, Range 04W
CANYON County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>			
03N	04W	26	NWNW 40	SWNW 20	60
		27	NENE 40		40

Total number of acres irrigated: 100

CONDITIONS/REMARKS:

1. This permit to appropriate water expires at the end of the 1992 irrigation season. The Director retains jurisdiction to reinstate the permit if drought conditions justify resumption of groundwater use.
2. A well drilled pursuant to this permit must be located at least 500 feet from any existing well. Well spacing closer than 500 feet must be approved by the Department of Water Resources.
3. This right to divert groundwater is void if the surface water right appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.
4. The permit holder shall use the full allotment of his surface water right, to the extent it is available, in conjunction with groundwater diverted pursuant to this permit.
5. The permit holder must employ reasonably efficient methods of water application to conserve the water of the State of Idaho.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
7. Construction of the well must comply with Idaho well construction standards.
8. This right is subject to all prior rights.

APPROVED

AUG 08 1994


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11679

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

29th day of May, 1992



R. Keith Higginson, Director

for



AUG 08 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 2, 1992

COPY

SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL ID 83605

RE: PERMIT NO. 63-11676, 63-11677, 63-11678, & 63-11679

LETTER OF TEMPORARY PERMIT APPROVALS

Dear Permit Holder(s):

Enclosed are copies of your approved permits. Your proposed use of water qualifies for a narrow exception to the Snake River Basin Moratorium established by the Director on May 15, 1992. The exception allows the use of groundwater during the drought to protect agricultural uses which normally have an adequate supply of water. Please carefully review the conditions of approval.

The Department has approved your permits for the 1992 irrigation season. Diversion of groundwater is not authorized after the 1992 season, and the permits expire. The Director may reinstate the permits in a subsequent year if drought conditions persist. You will be responsible for requesting reinstatement during future irrigation seasons.

When your permits expire, you must make the pumps and motors inoperable, and cannot operate the pumps without approval from the Department of Water Resources.

Your permits are for supplemental use only to augment your surface water supply. If the surface water you own is sold, transferred, leased or used on any other land without the approval of the Department of Water Resources, you automatically lose your right to divert groundwater. You must obtain the approval of the Department before using your water anywhere other than where it has traditionally been used.

In addition, you must fully utilize your available surface water to the extent possible. The surface water need not be fully consumed or diverted prior to use of groundwater. You cannot, however, simply divert token quantities of surface water and rely primarily on your groundwater diversion. Surface water must be your primary source of water.

RECEIVED

AUG 08 1994

If you want to locate your wells closer than 500 feet from an existing well, you must obtain the approval of the Department of Water Resources. We realize that under certain circumstances, it may be impossible to locate the wells 500 feet away from another well. You must, however, be cognizant of possible interference resulting from pumping of your wells.

If diversion from your wells cause interference with other wells with an earlier priority, you may be required to cease pumping or compensate the affected party. Idaho law specifically protects groundwater levels for domestic wells which were in use prior to 1978.

If general water levels in the geographical area of your wells decline below reasonable levels, the Department may require you to cease diverting from your wells.

You must efficiently apply the water to the land and conserve water to the extent possible. Excessive irrigation, delivery systems with substantial losses, and application methods which cause substantial percolation or evaporation are not acceptable.

Sincerely,

JIM JOHNSON
Water Right Supervisor

JJ:cz

Enclosure

AUG 08 1994

RE: W. 1 RIGHT #

63-11677

63-11678

63-11676

63-11679

RECORDED

JUN 1 1992

MORATORIUM EXEMPTION QUESTIONNAIRE Department of Natural Resources

IF YOUR APPLICATION PROPOSES AN IRRIGATION USE, PLEASE COMPLETE AND RETURN THE FOLLOWING:

- Has ALL the land you propose to irrigate been irrigated with surface water in the past?
YES, MOST ALL LAND HAS BEEN IRRIGATED FROM WILDER IRRIGATION DISTRICT
- Do you summer fallow any of your irrigated land? If so, how many acres?
NO
- List the water right(s) you have used to irrigate the land listed on the application. If you have received water from a canal company or water district, please identify the name of canal or water district.
WILDER IRRIGATION DISTRICT
- During the last ten years, how many years has your surface irrigation water been available for the entire irrigation season?
MOST YEARS, WATER HAS BEEN AVAILABLE FROM BOISE PROJECT
- What crops have you grown in the past ten years?
ORCHARDS - FRUIT TREES

I understand if my proposed diversion of groundwater is approved as a supplemental use, that I can only use my well during periods of drought, when a full supply of water is not available. I also agree that my surface water will be fully used to the extent available, will not be sold or used on other lands, and that a change in use of my surface water may result in revocation of any groundwater right granted pursuant to my application for supplemental water.

Dated this 28 day of MAY, 1992.


(Please sign)

RA Dymms

AUG 08 1994

AUG 08 1961

- Private groundwater diversions
- Private Boise River diversions
- Private and small organized (Snake River diversions)
- Private groundwater and small organized (Snake River diversions)
- Boise-Kuna Irrigation District (Boise River diversions)
- Formers' Cooperative Ditch Co. (Boise River diversions)
- Nampa & Meridian Irrigation District (Boise River diversions)
- Pioneer Irrigation District (Boise River diversions)
- Riverside Irrigation District (Boise River diversions)
- Wilder Irrigation District (Boise River diversions)
- Black Canyon Irrigation District (Poyette River diversions)
- District surface water and supplemental private groundwater diversions



APRIL 1975
SCALE 1:126,720
Prepared by Idaho Department of Water Resources
U.S. Soil Conservation Service Base Map

Date for this county is available from IDWR.

AUG 08 1994

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

RECEIVED
FEB 10 1992

Department of Water Resources
Western Regional Office

1. Applicant (please print) SYMMS FRUIT RANCH, INC.
2. Mailing Address 14068 SUNNY SLOPE ROAD

City & State CALDWELL, IDAHO Zip Code 83605 Telephone 208-459-4821

(X) Well Owner () Well Operator () Other, specify _____

3. Proposed well location NW 1/4 NW 1/4, or Gov't Lot No. _____

Sec. 26, Twp. 3N, Rge. 4W, County CANYON

Street Address of Well Site _____

Lot, block and subdivision _____

4. Proposed use of well:

() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

() Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

(X) Other IRRIGATION
(Describe) _____

5. Well construction information:

A. (X) New well () Deepen () Enlarge () Replace - See Condition 9

B. Proposed Surface Diameter 16" Proposed Maximum Depth 500'

C. Anticipated bottom hole temperature:

- (X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

RECEIVED

AUG 08 1994

6. Construction Start Date 25 March, 1992

7. Anticipated Well Driller Pete Cope Drilling
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature [Signature] Date February 6, 1992

Title President/ SYMMS FRUIT RANCH, INC.
(Owner, Firm Representative, Other)

ACTION OF THE IDAHO DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date 3/24/1992

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

David R. Tuttle Mgr, Western Reg Off
Signature of Authorized Department Representative Title

Receipt No. W014130 Received by LD Fee \$100.00 Date 2-10-92

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date. AUG 08 1994

ROBISON, S RICHARD
15591 SUNNY SLOPE RD
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt: NWNWNE
Use: IRRIGATION

Sec 15 T 03N R 04W in CANYON County.
(1.300 CFS)
Total Diversión: (1.300 CFS)

Date Filed: 2/13/1992
In: CANYON County
T03N R04W S15
65.0 ACRES TOTAL

NWNE SENE

63-11862

WERTENBERGER, PAMELA
716 W DOLPHIN
RIVERSIDE, CA 93555
Source: GROUNDWATER
Diversión Pt:

NESW Sec 25 T 04N R 03W in CANYON County.
SESW Sec 25 T 04N R 03W in CANYON County.
(2.400 CFS)
Total Diversión: (2.400 CFS)

Use: IRRIGATION

Date Filed: 2/19/1992
In: CANYON County
T04N R03W S25
120.0 ACRES TOTAL

NWNW SWNW NESW NWSW

63-11863

GROSS, CHARLES
GROSS, DOUG
PO BOX 241
WILDER, ID 83676
Source: GROUNDWATER
Diversión Pt: LOT 3
Use: IRRIGATION

(NENWSW) Sec 30 T 04N R 04W in CANYON County.
(3.000 CFS)
Total Diversión: (3.000 CFS)

Date Filed: 2/20/1992
In: CANYON County
T04N R04W S30

NESW Lot 3(NWSW) Lot 4(SWSW) SESW
R05W S24 NESW Lot 1(NWNW) Lot 2(SWNW) SWSE
S25 NWNE SWNE NWNW SWSE
NESE NWSE

550.0 ACRES TOTAL

63-11864

HUTER BROTHERS INC
8040 LINDEN
NAMPA, ID 83687
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SWNW Sec 34 T 04N R 02W in CANYON County.
(2.920 CFS)
Total Diversión: (2.920 CFS)

Date Filed: 2/18/1992
In: CANYON County
T04N R02W S27
S28
S34

146.0 ACRES TOTAL

SWSW
SESE
SWNW

63-11865

WOODWARD, STEPHEN E
18139 DEAN LANE
NAMPA, ID 83687
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SESW Sec 26 T 04N R 02W in CANYON County.
(.800 CFS)
Total Diversión: (.800 CFS)

Date Filed: 2/19/1992
In: CANYON County
T04N R02W S26
40.0 ACRES TOTAL

SESW

63-11868

NOE, LLOYD
NOE, JOAN
6601 DICKMAN RD
MELBA, ID 83641
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SESE Sec 24 T 01N R 02W in CANYON County.
(2.400 CFS)
Total Diversión: (2.400 CFS)

Date Filed: 2/13/1992
In: CANYON County
T01N R02W S24
S25
120.0 ACRES TOTAL

SESE
NENE NWNE

LEGAL NOTICES *Press Trib.* LEGAL NOTICES

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11842

MAI, CARL
16759 FLORIDA AVE
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SESW Sec 11 T 03N R 03W in CANYON County.
(1.480 CFS)
Total Diversión: (1.480 CFS)

Date Filed: 2/6/1992
In: CANYON County
T03N R03W S11
74.0 ACRES TOTAL

NENW SENW

63-11845

NEEDHAM, THOMAS
NEEDHAM, SHARON
22079 KENT RANCH RD
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
DOMESTIC

SESW Sec 26 T 04N R 04W in CANYON County.
(.160 CFS)
(.040 CFS)
Total Diversión: (.200 CFS)

Date Filed: 2/10/1992
In: CANYON County
T04N R04W S26
8.0 ACRES TOTAL

SESW

63-11847

HARRIS ORCHARD
BOX 23
GREENLEAF, ID 83626
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NESESW Sec 28 T 04N R 04W in CANYON County.
(.920 CFS)
Total Diversión: (.092 CFS)

Date Filed: 2/11/1992
In: CANYON County
T04N R04W S28
46.0 ACRES TOTAL

NESW SESW

63-11848

ASUMENDI, DOMINGO
5925 W FRANKLIN
MERIDIAN, ID 83642
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SESE Sec 27 T 04N R 02W in CANYON County.
(1.840 CFS)
Total Diversión: (1.840 CFS)

Date Filed: 2/11/1992
In: CANYON County
T04N R02W S27
92.0 ACRES TOTAL

NWSE SWSE SESE

63-11850

MC CLARAN, RICHARD W
7278 MURPHY RD.
MELBA, ID 83641
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NWSE Sec 35 T 01N R 02W in CANYON County.
(1.600 CFS)
Total Diversión: (1.600 CFS)

NO CLARK, RICHARD W 7278 MURPHY RD. MELBA, ID 83641 Source: GROUNDWATER Diversión Pt: Use: IRRIGATION Date Filed: 2/13/1992 In: CANYON County T01N R02W S35 80.0 ACRES TOTAL	63-11650 Sec 35 T 01N R 02W in CANYON County. (1.600 CFS) Total Diversión: (1.600 CFS)	Use: IRRIGATION Date Filed: 2/13/1992 In: CANYON County T01N R02W S24 S25 120.0 ACRES TOTAL	(2.400 CFS) Total Diversión: (2.400 CFS) SESE NWNE
KNOWLTON, STEVE THURGOOD, DOUGLAS J 11927 CHURCHILL CT HOUSTON, TX 77024 Source: GROUNDWATER Diversión Pt: Use: IRRIGATION Date Filed: 2/11/1992 In: CANYON County T03N R01W S05 80.0 ACRES TOTAL	63-11651 Sec 5 T 03N R 01W in CANYON County. (1.600 CFS) Total Diversión: (1.600 CFS)	CHASE, CARL F 12317 LONE STAR RD NAMAP, ID 83651 Source: GROUNDWATER Diversión Pt: Use: IRRIGATION Date Filed: 2/18/1992 In: CANYON County T03N R02W S18 142.0 ACRES TOTAL	63-11660 Sec 18 T 03N R 02W in CANYON County. (2.840 CFS) Total Diversión: (2.840 CFS) SESE NESW Lot 3(NWSW) NWSE SESW SWSE NESE SESE
COLEMAN, GERALDINE COLEMAN, LOYD PO BOX 186 MELBA, ID 83641 Source: GROUNDWATER Diversión Pt: Use: IRRIGATION Date Filed: 2/12/1992 In: CANYON County T01N R02W S25 40.0 ACRES TOTAL	63-11655 Sec 25 T 01N R 02W in CANYON County. (.800 CFS) Total Diversión: (.800 CFS)	ASUMENDI, LOUIE 2065 S BLACK CAT RD MERIDIAN, ID 83642 Source: GROUNDWATER Diversión Pt: Use: IRRIGATION Date Filed: 2/18/1992 In: CANYON County T03N R02W S01 100.0 ACRES TOTAL	63-11672 Sec 1 T 03N R 02W in CANYON County. (1.800 CFS) Total Diversión: (1.800 CFS) NESESW NESW NWSW SWSW SESW
SCHMIDT, DONNA R PO BOX 375 STAR, ID 83669 Source: GROUNDWATER Diversión Pt: Use: IRRIGATION STOCKWATER DOMESTIC Date Filed: 2/12/1992 In: CANYON County T05N R02W S36 20.0 ACRES TOTAL	63-11656 Sec 36 T 05N R 02W in CANYON County. (.400 CFS) (.020 CFS) (.040 CFS) Total Diversión: (.460 CFS)	SYMMS FRUIT RANCH INC 14068 SUNNY SLOPE RD CALDWELL, ID 83605 Source: GROUNDWATER Diversión Pt: Use: IRRIGATION Date Filed: 2/10/1992 In: CANYON County T03N R04W S23 120.0 ACRES TOTAL	63-11676 Sec 23 T 03N R 04W in CANYON County. (2.400 CFS) Total Diversión: (2.400 CFS) NESE NESE SWSE SESE
NAU, HOWARD 8760 W CHINDEN MERIDIAN, ID 83642 Source: GROUNDWATER Diversión Pt: Use: IRRIGATION Date Filed: 2/13/1992 In: CANYON County T04N R02W S29 118.0 ACRES TOTAL	63-11657 Sec 29 T 04N R 02W in CANYON County. (2.360 CFS) Total Diversión: (2.360 CFS)	SYMMS FRUIT RANCH INC 14068 SUNNY SLOPE RD CALDWELL, ID 83605 Source: GROUNDWATER Diversión Pt: Use: IRRIGATION Date Filed: 2/10/1992 In: CANYON County T03N R04W S22 64.0 ACRES TOTAL	63-11677 Sec 22 T 03N R 04W in CANYON County. (1.280 CFS) Total Diversión: (1.280 CFS) NWNE NWNE SWNE NENW
SHROLL, LYLE E SHROLL, NORMA 8624 BENNETT RD NAMPA, ID 83686 Source: GROUNDWATER Diversión Pt: Use: IRRIGATION Date Filed: 2/13/1992 In: CANYON County T02N R02W S27 80.0 ACRES TOTAL	63-11658 Sec 27 T 02N R 02W in CANYON County. (1.600 CFS) Total Diversión: (1.600 CFS)	SYMMS FRUIT RANCH INC 14068 SUNNY SLOPE RD CALDWELL, ID 83605 Source: GROUNDWATER Diversión Pt: Use: IRRIGATION Date Filed: 2/10/1992 In: CANYON County T03N R04W S14 100.0 ACRES TOTAL	63-11678 Sec 14 T 03N R 04W in CANYON County. (2.000 CFS) Total Diversión: (2.000 CFS) NWSW SWNW NWSW SWSW
WILD-IDA CORPORATION BOX 287 WILDER, ID 83676 Source: GROUNDWATER Diversión Pt: Use: IRRIGATION Date Filed: 2/13/1992 In: CANYON County	63-11659 Sec 15 T 04N R 05W in CANYON County. (1.600 CFS) Total Diversión: (1.600 CFS)	SYMMS FRUIT RANCH INC 14068 SUNNY SLOPE RD CALDWELL, ID 83605 Source: GROUNDWATER Diversión Pt: Use: IRRIGATION Date Filed: 2/10/1992 In: CANYON County T03N R04W S26 S27 100.0 ACRES TOTAL	63-11679 Sec 26 T 03N R 04W in CANYON County. (2.000 CFS) Total Diversión: (2.000 CFS) NWNW NWNW SWNW NENE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, ID 83705 on or before MARCH 23, 1992.
R. KEITH HIGGINSON



3/1/91

SYMMS FRUIT RANCH, INC.

*Growers and Shippers of Apples,
Peaches, Cherries, Plums, Pears, Nectarines,
Grapes, Onions and Potatoes.*

14068 Sunny Slope Road, Caldwell, Idaho 83605
Telephone (208) 459-4821 / L.D. 459-8064
Fax: (208) 459-6932

CORPORATION OFFICERS AND PARTNERS LISTED BELOW
ADDRESS FOR ALL: 14068 Sunny Slope Road
Caldwell, Idaho 83605
Telephone: 208-459-4821

SYMMS FRUIT RANCH, INC.

R. A. Symms	President
James P. Mertz	Secretary
Myrtle Symms	Treasurer
Irene Symms	Vice-President
Kathryn Symms Mertz	Vice-President
Steven D. Symms	Director
Shirley S. Maggard	Director

SUNNY SLOPE FRUIT COMPANY

James P. Mertz	President
Shirley Symms Maggard	Secretary/Treasurer
James P. Mertz	Director
Shirley Symms Maggard	Director
R. A. Symms	Director


STE. CHAPELLE, INC.

R. A. Symms	President
James P. Mertz	Secretary/Treasurer
Kathryn S. Mertz	Director

SYMMS CANYON LTD. PARTNERSHIP

Myrtle Symms	General Partner
Irene Symms	General Partner
R. A. Symms	Administrator
James P. Mertz	Administrator

AUG 08 1994



SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NWNW Sec 26 T 03N R 04W in CANYON County.

```

Use:  IRRIGATION      ( 2.000 CFS)
      Total Diversion: ( 2.000 CFS)

```

Date Filed: 2/10/1992

In: CANYON County
T03N R04W S26 NWNW SWNW
S27 NENE

100.0 ACRES TOTAL

3 394