




RECEIVED

JAN 16 1997

Department of Water Resources



CANYON COUNTY FSA COMMITTEE
510 ARTHUR ST.
CALDWELL, ID 83605

CANYON COUNTY FSA COMMITTEE
510 ARTHUR ST.
CALDWELL, ID 83605

MICROFILMED
FEB 11 1997


Handwritten notes:
12/16/96
Canyon County
FSA Office
Caldwell

63-11660

RECEIVED

JAN 16 1997

Department of Water Resources



Measured from Aerial Photo
Map of Anderson
Aerial Photo Service
12/12/96

CANYON COUNTY FSA COMMITTEE
610 ARTHUR ST.
CALDWELL, ID 83605

1983
taken in

MICROFILMED
FEB 11 1997


63-11660

TWN RGE SEC
03N 04W 15

Water Right No.
63-11660


NWNE

T2776



SENE

T 2536



- separate water
right

MICROFILMED
FEB 11 1997

CANYON COUNTY FSA COMMITTEE
510 ARTHUR ST.
CALDWELL, ID 83605

Mike Anderson

11/25/96

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE Triclad Verti	75	model # 5K365DP6005A	Wel Line	8"
	066065241				
	AFBM: K235A	252	SACO 1		

***Code to correspond with No. on map and aerial photo**

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


2. Measurements:

~~MICROFILMED~~

FEB 11 1997

MICROFILMED
FEB 11 1997

MICROFILMED
FEB 11 1997



8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? [] Yes [x] No

If yes, is there a check-valve present? [x] Yes [] No

Is there a possible source of contamination nearby? [] Yes [x] No

If yes, what Type? _____

How far away from the well is this source? _____


9. REMARKS: _____

Errol Hernandez WR Agent
Signature of Dept. Representative & Title

8/2/94
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

(photo on another sheet)



MICROFILMED

FEB 11 1997

63-11660
8/2/94 S.H.

75 HP

962.5' of 6" PVC
underground
pumps water
east; +
232.5' of 6" PVC
underground
directs water
to 50' of 5"
pipe going to
Orchard #2 with
open discharge the



8" PVC
goes into
6" PVC underground
(962.5' of pipe
going east +
open discharge.
flowing west with
siphon tubes
irrigating south
to south-west



young trees

MICROFILMED

FEB 11 1997

63-11660
8/2/94 S.H



50' of
5" pipe
coming off
of 6" PVC
underground
& open
~~ditch~~ discharges
to irrigate
other orchard
(#2 orchard)



weir
reading
.3 when
system
was on

MICROFILMED
FEB 11 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11660

Priority: February 13, 1992

Maximum Diversion Rate:

0.90 CFS

This is to certify, that S RICHARD ROBISON
15591 SUNNY SLOPE RD
CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 13, 1992; and has submitted Proof of Beneficial Use on April 21, 1994. An examination indicates that the works have a diversion capacity of 1.340 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	03/15 to 11/15	0.90 CFS	
------------	----------------	----------	--

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 15, Township 03N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	04W	15	NWNE 23	SENE 22		45

Total number of acres irrigated: 45

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.
5. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
6. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased, or used on any other place of use.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 202.5 af for the lands above.

MICROFILMED
FEB 11 1997


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11660

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24th
day of JANUARY, 1997.


Acting for KARL J. DREHER, Director



MICROFILMED
FEB 11 1997

RECEIVED

NOV 27 1996

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 63-11660

90 (SWK)

92

0.84 CFS

Date of Priority: February 13, 1992

Maximum Diversion Rate:

Comes now

S RICHARD ROBISON

15591 SUNNY SLOPE RD

CALDWELL ID 83605

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-11660, and requests that the permit be changed as follows:

Source: GROUNDWATER

BENEFICIAL USEPERIOD OF USERATE OF DIVERSIONANNUAL VOLUME

IRRIGATION

03/15 to 11/15

92 90 (SWK)
0.84 CFS

LOCATION OF POINT(S) OF DIVERSION:

SENE, Sec. 15, Township 03N, Range 04W
CANYON County

PLACE OF USE: IRRIGATIONTWN RGE SEC

03N 04W 15

ACRES

NWNE

20

28

23

(SWK)

ACRES

SENE 22

ACRESTOTAL

42 46 45 (SWK)

Total number of acres irrigated:

42 46 45 (SWK)

Changes made per telephone conversation with Rick Robison on 1/17/97.
S.W. Kean

MICROFILMED

FEB 11 1997

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 10:00 A.M., this 26 day of November, 1996.

S. Richard Robison
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11660

FOR DEPARTMENT USE ONLY

Preliminary check by MT Fee = \$1000 Received by MT # 108000 Date 1-27-77

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 63-11660 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.
5. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
6. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased, or used on any other place of use.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of ^{282.5}~~189.0~~ af for the lands above.

Witness my hand this 24TH day of JANUARY, 1977.


Acting for KARL J. DREHER, Director

MICROFILMED

FEB 11 1987

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
APR 22 1994
Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11660 Telephone No. 459-7022
2. Name(s) of Permit Holder(s): S. Richard Robison
3. Post Office Address: 15591 Sunny Slope Rd Caldwell, Ida 83605
4. Source of Water: Ground Water
a. If ground water, well driller's name: Pete Cope Drilling Date drilled: 7/4/92
b. Pump horsepower: 75 Pressure (psi): 80 Dynamic pumping level (ft.): 255'

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 65 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 1.30 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐
OR
Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

8. Fee Enclosed: \$ 125.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

S. Richard Robison 459-7022
Name Telephone No.
15591 Sunny Slope Rd Caldwell, Idaho 83605
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4-21-94 S. Richard Robison
Date Signature (and title if on behalf of a company or organization)

JUN 30 1994

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11660

Proposed Priority: February 13, 1992 Maximum Diversion Rate: 1.30 CFS

This is to certify, that **S RICHARD ROBISON**
15591 SUNNY SLOPE RD
CALDWELL ID 83605

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	1.30 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNE , Sec. 15, Township 03N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION


<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	04W	15	NWNE 30	SENE 35		65
Total number of acres irrigated:						65

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 2, 1994**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

29th day of *April*, 19*92*

for 
R. Keith Higginson, Director

MICROFILMED

MAY 20 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: S. RICHARD ROBISON
Address: 15591 SUNNY SLOPE RD.
CALDWELL ID 83605

208-459-7022

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NWNWNE Sec. 15, Township 03N, Range 04W
CANYON County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	1.300		

5. Total quantity to be appropriated is:
1.300 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
WELL & PUMP
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: 3/15 to 11/15 inclusive.
- Proposed well diameter is 16 inches; proposed depth of well is 600
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 years.

8. Description of proposed uses:
WELL, PUMP

9. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
03N 04W 15	NWNE 30	SENE 35		65

Total number of acres irrigated: 65

10. Describe any other water rights used for the same purposes:
Wilder Irrigation Water

MAY 20 1992

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

J. Richard Robison
Applicant

Received by LW Date 2/13/92 Time 3 P Preliminary check by glt
Fee \$ 65 Receipted by LW # W014156 Date 2/13/92
Publication prepared by GG Date 2/26/92 Published in Press-Tribune
Publication approved ST Date 3-23-92 ^{3/4 & 3/11/92}

MAY 20 1992

50'

514

515

516

47' 30"

GREENLEAF 5 MI.
3.3 MI. TO IDAHO 19



2533

CANAL

W. R. D.

Huston

30

P/u

BLATERNAL

T3N, R4W
SEP 1955

Gravel

lope

MICROFILMED

20 1992

2268

MM
AIRPORT

11
ROBISON, S RICHARD
15591 SUNNY SLOPE RD
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt:

Use: IRRIGATION

NWNWNE

Sec 15 T 03N R 04W In CANYON County.

(1.300 CFS)

Total Diversion: (1.300 CFS)

Date Filed: 2/13/1992

In: CANYON County

T03N R04W S15

65.0 ACRES TOTAL

NWNE

SENE

63-11662

WERTENBERGER, PAMELA

716 W DOLPHIN

RIVERSIDE, CA 93555

Source: GROUNDWATER

Diversion Pt:

NESW

Sec 25 T 04N R 03W In CANYON County.

SESW

Sec 25 T 04N R 03W In CANYON County.

(2.400 CFS)

Total Diversion: (2.400 CFS)

Use: IRRIGATION

Date Filed: 2/19/1992

In: CANYON County

T04N R03W S25

120.0 ACRES TOTAL

NWNW

SWNW

NESW

NWSW

LEGAL NOTICES *Press Trib.* LEGAL NOTICES

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11642

MAI, CARL

16759 FLORIDA AVE

CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt:

Use: IRRIGATION

SESW

Sec 11 T 03N R 03W In CANYON County.

(1.480 CFS)

Total Diversion: (1.480 CFS)

Date Filed: 2/6/1992

In: CANYON County

T03N R03W S11

74.0 ACRES TOTAL

NENW

SESW

63-11645

NEEDHAM, THOMAS

NEEDHAM, SHARON

22079 KENT RANCH RD

CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt:

Use: IRRIGATION

SESW

Sec 26 T 04N R 04W In CANYON County.

(.180 CFS)

(.040 CFS)

Total Diversion: (.200 CFS)

Date Filed: 2/10/1992

In: CANYON County

T04N R04W S26

8.0 ACRES TOTAL

SESW

63-11647

HARRIS ORCHARD

BOX 23

GREENLEAF, ID 83626

Source: GROUNDWATER

Diversion Pt:

Use: IRRIGATION

NESESW

Sec 28 T 04N R 04W In CANYON County.

(.920 CFS)

Total Diversion: (.920 CFS)

Date Filed: 2/11/1992

In: CANYON County

T04N R04W S28

46.0 ACRES TOTAL

NESW

SESW

63-11648

ASUMENDI, DOMINGO

5925 W FRANKLIN

MERIDIAN, ID 83642

Source: GROUNDWATER

Diversion Pt:

Use: IRRIGATION

SESE

Sec 27 T 04N R 02W In CANYON County.

(1.840 CFS)

Total Diversion: (1.840 CFS)

Date Filed: 2/11/1992

In: CANYON County

T04N R02W S27

92.0 ACRES TOTAL

NWSE

SWSE

SESE

63-11650

MC CLARAN, RICHARD W

7278 MURPHY RD.

MELBA, ID 83641

Source: GROUNDWATER

Diversion Pt:

Use: IRRIGATION

NWSE

Sec 35 T 01N R 02W In CANYON County.

(1.600 CFS)

Total Diversion: (1.600 CFS)

NOE, LLOYD

NOE, JOAN

6601 DICKMAN RD

MELBA, ID 83641

Source: GROUNDWATER

Diversion Pt:

Use: IRRIGATION

SESE

Sec 24 T 01N R 02W In CANYON County.

(2.400 CFS)

Total Diversion: (2.400 CFS)

Date Filed: 2/13/1992

In: CANYON County

T01N R02W S24

S25

120.0 ACRES TOTAL

NENE

SESE

NWNE

MC CLARIN, RICHARD W
7278 MURPHY RD.
MELBA, ID 83641
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

NWSE

Sec 35 T 01N R 02W in CANYON County.
(1.600 CFS)
Total Diversion: (1.600 CFS)

Use: IRRIGATION

Date Filed: 2/13/1992
In: CANYON County
T01N R02W S24
S25
120.0 ACRES TOTAL

(2.400 CFS)
Total Diversion: (2.400 CFS)

NENE

SESE
NWNE

Date Filed: 2/13/1992
In: CANYON County
T01N R02W S35
80.0 ACRES TOTAL

NESW

NWSE

63-11851

KNOWLTON, STEVE
THURGOOD, DOUGLAS J
11927 CHURCHILL CT
HOUSTON, TX 77024
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

SWSE

Sec 5 T 03N R 01W in CANYON County.
(1.600 CFS)
Total Diversion: (1.600 CFS)

Date Filed: 2/18/1992
In: CANYON County
T03N R02W S18
142.0 ACRES TOTAL

SESE

Sec 18 T 03N R 02W in CANYON County.
(2.840 CFS)
Total Diversion: (2.840 CFS)

63-11869

NESW

Lot 3(NWSW)
NWSE

SESW

NESE
SESE

Date Filed: 2/11/1992
IN: CANYON County
T03N R01W S05
80.0 ACRES TOTAL

SESW

SWSE

63-11855

COLEMAN, GERALDINE
COLEMAN, LOYD
PO BOX 188
MELBA, ID 83641
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

NWNENW

Sec 25 T 01N R 02W in CANYON County.
(.800 CFS)
Total Diversion: (.800 CFS)

Date Filed: 2/18/1992
In: CANYON County
T03N R02W S01
100.0 ACRES TOTAL

NESESW

Sec 1 T 03N R 02W in CANYON County.
(1.800 CFS)
Total Diversion: (1.800 CFS)

63-11872

NESW

NWSW

SWSW

SESW

Date Filed: 2/12/1992
In: CANYON County
T01N R02W S25
40.0 ACRES TOTAL

NENW

63-11858

SCHMIDT, DONNA R
PO BOX 375
STAR, ID 83669
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION
STOCKWATER
DOMESTIC

NESESW
SWSESW

Sec 36 T 05N R 02W in CANYON County.
Sec 36 T 05N R 02W in CANYON County.
(.400 CFS)
(.020 CFS)
(.040 CFS)
Total Diversion: (.460 CFS)

SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL, ID 83605
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

NESE

Sec 23 T 03N R 04W in CANYON County.
(2.400 CFS)
Total Diversion: (2.400 CFS)

63-11876

Date Filed: 2/10/1992
In: CANYON County
T03N R04W S23
120.0 ACRES TOTAL

NESE

SWSE

SESE

63-11877

Date Filed: 2/12/1992
In: CANYON County
T05N R02W S36
20.0 ACRES TOTAL

SESW

63-11857

NAU, HOWARD
8760 W CHINDEN
MERIDIAN, ID 83642
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

SENESE

Sec 29 T 04N R 02W in CANYON County.
(2.360 CFS)
Total Diversion: (2.360 CFS)

Date Filed: 2/10/1992
In: CANYON County
T03N R04W S22
64.0 ACRES TOTAL

NWNE

Sec 22 T 03N R 04W in CANYON County.
(1.280 CFS)
Total Diversion: (1.280 CFS)

63-11878

SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL, ID 83605
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

NWNE

SWNE

NENW

NWSW

Sec 14 T 03N R 04W in CANYON County.
(2.000 CFS)
Total Diversion: (2.000 CFS)

Date Filed: 2/13/1992
In: CANYON County
T04N R02W S29
118.0 ACRES TOTAL

NENE

SENE

NESE

SESE

63-11858

SHROLL, LYLE E
SHROLL, NORMA
8624 BENNETT RD
NAMPA, ID 83686
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

SWSWSW

Sec 27 T 02N R 02W in CANYON County.
(1.600 CFS)
Total Diversion: (1.600 CFS)

Date Filed: 2/10/1992
In: CANYON County
T03N R04W S14
100.0 ACRES TOTAL

SWNW

NWSW

SWSW

63-11879

SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL, ID 83605
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

NWNW

Sec 26 T 03N R 04W in CANYON County.
(2.000 CFS)
Total Diversion: (2.000 CFS)

Date Filed: 2/13/1992
In: CANYON County
T02N R02W S27
80.0 ACRES TOTAL

SWSW

SESW

63-11859

WILD-IDA CORPORATION
BOX 287
WILDER, ID 83676
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

SESW

Sec 15 T 04N R 05W in CANYON County.
(1.600 CFS)
Total Diversion: (1.600 CFS)

Date Filed: 2/10/1992
In: CANYON County
T03N R04W S26
S27
100.0 ACRES TOTAL

NWNW

SWNW
NENE

Date Filed: 2/13/1992
In: CANYON County
T01N R02W S15

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, ID 83705 on or before MARCH 23, 1992.
R. KEITH HIGGINSON



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 27, 1997

S RICHARD ROBISON
15591 SUNNY SLOPE RD
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11660

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment. Should you have any questions regarding these documents, please contact me.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED
JAN 31 1997

MEMORANDUM

DATE: January 17, 1997

TO: File 63-11660

FROM: Shelley W. Keen ^{SWK}

RE: Place of Use

After reviewing the additional information Mr. Robison submitted to support a larger place of use than the field examiner recommended, I believe this right should be licensed for the irrigation of 45 acres. I called Mr. Robison at 459-7022 and got his permission to initial the changes on the licencing amendment he submitted.

RE: Water Right No. 63-11660

Dear Mr. Keen:

I have enclosed a 1993 copy of the irrigated acreage in question. There is a slight increase over the original total, however it is less than the 1996 map indicates.

I have also included a 1994 copy which is slightly larger still. I have been unable to verify exactly when these trees were planted.

Although I intended to replant this orchard at

a single time, I was forced to extend the planting due to the availability of the fruit trees required.

Sincerely,

Richard Robinson

RECEIVED

JAN 16 1997

Department of Water Resources


MICROFILMED

FEB 11 1997

63-11660

RECEIVED
JAN 16 1997

Department of Water Resources



CANYON COUNTY FSA COMMITTEE
510 ARTHUR ST.
CALDWELL, ID 83605

CANYON COUNTY FSA COMMITTEE
510 ARTHUR ST.
CALDWELL, ID 83605



MICROFILMED
FEB 11 1997

63-11660

RECEIVED

JAN 16 1997

Department of Water Resources



CANYON COUNTY FBA COMMITTEE
510 ARTHUR ST.
CALDWELL, ID 83405

MICROFILMED
FEB 11 1997

63-11660

Received from Arvin 5/1/82 taken in 1983.
Approved by Canyon County Board of Supervisors 12/1/96



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 11, 1996

RICK ROBISON
15591 SUNNY SLOPE RD
CALDWELL ID 83605

RE: Water Right No. 63-11660

Dear Rick:

I received your Application for Amendment of Permit 63-11660 and the documentation you sent to support a change in the number of irrigated acres. However, the FSA in Caldwell told me on the phone that the 1996 compliance slides were used to estimate your irrigated acreage. Your water right can be licensed only for the development that occurred prior to April 21, 1994, which was the date you submitted your proof of beneficial use statement.

I will hold your file for 30 days to allow you to get information from the time prior to April 21, 1994. Using the 1993 slides would probably be most appropriate.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley Walter Keen
Water Rights Supervisor

Enclosure

MICROFILMED

FEB 11 1997

MEMORANDUM

DATE: November 29, 1996

TO: File 63-11660

FROM: Shelley W. Keen *SWK*

RE: Place of Use

Rick Robison submitted some Farm Service Agency information with his licensing amendment to show a larger place of use than reported by our examiner. The data sheet was signed by FSA employees Mike Anderson of the Caldwell Office. This morning I called Mike, who was not in the office. I did, however, talk with Shari, who told me that Mike had used 1996 slides for the data he sent me. I left a message asking if he could look at the 1994 slide and let me know what was happening then.

MICROFILMED
FEB 11 1997

Dear Mr. Keen:

I have made
alterations to the
Application for Admendment
which correctly
reflect the acreage
under irrigation. These
corrections can be
verified through the
ASCS Office in Caldwell.

Department of Water Resources
Sincerely yours

NOV 5 1966

Richard Robison
RECEIVED

RECEIVED

NOV 27 1966

Department of Water Resources

MICROFILMED

FEB 11 1967

=====

AudioFAX Fax Management System

Please Deliver To : KARL J. DREHER
Fax Number : 2083277866

From : COMPREHENSIVE REVIEW, JIM MIDDAGH
Company : NW POWER PLANNING COUNCIL
Fax Number : 503-795-3370
Tel. Number : 503-222-5161

Document Information:

Submitted on : Tuesday, November 26, 1996 at 04:12 pm
Delivered on : Tuesday, November 26, 1996 at 04:15 pm
Pages to Follow : 2
Delivery Attempts : 1


=====

TWN RGE SEC
03N 04W 15

Water Right No.
63-11660


NWNE

T2776



SENE

T 2536



- separate water
right

MICROFILMED
FEB 11 1967

CANYON COUNTY FSA COMMITTEE
510 ARTHUR ST.
CALDWELL, ID 83605

Mike Anderson
11/25/96

MEMORANDUM

DATE: November 25, 1996

TO: File 63-11660

FROM: Shelley W. Keen *SWK*

RE: Place of Use

Rick Robison called me today in response to the amendment request I sent him. He said that he is concerned because the number of irrigated acres recommended for licensing seems a little low. He has collected some additional information from the ASCS that he would like me to review. I told Rick that I would be glad to look at any additional information he wished to provide.

MICROFILMED

FEB 11 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 14, 1996

S RICHARD ROBISON
15591 SUNNY SLOPE RD
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11660

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED

FEB 11 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11660

DATE 11/14/96

REVIEWER: *S H A R L A*

	Change	OK
NAME	_____	☒

Address Change NO

SOURCE

Is change ~~clarification~~ of originally intended source?

If not, ~~prepare~~ Notice of Intent to Void ____

POINT OF DIV ✓ —

Amendment required _____

PLACE OF USE ✓

Amendment required NO

Does map agree with written description? ☒ yes ☐ no

OVERLAPS ___ P/D ___ P/U

RATE OF DIV

Permitted Rate 1.3 cfs

Fee limit 2.0 cfs \$125⁰⁰

Measured 1.34 cfs

Theoretical 1.77 cfs

Recommended Total Div Rate .84 cfs

ANNUAL VOLUME/
NATURE OF USES

Use

Volume Calculation

$$\underline{42 \times 4.5 = 189.0 \text{ af}}$$

af

af

af

SUBTOTAL	189.0	af
----------	-------	----

Flow rate .84 cfs X 245 days X 1.98 ~~af~~ = 407.5 af

Total volume recommended 189.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

WB8

WB7 (.02,

CONDITIONS Watermaster Control WD#

GW Measurement/Measuring Device

R27 Overlap

Use-specific conditions 065/

Advancement of Priority Date Required ☐ yes ☒ no

SRBA Claim Filed NA

1st Amend Letter P39, P38

Adjustment Memo

2nd Amend Letter 47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 20 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-116601. Owner: S. Richard Robison Phone No. (208) 459-7022Current Address: 15591 Sunny Slope Rd Caldwell Id 836052. Accompanied by: Richard Hincheloe / Richard Robison EXAM DATE: 8/2/94Address: 15591 Sunny Slope Rd Caldwell Id 83605 Phone No. (208) 459-7022Relationship to Permit Holder: Leaser of property / owner of property3. Source: groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use:

Also see attachment for other overlaps

2. Other water rights with the same point of diversion:

see attachment for other overlaps

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SE	NE	15	3N	4W	Canyon	USGS Topo. map / exam - see narrative

2. Place(s) of Use:


Indicate Method of Determination ABCS Aerial & exam

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	4W	15				21.5													22
				I 20.2															20
																			42

MICROFILMED

FEB 11 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



✓ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

✓ Aerial Photo Attached (required for irrigation of 10+ acres)

✓ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE Tri Clad Verti	75	model # SK365DP600SB	Well line	8"
	066065241				
	AFBM: K235A2525ACD1				

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

FEB 11 1957

E. NARRATIVE/REMARKS/COMMENTS

Per 8/2/94 exam P/D amended from T3N^R4W S15 NW NE
to read: T3N R4W S15 NW SE NE + verified on USGS
Topo. map., + during exam

Overlaps for P/D + P/U are other source,
other land +/or other uses.

No govt. lots were found for this section.

Use is for irrigation of ^{42 acres} ~~fruit trees~~ fruit trees;
using gravity flow.

The system consists of a groundwater source, 75 HP
pump to discharge into 6" PVC (962.5' underground)
going east + then discharging into ditch + siphon
tubes discharging flow into orchard flowing
south + then west (Orchard #1). Orchard #2
has 6" PVC (232.5' underground) converted to
50' of 5" pipe to cross a canal + go under a
road to open discharge into a ditch, where a
weir measurement could be taken. Orchard #3
has 6" underground pipe, going north then west
+ gravity flow used to irrigate that orchard.
The system was not turned on except the pipe
going to Orchard #2, due to the time period in
the growing season of the fruit.

Other water source: Wilder Irrigation Dist. in
Boise Project.

Have conditions of permit approval been met? ☐ yes ☒ no

Rectangle weir measurement of 1.34 cfs exceeds
condition of rate of diversion to not exceed
.02 cfs / acre land (41.7 acre ¹⁹³⁷ X .02 cfs = .82 cfs)
42 X .02 cfs = .84 cfs

☒ Additional Computation Sheets Attached

Rectangle weir measurement (see attachment)
 $= 1.34 \text{ cfs}$
Max allowed $.02 \text{ cfs} \times 42 \text{ acres} = \text{[scribbled out]} = .84 \text{ cfs}$
Theoretical pump efficiency calculation
 (see attachment) $= 1.77 \text{ cfs}$

1. Volume Calculations for Irrigation: (See attachment)

$$V_{I,R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 541 \cdot \text{[redacted]} = 189.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 410.0$$

$V = \text{Smaller of } V_{L,R} \text{ and } V_{D,R} = \text{SM. } \underline{\hspace{2cm}} - 189.0$

None

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Irrigation	3/15	11/15	S.H. █████ .84	S.H. █████ 189.0
Totals:			S.H. █████ .84	S.H. █████ 189.0

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Field Examiner's Name Sandy Hernandez Date 11/30/94

SEAL

MICROFILMED

FEB 11 1967

P/4

SD-0604-2 Township: 03N Range: 04W Section: 15 Tract: Lot: 20

S	L	Water	Name	W	T	Max #	Records	Use
E	O	Right No.	Last, First	N	AC	G	Date	Code Desc
		63-02388	US DEPT OF INTERIOR	C		L	08/18/1924	01 IRR
NENE		63-11829	JEFFERS, GEORGE	C	40	A	05/18/1992	01 IRR
NENE	M63-11829		JEFFERS, GEORGE	C	40	M	05/18/1992	01 IRR
NWNE		63-11660	ROBISON, S RICHARD	C	30	P	02/13/1992	01 IRR
SENE		63-11147	ROBISON, STANLEY S	C	2	L	01/08/1990	01 IRR
			ROBISON, ORPHENA E	C				
SENE		63-11660	ROBISON, S RICHARD	C	35	P	02/13/1992	01 IRR
NENW		63-08428	ROBISON FRUIT RANCH IN	C	12	L	02/10/1977	01 IRR
NENW		63-10600	ROBISON FRUIT RANCH IN	C	10	L	04/07/1988	01 IRR
NWNW		63-10600	ROBISON FRUIT RANCH IN	C	40	L	04/07/1988	01 IRR
SWNW		63-04234	ROBISON FRUIT RANCH	C		S	01/01/1923	43 DOMEST
SWNW		63-08428	ROBISON FRUIT RANCH IN	C	24	L	02/10/1977	01 IRR
SENW		63-08428	ROBISON FRUIT RANCH IN	C	38	L	02/10/1977	01 IRR
NESW		63-08428	ROBISON FRUIT RANCH IN	C	35	L	02/10/1977	01 IRR
SWSW		63-08473	CODR INC	O	38	L	01/19/1978	01 IRR
			FARM CREDIT BANK OF SP	C				

(Enter=Continue)

(GOLD 7=This Query)

(Menu _____)


SD-0604-2 Township: 03N Range: 04W Section: 15 Tract: Lot: 20

S	L	Water	Name	W	T	Max #	Records	Use
E	O	Right No.	Last, First	N	AC	G	Date	Code Desc
SESW		63-10600	ROBISON FRUIT RANCH IN	C	30	L	04/07/1988	01 IRR
NESE		63-10600	ROBISON FRUIT RANCH IN	C	5	L	04/07/1988	01 IRR
NWSE		63-10600	ROBISON FRUIT RANCH IN	C	10	L	04/07/1988	01 IRR
SWSE		63-10600	ROBISON FRUIT RANCH IN	C	30	L	04/07/1988	01 IRR
SWSE		63-11179	PLASCENCIA, NICOLAS	C	2	P	01/19/1990	01 IRR
			PLASCENCIA, JAIME	C				43 DOMEST
SESE		63-10600	ROBISON FRUIT RANCH IN	C	15	L	04/07/1988	01 IRR

MICROFILMED
FEB 11 1987

Measured Method

63-11660



from: P. 22 U of I Water Measurement:

$$\text{head}(H) .30 \quad \text{crest length}(L) 2.5' = 1.34 \text{ cfs}$$

Theoretical formula (pump efficiency calculation)

$$(\text{see attachment}) = 1.77 \text{ cfs}$$

① permit 3/15-11/15 irrigation 1.30 cfs

② B/U fee \$125.00 pd 4/21/94 1.01-2.00 cfs

③ max. allowable .02 cfs x 42 acres = .84 cfs

$$④ V_{IR} = 42 \times 4.5 = 189.0$$

$$V_{DR} = .84^{5.4} \text{ cfs} \times 246 \times 1.9835 = \text{~~614.8~~} 409.8 = 410.0$$

$$V = 189.0$$

MICROFILMED
FEB 11 1997

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 63-11660

DATE: 30-NOV-94

COMPLETE BY: SANDY HEMENWAY

HORSEPOWER = 75

PUMP EFFICIENCY = 70%


DYNAMIC LIFT = 75 FEET

SYSTEM PRESSURE = 80 PSI *estimated by applicant*

QUANTITY = 1.77 CFS

MICROFILMED

FEB 11 1997



PERMIT 63-11660 INIT SAH
T. R. S. Q/O
P/D 3N 4W 15 SE NE
SCALE
PHOTO ID. ASCS Aerial

T2542 N/W T2451

18.6

MICROFILM

1 1307

T2533 NW

T2532

T2539 H/W

2.9 NW

5.4 N/W

23.10 NW

18.74

T4054 NW

9.0

T539

T4939 NW

4.4 NW

23

12 6.2

H/W


H/W

3.1
1.3
2.9
6.6
6.3
20.2

NWNE

4.4
2.3
6.0
8.5
21.5

SENE



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-92W-344 OTHER APPLICABLE NO: ^{WR#} 63-11660
2. OWNER: S. Richard Robison Phone: (208) 459-7022
Address: 15591 Sunny Slope Rd Caldwell, Id 83605
3. WELL LOCATION: Twp 3N, Rge. 4W, Sec. 15, SE 1/4 NE 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Pete Cope Drilling Lic. No. 213
When Drilled? 7/4/92
5. WELL CONSTRUCTION:
Casing Diameter 16 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 705 ft. Method Drilled Reverse Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious constuction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 65 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☐ No Pressure: 80 ^{estimated by owner} (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____
- MICROFILMED
FEB 11 1997

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☒ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____


9. REMARKS: _____

Errol Hernandez WR Agent
Signature of Dept. Representative & Title

8/2/94
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

(photo on another sheet)



MICROFILMED



FEB 11 1997

63-11660
8/2/94 SK

75 HP

962.5' of 6" PVC
underground
pumps water
east; +
232.5' of 6" PVC
underground
directs water
to 50' of 5"
pipe going to
Orchard #2 with
open discharge then

8" PVC
goes into
6" PVC underground
(962.5' of pipe
going east +
open discharge.
flowing west with
siphon tubes
irrigating south
to south-west




young trees
FILMED
FEB 11 1997

63-11660
8/2/94 S.H



50' of
5" pipe
coming off
of 6" PVC
underground
& open
ditch discharges
to irrigate
other orchard
(#2 orchard)



weir
reading
.3 when
system
was on

MICROFILMED
FEB 11 1997

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) S. Richard Robison

2. Mailing Address 15591 Sunny Slope Rd.

City & State Caldwell, Idaho Zip Code 83605 Telephone 459-7022

(☒) Well Owner (☐) Well Operator (☐) Other, specify _____

3. Proposed well location NW 1/4 NW 1/4 of S.E. 1/4 N.E. 1/4, or NW 1/4 NE 1/4

Sec. 15, Twp. 03 N, Rge. 04 W, County Canyon

Street Address of Well Site Same

Lot, block and subdivision _____

4. Proposed use of well:

- (☐) Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

- (☒) Non-Domestic: Any beneficial use not included within the definition of domestic.

- (☐) Injection

- (☐) Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

- (☐) Other _____
(Describe)

5. Well construction information:

- A. (☒) New well (☐) Deepen (☐) Enlarge (☐) Replace - See Condition 9

B. Proposed Surface Diameter 16" Proposed Maximum Depth 400'

C. Anticipated bottom hole temperature:

- (☒) 85°F or less (Cold water well)
(☐) 85°F to 212°F (Low temp. geothermal well)
(☐) 212° or more (Geothermal well)

6. Construction Start Date 6-20-92 MICROFILMED

7. Anticipated Well Driller Cope Drilling FEB 11 1992
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature S. Richard Robison Date 5-15-92

Title Owner
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 5/19/1992

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

David R. Tuttle
Signature of Authorized Department Representative

Mgr, Western Reg Off
Title

Receipt No. W014727 Received by DW Fee 200⁰⁰ Date 5/19/1992

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

MICROFILMED
FEB 11 1997

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-11660

Reviewed by

Date 5-4-94

GENERAL CONSIDERATIONS

yes Name same as permit?

yes Address same as permit?

US Proof timely received?

If not, complete calculation below.

TYPES OF USE

Jrc.

Correct Uses? WLS

SOURCE OF WATER

Surface water source

☒ Ground water source

yes Drilling permit required?

no Copy in the file? Drilling Permit No. 63-92-w-0344-000

200.00 Amount paid for permit yes Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

UCS Required?

0125.00 Amount Submitted

yes Correct?

MEASURING DEVICE

Required?

Installed?

Waiver requested?

PRIORITY CALCULATION

Date proof received

Date proof due

No. of days late

Priority Date

New Priority Date

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address

Proof Made 4-22-94

May 5, 1994

S RICHARD ROBISON
15591 SUNNY SLOPE RD
CALDWELL ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11660

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
JUN 30 1994

February 28, 1994

S RICHARD ROBISON
15591 SUNNY SLOPE RD
CALDWELL ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11660

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED



JUN 30 1994



WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

pg 1

1. WELL OWNER Name <u>J. RICHARD ROBISON</u> Address <u>15591 SUNNY SLOPE CALDWELL 83605</u> Drilling Permit No. _____ Water Right Permit No. <u>155-1060</u> 2. NATURE OF WORK <u>NEW WELL</u> ☐ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Modification ☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.) 3. PROPOSED USE <u>IRRIGATION</u> ☐ Domestic ☐ Irrigation ☐ Monitor ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) 4. METHOD DRILLED <u>REVERSE ROTARY</u> ☐ Rotary ☐ Air ☐ Auger ☐ Reverse rotary ☐ Cable ☐ Mud ☐ Other _____ (backhoe, hydraulic, etc.) 5. WELL CONSTRUCTION <u>SEE ATTACHED</u> Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table style="width: 100%;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>+ _____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Wasa packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation? _____ inches by _____ inches Number From To <table style="width: 100%;"> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☒ Yes ☐ No Manufacturer <u>ROSCOE MOSS</u> Type <u>VEE WIRE</u> Top Packer or Headpipe _____ Bottom of Tailpipe _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No Size of gravel <u>3/8"</u> Placed from <u>7'05"</u> feet to <u>10'00"</u> feet Surface seal depth <u>0'</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☒ Puddling clay ☐ _____ 'Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>2" PIPE</u> 6. LOCATION OF WELL Sketch map location must agree with written location.  N W E S Subdivision Name _____ Lot No. _____ Block No. _____ County <u>LINCOLN</u> Address of Well Site <u>PEAR LN</u> (give at least name of road) T. <u>3N</u> N ☐ or S ☐ SE <u>¼ NE ¼ Sec. 15</u>, R. <u>4W</u> E ☐ or W ☐	Thickness	Diameter	From	To	_____ inches	_____ inches	+ _____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	7. WATER LEVEL Static water level _____ feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ Describe artesian or temperature zones below. 8. WELL TEST DATA <u>NOT AVAILABLE</u> ☐ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> 9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Bore Diam.</th> <th>Depth From</th> <th>To</th> <th>Material</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>8</td><td>0</td><td>3</td><td>TURBIDITY</td><td>X</td><td>X</td></tr> <tr><td> </td><td>3</td><td>10</td><td>SANDY LOAM</td><td>X</td><td>X</td></tr> <tr><td> </td><td>10</td><td>15</td><td>HARDPAN</td><td>X</td><td>X</td></tr> <tr><td> </td><td>15</td><td>40</td><td>FINE TO CRSE SAND</td><td>X</td><td>X</td></tr> <tr><td> </td><td>40</td><td>105</td><td>LITE BRN CLAY</td><td>X</td><td>X</td></tr> <tr><td> </td><td>105</td><td>119</td><td>GREY CLAY</td><td>X</td><td>X</td></tr> <tr><td> </td><td>119</td><td>130</td><td>FINE TO MED SAND</td><td>X</td><td>X</td></tr> <tr><td> </td><td>130</td><td>135</td><td>SAND SANDSTONE</td><td>X</td><td>X</td></tr> <tr><td> </td><td>135</td><td>161</td><td>GREY CLAY</td><td>X</td><td>X</td></tr> <tr><td> </td><td>161</td><td>171</td><td>SANDSTONE</td><td>X</td><td>X</td></tr> <tr><td> </td><td>171</td><td>358</td><td>BLUE CLAY</td><td>X</td><td>X</td></tr> <tr><td> </td><td>358</td><td>370</td><td>FINE TO MED SAND</td><td>X</td><td>X</td></tr> <tr><td> </td><td>370</td><td>398</td><td>BLUE CLAY</td><td>X</td><td>X</td></tr> <tr><td> </td><td>398</td><td>418</td><td>FINE TO CRSE SAND</td><td>X</td><td>X</td></tr> <tr><td> </td><td>418</td><td>429</td><td>BLUE CLAY</td><td>X</td><td>X</td></tr> <tr><td> </td><td>429</td><td>432</td><td>FINE SAND</td><td>X</td><td>X</td></tr> <tr><td> </td><td>432</td><td>440</td><td>BLUE CLAY</td><td>X</td><td>X</td></tr> <tr><td> </td><td>440</td><td>451</td><td>FINE SAND</td><td>X</td><td>X</td></tr> <tr><td> </td><td>451</td><td>611</td><td>GREY CLAY & SHALE</td><td>X</td><td>X</td></tr> <tr><td> </td><td>611</td><td>613</td><td>FINE SAND</td><td>X</td><td>X</td></tr> <tr><td> </td><td>613</td><td>622</td><td>GREY CLAY</td><td>X</td><td>X</td></tr> <tr><td> </td><td>622</td><td>671</td><td>FINE SAND</td><td>X</td><td>X</td></tr> <tr><td> </td><td>671</td><td>692</td><td>SANDSTONE</td><td>X</td><td>X</td></tr> <tr><td> </td><td>692</td><td>705</td><td>GREY CLAY</td><td>X</td><td>X</td></tr> </tbody> </table>  JUL 15 1992 Department of Water Resources Western Regional Office 10. Work started <u>6/29/92</u> finished <u>7/4/92</u> 11. DRILLER'S CERTIFICATION I/we certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>PETE COPE DRILLING</u> Firm No. <u>213</u> Address <u>6305 W CHINDEN</u> Date <u>7/7/92</u> Signed by Drilling Supervisor <u>[Signature]</u> and (Operator) _____ <i>(If different than the Drilling Supervisor)</i>	Discharge G.P.M.	Pumping Level	Hours Pumped										Bore Diam.	Depth From	To	Material	Yes	No	8	0	3	TURBIDITY	X	X		3	10	SANDY LOAM	X	X		10	15	HARDPAN	X	X		15	40	FINE TO CRSE SAND	X	X		40	105	LITE BRN CLAY	X	X		105	119	GREY CLAY	X	X		119	130	FINE TO MED SAND	X	X		130	135	SAND SANDSTONE	X	X		135	161	GREY CLAY	X	X		161	171	SANDSTONE	X	X		171	358	BLUE CLAY	X	X		358	370	FINE TO MED SAND	X	X		370	398	BLUE CLAY	X	X		398	418	FINE TO CRSE SAND	X	X		418	429	BLUE CLAY	X	X		429	432	FINE SAND	X	X		432	440	BLUE CLAY	X	X		440	451	FINE SAND	X	X		451	611	GREY CLAY & SHALE	X	X		611	613	FINE SAND	X	X		613	622	GREY CLAY	X	X		622	671	FINE SAND	X	X		671	692	SANDSTONE	X	X		692	705	GREY CLAY	X	X
Thickness	Diameter	From	To																																																																																																																																																																																									
_____ inches	_____ inches	+ _____ feet	_____ feet																																																																																																																																																																																									
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																									
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																									
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																										
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																										
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																										
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																										
Bore Diam.	Depth From	To	Material	Yes	No																																																																																																																																																																																							
8	0	3	TURBIDITY	X	X																																																																																																																																																																																							
	3	10	SANDY LOAM	X	X																																																																																																																																																																																							
	10	15	HARDPAN	X	X																																																																																																																																																																																							
	15	40	FINE TO CRSE SAND	X	X																																																																																																																																																																																							
	40	105	LITE BRN CLAY	X	X																																																																																																																																																																																							
	105	119	GREY CLAY	X	X																																																																																																																																																																																							
	119	130	FINE TO MED SAND	X	X																																																																																																																																																																																							
	130	135	SAND SANDSTONE	X	X																																																																																																																																																																																							
	135	161	GREY CLAY	X	X																																																																																																																																																																																							
	161	171	SANDSTONE	X	X																																																																																																																																																																																							
	171	358	BLUE CLAY	X	X																																																																																																																																																																																							
	358	370	FINE TO MED SAND	X	X																																																																																																																																																																																							
	370	398	BLUE CLAY	X	X																																																																																																																																																																																							
	398	418	FINE TO CRSE SAND	X	X																																																																																																																																																																																							
	418	429	BLUE CLAY	X	X																																																																																																																																																																																							
	429	432	FINE SAND	X	X																																																																																																																																																																																							
	432	440	BLUE CLAY	X	X																																																																																																																																																																																							
	440	451	FINE SAND	X	X																																																																																																																																																																																							
	451	611	GREY CLAY & SHALE	X	X																																																																																																																																																																																							
	611	613	FINE SAND	X	X																																																																																																																																																																																							
	613	622	GREY CLAY	X	X																																																																																																																																																																																							
	622	671	FINE SAND	X	X																																																																																																																																																																																							
	671	692	SANDSTONE	X	X																																																																																																																																																																																							
	692	705	GREY CLAY	X	X																																																																																																																																																																																							

pg 2

S RICHARD ROBISON
15591 SUNNY SLOPE RD
CALDWELL ID 83605
Permit# 63-92-W-344

"16" casing record .250 wall welded

1	-	360	361
370	-	400	30
420	-	440	20
450	-	630	180
690	-	702	12

603 total casing

16" Screen record .40 slot Roscoe Moss Continuous wire.

360	-	370	10
400	-	420	20
440	-	450	10
630	-	690	60

100 total screen

703 total screen+casing

3N 4W sec. 15

JUN 30 1994

April 29, 1992

S RICHARD ROBISON
15591 SUNNY SLOPE RD
CALDWELL ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11660

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under Condition No. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well so that groundwater tributary to surface water flows are not

MICROFILMED

MAY 20 1992

diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

BRENDA L. MILLER
Technical Records Specialist

BLM:clz

Enclosure

RECEIVED

MAY 20 1992

APPLICATION FOR PERMIT REVIEW

Application #: 63-11660
Date: 4-27-92

Reviewer: Brenda Miller

Brenda

SYSTEM COMPLETED:

No - 26A-P17
Complete in 1 year - P16
Yes
Proof not submitted - P16
Proof submitted - N/A

GROUNDWATER:

GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
- No measurement required <flow chart>
LT. 0.2 cfs - No measurement required <flow chart>

Drilling Permit:

Approved w/permit - P99
Not included - 046-P23 (All GW, even existing wells)

SURFACE WATER: not in w/d - 01C-P03 (=GT.2 w/pump), NMR <flow chart>

LOCATION:

Water Districts - WD No. 63
Surface water - 005, 005-01H-P01 (LT.2 w/pump)
005-01J-P08 (GT.2), NMR <flow chart>
Groundwater - P05
Irrigation Districts - 023
Canal Co. Areas - 023
Drainage Districts - 024
Boise Front (63) - 058 (Groundwater)
Swan Falls Flag - (1, Blank or Other)
Trust - 051-052-053-P74 (Consumptive Uses)
Non Trust <1> - 048-049

RIVER BASINS:

(Surface Water) Water District Control Condition &....
Boise (63) - 05A & 11E
Payette (65) - 047-P04, 059-P71
Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)
Power - Use Power Review
Mining - 06A, 010, or 09E-P10 & 054(req.)
Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)
Rec/Wildlf/Aes - 027(Non-Consumptive)
Domestic - 021(restricted areas)

OWNERSHIP:

Non land owner - 004

PROTESTED:

Agreement - 020

Beneficial Use Due Date: - 05-02-1994

Other Conditions Recommended

Form No. 202a.
10/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: gu DATE: 2/20/92 APPLICATION: 63-11660

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

Gov't. Lots:
☒ P/D
☒ P/U

ADDITIONAL INFORMATION

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☐ ☒ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☐ Critical groundwater area:
☐ ☐ Groundwater management area:
☐ ☐ Diversion within interim protected river area
☐ ☐ Send dam safety information:
☐ ☐ Send power requirement letter:
☐ ☐ Send fish farm requirement letter:
☐ ☐ Power residency affidavit:
☐ ☐ Power efficiency form:
☐ ☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☐ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
MAR 30 1992

Department of Water Resources

PROCESSING

APPLICATION NO. _____

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☐
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☒ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest March 23, 1992

Protest dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District # _____

Special conditions of approval or cover letter: _____

264 (Allow 2 yrs), 46

☒ See below for additional information

Recommended Date or Priority 2/13/1992

Recommended by: DM

Date 3/25/1992

STATE OFFICE REVIEW

See below for additional information. By _____

Date _____

ADDITIONAL INFORMATION

License recently issued for 2 AC in SENE Sec 15 (03-11147),
however, P/D is different for 03-11147, & total acres on License
+ permit in SENE 15 is 37, so there is a good chance
overlap is insignificant. There is no map in file to confirm.
So I am going to request a map fr. vault & go ahead
w/ advertising.

63-11660

ROBISON, S RICHARD
15591 SUNNY SLOPE RD
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NWNWNE Sec 15 T 03N R 04W in CANYON County.

Use: IRRIGATION (1.300 CFS)
Total Diversion: (1.300 CFS)

Date Filed: 2/13/1992

In: CANYON County
T03N R04W S15 NWNE SENE

65.0 ACRES TOTAL

MICROFILMED

MAY 20 1992