

RIW RIE


OF WATER RESOURCES

UNITED STATES
SINKER BUTTE ORTHOPHOTOQUAD DEPARTMENT OF THE INTERIOR
IDAHO GEOLOGICAL SURVEY

330 000 FEET

116° 22' 30"

52000m.E.



MAR 06 1992


RIE

5.18


SESE

Lot 11

63. 11612



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Grundfos	5	60550-9	Grundfos	230V 2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None. Theoretical discharge.

MICROFILMED

AUG 1997

50'



SINKER BUTTE QUADRANGLE

IDAHO

7.5 MINUTE SERIES (TOPOGRAPHIC)

DEPARTMENT OF THE INTERIOR
UNITED STATES GEOLOGICAL SURVEY

548

R. 1 W. R. 1 E.


330000 FEET

116°2'30"


KUNA 17 MI.

552000mE

553



50'





Chlorination
point &
pressure system
for 5 new
homes




pressure
system for
powerhouse,
restrooms etc.

MICROFILMED
AUG 19 1997

63-11612




← P/10



P/u
(2 of 5 homes
in foreground)

MICROFILMED
AUG 19 1997

63-11612



RIW RIE


Z7

UNITED STATES
SINKER BUTTE ORTHOPHOTOQUAD DEPARTMENT OF THE INTERIOR
IDAHO GEOLOGICAL SURVEY

330 000 FEET

116°22'30"

5



MICROFILM

AUG 19 1967

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11612

Priority: December 9, 1991

Maximum Diversion Rate:

0.11 CFS

Maximum Diversion Volume:

6.0 AF

This is to certify, that IDAHO POWER CO

PO BOX 70

BOISE ID 83702

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 9, 1991; and has submitted Proof of Beneficial Use on March 16, 1992. An examination indicates that the works have a diversion capacity of 0.160 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.11 CFS	6.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1 (NENE), Sec. 19, Township 02S, Range 01E
ADA County

PLACE OF USE: DOMESTIC

TWN RGE SEC


02S 01E 19 Lot 1(NENE)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 5 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.

Witness the seal and signature of the Director, affixed at Boise, this 15th
day of August, 1997.


Acting for KARL J. DREHER, Director

RECEIVED

JUL 25 1997

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 63-11612

Date of Priority: December 9, 1991 Maximum Diversion Rate: 0.11 CFS
Maximum Diversion Volume: 6.0 AF

Comes now IDAHO POWER CO
PO BOX 70
BOISE ID 83702

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-11612, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.11 CFS	6.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1 (NENE), Sec. 19, Township 02S, Range 01E
ADA County

PLACE OF USE: DOMESTIC

TWN RGE SEC

02S 01E 19 Lot 1(NENE)

MICROFILMED

JUL 19 1997

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at BOISE, IDAHO, this 24 day of July, 1997.

MR Clark
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11612

FOR DEPARTMENT USE ONLY

Preliminary check by SUK Fee = 5000 Received by KS # 1039446 Date 7/25/97

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 63-11612 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 5 homes.

Witness my hand this 1st day of August, 1997.

Karl J. Dreher
Acting for KARL J. DREHER, Director

RECORDED

AUG 13 1997

RECEIVED
MAR 16 1992

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 50.00
Date 3-16-92
Receipt No. 102335
Received by UB

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11612 Telephone No. 383-2473

2. Name(s) of Permit Holder(s): Idaho Power Company

3. Post Office Address: PO Box 70 Boise, Idaho 83707

4. Source of Water: Ground Water

a. If ground water, well driller's name: Hiddleston Drilling Date drilled: 1/10/92

b. Pump horsepower: 5 Pressure (psi): 60 Dynamic pumping level (ft.): 75

5. Extent of Use:

Domestic 5 (No. of households) Irrigation 0 (No. of acres)

Stockwater 0 (No. and type of stock) Other N/A

6. Total rate and/or volume for which proof is submitted 0.11 cfs acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes X No Installed? Yes X No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes X No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Rick N. Kirtley
Name

368-6960
Telephone No.

Swan Falls Power Plant Village - House #5
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

March 6, 1992
Date

Ralph I. Clements
Signature (and title if on behalf of a company or organization)

APR 14 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11612

Proposed Priority: December 9, 1991 Maximum Diversion Rate: 0.11 CFS

This is to certify, that IDAHO POWER CO
PO BOX 70
BOISE ID 83702

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.11 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 11(SESE), Sec. 18, Township 02S, Range 01E
ADA County

PLACE OF USE: DOMESTIC
TWN RGE SEC

02S 01E 18 Lot 11(SESE)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1993.
2. Subject to all prior water rights.
3. Domestic use is for 5 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of February, 1992

[Signature]
for R. Keith Higginson, Director

RECORDED

MAR 06 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: IDAHO POWER COMPANY
Address: PO BOX 70
BOISE ID 83702

208-383-2485

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion: LOT 11(SESE), Sec. 18, Township 02S, Range 01E
ADA County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.110		

5. Total quantity to be appropriated is:

0.110 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.
WELL & PUMP

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 10 inches; proposed depth of well is 100
feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:

DOMESTIC USE FOR OPERATOR HOUSES AT SWAN FALLS HYDROELECTRIC SITE

9. Place of Use: DOMESTIC

TWN RGE SEC

02S 01E 18 LOT 11(SESE)

10. Describe any other water rights used for the same purposes
NONE

RECEIVED
MAR 06 1992

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:
Domestic use is for in-house use at 5 homes.

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

SEE original for signature
Applicant

Received by SL Date 12/4/91 Time 2:32 Preliminary check by SL

Fee \$ 30⁰⁰ Receipted by SL # W013938 Date 12/4/91

Publication prepared by GG Date 12-11-1991 Published in ID Statesman
12/19 & 12/26/91

Publication approved SL Date 1-23-92

RECEIVED
DEC 11 1991
DEC 06 1992

RIW RIE

OF WATER RESOURCES

UNITED STATES
SINKER BUTTE ORTHOPHOTOQUAD DEPARTMENT OF THE INTERIOR
IDAHO GEOLOGICAL SURVEY

330 000 FEET


116° 22' 30"

52000m. E.



T25
 R1E
 S. 18
 SESE
 Lot 11

63.11612



MAR 06 1992

(N. 30.29 E.)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: IDAHO POWER CO
Address: PO BOX 70
BOISE ID 83702

(208) 383-2485

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion:

SESE Sec. 18, Township 02S, Range 01E
ADA COUNTY

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.22		

5. Total quantity to be appropriated is:

0.22 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

WELL & PUMP

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 10 inches; proposed depth of well is 100
feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses: Supply domestic water to five operator houses
at the Swan Falls Hydroelectric Project.

9. Place of Use: Swan Falls Hydroelectric Project.

TWN RGE SEC
02S 01E 18

SESE

10. Describe any other water rights used for the same purposes.
None.

MICROFILMED

MAR 06 1992

*Original Application form
generated but not completed at S.O.*

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? [x]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Jon Packard
V-P Power Supply)


Applicant

Received by SL Date 12/9/91 Time 2:32 Preliminary check by SL

Fee \$ 30⁰⁰ Receipted by SL # 60013938 Date 12/9/91

Publication prepared by GG Date 12-11-91 Published in Idaho Statesman
12/19 & 12/26/1991


Publication approved _____ Date _____

Jeffrey L. Osterman
Civil Engineer

Contact for info. (208) 383-2485

Idaho
Power

Generation Engineering
P.O. Box 70
Boise, Idaho 83707


MAR 06 1992

DEC 27 1991

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

48.36

Department of Water Resources
Western Regional Office

Account Number 47628		Identification NOTICE OF APPLICATION FOR WATER RIGHT	
Ordered By Gail Garrett	P.O. Number	Rate NT	Run Dates December 19, 26, 1991
State of Idaho Department of Water Resources Western Region 2735 Airport Way Boise, Idaho 83705		Estimated Inches	Real Inches
		# Affidavits 1	Legal Number 1010

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11584

YEARSLEY, ROBERT E
YEARSLEY, KAREN M
PO BOX 4787
BOISE, ID 83711

Source: GROUNDWATER
Diversion Pt: NESW

Sec 4 T 04N R 01E in ADA County.
Use: IRRIGATION (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.060 CFS)

Date Filed: 8/28/1991
In: ADA County

T04N R01E S04 NESW
1.5 ACRES TOTAL

63-11612

IDAHO POWER COMPANY
PO BOX 70
BOISE, ID 83702

Source: GROUNDWATER
Diversion Pt: LOT 11 (SESE)
Sec 18 T 02S R 01E

In: ADA County
Use: DOMESTIC (.110 CFS)
Total Diversion: (.110 CFS)

Date Filed: 12/9/1991
In: ADA COUNTY

T02S R01E S18 Lot 11 (SESE)
The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JANUARY 6, 1992.

R. Keith Higginson, Director
Pub. December 19, 26, 1991 1010

Julie Day

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for two

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of Dec. 19, 1991

and ending with the issue of Dec. 26, 1991

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 26th day of December in the year of 1991, before me, a Notary Public, personally appeared Julie Day, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Notary Public for Idaho

Residing at Boise, Id.

My commission expires: 11-27-93

MAR 06 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 4, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

IDAHO POWER CO
PO BOX 70
BOISE ID 83702

RE: WATER RIGHT NO. 63-11612

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
(b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

ENCLOSURE


AUG 19 1977

CERTIFICATE OF MAILING

I hereby certify that on the 4th day of August, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 63-11612

IDAHO POWER CO
PO BOX 70
BOISE ID 83702


Kari Lynn Townsend
Secretary



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 17, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

IDAHO POWER CO
PO BOX 70
BOISE ID 83707

RE: WATER RIGHT NO. 63-11612

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has been actually developed. I have not yet received the amendment. If I do not receive it within fourteen days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin.

Enclosed for your convenience is another amendment form. Please note that the filing fee for this amendment is \$50.00. If you have any questions, please call me at (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

1000000000

ADD: 1000000000

MEMORANDUM

DATE: June 17, 1997

TO: Water Right File 63-11612

FROM: Shelley W. Keen *SWK*

RE: Call from Sharon Strickland

Yesterday Sharon Strickland called to tell me that Idaho Power will respond soon to my request for an amendment of this permit.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

June 4, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

IDAHO POWER CO
PO BOX 70
BOISE ID 83702

RE: WATER RIGHT NO. 63-11612

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return it with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

100-100000
100-100000

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11612

DATE 5/30/97

REVIEWER: SHARLA

NAME Change OK

Address Change NO

SOURCE Change OK

Is change/clarification of originally intended source? NO

POINT OF DIV Change OK

If not, prepare Notice of Intent to Void NO

PLACE OF USE Change OK

Amendment required YES

Does map agree with written description? yes no

OVERLAPS

P/D

P/U

02-02339 Snake R. irrig. water

RATE OF DIV

Permitted Rate .11 cfs

Fee limit .20 cfs \$5000

Measured — cfs

Theoretical .16 cfs

Recommended Total Div Rate .11 cfs

ANNUAL VOLUME/

NATURE OF USES —

Use Dom

Volume Calculation

5 x 1.2 = af

6.0 af

— af

— af

SUBTOTAL 6.0 af

Flow rate .11 cfs X 365 days X 1.9833 = 79.5 af

Total volume recommended 6.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

15 homes.

CONDITIONS

Watermaster Control WD#

GW Measurement/Measuring Device

Overlap

Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A

Adjustment Memo —

1st Amend Letter P37, P38

2nd Amend Letter P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

APR 22 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11612

1. Owner: IDAHO POWER CO. Phone No. 383 2473

Current Address: PO Box 70 BOISE ID 83707

2. Accompanied by: RICK KIRTLEY EXAM DATE: 9.9.94

Address: Swan Falls Village #5 Phone No. 368-6960

Relationship to Permit Holder: Plant Operator

3. Source: ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: 02-2339

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	1		NE	NE	19	2S	1E	Ada	Site Visit, Map


2. Place(s) of Use:

Indicate Method of Determination Above

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2S	1E	19	D																
			L.1																
				</															

RECEIVED
APR 22 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Grundfos	5	60550-9	Grundfos	230V 2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None. Theoretical discharge.

E. NARRATIVE/REMARKS/COMMENTS

A ^{deep} well was installed @ Swan Falls Village in 19⁹¹~~84~~. The well currently serves 6 homes, a clubhouse, public restrooms, a employee restroom/shop facilities at the reconstructed powerhouse.

Only 5 of the homes are covered under this permit. These homes were completed ~~in~~ ⁱⁿ 1992. A total of 1.5 acres irrigation occurs from the well around the 5 new homes; ^(USE NOT SHOWN ON PERMIT.) Since they are all owned by Idaho Power, ~~only~~ $\frac{1}{2}$ acre of irrigation may be inferred from this permit. ^{→ application noted in-house but permit was not so specific} The balance of the found uses will be covered on a filing which was made in April 92 but ~~the~~ has not been advertised because of the overlap and the uncertainty of its necessity. I elected to do this field exam first to determine what uses, if any, should be shown on the 2nd application.

There is an overlap w/ claim A63-26621 for domestic use. However this claim has been found to be ^{suspected} invalid (see attached memo) therefore all uses from the 19~~84~~ well will be covered under new appropriation filings.

There is also overlap w/ claim A02-00035, this for irrigation of the park area. This claim is also discussed in the attached memo.

P/D overlap w/ 02-2334: Irrigation right presently in water supply bank
P/D & P/W are in Section 19. Amendment req'd.

Have conditions of permit approval been met? ☒ yes ☐ no

RECORDED
AUG 18 1992

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

HP equation

$$\frac{5 \times 8.8 \times .7}{75 + (50 \times 2.31)} = .116 \text{ cfs}$$

$$\text{well log}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$5 \text{ homes} \times .6 = 3 \text{ AF}$$

$$\frac{1}{2} \text{ ac external use} = .6$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1/1	12/31	.11	3.6
Totals:				

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Cathy J. Hodges Date 10.31.95

Reviewer _____ Date _____

SEAL

MEMORANDUM

October 31, 1995

TO: File 63-11612, A63-26621, A02-00035

FROM: Cindy Hodges

RE: Domestic Uses at Swan Falls Village

Domestic uses at Swan Falls Dam are claimed on A63-26621 for 9 cottages and a clubhouse. The source was listed as ground water, with a priority of 1928. A field exam for 63-11612 found that the 1928 "well" is actually a dug sump on the banks of the Snake River, adjacent to the pool behind Swan Falls Dam. According to power plant employees, this well had been used as a domestic source since the dam was first constructed. The sump measures 12' in diameter by 18' deep.

The Swan Falls power plant was reconstructed in 1989. A deep well was drilled in 1991 to replace the old domestic source. New public restrooms had been constructed at Swan Falls Park in 1990. Water supplies for the public restrooms, the cottages, clubhouse and restrooms/shop at the power plant were transferred to the new well. In 1992-3, 8 of the old employee cottages were demolished. Five new homes were built for power plant operators and connected to the deep well.

In December of 1991, application for permit 63-11612 was filed for domestic use from ground water in five homes, presumably the new operator homes. Proof was filed in March of 1992. In April of 1992, a second application for permit was filed for domestic use from ground water in 9 homes and a clubhouse. I received the second application for review. The filing appeared to be a duplicate filing, and I did not advertise it because I didn't have enough information to explain the overlaps. I tried for months to contact a representative at Idaho Power who might know enough about Swan Falls Village to explain the filings, but could locate no one, so I finally scheduled and conducted the exam for 63-11612 in September of 1994.

I had initially thought that the five new homes could be recognized under claim A63-22621, since the old cottages had been destroyed. I was not sure that either permit 63-11612 or the April 1992 application were even necessary. During the field exam, however, I discovered not only that all domestic uses had been switched to the 1991 deep well, but that irrigation from the Snake River under A02-00035 was being diverted from the old "well" which had been claimed under A63-26621. This point of diversion cannot be claimed as both a ground water and a surface water source.

NOV 1 1995

10/31/95

Page 2


To recommend either claim A63-22621 from ground water or claim A02-00035 from the Snake River, using as a basis the same point of diversion, would be to jeopardize one or both claims. To recommend A63-22621 showing an alternate point of diversion (and new place of use in Section 19) is not possible under the amnesty statutes, for the deep well was not constructed until 1991. Most importantly, a transfer for A63-22621 would have to address *the potential that a change in source has occurred* when the change was made from a shallow well to a deep well.

According to plant employees, water levels in the shallow well or sump near the dam pool are entirely dependent upon the surface elevation of the pool; while water appropriated in this manner is generally considered ground water, it is undisputedly ground water tributary to surface water, or vice versa. The deep well constructed in 1991 is 120 feet deep. Withdrawals of ground water from the deep well are occurring at a depth of about 60' deeper than those from the surface well (see attached diagram). It is much easier to conclude that the water pumped from the surface well for irrigation is actually Snake River water, than it is to conclude that flows from the deep and shallow wells may be hydraulically connected.

My decision is to recommend that domestic use under A63-22621 be considered abandoned. 63-11612 will be recommended for licensing for domestic use in five homes (with a total of $\frac{1}{2}$ acre irrigation). There is now enough information to advertise the April 1992 application which has been on hold. This application will be necessary for the balance of uses which have been developed since 1991 or were formerly covered by claim A63-22621, namely, the one remaining cottage, the new restrooms, the clubhouse, domestic use at the power plant, and about 1 acre of irrigation around the new houses which is occurring from the deep well. Irrigation use under A02-00035 should not necessarily be implicated by the present diversion point at the shallow well if satisfactory evidence of priority is submitted and P/D location discrepancy can be addressed (claimed P/D is in SWSE Section 18; present P/D SESE).

REC'D - LRS
AUG 19 1995

50'



7.5 MINUTE SERIES (TOPOGRAPHIC)

UNITED STATES GEOLOGICAL SURVEY

7.5 MINUTE SERIES (TOPOGRAPHIC)

UNITED STATES GEOLOGICAL SURVEY

R. 1 W. R. 1 E.


330000 FEET

116°22'30"


KUNA 17 MI

S52000mE

53



50'



Powerhouse Construction — ~1989 water moved to new P' house
Homes " 1992
Old homes demolished fall 1993 (vacant)
Restrooms OLD — demo'd 1991 (built 1974)
NEW 1990
No water service to old P' house

Jeff Osterman 383 2485
(388)

Volume:

Powerhouse — ~~2~~ 3 employees/day 365 days/yr.

Public restrooms (each) 3 toilets 2 sinks, drinking fountain

Jeff → Avg use/day —

Clubhouse — restrooms but hardly any use
minor day use, Summers

Small shop — would fall under employee use.

Treasure Valley Well — (Batch print)

Cut off, capped, backfilled

MICROFILMED

AUG 19 1997



IDAHO POWER COMPANY
P.O. BOX 70
BOISE, IDAHO 83707

RECEIVED

SEP 15 1994

WATER RESOURCES
WESTERN REGION

9/14/94

Idaho Department of Water Resources
Western Regional Office
2735 Airport Way
Boise, Idaho 83705
Attention: Ms Cindy Hodges

Subject: Swan Falls Operator's Village - Domestic Well

Dear Ms Hodges:

As you requested during our meeting at the Swan Falls power plant on 9/9/94, I have researched the information you need on the domestic water well at the village. The results are as follows:

- The domestic well pump is a Grund Fos 60S50-9, 5 HP, 1 Phase, 230 V submersible pump. The pump, pitless adapter, and controls were supplied and installed by Water & Waste Water Equipment Company of Boise.
- We assumed 22 park visitors per day when sizing the restroom. This was based on a four year average of 8000 visitors per year from a license study done to satisfy the Federal Energy Regulatory Commission.
- The best information we have at this time indicates that the temporary well installed by Treasure Valley Concrete was cut off below surface, capped, and covered. There is no indication that the well casing was grouted first. We will continue to check on this and give you a definite answer soon.

Please call me at 388-2485 if I can be of further assistance.

Sincerely,

A handwritten signature in cursive script, appearing to read "J L Osterman".
J L Osterman
Generation Engineering

☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☒ Yes ☐ No

If yes, what Type? Chlorination pump

How far away from the well is this source? 50' (w/in ~~the~~ control house, concrete pad
check valves used)


9. REMARKS:

CJH
Signature of Dept. Representative & Title


9.9.94
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

Handwritten notes:
10/2/94 - 10/11/94
AUG 14 1994




Chlorination
point &
pressure system
for 5 new
homes




pressure
system for
powerhouse,
restrooms etc.

63-11612




← P/O



P/u
(2 of 5 homes
in foreground)

100-100000
400-100000

63-11612



RIW RIE


Z7

UNITED STATES
SINKER BUTTE ORTHOPHOTOQUAD DEPARTMENT OF THE INTERIOR
IDAHO GEOLOGICAL SURVEY

330 000 FEET

116°2'2'30"

5



MEMORANDUM

Date: June 18, 1996

To: Water Right File 63-11612

From: Doug Davidson

RE: **WELL AND POINT OF DIVERSION LOCATION CORRECTION**

In June of 1996 the USGS in a field exam located the point of diversion (well) associated with water right no. 63-11612 and stated that the well was reported in the wrong section and quarter-quarter. The original well log as well as the water right reports the well as being located in 02S01E18 SESE. The USGS has stated that they found the well located at 02S01E19 NENE. The well location should be verified during the licensing field exam.

MICROFILMED
AUG 19 1997

RECEIVED
JAN 15 1992
WELL DRILLER'S REPORT

State law requires this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

R-1

1. WELL OWNER
Name Idaho Department of Water Resources
Address PO Box 70, Boise, ID 83702
Drilling Permit No. 63-91-Z-235
Water Right Permit No. 63-11612

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE
☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED
☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Aug ☐ Other _____

5. WELL CONSTRUCTION
Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness _____ Diameter _____ From _____ To _____
_____ 250 inches 14 inches -5 feet 52 feet
_____ 250 inches 8 inches +2 feet 100 feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☒ Yes ☐ No
Manufacturer's name Johnson
Type Stainless Steel Model No. V-Wire
Diameter 8 Slot size .010 Set from 100 feet to 120 feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 20-40
Placed from 75 feet to 120 feet
Surface seal depth _____ Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld _____
☐ Cemented between strata
Describe access port _____

6. LOCATION OF WELL
Sketch map location must agree with written location.
N
W E
S
County Ada NE 19
SE 1/4 SE 1/4 T. 2 N. E. 1/4 S. 1/4 W. 1/4
Subdivision Name _____
Lot No. _____ Block No. _____

7. WATER LEVEL
Static water level 75 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ OF. Quality _____
Describe artesian or temperature zones below _____

8. WELL TEST DATA
☐ Pump ☐ Bailor ☒ Air ☐ Other _____
Discharge G.P.M. _____ Pumping Level _____ Hours Pumped _____
120 75 1

9. LITHOLOGIC LOG
Bore Diam. Depth From To Material Water Yes No
18 6 0 57 Sand and clay
16 57 80 Hard lava rock, fractured X
12 80 84 Sand and gravel X
12 84 120 Lost circulation

10. Work started 11/18/91 finished 12/20/91

11. DRILLERS CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Firm Name Hiddleston & Son, Inc. Firm No. 35
Rt. 3, Box 610-D
Address Mtn Home, ID 83647 Date 1/10/92
Signed by _____ (Official)
and _____ (Operator)

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

March 20, 1992

IDAHO POWER CO
PO BOX 70
BOISE ID 83702

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11612

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

APR 14 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-11612 Reviewed by Klg Date 3/17/92

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? _____
If not, complete calculation below.

TYPES OF USE

domestic-5

SOURCE OF WATER

_____ Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 63-91-2-235
200 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority Date		+
New Priority Date		

DEFICIENCIES OR ACTION ITEMS - driller 035

proof acceptable

DATA ENTRY
New Address _____

Proof Made 3/16/92
3/20/92 Klg

LL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources by 1992 within 30 days after the completion or abandonment of the well.

R-1

[illegible]



IDAHO POWER COMPANY
P.O. BOX 70
BOISE, IDAHO 83707

3/13/92

Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720-9000

To Whom It May Concern:

Attached please find the Proof of Beneficial Use form and \$50.00 License Examination Fee for permit number 63-11612. Upon granting the license of water right, please forward it to:

Idaho Power Company
P O Box 70
Boise, Idaho 83707
Attention: Mr J L Osterman

Sincerely,


E O Groff
Project Engineer

EOG:JLO
Enclosures

RECEIVED

APR 14 1992

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Idaho Power Co Jeff Austin
2. Mailing Address Box 70
City & State Boise, ID Zip Code 83702 Telephone Jeff Austin
- ☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location SE 1/4 SE 1/4, or Gov't Lot No. _____
Sec. 18, Twp. 25, Rge. 1E, County Ada
Street Address of Well Site North Side of River - upstream of Swan Falls dam
Lot, block and subdivision _____
4. Proposed use of well:
- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- ☒ Non-Domestic: Any beneficial use not included within the definition of domestic.
- () Injection
- () Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
- () Other _____
(Describe)
5. Well construction information:
- A. ☒ New well () Deepen () Enlarge () Replace - See Condition 9
- B. Proposed Surface Diameter 10" Proposed Maximum Depth 100'
- C. Anticipated bottom hole temperature:
- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)
6. Construction Start Date ASAP
7. Anticipated Well Driller Hiddleston
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Jeff Austin Date 11-18-91
Title President Don Young Construction
(Owner, Firm Representative, Other)

MIDDERMED
MAR 06 1992

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is **APPROVED** Date 11-18-91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

10. This drilling permit does not authorize the diversion of water, ~~for more than one dwelling~~
11. An approved water right is required to divert water to more than one dwelling.

Letwick P. Reed
Signature of Authorized Department Representative

MANAGER
GROUNDWATER PROTECTION SECTION
Title

Receipt No. 0022355 Received by SC Fee 200.00 Date 11/18/91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

MICROFILMED
MAR 06 1992

Drilling Permit No. 63-91-Z-235

Water Right No. 63-11612

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Idaho Power Co., Applicant, requests issuance of Drilling Permit prior to approval of a water right. The request is made for the following reason(s):

Drilling equipment is on site and readily
available in that Swan Falls Dam dewatering
drilling is also under way.

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

11-18-91
Date

[Signature]
Applicant's Signature

President
Applicant's Title

RECEIVED
MAR 06 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 3, 1992

IDAHO POWER CO
PO BOX 70
BOISE ID 83702

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11612

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Also enclosed is a copy of the approved drilling permit submitted in connection with this water right.

Sincerely,

Pamela Skaggs

PAMELA SKAGGS
Technical Records Specialist

PS:clh

Enclosures

MICROFILMED
MAR 06 1992

APPLICATION FOR PERMIT REVIEW

Application #: 63-11612
Date: 2-12-92

Reviewer: Brenda L. Miller *BLM*

- ✓ Existing:
- ✓ No - 26A-P17
 - ✓ Complete in 1 year - P16
 - Yes
 - Proof not submitted - P16
 - Proof submitted - N/A
 - ✓ Groundwater:
 - GT. 0.2 cfs - 01G-P03, 01C-P03(existing well)
 - ✓ LT. 0.2 cfs - N/A
 - ✓ Drilling Permit:
 - Approved w/permit - P99
 - Not included - 046-P23 (All GW, even existing wells)
 - ✓ Location:
 - Water Districts - WD No. _____
 - Surface water - 005, 005-01H-P01(LT.2 w/pump)
005-01J-P08(GT.2)
 - Groundwater - P05
 - Irrigation Districts - 023
 - Canal Co. Areas - 023
 - Drainage Districts - 024
 - Boise Front (63) - 058 (Groundwater)
 - ✓ Swan Falls Flag - C (1, Blank or Other)
 - ✓ Trust *Exempt* - 051-052-053-P74(Consumptive Uses)
 - Non Trust - 048-049
 - River Basins:
 - (Surface Water) Water District Control Condition &....
 - Boise (63) - 05A & 11E
 - Payette (65) - 047-P04, 059-P71
 - Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)
 - ✓ Use:
 - Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)
 - Power - Use Power Review
 - Mining - 06A, 010, or 09E-P10 & 054(req.)
 - Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)
 - Rec/Wildlf/Aes - 027(Non-Consumptive)
 - Domestic - 021(restricted areas)
 - Ownership:
 - Non land owner - 004
 - Protested:
 - Agreement - 020
 - ✓ Beneficial Use Due Date: - 02-01-1993
 - Other Conditions Recommended

UNRECORDED
MAR 06 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RL DATE: 12/11/91 APPLICATION: 63-11612

REQUIRED INFORMATION

/ assume info. for IDAHO POWER is already in IDWR files

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ☐ No* In form to receipt: \$15 REFUND NEEDED PER 12/11/91
REFUND REQUEST MEMO

Gov't. Lots:
7 P/D
4 P/U

ADDITIONAL INFORMATION

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ ☐ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☐ Critical groundwater area:
☐ ☐ Groundwater management area:
☐ ☐ Diversion within interim protected river area
☐ ☐ Send dam safety information:
☐ ☐ Send power requirement letter:
☐ ☐ Send fish farm requirement letter:
☐ ☐ Power residency affidavit:
☐ ☐ Power efficiency form:
☐ ☐ * Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☐ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED
JAN 29 1992

Department of Water Resources

DATE REQUESTED: _____

☒ ☐ Additional information on reverse side:

* Non-trust water per DCM I exclusion

CONTACT PERSON: Jeffrey Osterman, Civil Eng. 383-2485
AT ID. POWER

PROCESSING

APPLICATION NO. 63-11612

YES NO

☒☐

In form for advertising:

☐☒

Statewide advertising:

☒☐

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☒☐

I.D. Health and Welfare

☐☒

I.D. Fish and Game

☐☒

I.D. Lands

☐☒

Adjudication Bureau

YES NO

☐☒

U.S. BLM

☐☒

U.S. Forest Svc.

☐☒

Water Dist. #

☐☒

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒☐

Affidavit of publication received:

☒☐

Application published correctly: If not, record action taken.

☒☐

Publication dates and paper recorded on application:

13

☐☒

Protests received. Final date for protest

January 6, 1991

☐☒

Protest dates, resolution of protest recorded on application:

☐☒

Recommendations attached: Approve, DNR

☐☒

Measuring device required:

☐☒

Measuring port required:

☐☒

Water delivered by water master? District #

☐☒

Special conditions of approval or cover letter:

☒☐

See below for additional information

Recommended Date or Priority 12/9/1991Recommended by: DNRDate 1/24/1992

STATE OFFICE REVIEW

☐☐

See below for additional information. By

Date

ADDITIONAL INFORMATION

OVERMAP

P10 02-07379

P10 " and 02-02032

} Del. Power's Snake River rights at
Swan Falls



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 30, 1991

Idaho Dept. of Health & Welfare
Division of Environment
Statehouse Mail
Boise, ID 82720

Re: Application for Permit No. 63-11612, in the Name of Idaho Power Company.

Gentlemen:

Enclosed is a copy(s) of the above-referenced application(s) for permit which may be of interest to your agency. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by January 13, 1992.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:gg

Enclosure(s):

RECORDED & INDEXED

MAR 06 1992

MEMORANDUM

TO: NANCY HANDZEL

FROM: STEVE LESTER

DATE: DECEMBER 11, 1991

SUBJ: REFUND FOR APPLICATION

An application for permit (no. 63-11612) in the name of Idaho Power Co. was receipted on 12/9/91 for \$45, #W013938. The application was reduced from .22 cfs to .11 cfs upon review, and the resulting application fee is \$30. Based on the above, please send a \$15 refund to:

ATTN. Jeffrey Osterman, Civil Engineer
Idaho Power Company
PO Box 70
Boise, ID. 83702

(telephone 383-2485)

Thanks,



Steve Lester
Sr. Water Resource Agent

CC: Application File 63-11612

MICROFILMED

MAR 06 1992

EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO
Office of State Auditor

AGENCY USE

7400
Date
12/14/91
Code
153000

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME: DEPT. OF WATER RESOURCES

Document No.	
Pre-Audit	Date
Warrant No.	

PAY

TO

IDAHO POWER COMPANY
ATTN JEFFREY OSTERMAN, ENG.
PO BOX 70
BOISE, ID 83702

CHECK ONE:

(1) MISCELLANEOUS EXPENDITURE

() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS
ENCUMBRANCE REQUISITION

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No.

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Maj	Min			
1	05 20 199	1238	8831		REFUNDS PER STEVE LESTER RECEIPT #W013938 12/11/91 15.00	15.00	
						15.00	

NOTE: Final payment must be accompanied by a receiving copy

TOTAL

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

Date

Head of Agency or Institution

State Auditor

63-11612

IDAHO POWER COMPANY
PO BOX 70
BOISE, ID 83702

Source: GROUNDWATER

Diversion Pt: LOT 11 (SESE) Sec 18 T 02S R 01E in ADA County.

Use: DOMESTIC (.110 CFS)
Total Diversion: (.110 CFS)

Date Filed: 12/ 9/1991

In: ADA County
T02S R01E S18 Lot 11(SESE)

REPRODUCED
MAR 06 1992