




63-8160
63-3266
63-4475
63-8984

63-8339
63-4795

63-4299
63-4469

63-7718

63-7784
63-7785
63-9336

63-4903 (27)

63-8904
63-3093
63-3009
63-8793
63-7247
63-8087
63-3170 (2)
63-7154

63-346

63-9668

63-3368 (2)


63-7327
63-7993
63-2859
63-3280
63-7933

63-7532
63-3369

63-3319

63-3638

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

✓ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

✓ Aerial Photo Attached (required for irrigation of 10+ acres) not plotted

✓ Photo of Diversion and System Attached

4. replaced 5/4/94

Well or Diversion Identification No.*	Motor Make	Hp	model # Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3	255300-15	Grundfos	2"
	Franklin	3	2823028110		

*Code to correspond with No. on map and aerial photo

APR 30 1996

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Lasico Planimeters			42P	B 90848	500.	

2. Measurements: total ac. calibrated by Lasico Planimeter = 8 ac.

$$\frac{17424' - 1200' - 50'}{43560} = \frac{16174}{43560} = .37 \text{ ac. upnd}$$


$$\frac{47037.5 \text{ (east field)}}{43560} + 6 \text{ ac. north field} = 7.07 \text{ ac.}$$

$$\frac{7.07 + .37}{7.44} \text{ total ac. irrigated}$$

63-11605
T02N R01W S36

KUNA QUADRANGLE
IDAHO

15 MINUTE SERIES (TOPOGRAPHIC)



PERMIT 63-11605 INIT S.H
T. R. S. Q/Q
P/D 2N 1W 36 NENW
SCALE 7.5
PHOTO ID. _____

APR 30 1996

NOT TO SCALE

63-11605
7-13-94 S.H.



house

pump house

garden/lawn



well drilled 1-13-92
Can - Ada Well Drilling



(2) Coraire pressure
tanks

Franklin
model 2833028110
3HP submers.
(Grundfos stainless
steel pump - replaced
5-4-94 # 255300-15)

Campbell pressure
gauge 32psi

APR 30 1996

63-11605

7-13-94 S.H



livestock area



side of field (East side)

40' hand lines (3" ^{size})

1 nozzle/line; 8 sections

- 8 nozzles run on system @ same time

5/32" nozzle



16 ac.
alfalfa
on north side
of property

APR 30 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11605

Priority: October 21, 1991

Maximum Diversion Rate:

0.09 CFS

This is to certify, that DANIEL J JENSEN
CHRISTIE JENSEN

2011 S LUKER RD
KUNA ID 83634

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 21, 1991; and has submitted Proof of Beneficial Use on January 10, 1994. An examination indicates that the works have a diversion capacity of 0.090 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.09 CFS	
DOMESTIC	01/01 to 12/31	0.02 CFS	
	Totals	0.09 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 36, Township 02N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	01W	36	NENW	7.5		7.5

Total number of acres irrigated: 7.5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.

RECORDED

1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11605

CONDITIONS OF APPROVAL AND REMARKS

5. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased, or used on any other place of use.
6. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor exceed a combined annual irrigation diversion volume of 33.8 af for the lands above.
7. Domestic use is for 1 home and is limited to an annual diversion volume of 0.6 af.
8. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 18TH day of APRIL, 19 96.

Acting for

KARL J. DREHER, Director

APR 30 1996

RECEIVED

JAN 10 1994

Department

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 1/10/94
Receipt No. 6029298
Receipt by DW

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11605 Telephone No. 922-4134 (208)
2. Name(s) of Permit Holder(s): Daniel J. Jensen Christie M. Jensen
3. Mailing Address: 2011 Luker Rd Kuna ID. 83834
4. Source of Water: Groundwater

If GROUNDWATER, Well Driller's Name: Can-Ada Well Drilling Date Drilled: November 1991

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 7.5 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .19 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ___ Yes X No Installed? ___ Yes ___ No

Flow Measurement Port: Required? ___ Yes X No Installed? ___ Yes ___ No

8. Fee Enclosed: \$ _____ (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Daniel Jensen 208 922-4134
Name Telephone No.
2011 Luker Rd Kuna ID.
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6 Jan 94 Daniel Jensen
Date Signature (and title if on behalf of a company or organization)

FEB 24 1994

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11605

Proposed Priority: October 21, 1991 Maximum Diversion Rate: 0.19 CFS

This is to certify, that **CHRISTIE JENSEN**
DANIEL J JENSEN
10001 TANGLEWOOD DR
BOISE ID 83709

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.15 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.19 CFS

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 36, Township 02N, Range 01W
ADA County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>					
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	01W	36	NENW	7.5		7.5
Total number of acres irrigated:						7.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1994.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

29th day of January, 1992

RECORDED

R. Keith Higginson
R. Keith Higginson, Director

FEB 1 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: CHRISTIE JENSEN 208-362-0726
Address: 10001 TANGLEWOOD DR
BOISE ID 83709
AND/OR
Name: DANIEL J JENSEN 208-362-0726
Address: 10001 TANGLEWOOD DR
BOISE ID 83709

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NEWW Sec. 36, Township 02N, Range 01W
ADA County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.150		
DOMESTIC	01/01	12/31	0.040		

5. Total quantity to be appropriated is:
0.190 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
WELL & PUMP
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is inches; proposed depth of well is
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 years.

8. Description of proposed uses:

RECEIVED

FEB 11 1992

9. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
02N 01W 36	NENW 7.5			7.5

Total number of acres irrigated: 7.5

Place of Use: DOMESTIC, same as IRRIGATION use

10. Describe any other water rights used for the same purposes.

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

12. Remarks:

Domestic use is for 1 home.

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant


Received by SC Date 10/21/91 Time 11:20 Preliminary check by CAH

Fee \$ 30.00 Receipted by SC # C022096 Date 10/21/91

Publication prepared by GG Date 11-13-91 Published in Id Statesman

Publication approved st Date 12-16-91 11/21 & 11/28/91

RECEIVED
FEB 11 1992



63-8160
63-3266
63-4475
63-8984

63-8339

63-4795

63-4299

63-4469

63-7718

63-7784
63-7785
63-9336

63-4903 (2)

63-8904

63-3093
63-3009
63-8793
63-7247
63-8087
63-3170 (2)
63-7154

63-34

63-9668

63-3368 (2)

63-7327
63-7993
63-2859
63-3280
63-7933

63-7532
63-3369

63-3319

63-3638



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 18, 1996

DANIEL J JENSEN
CHRISTIE JENSEN
2011 S LUKER RD
KUNA ID 83634

RE: WATER RIGHT NO. 63-11605

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

APR 30 1996

MEMORANDUM

TO: File 63-11605 / Daniel Jensen
FROM: Brenda Chapman
DATE: March 26, 1996
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 63-11605 are based on the information below:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3-15 to 11-15	.09	33.6
Domestic	1-01 to 12-31	.02	.6

The domestic rate has been adjusted. With the current guidelines of including domestic lawns, gardens, etc. in the irrigated acre total, the domestic recommendation is reduced to an internal use rate of .02 cfs.

RECEIVED
MAR 30 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11605 DATE 3-26-96



NAME	Change OK ☒	Assignment Needed ☐
PRIORITY DATE	☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☒	Amendment needed? ☐ Overlaps? ☐
PLACE OF USE	☒	Amendment needed? ☐ Overlaps? <u>Surface water</u>
DIV RATE	☒	Permit/fee limits: <u>.19 CFS</u> <u>IRR @ .15 CFS</u> Meas Q = <u>7.5 x .02 = .15</u> Theo Q = <u>.09</u> <u>Dom @ .04 CFS</u> Recommend: <u>.09</u> <u>8.8 x .7 x 3HP</u> <u>105 + (2.31 x 50 psi) = .08 CFS</u> <u>@ 45 psi = .09 CFS</u> <u>SINGLE INT DOM = .02</u> Combined rates exceed capacity ☐
ANNUAL VOLUME	☒	Volume Limit: ☐ Season: <u>0/4.5 (3-15 to 11-15)</u> Calculations: <u>7.5 x 4.5 = 33.6</u> <u>INT/DOM = .6</u> Flow limit: ☐ cfs x ☐ x 1.9835 = ☐ Combined volumes exceed capacity/allowable ☐
USES	☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
NEW CONDITIONS	☒	Irrigation Overlap ☐ Replaces Surface Water <u>050</u> <u>YES</u> Supplemental <u>GW 065</u> Water Quality/Dam Safety/Heat-Cool/Fish ☐ WM Control- District ☐ Meas/Lock Devices ☐ Other ☐
NEW REMARKS	☒	<u>YES</u> Supplemental GW [in Snake River Plain] <u>WB8/WB7</u> <u>YES</u> Irr/Dom Combination <u>WB5</u> PPU Recommendation ☐ Boise River/Wood River Source Aes/Rec Uses <u>W38</u> Multiple p/d(s) in 1/4 1/4? ☐ Fire Protection <u>WB6</u> Other ☐

COMMENTS: _____

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Irrigation</u>	<u>.09</u>	<u>33.6</u>	Adjustment Memo Needed	<u>YES</u>
<u>Domestic</u>	<u>.02</u>	<u>.6</u>	LICENSE	☒
<u>TOTAL</u>	<u>.09</u>	<u>34.2</u>	1ST AMEND LETTER	
			2ND AMEND LETTER	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 06 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11605

1. Owner: Christie +/or Daniel J. Jensen Phone No. (208) 922-4134

Current Address: 2011 S. Lukens Rd Kuna, Id 83634

2. Accompanied by: Daniel J. Jensen EXAM DATE: 7-13-94

Address: same as above Phone No. (208) 922-4134

Relationship to Permit Holder: owner/self

3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use: U.S. Dept Interior Vanderstelt 63-02388, 63-10228

2. Other water rights with the same point of diversion: — none

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NE	NW	36	02N	01W	Ada	- per exam of system


2. Place(s) of Use:

Indicate Method of Determination exam

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N	01W	36					I/D											7.5	

APR 30 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" =

✓ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

✓ Aerial Photo Attached (required for irrigation of 10+ acres) not plotted

✓ Photo of Diversion and System Attached

Well or Diversion Identification No.*	Motor Make	Hp	model # Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3	255300-15	Grundfos	2"
	Franklin	3	2823028110		

*Code to correspond with No. on map and aerial photo

APR 30 1996

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Lasico Planimeters			42P	B 90848		

2. Measurements: total ac. calibrated by Lasico Planimeter = 8 ac.
 $\frac{17424'}{43560} - \frac{1200'}{43560} - \frac{50'}{43560} = \frac{16174}{43560} = .37 \text{ ac. uprd}$
 $\frac{47037.5 \text{ (east field)}}{43560} + \frac{6 \text{ ac. north}}{43560} = 7.07 \text{ ac.}$
 $\frac{7.07}{7.44} \text{ total ac.}$

E. NARRATIVE/REMARKS/COMMENTS

Domestic use both internal & external (external acreage included in total area irrigated, for annual vol. analysis). Shows adequate potential (6.54) for the amount that is required (4.5). Total acreage calculated by pacing off unknown area & known area totalled 7.44 acre, therefore allowed 7.5 acre for 10% calculation error in pacing technique.

Have conditions of permit approval been met? ☒ yes ☐ no

APR 30 1996

☒ Additional Computation Sheets Attached

Measured Method:

$$HP_{eq}: Q = \frac{8.8 \times (HP) (eff)}{TDH} = \frac{(8.8)(3)(0.70)}{(105) + (36 \times 2.31)}$$

$$\frac{18.48}{188.16} = .098 = .1 \text{ CFS}$$

dynamic from:
well drillers report
static level 95' +
10' = 105' dynamic
psi from:
average psi taken
from sprinkler
nozzles

1. Volume Calculations for Irrigation:

1. Volume Calculations for Irrigation:

$$V_{\text{required}} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 7.5 \times 4.5 = 33.8 \text{ afa}$$

$$V_{\text{potential}} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.10 \text{ cfs} (246) (1.9835) = 42,79$$

$$V = \text{Smaller of } V_{\text{I.R.}} \text{ and } V_{\text{D.R.}} = 33.48$$

2. Volume Calculations for Other Uses:

Volume Calculations for Other Uses:
domestic / internal use .6

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	.1	~~33.48~~ 33.8
Domestic	1/1	12/31	.04	0.6
		Totals:	.10	34.4

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ✓ None
 ___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Field Examiner's Name Greg Hemminger Date 8/26/94

Reviewer _____ Date _____

SEAL

* See adjustment memo. B

RECEIVED

PR 30 1996

63-11605

total ac. calibrated by Lasco Planimeter = 8 ac.

$$\frac{17429' - 1200' - 50'}{43560} = \frac{16174}{43560} = .37 \text{ ac}$$
 (yard) (house) (pumphouse) (ac)

$$\frac{47037.5}{43560} \text{ (east field)} + 6 \text{ ac (north field)} = 7.07 \text{ ac}$$

7.07

-.37

7.44 total ac. irrigated + external dom.

Theoretical rate of flow:

$$Q = \frac{(8.8) \times (HP) \times (eff)}{TDH} = \frac{(8.8)(3)(0.70)}{(105) + (30 \times 2.31)}$$
 (cfs) dynamic PSI

$$= \frac{18.48}{178.92} = 0.10 \text{ CFS} = 10' = .1 \text{ CFS}$$
 188.16 1098

Annual Vol. Analysis

$$V_{dr} = \frac{(\text{days in season}) \times (1.98)(Q)}{\text{recommended acres irrigated}}$$
 (potential) ac. feet/acre/annum

irrigation period of use 3/15 - 11/15 (246 days)

$$V_{dr} = \frac{(246) \times (1.98)(0.10)}{7.44} = 4.9 \text{ ac ft/yr/acre}$$
 (potential)

$$V_{ir} = \frac{3.5}{4.5}$$
 (required) ac. feet/acre/annum

irr. season use 3/15 - 11/15
 3.5 ac. feet/yr/acre
 4.5 field headgate req. (ac ft/yr/acre)

OVER

Allowable cfs: the smallest of:

(a) permit cfs 0.19 cfs total

(b) cfs covered on proof b.u. fee pd: \$50⁰⁰ pd for 9-0.2 cfs
0-20 ac

(c) max b.u./allowable acres = 0.02 cfs/ac

$$0.02 \text{ cfs} \times 7.5 \text{ ac.} = 0.15 \text{ cfs}$$

(d) flow measurement during exam: 0.1 cfs


* recommended rate is the least of the
above

RECEIVED

APR 30 1996


15 MINUTE SERIES (TOPOGRAPHIC)

116°



✓

63-11605



PERMIT 63-11605 INIT S.H
 T. R. S. Q/Q
 P/D 2N 1W 36 SE NE NW
 SCALE _____
 PHOTO ID. _____

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-91-Z-221 WR # OTHER APPLICABLE NO: 63-11605
2. OWNER: Dan Jensen Phone: (208) 922-4134
Address: 2011 ~~St~~ Luker Rd Kuna, Id. 83634
3. WELL LOCATION: Twp 02 N, Rge. 01 W, Sec. 36, NE 1/4 NW 1/4
County Ada County (Provide sketch map and photo on reverse.)
4. DRILLER: Can-Ada Well Drilling Lic. No. 304
When Drilled? 1-13-92
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing ≥ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 180 ft. ^{Cased all the way} Method Drilled rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 133 ft. Water Temperature cold (57°F) °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

Sandy Hemenway, ^{WR} Resource Agent
Signature of Dept. Representative & Title

7/13/94
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

photos on another sheet

APR 30 1996

APR 30 1996

and
(Operator) 

● 63-11605
7-13-94 S.H.

_____ house

_____ pump house

_____ garden/lawn



_____ well drilled 1-13-92
Can - Ada Well Drilling

_____ (2) Coraire pressure
tanks

_____ Franklin
model 2823028110
3HP submers.
(Grundfos stainless
steel pump - replaced
5-4-94 # 255300-15)

_____ Campbell pressure
gauge 32 psi

APR 30 1996

63-11605

7-13-94 S.H

_____ livestock area

_____ side field (East side)

40' hand lines (3")

1 nozzle/line; 8 section

- 8 nozzles run on system @ same time

5/32" nozzle

_____ 6 ac.

alfalfa

on north side

of property

APR 30 1996

January 21, 1994

DANIEL AND CHRISTIE JENSEN
2011 S LUKER RD
KUNA ID 83634

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 63-11605

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

FEB 24 1994

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Daniel J Jensen
2. Mailing Address 10001 Tangewood Dr
City & State Biose ID. Zip Code 83709 Telephone 362-0726

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location NE 1/4 NW 1/4, or Gov't Lot No. _____
Sec. 36, Twp. 2N, Rge. 1W, County Ada
Street Address of Well Site 2011 Luker Rd. Kuna ID. 83634
Lot, block and subdivision _____

4. Proposed use of well:

☒ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

() Other _____
(Describe)

5. Well construction information:

A. ☒ New well () Deepen () Enlarge () Replace - See Condition 9

B. Proposed Surface Diameter 6" Proposed Maximum Depth 200'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date Late October 1991

7. Anticipated Well Driller Can-Ada Well Drilling
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Daniel Jensen Date 21 Oct 1991

Title Owner
(Owner, Firm Representative, Other) FEB 24 1994

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is **APPROVED** Date Oct. 26, 1991

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Sturik *A. Reed*

Signature of Authorized Department Representative

MANAGER
GROUNDWATER PROTECTION SECTION
Title

Receipt No. 0022096 Received by SC Fee 700⁰⁰ Date 10/21/91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date FEB 24 1994

This extension is good for 60 days beyond the above extension approval date.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

JAN 16 1992

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL IDENTIFICATION Name: <u> </u> Address: <u> </u> City: <u> </u> ID <u>83634</u> Water Right Permit No <u>63-91-2-221</u>	7. WATER LEVEL Static water level <u>95</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow <u> </u> Artesian closed-in pressure <u> </u> p.s.i. Controlled by ☐ Valve ☐ Cap ☒ Plug Temperature <u>57</u> of Quality <u> </u> Describe strata or temperature zones below																																																																																		
2. NATURE OF WORK New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned. Describe abandonment procedures such as materials, plug description, etc. in lithologic log.	8. WELL TEST DATA Pump ☐ Bailor ☒ Air ☐ Other ☐ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td>40</td> <td>175</td> <td> </td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	40	175																																																																													
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																	
40	175																																																																																		
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ ☐ Other ☐ (Specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>9"</td><td>0</td><td>4</td><td>TOP SOIL</td><td>NO</td><td></td></tr> <tr><td>9"</td><td>4</td><td>9</td><td>HARD PAN</td><td>NO</td><td></td></tr> <tr><td>9"</td><td>9</td><td>40</td><td>LAVA ROCK</td><td>NO</td><td></td></tr> <tr><td>6"</td><td>40</td><td>50</td><td>SOLID LAVA</td><td>NO</td><td></td></tr> <tr><td>6"</td><td>50</td><td>60</td><td>SOFT ROCK</td><td>NO</td><td></td></tr> <tr><td>6"</td><td>60</td><td>90</td><td>SOLID LAVA</td><td>NO</td><td></td></tr> <tr><td>6"</td><td>90</td><td>92</td><td>ROCK/CRACKS</td><td>NO</td><td></td></tr> <tr><td>6"</td><td>92</td><td>130</td><td>SOLID ROCK</td><td>NO</td><td></td></tr> <tr><td>6"</td><td>130</td><td>131</td><td>ROCK/CRACKS</td><td>YES</td><td></td></tr> <tr><td>6"</td><td>131</td><td>170</td><td>SOLID ROCK</td><td>NO</td><td></td></tr> <tr><td>6"</td><td>170</td><td>175</td><td>CINDER</td><td>NO</td><td></td></tr> <tr><td>6"</td><td>175</td><td>180</td><td>GRAVEL</td><td>YES</td><td></td></tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	9"	0	4	TOP SOIL	NO		9"	4	9	HARD PAN	NO		9"	9	40	LAVA ROCK	NO		6"	40	50	SOLID LAVA	NO		6"	50	60	SOFT ROCK	NO		6"	60	90	SOLID LAVA	NO		6"	90	92	ROCK/CRACKS	NO		6"	92	130	SOLID ROCK	NO		6"	130	131	ROCK/CRACKS	YES		6"	131	170	SOLID ROCK	NO		6"	170	175	CINDER	NO		6"	175	180	GRAVEL	YES	
Bore Diam.	Depth		Material	Water																																																																															
	From	To		Yes	No																																																																														
9"	0	4	TOP SOIL	NO																																																																															
9"	4	9	HARD PAN	NO																																																																															
9"	9	40	LAVA ROCK	NO																																																																															
6"	40	50	SOLID LAVA	NO																																																																															
6"	50	60	SOFT ROCK	NO																																																																															
6"	60	90	SOLID LAVA	NO																																																																															
6"	90	92	ROCK/CRACKS	NO																																																																															
6"	92	130	SOLID ROCK	NO																																																																															
6"	130	131	ROCK/CRACKS	YES																																																																															
6"	131	170	SOLID ROCK	NO																																																																															
6"	170	175	CINDER	NO																																																																															
6"	175	180	GRAVEL	YES																																																																															
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other ☐																																																																																			
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>250 inches</td> <td>6 inches</td> <td>1 feet</td> <td>40 feet</td> </tr> <tr> <td>inches</td> <td>inches</td> <td>feet</td> <td>feet</td> </tr> <tr> <td>inches</td> <td>inches</td> <td>feet</td> <td>feet</td> </tr> <tr> <td>inches</td> <td>inches</td> <td>feet</td> <td>feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation ☐ inches by ☐ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>perforations</td> <td>feet</td> <td>feet</td> </tr> <tr> <td>perforations</td> <td>feet</td> <td>feet</td> </tr> <tr> <td>perforations</td> <td>feet</td> <td>feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name <u> </u> Model No. <u> </u> Type <u> </u> Diameter <u> </u> Slot size <u> </u> Set from <u> </u> feet to <u> </u> feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel <u> </u> Placed from <u> </u> feet to <u> </u> feet Surface seal depth <u>40</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☐ Pudding clay ☐ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access point <u>CONCRETE WELL CAP</u>	Thickness	Diameter	From	To	250 inches	6 inches	1 feet	40 feet	inches	inches	feet	feet	inches	inches	feet	feet	inches	inches	feet	feet	Number	From	To	perforations	feet	feet	perforations	feet	feet	perforations	feet	feet																																																			
Thickness	Diameter	From	To																																																																																
250 inches	6 inches	1 feet	40 feet																																																																																
inches	inches	feet	feet																																																																																
inches	inches	feet	feet																																																																																
inches	inches	feet	feet																																																																																
Number	From	To																																																																																	
perforations	feet	feet																																																																																	
perforations	feet	feet																																																																																	
perforations	feet	feet																																																																																	
6. LOCATION OF WELL Sketch map location must agree with written location. N Subdivision Name <u> </u> Lot No. <u> </u> Block No. <u> </u>	10. Work started <u>11/4/91</u> finished <u>11/5/91</u>																																																																																		
11. DRILLERS CERTIFICATION I We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Cam-Ride Well Drilling</u> Address <u>4250 Murphy Road</u> Date <u>11/9/91</u> Phone <u>Idaho</u> Signed by (Firm Official) <u>Egil Skinner</u> Operator <u> </u>																																																																																			

FEB 24 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 3, 1994

Christie & Daniel J. Jensen
2011 S. Luker
Kuna, ID 83634

RE: Water Right Permit No. 63-11605

Dear Permit Holder:

Enclosed are the forms needed to file proof of beneficial use on water right permit no. 63-11605. The forms were originally sent to you by certified mail on November 30, 1993, but were returned by the postal service due to your change of address.

Please read the original enclosed letter, complete the necessary forms and return them to this office on or before the proof due date of February 1, 1994.

If you have any questions or I can be of any assistance, please do not hesitate to call.

Sincerely,


A handwritten signature in cursive script that reads "Julie L. Yarbrough".

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED
FEB 24 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street
Idaho 83706-2237



UNDELIVERABLE
AS ADDRESSED
FORWARDING
ORDER EXPIRED



UNDELIVERABLE
AS ADDRESSED
FORWARDING
ORDER EXPIRED

Fac

NAME	
1st NAME	
2nd NAME	
REMARKS	

RECEIVED
DEC 06 1983
Department of Water Resources

FEB 24 1984

83709-7154 97



November 30, 1993

CHRISTIE JENSEN
DANIEL J JENSEN
10001 TANGLEWOOD DR
BOISE ID 83709

PROOF DUE NOTICE

RE: PERMIT NO. 63-11605

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

UNRECORDED

FEB 24 1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 31, 1992

CHRISTIE JENSEN
DANIEL J JENSEN
10001 TANGLEWOOD DR
BOISE ID 83709

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11605

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

FEB 11 1992

Drilling Permit No. 63-91-2-221

Water Right No. 63-11605

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Daniel J. Jensen, Applicant, requests issuance of Drilling Permit prior to approval of a water right. The request is made for the following reason(s):

Driller available now to drill.

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

21 Oct 91
Date

Daniel Jensen
Applicant's Signature

Owner
Applicant's Title

RECEIVED

FEB 11 1992

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Daniel J Jensen

2. Mailing Address 10001 Tangewood Dr

City & State Boise ID. Zip Code 83709 Telephone 362-0726

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location NE 1/4 NW 1/4, or Gov't Lot No. _____

Sec. 36, Twp. 2N, Rge. 1W, County Ada

Street Address of Well Site 2011 Luker Rd. Kuna ID. 83634

Lot, block and subdivision _____

4. Proposed use of well:

☒ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

() Other _____
(Describe)

5. Well construction information:

A. ☒ New well () Deepen () Enlarge () Replace - See Condition 9

B. Proposed Surface Diameter 6" Proposed Maximum Depth 200'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date Late October 1991

7. Anticipated Well Driller Can-Ada Well Drilling
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Daniel Jensen Date 21 Oct 91

Title Owner
(Owner, Firm Representative, Other)

RECEIVED
FEB 11 1992

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is

APPROVED

Date

Oct. 21, 1991

If approved, this permit authorizes the constuction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Ltutik A. Reed

Signature of Authorized Department Representative

MANAGER
GROUNDWATER PROTECTION SECTION
Title

Receipt No. 0022096 Received by SC Fee 200⁰⁰ Date 10/21/91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

FEB 11 1992

WR4001NP
(0D-21)

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS MICROFICHE BY PLACE OF USE

DATE: 07/14/91
PAGE: 462

TWP	RNG	SECT	TRACT 1/4 1/4	LOT	ACRES	WATER-USE-CODE	WATER RIGHT NO.	LAST NAME	O	STG	PRIORITY DATE	WATER SOURCE
02N	01W	35	NW NW	39.0	01		63-03170	COWE	C	L	09/17/1959	GROUNDWATER
			NW NW	38.0	01		63-08087	NIELSEN FARMS INC. VANDER STELT DAIRY	O	L	02/19/1975	GROUNDWATER
			SW NW	39.0	01		63-03170	COWE	C	L	09/17/1959	GROUNDWATER
			SW NW	40.0	01		63-08087	NIELSEN FARMS INC. VANDER STELT DAIRY	O	L	02/19/1975	GROUNDWATER
			SE NW	30.0	01		63-03093	POTTER LAND CO.	C	L	08/21/1956	GROUNDWATER
			SE NW	40.0	01		63-03170	COWE	C	L	09/17/1959	GROUNDWATER
			SE NW	40.0	01		63-08087	NIELSEN FARMS INC. VANDER STELT DAIRY	O	L	02/19/1975	GROUNDWATER
			NE SW	28.0	01		63-03170	COWE	C	L	09/17/1959	GROUNDWATER
			NE SW	23.0	01		63-08087	NIELSEN FARMS INC. VANDER STELT DAIRY	O	L	02/19/1975	GROUNDWATER
			NW SW	36.0	01		63-03170	COWE	C	L	09/17/1959	GROUNDWATER
			NW SW	33.0	01		63-08087	NIELSEN FARMS INC. VANDER STELT DAIRY	O	L	02/19/1975	GROUNDWATER
			NE SE	40.0	01		63-03170	COWE	C	L	09/17/1959	GROUNDWATER
			NE SE	40.0	01		63-08087	NIELSEN FARMS INC. VANDER STELT DAIRY	O	L	02/19/1975	GROUNDWATER
			NW SE	29.0	01		63-03170	COWE	C	L	09/17/1959	GROUNDWATER
			NW SE	40.0	01		63-08087	NIELSEN FARMS INC. VANDER STELT DAIRY	O	L	02/19/1975	GROUNDWATER
		36	NE NW	3.0	01		63-02388	U.S. DEPT. OF INTE	C	L	08/18/1924	BOISE RIVER
							63-10228	VANDERSTELT	C	L	04/11/1984	GROUNDWATER
			NW NW	3.0	01		63-10228	VANDERSTELT	C	L	04/11/1984	GROUNDWATER
								VANDERSTELT	C			
			SW NW	38.0	01,43		63-03009	HARRISON SMITH	O	L	11/29/1954	GROUNDWATER
			SE NW	30.0	01,43		63-03009	HARRISON SMITH	O	L	11/29/1954	GROUNDWATER
			SE NW	1.0	01		63-10228	VANDERSTELT VANDERSTELT	C	L	04/11/1984	GROUNDWATER
			NE SW	25.0	01,43		63-03009	HARRISON SMITH	O	L	11/29/1954	GROUNDWATER
			NE SW	10.0	01		63-10228	VANDERSTELT VANDERSTELT	C	L	04/11/1984	GROUNDWATER
			NW SW	10.0	01,43		63-03009	HARRISON SMITH	O	L	11/29/1954	GROUNDWATER
			NW SW	20.0	01		63-10228	VANDERSTELT VANDERSTELT	C	L	04/11/1984	GROUNDWATER
			SW SW	40.0	01,55,05,04		63-10908	THORNTON	C	P	08/22/1989	GROUNDWATER
			SE SW	39.0	01,55,05,04		63-10908	THORNTON	C	P	08/22/1989	GROUNDWATER
			SE SW		01,55,05,04		63-10908	THORNTON	C	P	08/22/1989	GROUNDWATER
			SE SW		01,55,05,04		63-10908	THORNTON	C	P	08/22/1989	GROUNDWATER
			SE SE	37.0	01,55,05,04		63-10908	THORNTON	C	P	08/22/1989	GROUNDWATER
					01		63-02388	U.S. DEPT. OF INTE	C	L	08/18/1924	BOISE RIVER
			NE NE	1 30.0	01		63-11489	PLINE FARMS INC.	C	P	03/21/1991	GROUNDWATER
			NW NE	2 30.0	01		63-11489	PLINE FARMS INC.	C	P	03/21/1991	GROUNDWATER
			SE NE	20.0	01		63-11489	PLINE FARMS INC.	C	P	03/21/1991	GROUNDWATER
			NW NW	4 2.0	01,43		63-10197	PORTER DECKER, JR.	O	L	06/21/1983	GROUNDWATER

FEB 11 1992

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

Account Number 47628		Identification NOTICE OF APPLICATION FOR WATER RIGHT	
Ordered By Gail Garrett	P.O. Number	Rate NT	Run Dates November 21, 28, 1991
State of Idaho Department of Water Resources Western Region 2735 Airport Way Boise, Idaho 83705		Estimated Inches	Real Inches
		# Affidavits 1	Legal Number 9845

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

JENSEN, CHRISTIE
JENSEN, DANIEL J.
10001 TANGLEWOOD DR
BOISE, ID 83709

Source:
Diversion Pt:
Use: IRRIGATION
DOMESTIC
Total Diversion:
Date Filed:
T02N R01W S 36 NENW
7.5 ACRES TOTAL

GROUNDWATER
NENW Sec 36 T 02N R 01W in ADA County.
(.150 CFS)
(.040 CFS)
(.190 CFS)
10/21/1991

63-11609

BROWN, LYNN A
2305 N 14TH ST
BOISE, ID 83702

Source:
Diversion Pt:
Use: IRRIGATION
Total Diversion:
Date Filed:
T04N R02E S34 NESW
1.0 ACRES TOTAL

GROUNDWATER
Sec 34 T 04N R 02 in ADA County.
(.020 CFS)
(.020 CFS)
11/1/1991

63-11610

GOLDEN DEVELOPMENTS CO
410 S ORCHARD #136
BOISE, ID 83705

Diversion Pt:
Use: IRRIGATION
Total Diversion:
Date Filed:

SENE Sec 31 T 03N R 03E in ADA County.
(1.100 CFE)
(1.100 CFS)
7/15/1991

In: ADA County
T02N R02E S01 Lot 1(NENE)
R03E S05 Lot 1(NENE)
S06 Lot 1(NENE)
Lot 3(NENW)
T03N R03E S31 NESW
S32 NESW
S36 SESE

SENE
Lot 2(NWNE)
Lot 2(NWNE)
Lot 5(SWNW)
Lot 3(NWSW)
SESE
SESE
NWSW
SWSE
SESE

Lot 3(SWNE)
SWNE
SENE
NESE
NWSE
SWSW
SESE
SESE

55.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before DECEMBER 9, 1991.

R. Keith Higginson, Director
Pub. November 21, 28, 1991

Jill Roberts

, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for two

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of November 21, 1991
November 28, 91

and ending with the issue of _____, 19____

Jill Roberts

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 28th day of November in the year of 1991, before me, a Notary Public, personally appeared Jill Roberts, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

[Signature]
Notary Public for Idaho

Residing at Boise, ID

My commission expires: 11-27-93

9845

FEB 11 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

NOVEMBER 13, 1991

The Idaho Statesman
P.O. Box 40
Boise, ID 83707

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 9, 1991.

Yours truly,

GAIL GARRETT
Secretary

Encl.

RECEIVED

FEB 11 1992

63-11605

JENSEN, CHRISTIE
JENSEN, DANIEL J
10001 TANGLEWOOD DR
BOISE, ID 83709

Source: GROUNDWATER

Diversion Pt: NENW Sec 36 T 02N R 01W in ADA County.

Use: IRRIGATION (.150 CFS)
 DOMESTIC (.040 CFS)
 Total Diversion: (.190 CFS)

Date Filed: 10/21/1991

T02N R01W S36 NENW

7.5 ACRES TOTAL

RECEIVED
FEB 11 1992