




Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Carroll Robertson
(Applicant)

(Applicant)

NOV 19 1991

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Randolph gear drive	40 (1:1)	MO08AA1930375		8"
	JICASE diesel	4390			

*Code to correspond with No. on map and aerial photo

@ 1760 rpm

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

JUN 30 1994

2. Measurements: Float method, See below

Bank setting = 155' SL = 92 PL = 135 (est) may be as high as 100'
gal. - pump set



ZNIE
Sec 20

MAILED
JUN 30 1994
T. 2 N.

2N
IN



63-11573



P/O

28 10'93

UNRECORDED
JUN 30 1994



P/u, SWNW

Place of
measurement

JUN 30 1994
MONTANA

63-11513

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11573

Priority: July 24, 1991

Maximum Diversion Rate: 2.24 CFS
Maximum Diversion Volume: 504.0 AF

This is to certify, that DARRELL ROBERTSON
3701 E DEERFLAT
KUNA ID 83634

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 24, 1991; and has submitted Proof of Beneficial Use on July 24, 1992. An examination indicates that the works have a diversion capacity of 2.500 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.24 CFS	504.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWNW , Sec. 20, Township 02N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N 01E 20	NENW 25	NWNW 12	SWNW 37	112
	SEnw 38			

Total number of acres irrigated: 112

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

RECEIVED

JUN 30 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11573

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9th
day of MAY, 1994.

Acting for R. Keith Higginson, Director



JUN 30 1994

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE)
FLOW MEASUREMENT PORT OR)
MEASURING DEVICE CONDITION)
OF APPROVAL FOR PERMIT NO.)
63-11573 IN THE NAME OF)
DARRELL ROBERTSON)

ORDER


WHEREAS, the Department of Water Resources (department) has issued the above captioned water right permit with a condition of approval requiring the permit holder to install a flow measurement port or other device to facilitate the measurement and determination of the rate of diversion by the department; and

WHEREAS, the department has determined that the rate of diversion for certain ground water uses can be estimated by the department without the use of an installed flow measurement port; and,

WHEREAS, the department has determined that the rate of flow for the above captioned permit can be estimated without the use of a flow measurement port;

IT IS THEREFORE, hereby ordered that the condition of approval requiring the installation of a flow measurement port or other device for the above captioned permit is REMOVED.

Dated this 4th day of August, 1992.


L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED

AUG 21 1992

RECEIVED

STATE OF IDAHO

JUL 24 1992

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

DEPARTMENT OF WATER RESOURCES
Department of Water Resources
Western Regional Office
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11573 Telephone No. 922-4076

2. Name(s) of Permit Holder(s): Darrell Robertson

3. Post Office Address: 3701 E Deerflat Kuna Id. 83634

4. Source of Water: Groundwater

a. If ground water, well driller's name: Johnson Drilling Date drilled: 3-1992

b. Pump horsepower: 30 Pressure (psi): _____ Dynamic pumping level (ft.): 120'

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 130 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 2.6 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

8. Fee Enclosed: \$ 150.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Darrell Robertson
Name

922-4076

Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7-21-92 Darrell Robertson
Date Signature (and title if on behalf of a company or organization)

RECEIVED
AUG 21 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11573

Proposed Priority: July 24, 1991 Maximum Diversion Rate: 2.60 CFS

This is to certify, that **DARRELL ROBERTSON**
3701 E DEERFLAT
KUNA ID 83634

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	2.60 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWNW Sec. 20, Township 02N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	01E	20	NE1/4 30	NW1/4 20	SW1/4 40	130
			SE1/4 40			

Total number of acres irrigated: 130

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

8th day of November, 1991.

RECORDED

NOV 19 1991

[Signature]
for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Darrell Robertson Phone 982-4076

Post office address 3201 E Deer flat June 83634

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SW 1/4 of NW 1/4, Govt. Lot _____

Sec. 20 Township 2N Range 1E B.M. ADA County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 260 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 2.6 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

Drilled well with gravity system.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total

reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

_____ to _____ inclusive.

c. Proposed well diameter is 16" inches; proposed depth of well is 250' feet.

d. Is ground water with a temperature of greater than 90°F being sought? No.

7. Time required for the completion of the works and application of the water for the proposed beneficial use is

2 years (minimum 1 year).

NOV 19 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	01E	20					30	20	40	40									130 AC.

Total number of acres to be irrigated 130 AC.

10. Describe any other water rights used for the same purposes as described above. _____

Boise - Kuna.

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Supplemental water.

RECEIVED

NOV 19 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

9 1991

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Darrell Robertson
(Applicant)

Received by JFW Date 7/24/91 Time 2:30 PM Preliminary check by JR
Fee \$ 85.00 Receipted by JFW # W013522 Date 7/24/91
Publication prepared by GG Date 8/7/91 Published in ID Statesman
Publication approved JT Date 10-1-91 8/15 & 8/22/91
9/5 & 9/12/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
NOV 19 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 10, 1994


DARRELL ROBERTSON
3701 E DEERFLAT
KUNA ID 83634

RE: WATER RIGHT NO. 63-11573

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JUN 30 1994

WR0749NP
No. L63-11573

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 05/03/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	DARRELL ROBERTSON 3701 E DEERFLAT KUNA ID 83634 (208) 922-4076	07/24/1991	IRRIGATION	03-15 11-15	2.24 CFS	504.00 AFA
TOTAL DIVERSION:					2.24 CFS	504.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 2.50 CFS

Point(s) of Diversion: T02N R01E S20

SWNW

ADA County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE										
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
				Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	
02N	01E	20	:					:					:					:						:	112.0	
																							TOTAL ACRES	112.0		

Pou County: ADA

Other Rights: BOISE KUNA IRRIGATION DISTRICT

Other Water Rights with Same Point(s) of Diversion and Source:
63-11573

Other Water Rights Listing Overlapping Place(s) of use:
63-11573

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.

Dates: App. Received: 07/24/1991 Priority Date: 07/24/1991
Proof Due Date: 11/01/1993 Proof Made Date: 07/24/1992
Exam Made Date: 10/28/1993 Exam Sent to S.O.: 03/28/1994
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 05/03/94 CHAPMAN

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6311573	T02N R01E S20 GROUNDWATER																	
	:							25	12	37	38							: 112
6302388	BOISE RIVE :																	:
A6302388	BOISE RIVE :																	:
6305116	GROUNDWATE :																02	: 2
A6305116	GROUNDWATE :																	: 1
6311573	GROUNDWATE :							30	20	40	40							: 130
A6317688	WASTEWATER :				40		40											: 80

No overlaps

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11573 DATE 5-3-94




NAME	Yes ☐	No ☒	Or Address Change? ☐
PRIORITY DATE	☐	☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐	☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐	☒	Amendment needed? ☐ ☒ Overlaps? ☐
PLACE OF USE	☒	☒	Amendment needed? ☐ ☒ Overlaps? <u>CHECK</u>
DIV RATE	☐	☒	Measurement done? ☒ Theoretical only? ☐ <u>112 X .02 = 2.24</u> <u>Q = 2.5</u> Capacity: <u>2.5</u> Combined rates exceed capacity ☐ Allowable amount: <u>2.24</u>
ANNUAL VOLUME	☐	☒	Season of use: <u>D/4.5 (3-15 to 11-15)</u> Calculations: <u>112 X 4.5 = 504</u> Flow limit: ☐ cfs x ☐ x 1.9835 = ☐ Combined volumes exceed capacity/allowable ☐
USES	☐	☒	Change(s) in Nature of Use? ☐ Amendment necessary? ☐
REMARKS	<u>WB3</u>	☒	Multiple p/d(s) in 1/4 1/4? ☐ ☒ Other <u>Boise - KUNA IRR Water</u>
CONDITIONS	<u>R32</u>	☒	Measuring/Locking Devices ☐ ☒ Watermaster control - District ☐ ☐ Irrigation Overlap ☐ ☒ Water Quality ☐ ☒ Other ☐
COMMENTS:	<u>Supplemental Water</u>		

RECOMMENDED	CFS	VOLUME	LICENSE ☒
<u>Irrigation</u>	<u>2.24</u>	<u>504</u>	
<u> </u>	<u> </u>	<u> </u>	1ST AMENDMENT LETTER <u> </u>
<u> </u>	<u> </u>	<u> </u>	FINAL AMENDMENT LETTER <u> </u>



JUN 30 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Randolph gear drive	40 (1:1)	MO08AA1930375		8"
	JICASE diesel	4390			

*Code to correspond with No. on map and aerial photo

@ 1760 rpm

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

JUN 30 1994

2. Measurements: Float method, See below

Bowl Setting = 155' SL = 92 PL = 135 (est) may be as high as 100'
 ● gal. - pump set ●


E. NARRATIVE/REMARKS/COMMENTS

16" x 275' well, gravity irrigation on hay, grain, corn etc. Discharge into cement ditch, west through 12" culvert to Northbound cement ditch for deliveries to fields 2 & 4. Discharge may also be made into 10" gated pipe for deliveries to east and north of well. At exam, pump was started and flows diverted west into northbound ditch for a flow estimate. (See below).

Flow rate: Since physical measurement exceeded required amount & a like amount can be verified w/ HP equation, recommend 1"/ac.

Overlaps: 63-5391 & 5392 are statutory claims for domestic/stock; I believe held by a neighbor.

Float method



$$A = \frac{(2.2 + .8) \cdot .62}{2} = .93 \text{ ft}^2$$

$$Q = 2.5 \text{ cfs}$$

$$V = \frac{16 \text{ ft}}{6 \text{ sec}} = 2.7 \text{ ft/sec}$$

Have conditions of permit approval been met? ☒ yes ☐ no

JUN 30 1994

Additional Computation Sheets Attached

Check: Hotsepower ① $\frac{40 \times 8.8 \times 7}{135} = 1.8$ ② $\frac{40 \times 8.8 \times 7}{100} = 2.5$

for 112 acres, may allow 2.24 cfs

1. Volume Calculations for Irrigation:

$$V_{I.R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 112 \times 4.5 = 504$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.24 \times 74 \times 1.9835 = 102.9$$

$$V = \text{Smaller of } V_{LB} \text{ and } V_{DB} = 504$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
IRR	3/15	11/15	2.24	504
Totals:			2.24	504

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above X None
 ___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Field Examiner's Name Cindy Hodges Date 11/3/93

Reviewer _____ Date _____

SEAL

100-443887-1

JUN 30 1994

670 000
FEET

43° 30'

4816 000 N

2N 1E
Sec 20

NAMPA 15 MI
KUNA 22 MI

4815

4814


4813

4812

27' 30"

MAINTENANCE
JUN 30 1994
T. 2 N.

2N
1E



WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

WELL OWNER

Name DANIEL R. OLSEN
Address 221 E. DEERFLAT RD. LUNA ID
Permit No. 63-91-W-474-
Permit No. 63-11573

DRILLER

Deepened ☐ Replacement ☐Abandoned (describe abandonment procedures such as
materials, plug depths, etc. in lithologic log)

USE

Irrigation ☒ Test ☐ Municipal ☐
Stock ☐ Waste Disposal or Injection ☐
(specify type)

METHOD DRILLED

Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐
Cable ☐ Dug ☐ Other ☐

WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other ☐

Thickness	Diameter	From	To
1.50 inches	16 inches	1 foot	19 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Perforation inches by inches

Number	From	To
perforations	feet	feet
perforations	feet	feet
perforations	feet	feet

Installed? ☐ Yes ☒ No

Driller's name

Model No.

Drill bit Slot size Set from feet to feet

Drill bit Slot size Set from feet to feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel

Gravel from feet to feet

Gravel seal depth 19 Material used in seal: ☐ Cement grout☐ Bentonite ☒ Puddling clay ☐Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthJoining casing: ☐ Threaded ☒ Welded ☐ SolventWeld ☐ Cemented between strata

Inlet access port 1/2" PIPE IN SIDE OF CASING

LOCATION OF WELL

Sketch map location must agree with written location.

N



Subdivision Name

Lot No. Block No.

County ADA
W 1/4 NW 1/4 Sec. 20, T. 2 N 1/4 R. 1 E 1/4

7. WATER LEVEL

Static water level 92 feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow

Artesian closed-in pressure p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature 56 OF Quality GOOD

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Ball

Discharge G.P.M.

Pumping Level

Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
20	0	3	TOPSOIL		
20	3	19	BLACK BASALT		
16	19	59	BLACK BASALT		
T	59	61	BLACK CLINKERS		
	61	63	BLACK BASALT		
	63	64	BLACK CLINKERS		
	64	73	BROKEN BASALT & RED CLINKERS		
	73	102	BLACK BASALT		
	102	105	CLAY & CLINKERS		X
	105	114	BLACK BASALT		
	114	122	BLACK CLINKERS		X
	122	144	BLACK BASALT		
	144	154	BROWN CLINKERS - CRANES		X
	154	165	BROWN CLINKERS		X
	165	175	RED GRAVEL		X
	175	185	RED GRAVEL		X
	185	195	RED GRAVEL		X
	195	200	RED GRAVEL		X
	200	210	RED GRAVEL		X
	210	220	RED GRAVEL		X
	220	230	RED GRAVEL		X
	230	240	RED GRAVEL		X
	240	250	RED GRAVEL		X
	250	260	RED GRAVEL		X
	260	270	RED GRAVEL		X
	270	280	RED GRAVEL		X
	280	290	RED GRAVEL		X
	290	300	RED GRAVEL		X
	300	310	RED GRAVEL		X
	310	320	RED GRAVEL		X
	320	330	RED GRAVEL		X
	330	340	RED GRAVEL		X
	340	350	RED GRAVEL		X
	350	360	RED GRAVEL		X
	360	370	RED GRAVEL		X
	370	380	RED GRAVEL		X
	380	390	RED GRAVEL		X
	390	400	RED GRAVEL		X
	400	410	RED GRAVEL		X
	410	420	RED GRAVEL		X
	420	430	RED GRAVEL		X
	430	440	RED GRAVEL		X
	440	450	RED GRAVEL		X
	450	460	RED GRAVEL		X
	460	470	RED GRAVEL		X
	470	480	RED GRAVEL		X
	480	490	RED GRAVEL		X
	490	500	RED GRAVEL		X
	500	510	RED GRAVEL		X
	510	520	RED GRAVEL		X
	520	530	RED GRAVEL		X
	530	540	RED GRAVEL		X
	540	550	RED GRAVEL		X
	550	560	RED GRAVEL		X
	560	570	RED GRAVEL		X
	570	580	RED GRAVEL		X
	580	590	RED GRAVEL		X
	590	600	RED GRAVEL		X
	600	610	RED GRAVEL		X
	610	620	RED GRAVEL		X
	620	630	RED GRAVEL		X
	630	640	RED GRAVEL		X
	640	650	RED GRAVEL		X
	650	660	RED GRAVEL		X
	660	670	RED GRAVEL		X
	670	680	RED GRAVEL		X
	680	690	RED GRAVEL		X
	690	700	RED GRAVEL		X
	700	710	RED GRAVEL		X
	710	720	RED GRAVEL		X
	720	730	RED GRAVEL		X
	730	740	RED GRAVEL		X
	740	750	RED GRAVEL		X
	750	760	RED GRAVEL		X
	760	770	RED GRAVEL		X
	770	780	RED GRAVEL		X
	780	790	RED GRAVEL		X
	790	800	RED GRAVEL		X
	800	810	RED GRAVEL		X
	810	820	RED GRAVEL		X
	820	830	RED GRAVEL		X
	830	840	RED GRAVEL		X
	840	850	RED GRAVEL		X
	850	860	RED GRAVEL		X
	860	870	RED GRAVEL		X
	870	880	RED GRAVEL		X
	880	890	RED GRAVEL		X
	890	900	RED GRAVEL		X
	900	910	RED GRAVEL		X
	910	920	RED GRAVEL		X
	920	930	RED GRAVEL		X
	930	940	RED GRAVEL		X
	940	950	RED GRAVEL		X
	950	960	RED GRAVEL		X
	960	970	RED GRAVEL		X
	970	980	RED GRAVEL		X
	980	990	RED GRAVEL		X
	990	1000	RED GRAVEL		X

10. Work started DEC 15 91 finished JAN 28 92

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name JOHNSON DRILLING Firm No. 92Address 2742C SOUTHWEST BLVD LUNA ID Date FEB 13 92Signed by (Firm Official) E D Johnson

and

(Operator) D W Johnson

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-91-W-474 OTHER APPLICABLE NO: 63-11573
2. OWNER: Robertson Phone: 922 4076
Address: 3701 E Deer Flat, KUNA
3. WELL LOCATION: Twp 2N, Rge. 1E, Sec. 20, SW 1/4 NW 1/4
County ADA (Provide sketch map and photo on reverse.)
4. DRILLER: JOHNSTON Lic. No. 92
When Drilled? 1/28/92
5. WELL CONSTRUCTION:
Casing Diameter 16 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 19 ft. Method Drilled Cable
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 92 ft. Water Temperature COLD °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

RECEIVED
JUN 30 1994

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chernigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

C. H. Hedges
Signature of Dept. Representative & Title

10/28/93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED
JUN 30 1994

63-11573



P/O

RECEIVED
JUN 30 1994



P/a, SWNW

Place of
measurement

JUN 30 1994
11:11:11

63-11573

August 7, 1992

DARRELL ROBERTSON
3701 E DEERFLAT
KUNA ID 83634

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11573

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
AUG 21 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-11573

Reviewed by Klg

Date 7/28/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

irrigate - 130
Correct Uses? yes

SOURCE OF WATER

 Surface water source
✓ Ground water source

yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 63-91-W-474
200 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
150 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
✓ Installed?
✓ Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due -
No. of days late =
Priority Date +
New Priority Date

DEFICIENCIES OR ACTION ITEMS

order Remove measure device
proof acceptable

DATA ENTRY

New Address

Proof Made 7/24/92
8/7/92 Klg

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

WELL OWNER Name <u>DANIEL ROBERTSON</u> Address <u>2211 E DEERFLAT RD LUNA ID</u> Drilling Permit No. <u>63-91-W-474-</u> Water Right Permit No. <u>63-11573</u> NATURE OF WORK New Well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log) PROPOSED USE Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____ 5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>250 inches</td> <td>16 inches</td> <td>+ 1 feet</td> <td>19 feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>19</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☒ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Cemented between strata Describe access port <u>1 1/2" PIPE IN SIDE OF CASING</u>	Thickness	Diameter	From	To	250 inches	16 inches	+ 1 feet	19 feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	7. WATER LEVEL Static water level <u>92</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>56 °F</u> Quality <u>GOOD</u> Describe artesian or temperature zones below. 8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Air Lift ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> 9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Bore Diam.</th> <th>Depth From</th> <th>To</th> <th>Material</th> <th>Water Yes No</th> </tr> </thead> <tbody> <tr><td>20</td><td>0</td><td>3</td><td>TOPSOIL</td><td></td></tr> <tr><td>20</td><td>3</td><td>19</td><td>BLACK BASALT</td><td></td></tr> <tr><td>16</td><td>19</td><td>59</td><td>BLACK BASALT</td><td></td></tr> <tr><td>T</td><td>59</td><td>61</td><td>BLACK CLINKERS</td><td></td></tr> <tr><td>I</td><td>61</td><td>63</td><td>BLACK BASALT</td><td></td></tr> <tr><td>I</td><td>63</td><td>64</td><td>BLACK CLINKERS</td><td></td></tr> <tr><td>I</td><td>64</td><td>73</td><td>BROKEN BASALT & RED CLINKERS</td><td></td></tr> <tr><td>I</td><td>73</td><td>102</td><td>BLACK BASALT</td><td></td></tr> <tr><td>I</td><td>102</td><td>105</td><td>CLAY & CLINKERS</td><td>X</td></tr> <tr><td>I</td><td>105</td><td>114</td><td>BLACK BASALT</td><td></td></tr> <tr><td>I</td><td>114</td><td>122</td><td>BLACK CLINKERS</td><td>X</td></tr> <tr><td>I</td><td>122</td><td>144</td><td>BLACK BASALT</td><td></td></tr> <tr><td>I</td><td>144</td><td>154</td><td>BROWN CLINKERS - ORANGE</td><td>X</td></tr> <tr><td>I</td><td>154</td><td>165</td><td>BROWN CLINKERS</td><td>X</td></tr> <tr><td>I</td><td>165</td><td>175</td><td>RED GRAVEL</td><td>X</td></tr> <tr><td>I</td><td>175</td><td>185</td><td>RED CLINKERS</td><td>X</td></tr> <tr><td>I</td><td>185</td><td>195</td><td>RED CLINKERS</td><td></td></tr> <tr><td>I</td><td>195</td><td>200</td><td>RED CLINKERS</td><td></td></tr> <tr><td>I</td><td>200</td><td>210</td><td>RED CLINKERS</td><td></td></tr> <tr><td>I</td><td>210</td><td>220</td><td>RED CLINKERS</td><td></td></tr> <tr><td>I</td><td>220</td><td>230</td><td>RED CLINKERS</td><td></td></tr> <tr><td>I</td><td>230</td><td>240</td><td>RED CLINKERS</td><td></td></tr> <tr><td>I</td><td>240</td><td>250</td><td>RED CLINKERS</td><td></td></tr> <tr><td>I</td><td>250</td><td>260</td><td>RED CLINKERS</td><td></td></tr> <tr><td>I</td><td>260</td><td>270</td><td>RED CLINKERS</td><td></td></tr> <tr><td>I</td><td>270</td><td>280</td><td>RED CLINKERS</td><td></td></tr> <tr><td>I</td><td>280</td><td>290</td><td>RED CLINKERS</td><td></td></tr> <tr><td>I</td><td>290</td><td>300</td><td>RED CLINKERS</td><td></td></tr> </tbody> </table> 10. Work started <u>DEC 15 91</u> finished <u>JAN 28 92</u> 11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>JOHNSON DRILLING</u> Firm No. <u>92</u> Address <u>224X SOUTHVIEW BLVD LUNA ID</u> Date <u>FEB 13 92</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>[Signature]</u>	Discharge G.P.M.	Pumping Level	Hours Pumped										Bore Diam.	Depth From	To	Material	Water Yes No	20	0	3	TOPSOIL		20	3	19	BLACK BASALT		16	19	59	BLACK BASALT		T	59	61	BLACK CLINKERS		I	61	63	BLACK BASALT		I	63	64	BLACK CLINKERS		I	64	73	BROKEN BASALT & RED CLINKERS		I	73	102	BLACK BASALT		I	102	105	CLAY & CLINKERS	X	I	105	114	BLACK BASALT		I	114	122	BLACK CLINKERS	X	I	122	144	BLACK BASALT		I	144	154	BROWN CLINKERS - ORANGE	X	I	154	165	BROWN CLINKERS	X	I	165	175	RED GRAVEL	X	I	175	185	RED CLINKERS	X	I	185	195	RED CLINKERS		I	195	200	RED CLINKERS		I	200	210	RED CLINKERS		I	210	220	RED CLINKERS		I	220	230	RED CLINKERS		I	230	240	RED CLINKERS		I	240	250	RED CLINKERS		I	250	260	RED CLINKERS		I	260	270	RED CLINKERS		I	270	280	RED CLINKERS		I	280	290	RED CLINKERS		I	290	300	RED CLINKERS	
Thickness	Diameter	From	To																																																																																																																																																																																											
250 inches	16 inches	+ 1 feet	19 feet																																																																																																																																																																																											
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																											
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																											
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																											
Number	From	To																																																																																																																																																																																												
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																												
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																												
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																												
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																												
Bore Diam.	Depth From	To	Material	Water Yes No																																																																																																																																																																																										
20	0	3	TOPSOIL																																																																																																																																																																																											
20	3	19	BLACK BASALT																																																																																																																																																																																											
16	19	59	BLACK BASALT																																																																																																																																																																																											
T	59	61	BLACK CLINKERS																																																																																																																																																																																											
I	61	63	BLACK BASALT																																																																																																																																																																																											
I	63	64	BLACK CLINKERS																																																																																																																																																																																											
I	64	73	BROKEN BASALT & RED CLINKERS																																																																																																																																																																																											
I	73	102	BLACK BASALT																																																																																																																																																																																											
I	102	105	CLAY & CLINKERS	X																																																																																																																																																																																										
I	105	114	BLACK BASALT																																																																																																																																																																																											
I	114	122	BLACK CLINKERS	X																																																																																																																																																																																										
I	122	144	BLACK BASALT																																																																																																																																																																																											
I	144	154	BROWN CLINKERS - ORANGE	X																																																																																																																																																																																										
I	154	165	BROWN CLINKERS	X																																																																																																																																																																																										
I	165	175	RED GRAVEL	X																																																																																																																																																																																										
I	175	185	RED CLINKERS	X																																																																																																																																																																																										
I	185	195	RED CLINKERS																																																																																																																																																																																											
I	195	200	RED CLINKERS																																																																																																																																																																																											
I	200	210	RED CLINKERS																																																																																																																																																																																											
I	210	220	RED CLINKERS																																																																																																																																																																																											
I	220	230	RED CLINKERS																																																																																																																																																																																											
I	230	240	RED CLINKERS																																																																																																																																																																																											
I	240	250	RED CLINKERS																																																																																																																																																																																											
I	250	260	RED CLINKERS																																																																																																																																																																																											
I	260	270	RED CLINKERS																																																																																																																																																																																											
I	270	280	RED CLINKERS																																																																																																																																																																																											
I	280	290	RED CLINKERS																																																																																																																																																																																											
I	290	300	RED CLINKERS																																																																																																																																																																																											

LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County AON

SW 1/4 NW 1/4 Sec. 20 T. 2 N. 1 E. 1

RECORDED

AUG 21 1992

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT DEC 09 1991

Department of Water Resources

1. Applicant (please print) Darrell Robertson

2. Mailing Address 3701 E Deerflat Kuna

City & State _____ Zip Code 83634 Telephone _____

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SW 1/4 NW 1/4, or Gov't Lot No. _____

Sec. 20, Twp. 2N, Rge. 1E, County Ada

Street Address of Well Site 3701 E. Deerflat, Kuna

Lot, block and subdivision _____

4. Proposed use of well:

- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

- ☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

- () Injection

- () Monitoring - A well bore schematic and map is required for each well.

No. of proposed wells: _____

- () Other _____
(Describe)

5. Well construction information:

- A. ☒ New well () Deepen () Enlarge () Replace - See Condition 9

B. Proposed Surface Diameter 16 Proposed Maximum Depth 250'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
☒ 85°F to 212°F (Low temp. geothermal well)
☐ 212° or more (Geothermal well)

MICROFILMED

AUG 21 1992

6. Construction Start Date ASAP

7. Anticipated Well Driller JOHN DRILLING

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Darrell Robertson Date 12-6-91

Title Owner
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 12/6/1991

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Dan R. Tuttle
Signature of Authorized Department Representative

Mgr. Western Reg. Off
Title

Receipt No. W13522 Received by L. Werner Fee 200.00 Date 12-6-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

MICROFILMED
AUG 21 1992

This extension is good for 60 days beyond the above extension approval date.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 29, 1992

Darrell Robertson
3701 E Deerflat
Kuna, ID 83634

Re: Permit No. 63-11573

Dear Permit Holder:

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a drilling permit which should have been applied for before the opening of your well began. We have also been unable to locate a well log which should have been submitted by your well driller 30 days after completion of the construction of your well.

If you have a drilling permit or a copy of the well log, please provide this office with a copy of each. If you do not have a copy of the well log, please contact your driller and ask that he submit a copy. In your return letter, please be sure to show the above referenced permit number on any documents. Also, please address any correspondence directly to me. Your response, with both forms attached, should be received within 30 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of your system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

RECEIVED

AUG 21 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 14, 1991

DARRELL ROBERTSON
3701 E DEERFLAT
KUNA ID 83634

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11573

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

RECEIVED

NOV 19 1991

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

NOV 9 1991

SEP 17 1991

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

Account Number 47628		Identification Notice of Application for Water Right	
Ordered By Gail Garrett	P.O. Number	Rate NT	Run Dates September 5, 12, 1991
Idaho Department of Water Resources Western Region 2735 Airport Way Boise, Idaho 83705		Estimated Inches	Real Inches
		= Affidavits 1	Legal Number 9355

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11565
SCHOOL DISTRICT OF BOISE CITY, INDEPENDENT
405 COLLINS RD.
BOISE, ID 83702
Source: GROUNDWATER
Diversion Pt: NWNWSE Sec 11 T 03N R 01E
Use: IRRIGATION (.300 CFS)
Total Diversion: (.300 CFS)
Date Filed: 7/24/1991
In: T03N R01E S11 NWSE
10.0 ACRES TOTAL

63-11566
SCHOOL DISTRICT OF BOISE CITY, INDEPENDENT
405 COLLINS RD.
BOISE, ID 83702
Source: GROUNDWATER
Diversion Pt: NENWNE Sec 25 T 03N R 02E
Use: IRRIGATION (.300 CFS)
Total Diversion: (.300 CFS)
Date Filed: 7/24/1991
In: T03N R02E S24 SWSE SESE
S25 NWNE
10.0 ACRES TOTAL

63-11567
SCHOOL DISTRICT OF BOISE CITY, INDEPENDENT
405 COLLINS RD.
BOISE, ID 83702
Source: GROUNDWATER
Diversion Pt: NWSESE Sec 23 T 03N R 02E
Use: IRRIGATION (.720 CFS)
Total Diversion: (.720 CFS)
Date Filed: 7/24/1991
In: T03N R02E S 23 NESE SWSE SESE
36.0 ACRES TOTAL

63-11570
OWYHEE TERRACE HOMEOWNERS ASSOCIATION
C/O JOHN SHELSTAD
2128 VISTA AVE.
BOISE, ID 83705
Source: GROUNDWATER
Diversion Pt: SWSE Sec 21 T 03N R 02E
Use: IRRIGATION (.150 CFS)
Total Diversion: (.150 CFS)
Date Filed: 7/25/1991
In: T03N R02E S21 SWSE
5.0 ACRES TOTAL

63-11572
DOHERTY, SHEILA
DOHERTY, JR., DAN W.
11158 W. HICKORY
BOISE, ID 83704
Source: GROUNDWATER
Diversion Pt: NWSE Sec 19 T 04N R 01W
Use: COMMERCIAL (.200 CFS)
WILDLIFE STORAGE (4.00 AF)
DIVERSION TO STORAGE (.200 CFS)

Total Diversion: (.200 CFS)
Date Filed: 8/5/1991
In: T04N R01W S19 NWSE
63-11573
ROBERTSON, DARRELL
3701 E. DEERFLAT
KUNA, ID 83634
Source: GROUNDWATER
Diversion Pt: SWNW Sec 20 T 02N R 01E
Use: IRRIGATION (2.600 CFS)
Total Diversion: (2.600 CFS)
Date Filed: 7/24/1991
In: T02N R01E S20 NENW NWNW SWNW SENW
130.0 ACRES TOTAL

63-11581
SELL, PATRICE M.
8555 COVEYRIDGE LANE
BOISE, ID 83709
Source: GROUNDWATER
Diversion Pt: NWSESW Sec 12 T 02N R 01E
Use: IRRIGATION (.150 CFS)
STOCKWATER (.303 CFS)
DOMESTIC (.020 CFS)
Total Diversion: (.200 CFS)
Date Filed: 8/13/1991
In: T02N R01E S12 SESW
5.0 ACRES TOTAL

63-11583
PECK TRUST, F. CLYDE
1201 MANITOU ST.
BOISE, ID 83706
Source: SPRING
Tributary: BOISE RIVER
Diversion Pt: SESESE Sec 26 T 04N R 01E
Use: IRRIGATION (.880 CFS)
Total Diversion: (.880 CFS)
Date Filed: 7/29/1991
In: T04N R01E S26 NESE SESE
44.0 ACRES TOTAL

The permit (s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83725 on or before SEPTEMBER 23, 1991.

R. Keith Higginson, Director
Pub. September 5, 12, 1991 9355

being duly
s: That she is the Principal Clerk of The newspaper printed and published at Boise, ho, and having a general circulation therein er has been continuously and uninterruptedly during a period of twelve consecutive publication of the notice, a copy of which is d notice was published in The Idaho with Section 60-108, Idaho Code as

☐ consecutive daily ☐ single ☐ odd skip

th the issue of September 5, 1991

e of September 12, 1991

ss.

NOV 19 1991

day of September in the year of me, a Notary Public, personally appeared known or identified to ose name subscribed to the within instrument, ly sworn, declared that the statements therein lged to me that she executed the same.

y Public for Idaho
Boise, ID

mmission expires:

May '97

63-11573

ROBERTSON, DARRELL
3701 E. DEERFLAT
KUNA, ID 83634

Source: GROUNDWATER

Diversion Pt: SWNW Sec 20 T 02N R 01E

Use: IRRIGATION (2.600 CFS)
 Total Diversion: (2.600 CFS)

Date Filed: 7/24/ 1991

In: T02N R01E S20 NENW NWNW SWNW SENW

130.0 ACRES TOTAL

MICROFILMED

NOV 19 1991