






3N 2E 25

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)
< 10 acres

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<u>submersible</u>		<u>15</u>		<u>Red Jacket TKO</u>	<u>4"</u>
				<u>model # 6D100</u>	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Parcel: 483' x 633' = 7.0 acres irrigated
43560

MICROFILMED

FEB 26 1988



PERMIT 63-11566 INIT S.H.
T. R. S. 10/10 PROFILMED
P/D 3N 2E 25 NW NE
SCALE 7.5 USGS 1:25,000
PHOTO ID. X-59

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____


How far away from the well is this source? _____

9. REMARKS: _____

Sand Hennessy, WC Agent
Signature of Dept. Representative & Title

11/21/94
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED

FEB 26 1998


63-11566



P/u:
playground

P/D:
10" casing
4" Main to 3" PVC
to Hunter I41
run 8 @ 1 time
on system @ 75-80
psi

4" Main to 3" PVC
around the grounds
measurement/
access
port



MICROFILMED

FEB 26 1998

P/u:

playground

$$\frac{483' \times 633'}{43560} = 7.0 \text{ acres}$$

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11566

Priority: July 24, 1991

Maximum Diversion Rate:

0.21 CFS

Maximum Diversion Volume:

31.5 AF

This is to certify, that INDEPENDENT SCHOOL DISTRICT NO 1
405 COLLINS RD
BOISE ID 83702

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 24, 1991; and has submitted Proof of Beneficial Use on October 25, 1994. An examination indicates that the works have a diversion capacity of 0.430 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.21 CFS	31.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 25, Township 03N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02E	24	SWSE	3		3
		25	NWNE	4		4

Total number of acres irrigated: 7

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The Director retains jurisdiction of this right and any license subsequently issued to require streamflow augmentation or other action determined to be appropriate to protect prior surface water or ground water rights. Such streamflow augmentation or other action will be required only upon a determination of need and applicability by the Director.

MICROFILMED
SEP 7 1998

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 63-11566

CONDITIONS OF APPROVAL AND REMARKS

6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
7. Use of water under this right will be regulated by the watermaster of Water District 63, Boise River and tributaries.
8. Place of use is known as the Riverside Elementary School.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 13th day of FEBRUARY, 1998.


Acting for KARL J. DREHER Director



MICROFILMED

FEB 24 1998

RECEIVED

OCT 25 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11566 *Riverside* Telephone No. 338-3420

2. Name(s) of Permit Holder(s): Independent School District of Boise City

3. Mailing Address: 405 Collins Road, Boise, ID 83702

4. Source of Water: Ground water If **GROUNDWATER** (well), Date Drilled: mo. 12 / yr. 91

a. Well Driller: Pete Cope Drilling Drilling Permit Number: 63 - 91 - W - 485

b. **OPTIONAL:**

Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 10 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .30 cfs OR 45 acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No X

Has the measuring device been installed?

Yes _____ or No X

Flow Measurement Port: Is a flow measurement port required?

Yes _____ or No X

Has the measurement port been installed?

Yes _____ or No X

8. Fee Enclosed: \$ 100 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Nolan Lowe Telephone Number: 338-3420

Address: _____

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: _____

(include your title, if on behalf of company or organization)

MAINT & OPER.
SUPV.

Date: 10/11/94

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11566

Proposed Priority: July 24, 1991 Maximum Diversion Rate: 0.30 CFS
This is to certify, that INDEPENDENT SCHOOL DISTRICT No. 1

405 COLLINS RD
BOISE ID 83702

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.30 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NENWNE Sec. 25, Township 03N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02E	24	SWSE 4	SESE 1		5
		25	NWNE 5			5

Total number of acres irrigated: 10

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1994.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The point of diversion identified in this right is located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller must monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.

APR 20 1991

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 63-11566

CONDITIONS/REMARKS:

7. Use of water under this right is subject to the control of the watermaster of Water District 63, Boise River and tributaries.
8. The Director retains jurisdiction of this right and any license subsequently issued to require streamflow augmentation or other action determined to be appropriate to protect prior surface water or ground water rights. Such streamflow augmentation or other action will be required only upon a determination of need and applicability by the Director.
9. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13 th day of November, 1991.

R. Keith Higginson
for R. Keith Higginson, Director

NOV 20 1991

NOV 20 1991

63-11566

Ident. No.

Form 202

6/85

Should questions arise during
the processing of this applica-
tion please contact:

SHERL L. CHAPMAN
410 S. Orchard, Suite 144
Boise, ID 83705
344-6690

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Independent School District of Boise City Phone 338-3420

Post office address 405 Collins Road, Boise, ID 83702

2. Source of water supply Ground water which is a tributary of N/A

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____

Sec. 25 Township 3N Range 2E B.M. Ada County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .30 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .30 and/or (b) 45
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Drilled well, submersible turbine
pump and controls, automated sprinkler system.

b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 12 inches; proposed depth of well is 400 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

* Per Telecon with applicant 11/13/91 28

NOV 20 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2E	24															4	1	5
3N	2E	25		5															5

Total number of acres to be irrigated 10

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. A higher than normal diversion rate is required due to the

12. Remarks: A higher than normal diversion rate is required due to the irrigation requirements for the school landscaping. Irrigation must be conducted over short periods, usually at night to minimize conflict with daytime use. Application is consistent with IDWR policy for small scale, high intensity urban irrigation.



3N 2E 7.5

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

Received by JD Date 7-24-91 Time 1:50 Preliminary check by W

Fee \$ 45⁰⁰ Receipted by JD # W013521 Date 7-24-91

Publication prepared by GG Date 8/7/91 Published in ID Statesman

Publication approved [Signature] Date 10-1-91 8/15 & 8/22/91
9/5 + 9/12/91 resubmitted

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

NOV 20 1991

CONVERSATION MEMORANDUM

DATE 2/17/99
FILE 63-11566

NAME OF PARTY Gary Beier - Riverside School
EMPLOYEE SR

RE: 1998 WATER MEASUREMENT REPORT FOR SE BOISE GWNMA:

He replied to my 2/16/99 phone message:

Has had lots of staff turnover in past year.
Todd Krasner quit - was in charge of reporting. No data
was collected by Todd for 1998. Gary has no way to
reconstruct data so have to assume a same usage for
1998 as prior year(s).

Will send him 1998 form again so he (Gary) knows
what to do for current year. There does not seem to
be much point in pursuit of sanctions for failure to
comply with 1998 reporting provided 1999 report is
filed next year.

Done ✓ → FAX form to him at 338-3491.

will follow
up later
c Western → Revise mailing list to delete Todd's name.

MICROFILMED

CC: W-R. files S.O. & Region

RECEIVED

FEB 18 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

February 17, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

INDEPENDENT SCHOOL DISTRICT NO 1
405 COLLINS RD
BOISE ID 83702

RE: WATER RIGHT NO. 63-11566

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

FEB 26 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

RECORDED

FEB 26 1956

CERTIFICATE OF MAILING

I hereby certify that on the 17th day of **February, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 63-11566

INDEPENDENT SCHOOL DISTRICT NO 1
405 COLLINS RD
BOISE ID 83702


Kari Lynn Townsend
Secretary

RECORDED
FEB 26 1998

MEMORANDUM

TO: File 63-11566

FROM: Sharla

DATE: November 14, 1997

RE: Telecon

On this date I spoke with Gary Byer from School District No. 1 and he stated that the land under this permit was dry ground when the school district purchased it and thus no surface water was ever appurtenant to the land or used on it.

MEMORANDUM

FEB 26 1998

BRENDA

NAME _____ Change OK Or Address Change?

PRIORITY DATE _____ ☒ Advance? _____ Advanced to: _____
Order to reinstate needed? _____
Incorrect fee for rate recommended? NO

SOURCE ✓ Changes or just clarification of originally intended source? _____
Notice of Intent to Void necessary? _____

POINT OF DIV _____ ☒ Amendment needed? _____
 _____ ☒ Overlaps? _____

PLACE OF USE _____ ☒ Amendment needed? _____
 _____ ☒ Overlaps? _____

DIV RATE _____ ☒ Permit/fee limits: .30 CFS / 10 acres
 Meas 0 = _____ Theo 0 = .43 Recommend: .21

$7 \times .03 = .21 \text{ CFS}$
Combined rates exceed capacity

ANNUAL VOLUME ✓ Volume Limit: _____ Season: D/4.5 (3-15 to 11-15)
Calculations: _____

Flow limit: _____ cfs x _____ x 1.9835 = _____
 Combined volumes exceed capacity/allowable _____

USES _____ ☒ Change in Nature of Use or additional uses? _____
Amendment necessary? _____

ADDITIONAL INFO	—	Replaces Surface Water <u>050</u>	Supplemental GW	—
	—	Irr/Dom Combination <u>WB5</u>	PPU Recommendation	—
	—	Boise River/Wood River Source Aes/Rec Uses		W38

NEW REMARKS YES Multiple p/d(s) in 1/4 1/4? Other Place of use is known as Riverside

NEW CONDITIONS SPECIAL YES WM Control- District _____ Meas/Lock Devices _____
R52 Irrigation Overlap _____
 _____ Other _____
 _____ Water Quality _____ Heat/Cool/Fish verified _____

COMMENTS: ① Reduce acres + rate

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	
<u>Orrigation</u>	<u>.21</u>	<u>31.5</u>	Adjustment Memo Needed	<u>NO</u>
			LICENSE	<u>✓</u>
			1ST AMEND LETTER	
			2ND AMEND LETTER	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 11 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11566

1. Owner: School Dist. of Boise City Phone No. (208) 338-3420

Current Address: 405 Collins Rd. Boise, Id. 83702

2. Accompanied by: Joe Corbier EXAM DATE: 11/21/94

Physical Address: 2100 E. Victory Boise, Id 83706 Phone No. (208) 338-3420

Relationship to Permit Holder: maint. supervisor

3. Source: groundwater tributary to

B. OVERLAP REVIEW

63-08992, 63-00282, 63-11198A+B

63-04388, 63-11225, 63-11384

1. Other water rights with the same place of use: 63-02388, 63-02392, 63-04382

2. Other water rights with the same point of diversion: 63-04382, 63-04388, 63-11225

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NW	NE	25	3N	2E	Ada	USGS Ortho., & exam

2. Place(s) of Use:

Indicate Method of Determination USGS Ortho., & exam

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	2E	25		I/4															4 acres
3N	2E	24														I/3			3 acres

MICROFILMED

FEB 26 1995

Hand-drawn site plan on graph paper showing a school layout. The plan includes a "School" building, a "mobile classroom", a "parking" area, and a "restroom". It is bounded by "Victory" street to the north, "Lafayette St" to the west, and "Burr Ave" to the south. A "pump" is located near Burr Ave. Dimensions are given as "253' x 2.5' (633')" and "483' x 2.5' (1208')". A calculation at the bottom right shows $\frac{483' \times 633'}{43560} = 7.0 \text{ ac'}$.

☒ Photo of Diversion and System Attached

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible		15		Red Jacket TKO	4"
				model # 6D100	

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Parcel: $\frac{483' \times 633'}{43560} = 7.0$ acres irrigated

SECRET

E. NARRATIVE/REMARKS/COMMENTS

- Physical address for Riverside Elementary is 2100 E. Victory Boise, Id. 83706
- Driller: Pete Cope Drilling # 213, drilled 12/30/91, drilling permit # 63-91-W-485.
- Overlaps for P/O were other sources; overlaps for P/U were other land for other uses.
- No govt. lots were found.
- Use is irrigation for 7.0 acres of playground for Riverside Elementary School.
- Other water source: City water used for internal use.
- The system consists of a 15 HP TKO Red Jacket submersible turbine pump, 10" casing, w/ a 4" PVC main converting to 3" PVC to Hunter I41 running @ 75-80 psi w/ 8 nozzles on the system at 1 time.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
SEP 21 1991

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

$$7.0 \text{ acres} \times .03 \text{ cfs} = \boxed{.21 \text{ cfs}}$$

Theoretical Pump Efficiency Calculation (see attachment) = $.43 \text{ cfs}$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 7.0 \times 4.5 = 31.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .21 \times 246 \times 1.9835 = 102.5$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 31.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	.21	31.5
Totals:			.21	31.5

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Sandy Hemmenway Date 1/3/96

Reviewer _____ Date _____

SEAL

RECEIVED
FEB 16 1996

① Permit: Irrigation 3/15-11/15 63-11566 .30 cfs

② B/u fee: \$100.⁰⁰ 10/25/94 pd. .21-1.0 cfs

③ Max. Allowable:

$$7.0 \text{ acres} \times .03 \text{ cfs} = \boxed{.21 \text{ cfs}}$$

④ Measurement:

Theoretical Pump Efficiency Calculations
(see attachment) = .43 cfs

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 63-11566

DATE: 3-JAN-96

COMPLETE BY: SANDY HEMENWAY

HORSEPOWER = 15

PUMP EFFICIENCY = 70%


DYNAMIC LIFT = 32 FEET

SYSTEM PRESSURE = 77.5 PSI

QUANTITY = 0.43 CFS

MICROFILMED

SEP 26 1996



PERMIT 63-11566 INIT S.H.
T. R. S. 0/0 PRO FILMED
P/D 3N 2E 25 NW NE
SCALE 7.5 USGS 1:250,000
PHOTO ID. X-59

RIVERSIDE ELEMENTARY, Permit No. 63, 1566

East



RED JACKET®
PUMPS

A Marley Pump Company


TKO SUBMERSIBLE TURBINE MODEL: 6D100

NOMINAL MULTI-STAGE PER STAGE DATA*

3450 RPM; 60 Hz

Minimum Well Size — 6"

Maximum Stages — 15




Trim	Min. Req'd. HP
A	1.75
B	1.64
C	1.45

NOTE: Efficiencies reflect glass lined cast iron bowls and bronze impellers.
BOWL TYPE: Threaded
IMPELLER TYPE: Enclosed
K FACTOR = 1.3

	4" Motor Mount	6" Motor Mount
A — One Stage Pump Length (in.)	16-11/16	15-7/16
B — Additional Stage Length (in.)	4-1/4	4-1/4
C — Max. Bowl Diameter (in.)	5-1/2	5-1/2
D — Max. Pump Diameter (in.)	6	6
E — Min. Submergence (in.)	18	18
F — Discharge Tap (in.) NPT	4	4
Shipping Weight (lbs.) Single Stage	48	43
Additional Weight Per Stage	15-1/2	15-1/2

Pumps available with BRONZE or RUBBER bearings.

*Consult MPC Applications for SINGLE STAGE DATA.



MICROFILMED

FEB 28 1998

#4905 1/91

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-91-W-485 OTHER APPLICABLE NO: 63-11566
2. OWNER: Independent School Dist. #1 Phone: (208) 338-3430
Address: 405 Collins Rd. Boise, Id. 83702
3. WELL LOCATION: Twp _____, Rge. _____, Sec. _____, _____ 1/4 _____ 1
County Ada (Provide sketch map and photo on reverse.)
4. DRILLER: Pete Cope Drilling Lic. No. 213
When Drilled? 12/30/91
5. WELL CONSTRUCTION:
Casing Diameter 10 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 78 ft. Method Drilled Reverse Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 22 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

FEB 26 1992

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____


How far away from the well is this source? _____

9. REMARKS: _____

Grand Hernandez, W.C. Agent
Signature of Dept. Representative & Title

11/21/94
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:




RECEIVED
FEB 26 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT


State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

WELL OWNER Name <u>BOISE IND. SCHOOL DIST.</u> Address <u>1207 FORT STREET BOISE 83702</u> <u>63-91-W-485</u> Drilling Permit No. _____ Water Right Permit No. <u>63-11566</u>	7. WATER LEVEL Static water level <u>22</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ Describe artesian or temperature zones below.																																																																																																																																																																						
NATURE OF WORK <u>NEW WELL</u> ☐ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Sailer ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td><u>145</u></td> <td><u>134</u></td> <td><u>9</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>145</u>	<u>134</u>	<u>9</u>																																																																																																																																																																
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																					
<u>145</u>	<u>134</u>	<u>9</u>																																																																																																																																																																					
PROPOSED USE <u>IRRIGATION</u> ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td><u>24</u></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td><u>0</u></td> <td><u>3</u></td> <td><u>TOPSOIL</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>3</u></td> <td><u>8</u></td> <td><u>SAND</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>8</u></td> <td><u>68</u></td> <td><u>SAND GRAVEL ROCK</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>68</u></td> <td><u>82</u></td> <td><u>GRAY CLAY</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>82</u></td> <td><u>85</u></td> <td><u>FINE TO CRSE SAND & CLAY</u></td> <td>☒</td> <td></td> </tr> <tr> <td></td> <td><u>85</u></td> <td><u>95</u></td> <td><u>GRAY CLAY</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>95</u></td> <td><u>102</u></td> <td><u>FINE TO CRSE SAND</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>102</u></td> <td><u>113</u></td> <td><u>CEMENTED GRAVEL</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>113</u></td> <td><u>135</u></td> <td><u>GRAY CLAY & SHALE</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>135</u></td> <td><u>145</u></td> <td><u>FINE TO CRSE SAND</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>145</u></td> <td><u>155</u></td> <td><u>GRAY CLAY W/ SAND</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>155</u></td> <td><u>158</u></td> <td><u>BRN CLAY W/ SAND</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>158</u></td> <td><u>169</u></td> <td><u>FINE TO CRSE SAND W/ GRAV</u></td> <td>☒</td> <td></td> </tr> <tr> <td></td> <td><u>169</u></td> <td><u>175</u></td> <td><u>BRN CLAY W/ CRSE SAND</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>175</u></td> <td><u>178</u></td> <td><u>FINE TO CRSE SAND</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>178</u></td> <td><u>222</u></td> <td><u>GRAY SANDY CLAY</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>222</u></td> <td><u>227</u></td> <td><u>FINE TO CRSE SAND</u></td> <td>☒</td> <td></td> </tr> <tr> <td></td> <td><u>227</u></td> <td><u>235</u></td> <td><u>GRAY CLAY W/ CRSE SAND</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>235</u></td> <td><u>245</u></td> <td><u>FINE TO CRSE SAND W/ GRAV</u></td> <td>☒</td> <td></td> </tr> <tr> <td></td> <td><u>245</u></td> <td><u>270</u></td> <td><u>GRAY CLAY</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>270</u></td> <td><u>276</u></td> <td><u>FINE TO CRSE SAND W/ GRAV</u></td> <td>☒</td> <td></td> </tr> <tr> <td></td> <td><u>276</u></td> <td><u>325</u></td> <td><u>GRAY CLAY</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>325</u></td> <td><u>352</u></td> <td><u>SAND & GRAVEL</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>352</u></td> <td><u>357</u></td> <td><u>SANDY CLAY</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>357</u></td> <td><u>358</u></td> <td><u>GRAVEL & BOULDERS</u></td> <td>☒</td> <td></td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	<u>24</u>							<u>0</u>	<u>3</u>	<u>TOPSOIL</u>		☒		<u>3</u>	<u>8</u>	<u>SAND</u>		☒		<u>8</u>	<u>68</u>	<u>SAND GRAVEL ROCK</u>		☒		<u>68</u>	<u>82</u>	<u>GRAY CLAY</u>		☒		<u>82</u>	<u>85</u>	<u>FINE TO CRSE SAND & CLAY</u>	☒			<u>85</u>	<u>95</u>	<u>GRAY CLAY</u>		☒		<u>95</u>	<u>102</u>	<u>FINE TO CRSE SAND</u>		☒		<u>102</u>	<u>113</u>	<u>CEMENTED GRAVEL</u>		☒		<u>113</u>	<u>135</u>	<u>GRAY CLAY & SHALE</u>		☒		<u>135</u>	<u>145</u>	<u>FINE TO CRSE SAND</u>		☒		<u>145</u>	<u>155</u>	<u>GRAY CLAY W/ SAND</u>		☒		<u>155</u>	<u>158</u>	<u>BRN CLAY W/ SAND</u>		☒		<u>158</u>	<u>169</u>	<u>FINE TO CRSE SAND W/ GRAV</u>	☒			<u>169</u>	<u>175</u>	<u>BRN CLAY W/ CRSE SAND</u>		☒		<u>175</u>	<u>178</u>	<u>FINE TO CRSE SAND</u>		☒		<u>178</u>	<u>222</u>	<u>GRAY SANDY CLAY</u>		☒		<u>222</u>	<u>227</u>	<u>FINE TO CRSE SAND</u>	☒			<u>227</u>	<u>235</u>	<u>GRAY CLAY W/ CRSE SAND</u>		☒		<u>235</u>	<u>245</u>	<u>FINE TO CRSE SAND W/ GRAV</u>	☒			<u>245</u>	<u>270</u>	<u>GRAY CLAY</u>		☒		<u>270</u>	<u>276</u>	<u>FINE TO CRSE SAND W/ GRAV</u>	☒			<u>276</u>	<u>325</u>	<u>GRAY CLAY</u>		☒		<u>325</u>	<u>352</u>	<u>SAND & GRAVEL</u>		☒		<u>352</u>	<u>357</u>	<u>SANDY CLAY</u>		☒		<u>357</u>	<u>358</u>	<u>GRAVEL & BOULDERS</u>	☒	
Bore Diam.	Depth		Material	Water																																																																																																																																																																			
	From	To		Yes	No																																																																																																																																																																		
<u>24</u>																																																																																																																																																																							
	<u>0</u>	<u>3</u>	<u>TOPSOIL</u>		☒																																																																																																																																																																		
	<u>3</u>	<u>8</u>	<u>SAND</u>		☒																																																																																																																																																																		
	<u>8</u>	<u>68</u>	<u>SAND GRAVEL ROCK</u>		☒																																																																																																																																																																		
	<u>68</u>	<u>82</u>	<u>GRAY CLAY</u>		☒																																																																																																																																																																		
	<u>82</u>	<u>85</u>	<u>FINE TO CRSE SAND & CLAY</u>	☒																																																																																																																																																																			
	<u>85</u>	<u>95</u>	<u>GRAY CLAY</u>		☒																																																																																																																																																																		
	<u>95</u>	<u>102</u>	<u>FINE TO CRSE SAND</u>		☒																																																																																																																																																																		
	<u>102</u>	<u>113</u>	<u>CEMENTED GRAVEL</u>		☒																																																																																																																																																																		
	<u>113</u>	<u>135</u>	<u>GRAY CLAY & SHALE</u>		☒																																																																																																																																																																		
	<u>135</u>	<u>145</u>	<u>FINE TO CRSE SAND</u>		☒																																																																																																																																																																		
	<u>145</u>	<u>155</u>	<u>GRAY CLAY W/ SAND</u>		☒																																																																																																																																																																		
	<u>155</u>	<u>158</u>	<u>BRN CLAY W/ SAND</u>		☒																																																																																																																																																																		
	<u>158</u>	<u>169</u>	<u>FINE TO CRSE SAND W/ GRAV</u>	☒																																																																																																																																																																			
	<u>169</u>	<u>175</u>	<u>BRN CLAY W/ CRSE SAND</u>		☒																																																																																																																																																																		
	<u>175</u>	<u>178</u>	<u>FINE TO CRSE SAND</u>		☒																																																																																																																																																																		
	<u>178</u>	<u>222</u>	<u>GRAY SANDY CLAY</u>		☒																																																																																																																																																																		
	<u>222</u>	<u>227</u>	<u>FINE TO CRSE SAND</u>	☒																																																																																																																																																																			
	<u>227</u>	<u>235</u>	<u>GRAY CLAY W/ CRSE SAND</u>		☒																																																																																																																																																																		
	<u>235</u>	<u>245</u>	<u>FINE TO CRSE SAND W/ GRAV</u>	☒																																																																																																																																																																			
	<u>245</u>	<u>270</u>	<u>GRAY CLAY</u>		☒																																																																																																																																																																		
	<u>270</u>	<u>276</u>	<u>FINE TO CRSE SAND W/ GRAV</u>	☒																																																																																																																																																																			
	<u>276</u>	<u>325</u>	<u>GRAY CLAY</u>		☒																																																																																																																																																																		
	<u>325</u>	<u>352</u>	<u>SAND & GRAVEL</u>		☒																																																																																																																																																																		
	<u>352</u>	<u>357</u>	<u>SANDY CLAY</u>		☒																																																																																																																																																																		
	<u>357</u>	<u>358</u>	<u>GRAVEL & BOULDERS</u>	☒																																																																																																																																																																			
METHOD DRILLED <u>REVERSE ROTARY</u> ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>12/18/91</u> finished <u>12/20/91</u>																																																																																																																																																																						
WELL CONSTRUCTION <u>SEE ATTACHED</u> Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Has casing drive shoe used? ☐ Yes ☒ No Has a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>ROSCOE MOSS</u> Type <u>304 STAINLESS</u> Model No <u>HEAVY</u> Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No Size of gravel <u>3/8</u> Placed from <u>350</u> feet to <u>78</u> feet Surface seal depth <u>28</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Weld ☐ Cemented between strata Describe access port <u>2" PIPE</u>	Thickness	Diameter	From	To	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>PETE COPE DRILLING</u> Firm No. <u>213</u> Address <u>505 W. CHINDEN</u> Date <u>1/2/91</u> Signed by (Firm Official) <u>Joseph J. Cope</u> and _____																																																																																																																																						
Thickness	Diameter	From	To																																																																																																																																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																				
Number	From	To																																																																																																																																																																					
_____ perforations	_____ feet	_____ feet																																																																																																																																																																					
_____ perforations	_____ feet	_____ feet																																																																																																																																																																					
_____ perforations	_____ feet	_____ feet																																																																																																																																																																					
LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____	(This area contains a large, faint stamp that reads "RECEIVED" and "JAN 19 1992".)																																																																																																																																																																						

RECEIVED

JAN 19 1992


63-11566



P/u:
playground

P/D:
10" casing
4" Main to 3" PVC
to Hunter I41
run 8 @ 1 time
on system @ 75-80
psi

4" Main to 3" PVC
around the grounds
measurement/
access
port



MICROFILMED

FEB 26 1978

P/u:

playground

$$\frac{483' \times 633'}{43560} = 7.0 \text{ acres}$$



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 8, 1994

INDEPENDENT SCHOOL DIST NO 1
405 COLLINS RD
BOISE ID 83702

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 63-11566

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that one of the conditions of your water right permit requires that the permit holder install a flow measurement port. This condition must be complied with before the license exam, or you can request, in writing, a waiver of the condition.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise, at (208)334-2190.

Sincerely,

A handwritten signature in cursive script, reading 'Julie L. Yarbrough', is written over the typed name.

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

DEC 14 1994

August 31, 1994

INDEPENDENT SCHOOL DISTRICT NO. 1
405 COLLINS RD
BOISE ID 83702

PROOF DUE NOTICE

RE: PERMIT NO. 63-11566

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures



WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name BOISE IND. SCHOOL DIST.
Address 1207 FORT STREET BOISE 83702
Drilling Permit No. 63-91-W-485
Water Right Permit No. 11566

7. WATER LEVEL

Static water level 22 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

NEW WELL

- ☐
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Well diameter increase
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
145	134	9

3. PROPOSED USE

IRRIGATION

- ☐
- Domestic
- ☐
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED

REVERSE ROTARY

- ☐
- Rotary
- ☐
- Air
- ☐
- Hydraulic
- ☐
- Reverse rotary
-
- ☐
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTION

SEE ATTACHED

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
_____ inches	_____ inches +	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ NoManufacturer's name ROSCOE MOSSType 304 STAINLESS Model No HEAVY

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8Placed from 358 feet to 78 feetSurface seal depth 78 Material used in seal: ☐ Cement grout☒ Bentonite ☒ Puddling clay ☐Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strataDescribe access port 2" PIPE


9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
24					
	0	3	TOPSOIL		X
	3	8	SAND		X
	8	68	SAND GRAVEL ROCK	X	
	68	82	GRAY CLAY		X
	82	85	FINE TO CRSE SAND & CLAY	X	
	85	95	GRAY CLAY		X
	95	102	FINE TO CRSE SAND	X	
	102	113	CEMENTED GRAVEL		X
	113	135	GRAY CLAY & SHALE		X
	135	145	FINE TO CRSE SAND	X	
	145	155	GRAY CLAY W/ SAND		X
	155	158	BRN CLAY W/ SAND		X
	158	169	FINE TO CRSE SAND W/ GRAV	X	
	169	175	BRN CLAY W/ CRSE SAND		X
	175	178	FINE TO CRSE SAND	X	
	178	223	GRAY SANDY CLAY		X
	223	227	FINE TO CRSE SAND	X	
	227	235	GRAY CLAY W/ CRSE SAND		X
	235	245	FINE TO CRSE SAND W/ GRAV	X	
	245	270	GRAY CLAY		X
	270	276	FINE TO CRSE SAND W/ GRAV	X	
	276	325	GRAY CLAY		X
	325	352	SAND & GRAVEL	X	
	352	357	SANDY CLAY		X
	357	358	GRAVEL & BOULDERS	X	

10.

Work started 12/18/91 finished 12/30/91

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____

Lot No. _____ Block No. _____

County ADANW ¼ NE ¼ Sec. 25, T. 3N S ☐ R. 2E W ☐

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name PETE COPE DRILLING Firm No. 213Address 6505 W. CHINDEN Date 1/2/91Signed by (Firm Official) Joseph Jonesand
(Operator) Kevin Chastain

pg 2

BOISE INDEPENDANT SCHOOL DISTRICT
1207 FORT STREET
BOISE ID 83702
Permit# 63-91-W-485

10" casing record .250 wall welded

1	-	158	159
168	-	215	47
225	-	330	105
350	-	358	8

319 total casing

10" Screen record .30 slot Stainless Roscoe Moss Continous w

158	-	168	10
215	-	225	10
330	-	350	20

40 total screen

359 total screen+casing

3N 2E sec 25



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 19, 1991

INDEPENDENT SCHOOL DISTRICT NO 1
405 COLLINS RD
BOISE ID 83702

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11566

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under Condition No. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

NOV 20 1991

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

Account Number 47628		Identification Notice of Application for Water Right	
Ordered By Gail Garrett	P.O. Number	Rate NT	Run Dates September 5, 12, 1991
Idaho Department of Water Resources Western Region 2735 Airport Way Boise, Idaho 83705		Estimated Inches	Real Inches
		= Affidavits 1	Legal Number 9355

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11565

SCHOOL DISTRICT OF BOISE CITY, INDEPENDENT
405 COLLINS RD.
BOISE, ID 83702

Source: GROUNDWATER
Diversión Pt: NWNWSE Sec 11 T 03N R 01E

Use: IRRIGATION (.300 CFS)
Total Diversión: (.300 CFS)

Date Filed: 7/24/1991
In: T03N R01E S11 NWSE
10.0 ACRES TOTAL

63-11566

SCHOOL DISTRICT OF BOISE CITY, INDEPENDENT
405 COLLINS RD.
BOISE, ID 83702

Source: GROUNDWATER
Diversión Pt: NENWNE Sec 25 T 03N R 02E

Use: IRRIGATION (.300 CFS)
Total Diversión: (.300 CFS)

Date Filed: 7/24/1991
In: T03N R02E S24 SWSE SESE
S25 NWNE

10.0 ACRES TOTAL

63-11567

SCHOOL DISTRICT OF BOISE CITY, INDEPENDENT
405 COLLINS RD.
BOISE, ID 83702

Source: GROUNDWATER
Diversión Pt: NWSESE Sec 23 T 03N R 02E

Use: IRRIGATION (.720 CFS)
Total Diversión: (.720 CFS)

Date Filed: 7/24/1991
In: T03N R02E S 23 NESE SWSE SESE

36.0 ACRES TOTAL

63-11570

OWYHEE TERRACE HOMEOWNERS ASSOCIATION
C/O JOHN SHELSTAD
2128 VISTA AVE.
BOISE, ID 83705

Source: GROUNDWATER
Diversión Pt: SWSE Sec 21 T 03N R 02E

Use: IRRIGATION (.150 CFS)
Total Diversión: (.150 CFS)

Date Filed: 7/25/1991
In: T03N R02E S21 SWSE
5.0 ACRES TOTAL

63-11572
DOHERTY, SHEILA
DOHERTY, JR., DAN W.
11158 W. HICKORY
BOISE, ID 83704
Source: GROUNDWATER
Diversión Pt: NWSE Sec 19 T 04N R 01W
Use: COMMERCIAL (.200 CFS)
WILDLIFE STORAGE
(4.00 AF)

DIVERSION TO
STORAGE (.200 CFS)

Total Diversión: (.200 CFS)

Date Filed: 8/5/1991
In: T04N R01W S19 NWSE

63-11573

ROBERTSON, DARRELL
3701 E. DEERFLAT
KUNA, ID 83634

Source: GROUNDWATER
Diversión Pt: SWNW Sec 20 T 02N R 01E

Use: IRRIGATION (2.600 CFS)
Total Diversión: (2.600 CFS)

Date Filed: 7/24/1991
In: T02N R01E S20 NENW NWNW SWNW SENW

130.0 ACRES TOTAL

63-11581

SELL, PATRICE M.
8555 COVEYRIDGE LANE
BOISE, ID 83709

Source: GROUNDWATER
Diversión Pt: NWSESW Sec 12 T 02N R 01E

Use: IRRIGATION (.150 CFS)
STOCKWATER (.303 CFS)

DOMESTIC (.020 CFS)
Total Diversión: (.200 CFS)

Date Filed: 8/13/1991
In: T02N R01E S12 SESW

5.0 ACRES TOTAL

63-11583

PECK TRUST, F. CLYDE
1201 MANITOU ST.
BOISE, ID 83706

Source: SPRING
Tributary: BOISE RIVER
Diversión Pt: SESESE Sec 26 T 04N R 01E

Use: IRRIGATION (.880 CFS)
Total Diversión: (.880 CFS)

Date Filed: 7/29/1991
In: T04N R01E S26 NESE SESE

44.0 ACRES TOTAL

The permit (s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83725 on or before SEPTEMBER 23, 1991.

R. Keith Higginson, Director
Pub. September 5, 12, 1991 9355

being duly
s: That she is the Principal Clerk of The newspaper printed and published at Boise, ho, and having a general circulation therein er has been continuously and uninterruptedly during a period of twelve consecutive publication of the notice, a copy of which is d notice was published in The Idaho with Section 60-108, Idaho Code as

☐ consecutive daily ☐ single ☐ odd skip

th the issue of September 5, 1991

e of September 12, 1991

ss.

day of September in the year of me, a Notary Public, personally appeared _____, known or identified to ose name subscribed to the within instrument, ily sworn, declared that the statements therein gged to me that she executed the same.

Public for Idaho
ing at Boise, ID

mmission expires: May 1997

63-11566

SCHOOL DISTRICT OF BOISE CITY, INDEPENDENT
405 COLLINS RD.
BOISE, ID 83702

Source: GROUNDWATER

Diversion Pt: NENWNE Sec 25 T 03N R 02E

Use: IRRIGATION (.300 CFS)
Total Diversion: (.300 CFS)

Date Filed: 7/24/ 1991

In: T03N R02E S24	SWSE	SESE
S25	NWNE	

10.0 ACRES TOTAL

RECEIVED

NOV 20 1991