







L.4 NENW
P10 S P14
(Fish Habitat
- proposed
interpretive
center)

TBN
R2E 4
S. 14

MAP PER TELECON
WITH I.O.F.G.

6/10/91

JL

AUG 22 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 04 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: State of Idaho, Dept. of Fish & Game Permit No. 63-115412
Current Address: P.O. Box 25 Boise, ID 83720 83707 Phone No. 334-2582
2. Accompanied by: Terry Thompson EXAM. DATE: 7-13-92
Address: 600 S. Walnut P.O. Box 25 Phone No. _____
Relationship to Permit Holder: Nature Center Superintendent
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 120'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).





PERMIT 63-11542 INIT m.s
T. R. S. Q/Q 2.4
P/D 3N 2E 14 NE NW
SCALE
PHOTO ID. X-59 Boise S.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11542

Priority: June 4, 1991

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume: 13.5 AF

This is to certify, that STATE OF IDAHO
DEPT OF FISH & GAME
PO BOX 25
BOISE ID 83707

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 4, 1991; and has submitted Proof of Beneficial Use on January 2, 1992. An examination indicates that the works have a diversion capacity of .200 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.20 CFS	13.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(NENW), Sec. 14, Township 03N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02E	14	Lot 4(NENW)	3		3

Total number of acres irrigated: 3

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.
6. The Department retains jurisdiction of this license to reduce the rate of diversion in case of injury to prior and existing rights.

RECEIVED

FEB 04 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-11542

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23RD
day of DECEMBER, 1992.

Acting for R. Keith Higginson, Director

FEB 04 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11542

Proposed Priority: June 4, 1991

Maximum Diversion Rate:

0.20 CFS

This is to certify, that **STATE OF IDAHO**
DEPT. OF FISH & GAME
P.O. BOX 25
BOISE, ID 83720

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/31 to 10/31

0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 4(NENW), Sec. 14, Township 03N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

03N 02E 14 LOT 4(NENW) 3

3

Total number of acres irrigated:

3

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 2, 1993**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The point of diversion identified in this permit is located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller must monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.

AUG 22 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11542

CONDITIONS/REMARKS:

6. The Department retains jurisdiction of the permit and any license subsequently issued to reduce the rate of diversion in case of injury to prior and existing rights.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

2 nd day of August, 1991.

for R. Keith Higginson, Director

RECORDED

AUG 28 1991

Ident. No. 63-11542

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: STATE OF IDAHO
Address: DEPT. OF FISH & GAME
P.O. BOX 25
BOISE, ID 83720

334-3700
208-~~000-0000~~

updated
6/10/94
JL

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: LOT 4(NENW), Sec. 14, Township 03N, Range 02E
ADA County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/31	10/31	0.200		

5. Total quantity to be appropriated is:
0.200 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP, AND PIPELINE
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 8 inches; proposed depth of well is
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 years.

8. Description of proposed uses:

9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
03N	02E	14	LOT 4(NENW)	3		3

Total number of acres irrigated: 3

10. Describe any other water rights used for the same purposes.

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? [X] *

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Terry S. Thompson
Applicant


Received by MM Date 6/10/91 Time 10:45 Preliminary check by JM - SL
Fee \$ 30.00 Receipted by J. 2 # C020723 Date 6/7/91
Publication prepared by GG Date 6-12-91 Published in ID Statesman
Publication approved st Date 7-8-91 6/20 & 6/27/91

* no map received with appl. nt. reg'd. Prepared map per
fellow with applicant & based on personal familiarity with
site.

SL 6/10/91

RECORDED
AUG 22 1991





L.4 NENW
P10 5 P14
(Fish Habitat
- protected
interpretive
center)

TBN
R2E 4
5.14

MAP PER TELECON
WITH I.D.F.C.G.

AUG 22 1991

6/10/91

JL

RECEIVED

JUL 1 1991

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

114.24

Department of Water Resources

Western Regional Office

Account Number 47628		Identification Notice of Application for Water Right	
Ordered By Gail Garrett	P.O. Number	Rate nt	Run Dates June 20, 27, 1991
Idaho Dept. of Water Resources Western Region 2735 Airport Way Boise ID 83705		Estimated Inches	Real Inches
		# Affidavits 1	Legal Number 8712

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11529

DUNTEN PLACE SUBDIVISION
2304 N. COLE RD. SUITE A
BOISE, ID 83704
Source: GROUNDWATER
Diversification Pt: SESWSW Sec 1 T 03N R 01W
Use: IRRIGATION (.600 CFS)
Total Diversification: (.600 CFS)
Date Filed: 5/13/1991
In: T03N R01W S01 SWSW
8.0 ACRES TOTAL

63-11539

WATKINS, ARTHUR DONALD
8828 CLOVIS DR.
BOISE, ID 83709
Source: GROUNDWATER
Diversification Pt: NENE Sec 9 T 05N R 01W
Use: STOCKWATER (.140 CFS)
DOMESTIC (.040 CFS)
Total Diversification: (.180 CFS)
Date Filed: 5/31/1991
In: T05N R01W S03 SESE
S09 NENE

63-11540

PRIGGE, JOAN
P.O. BOX 45118
BOISE, ID 83711
Source: GROUNDWATER
Diversification Pt: LOT 3 (NENE) Sec 3 T 01N R 03E
LOT 2 (NWNE) Sec 4 T 01N R 03E
NESW Sec 34 T 02N R 03E
Use: COMMERCIAL (.060 CFS)
DOMESTIC (.040 CFS)
IRRIGATION (8.200 CFS)
Total Diversification: (8.260 CFS)
Date Filed: 5/28/1991
In: T01N R03E S03 Lot 3 (NENE)
Lot 4 (NWNW) SWNW SENW
S04 Lot 1 (NENE) Lot 2 (NWNE)
SWNE SENE
Lot 3 (NENE) SENW
T02N R03E S34 (NESW SWSW)
SESW
450.0 ACRES TOTAL

63-11541

BOISE WATER CORP. &/OR
LES BOIS INVITATIONAL SOC-
CER INC.
P.O. BOX 7488
BOISE, ID 83707
Source: GROUNDWATER
Diversification Pt: LOT 1 (NENE) Sec 6 T 02N R 03E
Use: IRRIGATION (1.450 CFS)
MUNICIPAL (1.450 CFS)
Total Diversification: (2.900 CFS)
Date Filed: 5/31/1991
In: T03N R03E S31 NESW Lot 3
NWSW Lot 4 (SWSW) SESW
110.0 ACRES TOTAL

63-11542

STATE OF IDAHO
DEPT. OF FISH & GAME
P.O. BOX 25
BOISE, ID 83720
Source: GROUNDWATER
Diversification Pt: LOT 4 (NENE) Sec 14 T 03N R 02E
Use: IRRIGATION (.200 CFS)
Total Diversification: (.200 CFS)
Date Filed: 6/4/1991
In: T03N R02E S14 Lot 4 (NENE)
3.0 ACRES TOTAL

63-11546

CROMAN CORPORATION
1625 YAMHILL RD.
BOISE, ID 83705
Source: GROUNDWATER
Diversification Pt: SWSE Sec 36 T 03N R 02E
Use: COMMERCIAL (1.000 CFS)
Total Diversification: (1.000 CFS)
Date Filed: 5/30/1991
In: T03N R02E S36 SWSE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before JULY 8, 1991.

R. KEITH HIGGINSON, Director
Pub. Jun. 20, 27, 1991 8712

Jill Roberts

, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for two

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of June 20, 1991

and ending with the issue of June 27, 1991

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 27th day of June in the year of 1991, before me, a Notary Public, personally appeared Jill Roberts

, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Notary Public for Idaho

Residing at Boise, ID

My commission expires: 12/93

JUN 22 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 28, 1992

STATE OF IDAHO
DEPT OF FISH & GAME
PO BOX 25
BOISE ID 83707

RE: WATER RIGHT NO. 63-11542

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

FEB 04 1993

LICENSE REVIEW CHECKLIST

Permit # 63-11542

Date 12-14-92
38

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement?
	☐	☒	.20 cfs (IRR) per permit
	☐	☒	Disagree with Theoretical?
	☐	☒	Limited by Capacity? .20 cfs (measured)
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Allow Same / Vpr > Vrr</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
	☐	☒	<u>3 x 4.5 = 13.5 afa (IRR)</u>
	☐	☒	Limited by Flow? <u>.20 x 214 (Permit) x 1.9835 = 84.9 > 13.5</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☐	☒	Non-Irr. Uses
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☒	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS/MEMOS NEEDED:

License ☒ 10-Day ☐ 15-Day ☐ Special Correspondence

WR0749NP
No. L63-11542

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/14/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	STATE OF IDAHO DEPT OF FISH & GAME PO BOX 25 BOISE ID 83707 (208) 334-3700	06/04/1991	IRRIGATION	03-15 11-15	0.20 CFS	13.5 AFA
TOTAL DIVERSION:					0.20 CFS	13.5 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.20 CFS

Point(s) of Diversion: T03N R02E S14 Lot 04(NE NW)

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE														
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
---	---	---	---	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	---
03N	02E	14	:					:	04-03				:					:						:	3.0	
TOTAL ACRES																							3.0			

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:
63-03430 63-10570 63-10929 63-11542 L63-10929

Other Water Rights Listing Overlapping Place(s) of use:
63-10570 63-11542

Conditions of Approval:

R27 - This right when combined with all other rights shall provide no
- more than 4.5 afa per acre for the lands above.

Remarks: The Department retains jurisdiction of this license to reduce the
rate of diversion in case of injury to prior and existing rights.

Dates: App. Received: 06/04/1991 Priority Date: 06/04/1991
Proof Due Date: 08/02/1993 Proof Made Date: 01/02/1992
Exam Made Date: 07/13/1992 Exam Sent to S.O.: 12/02/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 06/04/1991 User-ID: JOHNSON Subject: THIS APPLICATION IS FILED TO REPLACE AN EARLIER FILING FOR SAME
PURPOSE. THE EARLIER FILING WAS 63-10524.

Date: 06/04/1991 User-ID: JOHNSON Subject: THIS APPLICATION IS FILED TO REPLACE AN EARLIER FILING FOR SAME
PURPOSE. THE EARLIER FILING WAS 63-10524.

Date: 01/02/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 04 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: State of Idaho, Dept. of Fish & Game Permit No. 63-11542
Phone No. 334-2582
Current Address: P.O. Box 25 Boise, ID 83720 83707
2. Accompanied by: Terry Thomson EXAM. DATE: 7-13-92
Address: 600 S. Walnut P.O. Box 25 Phone No. _____
Relationship to Permit Holder: Nature Center Superintendent
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = ~120'

MINOR MOD

FEB 04 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

BB well for irrig this permit P/D

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

An 8" well, 80' deep with a 10 h.p. pump is the water source. The water is used to sprinkle approx. 4-4.5 acres but the permit limits the acreage to 3.0. Acreage calculations do not take into account a 3' wide path throughout the property. A measurement was made with three sprinkler heads in use. Two of the heads were at 70 psi and the 3" was at 20 psi. All three heads were 3/8".

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		10 hp			2"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	4		NE	NW	14	3N	2E	Ada	USGS Photo Quad

6. Place(s) of Use:

Indicate Method of Determination

USGS Photo Quad

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2E	14					3												3
							4												

MICROFILMED

FEB 04 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

$$\text{Average} = \left[\frac{1}{3}(125' \times 500') + \frac{1}{3}(315' \times 180') + (315' \times 500') - (110' \times 230') - (3' \times 400') \right] \frac{1}{43560} = 4.4 \text{ acres}$$

61' dynamic level, 70 psi, 10 hp.

2- 3/8" heads @ 70 psi 1- 3/8" head @ 20 psi

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q(\text{gpm}) = 30 \times D(\text{in})^2 \times P(\text{psi})^{.5}$$

$$Q = \left[30 \times \left(\frac{3}{8} \right)^2 \times (70)^{.5} \right] \times 2 + \left[30 \times \left(\frac{3}{8} \right)^2 \times (20)^{.5} \right] = 89.56 \text{ gpm}$$

$$89.56 \text{ gpm} \times \frac{1}{448.8} = .20 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$\frac{10 \text{ hp} \times 70\% \times 8.8}{(70 \times 2.31) + 61} = .28 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3.0 \times 4.5 = 13.5 \text{ A-F}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .20 \text{ cfs} \times 365 \times 1.9835 = 72.2 \text{ A-F}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 13.5 \text{ A-F}$$

2. Volume Calculations for Other Uses:

*Acreage limited by permit

RECEIVED
FEB 04 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

A diversion rate of more than .03 cfs per acre is allowed in order to permit for night irrigation during the peak irrig season and limited daylight hours. The night irrig. is to minimize public inconvenience in a public park, and the rate is specified in the permit.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	.20 cfs	13.5-6
Totals:			.20 cfs	13.5-6

2. Recommended Amendments


- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other


J. AUTHENTICATION

Field Examiner's Name Mark Series
 Signature [Signature]
 Certification Date 8/3/92
 Field Report Preparation Date 7-13-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

FEB 04 1993



Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11542

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3N, Rge 2E, Sec. 14, NE 1/4 NW 1/4 or Lot 2.

2. Owner: State of Idaho, Dept. of Fish & Game
Address P.O. Box 25, City Boise, St ID

3. Casing $\geq$ 12 inches above ground: Yes _____ No _____

4. Access Port:	Yes _____ No ☒	Static Water Level:	<u>13'</u>
Pressure Gauge:	Yes _____ No ☒	Casing Diameter:	<u>8"</u>
Flowing:	Yes ☒ No _____	Temperature:	_____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

RECEIVED

FEB 04 1993



PERMIT 63-11542 INIT mws
T. R. S. Q/Q 2.4
P/D 3N 2E 14 NE NW
SCALE
PHOTO ID. X-59 Boise S.

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

JUN 07 1991

Department of Water Resources

RECEIVED

1. Applicant (please print) State Fish and Game

2. Mailing Address P.O. Box 25

Boise, Idaho 83707 Telephone (208) 334-2633

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location NE 1/4 NW 1/4, or Gov't Lot No. 4

Sec. 14, Twp. 3N, Rge. 2E, County Ada

Street Address of Well Site _____

Lot, block and subdivision ~~Lot 4~~

4. Proposed use of well:

() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 8" Proposed Maximum Depth 150'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date ASAP

7. Anticipated Well Driller Unknown

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Kerry Thompson Date 6/4/91

Title Nature Center Superintendent - Dept. of Fish & Game
(Owner, Firm Representative, Other)

FEB 04 1993

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is APPROVED

Date June 4, 1991

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

RECEIVED

FEB 04 1993

Stuart A. Reed

Signature of Authorized Department Representative

MANAGER
GROUNDWATER PROTECTION SECTION

Title

Receipt No. 5020722 Received by 42 Fee \$200.00 Date 6/7/91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

Drilling Permit No. 63-91-Z-100

Water Right No. 63-11542

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Dept. of Fish & Game, Applicant, requests issuance of Drilling Permit prior to approval of a water right. The request is made for the following reason(s):

immediate water need for irrigation purposes
and driller availability

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

6/4/91
Date

Timothy S. Thompson
Applicant's Signature

Nature Center Superintendent - Dept. of Fish & Game
Applicant's Title

1233

January 15, 1992

STATE OF IDAHO
DEPT. OF FISH & GAME
P.O. BOX 25
BOISE ID 83707

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11542

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
JAN 23 1992

RECEIVED
JAN 02 1992

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 50.00
Date 1/21/92
Receipt No. 0022023
Received by WLB

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11542 Telephone No. 334-2582
2. Name(s) of Permit Holder(s): Idaho Dept. of Fish + Game
3. Post Office Address: P.O. Box 25 Boise, ID 83707
4. Source of Water: ground water
 - a. If ground water, well driller's name: Bill Doty Drilling Co., Inc. Date drilled: 6-14 to 6-18-'91
 - b. Pump horsepower: 10 Pressure (psi): 100 Dynamic pumping level (ft.): 80

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 3 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted .2 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Terry Thompson
Name

334-2582
Telephone No.

600 S. Walnut P.O. Box 25 Boise, ID 83707
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

12/13/91
Date

Terry Thompson - Id. Dept. of Fish + Game
Signature (and title if on behalf of a company or organization) Nature Center Superintendent

MAILED
JAN 23 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-11542

Reviewed by Klg

Date 1/3/92

GENERAL CONSIDERATIONS

yes Name same as permit?

no Address same as permit?

yes Proof timely received? If not, complete calculation below.

SOURCE OF WATER

 Surface water source

✓ Ground water source

✓ Drilling permit required?

yes Copy in the file? Drilling Permit No. 63-91-2-100

200 Amount paid for permit yes Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

50 Amount Submitted

yes Correct?

MEASURING DEVICE

NA Required?

✓ Installed?

 Waiver requested?

PRIORITY CALCULATION

Date proof received NA

Date proof due -

No. of days late =

Priority Date +

New Priority Date

DEFICIENCIES OR ACTION ITEMS driller o/p

proof acceptable

DATA ENTRY

New Address change zip to 83707 1/3/92
Klg

Proof Made 1/2/92
1/15/92 Klg



IDAHO FISH & GAME

600 South Walnut / Box 25
Boise, Idaho 83707

RECEIVED
JAN 14 1992

Department of Water Resources

January 13, 1992

State Department of Water Resources
Attn: Karen
1301 North Orchard Street
Boise, ID 83720-9000

Dear Karen,

Enclosed is a copy of the well driller's report for the irrigation well located at the Idaho Department of Fish and Game, M.K. Nature Center, Permit #63-11542.

If I can supply other information, or be of any further assistance, please feel free to contact me.

Sincerely,

Terry Thompson
Nature Center Superintendent

Enclosure
TT:jt

Cecil D. Andrus / Governor
Jerry M. Conley / Director



Working for wildlife - since 1938

JAN 20 1992

State Copy

Drilling Permit No. 63-91-2-100
Water Right Permit No. 63-11542
Injection Permit No. _____

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) State Fish and Game
2. Mailing Address P.O. Box 25
Boise, Idaho 83707 Telephone (208) 334-2633

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location NE 1/4 NW 1/4, or Gov't Lot No. 4
Sec. 14, Twp. 3N, Rge. 2E, County Ada

Street Address of Well Site _____

Lot, block and subdivision ~~Lot 4~~

4. Proposed use of well:

() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 8" Proposed Maximum Depth 150'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date ASAP

7. Anticipated Well Driller Unknown Doty
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Mary J. Thompson Date 6/4/91

Title Nature Center Superintendent - Dept. of Fish & Game
(Representative) (Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is

APPROVED

Date

June 4, 1991

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

JAN 23 1992

L. A. Reed

MANAGER
GROUNDWATER PROTECTION SECTION

Signature of Authorized Department Representative

Title

Receipt No.

Received by

Fee

\$200.00

Date

Pending

EXTENSION OF DRILLING PERMIT

Extension approved by

Approval Date

This extension is good for 60 days beyond the above extension approval date.

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name IDAHO FISH & GAME
Address P.O. BOX 35 BOISE, ID.
Owner's Permit No. 63-91-Z-100

7. WATER LEVEL

Static water level 13 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>8 5/8</u> inches	+ <u>1.5</u> feet	<u>59</u> feet
<u>.250</u> inches	<u>6</u> inches	<u>57</u> feet	<u>66</u> feet
<u>.250</u> inches	<u>6</u> inches	<u>80</u> feet	<u>76</u> feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No

Manufacturer's name HUSTON

Type STAINLESS STEEL Model No. 304

Diameter 6 Slot size .20 Set from 66 feet to 76 feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 31 Material used in seal: ☐ Cement grout

☒ Bentonite ☒ Puddling clay ☐ _____

Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent

_____ Weld

☐ Cemented between strata

Describe access port _____

8. WELL TEST DATA

☒ Pump ☐ Bailer ☒ Air ☐ Other


Discharge G.P.M.	Pumping Level	Hours Pumped
150	60	4

9. LITHOLOGIC LOG

[illegible]

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. Block No.

County ADA

NE 1/4 NW 1/4 Sec. 14 T. 3N N ☒ S ☐ R. 2 E ☐ W ☒

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Complied with at the time the tag was removed.

BILL DOTY

Firm Name DRILLING CO., INC. Firm No. 42

106 CALLOWAY

Address CALDWELL, ID. Date _____

83605

Signed by (Firm Official) [Signature]

and

(Operator) [Signature]



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 2, 1992

State of Idaho
Department of Fish and Game
P.O. Box 25
Boise, ID 83707

Re: Permit No. 63-11542

Dear Permit Holder:

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a well log which should have been submitted by your well driller 30 days after completion of the construction of your well.

If you have a copy of the well log, please provide this office with a copy. If you do not, please contact your driller and ask that he submit a copy. In your return letter, please be sure to show the above referenced permit number on any documents. Also, please address any correspondence directly to me. Your response should be received within 20 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of your system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

JAN 23 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 9, 1991

STATE OF IDAHO
DEPT. OF FISH & GAME
P.O. BOX 25
BOISE, ID 83720

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11542

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well so that groundwater tributary to surface water flows are not

RECEIVED

AUG 22 1991

diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosure

RECEIVED
AUG 22 1991

APPLICATION FOR PERMIT REVIEW

Application #: 63-11542
Date: 7-30-91

Reviewer: Pam Skaggs

- ✓ Existing:
 - ✓ No - 26A-P17
 - Complete in 1 year - P16
 - Yes
 - Proof not submitted - P16
 - Proof submitted - N/A
- ✓ Groundwater:
 - GT. 0.2 cfs - 01G-P03, 01C-P03(existing well)
 - LT. 0.2 cfs - N/A
- ✓ Drilling Permit:
 - Approved w/permit - P99
 - Not included - 046-P23(All GW, even existing wells)
- ✓ Location:
 - Water Districts
 - Surface water - WD No. 63
 - 005, 005-01H-P01(LT.2 w/pump)
 - 005-01J-P08(GT.2)
 - Groundwater - P05
 - Irrigation Districts - 023
 - Canal Co. Areas - 023
 - Drainage Districts - 024
 - Boise Front (63) - 058(Groundwater)
 - Swan Falls Flag - (1, Blank or Other)
 - Trust - 051-052-053-P74(Consumptive Uses)
 - Non Trust - 048-049
- ✓ River Basins:
 - (Surface Water) Water District Control Condition &....
 - Boise (63) - 05A & 11E
 - Payette (65) - 047-P04, 059-P71
 - Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)
- Use:
 - Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One), 042(req.), 002-P06(MD), 07A(Spec.), 044(Policy 5G)
 - Power - Use Power Review
 - Mining - 06A or 010, 09E-P10 & 054(req.)
 - Storage - 18A-for multiple measuring devices(In WD), 18B-P09(Size)
 - Rec. & Aesthetic - 027(Non-Consumptive)
 - Domestic - 021(restricted areas)
- Ownership:
 - Non land owner - 004
- Protested:
 - Agreement - 020

✓ Beneficial Use Due Date: - 08-02-1993

✓ Other Conditions Recommended High Diversion Gate Remake

08-02-1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: 82 DATE: 6/10/91 APPLICATION: 63-11542

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume) EXCESSIVE FLOW REQUESTED Gov't. Lots: 4 P/D
Period of use: SIMILAR TO PARKS 4 P/U
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO
N/A but see next pg.
Overlapping place of use: (Describe source & relationship to present application on the back.)
Overlapping point of diversion:
Field check required: Field check by: _____
Field report attached:
Critical groundwater area:
Groundwater management area: BOISE FRONT BUT COLD H2O probably
Diversion within interim protected river area 2300' based on location
Send dam safety information:
Send power requirement letter:
Send fish farm requirement letter:
Power residency affidavit:
Power efficiency form:
Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____
Additional information on reverse side:

RECEIVED
JUL 26 1991

PROCESSING

APPLICATION NO. 63-11542

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☐
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☒ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, DOR

Measuring device required:

Measuring port required:

Water delivered by water master? District # _____

Special conditions of approval or cover letter: _____

26A (Allow 3 yrs), 46

See below for additional information

Recommended Date or Priority 6/4/91Recommended by: DORDate 7/23/91

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

NOTE:

Appl. filed to replace 63-10524 in which print was due 10/90 but not submitted. See comments in 63-11542 print report, attached.

Possibly same well as outlined in 63-10929 filed for aesthetic use.

CONVERSATION MEMORANDUM

DATE 6-10-91

FILE 63-11542

NAME OF PARTY Staff in Lee Vande Bryant's Office ID Fig Engineering Office

EMPLOYEE Steve Laster 334-3730

RE:

① map

is to irrigate the Fish Habitat project between
Fig Sv. & Boise River.

② Signal by Terry S. Thompson, mgr. of Wildlife project

③ Excessive flow rate $\approx$ peak situation. where need
to irrigate at night

④ phone # 334.3700

UNRECORDED

AUG 22 1991

Water Right Number - 63-11542

Adj. Flag Translation: WATER RIGHT

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

+ - - Priority Date - - + + - - - Region - - - + + - - - Stage - - - + + - - - Status - - - +
06/04/1991 14 ERROR IN REGION A - APPLICATION

+ - - - - Source - - - - - + + - - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - Point of Diversion - - - - - +
Twn Rng Sec Tract Lot RFlg County

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume
01 - IRRIGATION 03/31 10/31 0.200

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - +
0.200

+ - - - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County

Total Acres: 3.0

+ - - Diversion Means - WELL, PUMP, AND PIPELINE

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use -

+ - - - - Remarks - - - - - +
No Remarks found.

+ - - - - Conditions of Approval - - - - - +
026 - Permit holder shall commence the excavation or construction of
- diverting works within one year of the date this permit is issued
- and shall proceed diligently until the project is complete.
005 - Use of water under this permit is subject to control by the
- watermaster of State Water District No. &DISTRICT.

+ - - - - Decree Plaintiff - - - + + - - - - Decree Defendant - - - + + - Decree Date - +
00/00/0000

+ - - - - Comments - - - - - +

Date: 06/04/1991 User Id: JOHNSON Subject: THIS APPLICATION IS FILED TO REPLACE AN EARLIER FILING FOR SAME
PURPOSE. THE EARLIER FILING WAS 63-10524.

+ - - Audit Fields -

AUG 22 1991

Water right number - 63-11542

Adj. flag translation: WATER RIGHT

+ - - - - Water Rights Dates and Flags Area - - - - - +

Proof Due Date	- 00/00/0000	Field Exam Made	- 00/00/0000	Field Exam Fee	-
Approved/Denied	- 00/00/0000	Protested Date	- 00/00/0000	Swan Falls	-
Proof Made Date	- 00/00/0000	Hearing Date	- 00/00/0000	Temporary Right	- P
Start Work Date	- 00/00/0000	Verified Date	- 00/00/0000	DLE/Carey Act	-
Order Show Cause	- 00/00/0000	Receipt Number	-	Water District	- 63
Licensed Date	- 00/00/0000	Appl Received	- 06/04/1991	Transfer/Amended	-
Decree Date	- 00/00/0000				

63-11542

STATE OF IDAHO
DEPT. OF FISH & GAME
P.O. BOX 25
BOISE, ID 83720

Source: GROUNDWATER

Diversion Pt: LOT 4 (NENW) Sec 14 T 03N R 02E

Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 6/ 4/ 1991

In: T03N R02E S14 Lot 4 (NENW)

3.0 ACRES TOTAL