


2.24

SURVEY AND SUBDIVISION OF SECTIONS

T3N R5W
S. 11. NWSW




63-11531

T. RET
OF VEY
PRO THE

7.5 MINUTE SERIES (ORTHOPHOTOQUAD)

200 000 | FEET

116° 52'



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 01 1993
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Leonard & Betty Collins Permit No. 63-11531
Current Address: 25995 Graphic Wylder ID 83676 Phone No. 337-3014
2. Accompanied by: Mr Collins EXAM. DATE: 5/27/93
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Hellyer Drain tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 02-2428 ☐ Copies Attached
2. Other water rights with same point of diversion: _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

X-53

63-11531

HOMEDALE QUADRANGLE
IDAHO
7.5 MINUTE SERIES (ORTHOPHOTOQUAD)


116° 52' 30"
43° 37' 3"

509 200 000 FEET

PARMA 14 MI.
WILDER 4.2 MI.

55' 507


508



AUG 27 1993

SURVEY AND SUBDIVISION OF SECTIONS

T3N R5W
S. 11. NWSW



63-11531

T. RET
OF
VEY
PRC
THE

SEC. II.
INSTRUMENT
#881800

C. 10

S 89° 38' 30" E (BASIS OF B
GRAPHIC

FD. 1/2"

PARCEL 4

0.62 ACRES

PARCEL 3

62 ACRES

PARCEL 1

1.06 ACRES

PARCEL 2

2

2.43 ACRES

SNAKE RIVER

20' Back
Side Corner
30' Set back
from Property line for
10' Side

APPL.
PERMIT 63-11531

6.50
3/20,000

2.24

RECEIVED
AUG 27 1993

63-11531

5/27/93



P/u, Sec 11

1st set on crest of
hill; 2nd set
operating



P/u Sec 10

3rd set Shown

MICROFILMED

AUG 27 1993

63-11531
5/27/93



P/O & diversion dam
in Hellyer drain

RECEIVED
AUG 27 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11531

Priority: May 14, 1991

Maximum Diversion Rate: 0.05 CFS
Maximum Diversion Volume: 9.0 AF

This is to certify, that LEONARD A COLLINS
BETTY L COLLINS

25995 GRAPHIC LN
WILDER ID 83676

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 14, 1991; and
has submitted Proof of Beneficial Use on June 11, 1992. An examination indicates
that the works have a diversion capacity of .050 cfs of water from:

HELLYER DRAIN

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.05 CFS	9.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2(NENESE), Sec. 10, Township 03N, Range 05W
CANYON County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>			
03N	05W	10	Lot 2(NESE)	1	1
		11	Lot 1(NWSW)	1	1

Total number of acres irrigated: 2

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

RECORDED

AUG 27 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11531

CONDITIONS/REMARKS:

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 17TH
day of AUGUST, 1993.

Acting for R. Keith Higginson, Director



RECEIVED
AUG 27 1993

RECEIVED

AUG 05 1993

Department of Water Resources

State of Idaho
Department of Water Resources

APPROVED

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11531

Date of Priority: May 14, 1991

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

9.0 AF

Comes now

LEONARD A COLLINS
BETTY L COLLINS25995 GRAPHIC LN
WILDER ID 83676

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-11531, and requests that the permit be changed as follows:

Source: HELLYER DRAIN

tributary to SNAKE RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.05 CFS	9.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2(NENESE), Sec. 10, Township 03N, Range 05W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	05W	10	Lot 2(NESE)	1		1
		11	Lot 1(NWSW)	1		1

Total number of acres irrigated: 2

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Wilder Id, this 3 day of Aug, 1993

Leonard Collins
(Signature)

APPROVED

AUG 27 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11531

FOR DEPARTMENT USE ONLY

Preliminary check by B Fee - 20⁰⁰ Received by CA # 0028292 Date 8-5-93

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-11531 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

Witness my hand this 17TH day of AUGUST, 1993.

Acting for

R. Keith Higginson, Director

AUG 27 1993

RECEIVED

JUN 1 1 1992

OFFICE USE ONLY

Amt. of Fee \$ 50.00Date 6-11-92Receipt No. C024489Receipt by ajf

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11531 Telephone No. (208) 337-3014
2. Name(s) of Permit Holder(s): Leonard A Collins Betty L Collins
3. Mailing Address: 25995 GRAPHIC LN, WILTON ID 83676
4. Source of Water: HELLYER DRAIN

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: 2 Pressure (psi): 50 Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 2 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .06 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ____ Yes ☒ No Installed? ____ Yes ____ No

OR

Flow Measurement Port: Required? ____ Yes ☒ No Installed? ____ Yes ____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Leonard A. Collins (208) 337-3014
Name Telephone No.

25995 GRAPHIC LN WILTON ID 83676
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6/10/92
Date

Leonard A. Collins
Signature (and title, if on behalf of a company or organization)

RECEIVED
JUN 25 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11531

Proposed Priority: May 14, 1991

Maximum Diversion Rate:

0.06 CFS

This is to certify, that **LEONARD A. COLLINS**
BETTY L. COLLINS
10845 HORSESHOE BEND RD.
BOISE, ID 83703

has applied for a permit to appropriate water from:

HELLYER DRAIN

tributary of **SNAKE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.06 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 1(NWNWSW), Sec. 11, Township 03N, Range 05W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	05W	11	LOT 1(NWSW)	2		2

Total number of acres irrigated: 2

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1992.
2. Subject to all prior water rights.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

15th day of July, 1991.

[Signature]
for R. Keith Higginson, Director

MICROFILMED

AUG 06 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: LEONARD A. COLLINS 208-939-6549
Address: 10845 HORSESHOEBEND ROAD
BOISE, ID 83703
OR
Name: BETTY L. COLLINS 208-939-6549
Address: 10845 HORSESHOEBEND ROAD
BOISE, ID 83703

2. Source: HELLYER DRAIN * Trib. to: SNAKE RIVER
3. Location of Point of Diversion: Lot 1 (NWNWSW) Sec. 11, Township 03N, Range 05W
CANYON County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.060		

5. Total quantity to be appropriated is:
0.060 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
SURFACE PUMP, UNDERGROUND SPRINKLERS
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is inches; proposed depth of well is
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
IRRIGATION

* database updated 5/28/91 SL

RECEIVED

AUG 06 1991

9. Place of Use: IRRIGATION

TWN	RGE	SEC	*	ACRES	ACRES	ACRES	TOTAL
03N	05W	11	LOT 1 (NWSW)	2			2

Total number of acres irrigated: 2

10. Describe any other water rights used for the same purposes.
A63-24154

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Leonard A. Collins
Applicant

Received by Rdh Date 5/14/91 Time 16:13 Preliminary check by SL

Fee \$ 30.00 Receipted by Rdh # W013308 Date 5/14/91

Publication prepared by GG Date 5-29-91 Published in Press-Tribune

Publication approved AT Date 6-24-91

* database updated 5/28/91 SL

AUG 06 1991

1 SEC. II.
INSTRUMENT
#881800

C. 10

FD. 1/2"

S 89°38'30" E (BASIS OF B)

PARCEL 4

0.62 ACRES

PARCEL 3

0.62 ACRES

PARCEL 2

2

2.43 ACRES

PARCEL 1

1.06 ACRES

(FORMERLY S 72°19'55" E 189.88')

(FORMERLY S 00°17'54" E 118.54')

(FORMERLY S 72°19'55" E 189.88')

(FORMERLY N 10°02'37" W 215.81')

(FORMERLY N 9°58' W 162.83')

(FORMERLY N 23°02'37" W 166.23')

(FORMERLY N 23°02'37" W 166.23')

(FORMERLY N 23°02'37" W 166.23')

(FORMERLY N 23°02'37" W 166.23')

(FORMERLY N 23°02'37" W 166.23')

(FORMERLY N 23°02'37" W 166.23')

(FORMERLY N 23°02'37" W 166.23')

(FORMERLY N 23°02'37" W 166.23')

(FORMERLY N 23°02'37" W 166.23')

(FORMERLY N 23°02'37" W 166.23')

(FORMERLY N 23°02'37" W 166.23')

(FORMERLY N 23°02'37" W 166.23')

(FORMERLY N 23°02'37" W 166.23')

(FORMERLY N 23°02'37" W 166.23')

(FORMERLY N 23°02'37" W 166.23')

(FORMERLY N 23°02'37" W 166.23')

(FORMERLY N 23°02'37" W 166.23')

(FORMERLY N 23°02'37" W 166.23')

20' Back
Sidel Corner
30' Set back
from Property line for
10' Sidel

APPL.
PERMIT 63-11531


6.50
3/20,000

2.24

FILED
06 1991

SURVEY AND SUBDIVISION OF SECTIONS

T3N R5W
S.11. NWSW




63-11531

T. RET OF VEY PRO THE

116° 52'

116° 52'





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 19, 1993

LEONARD A COLLINS
BETTY L COLLINS
25995 GRAPHIC LN
WILDER ID 83676

RE: WATER RIGHT NO. 63-11531

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

AUG 27 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 27, 1993

LEONARD A COLLINS
BETTY L COLLINS
25995 GRAPHIC LN
WILDER ID 83676

RE: WATER RIGHT NO. 63-11531


Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact me within the 15-day period.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

AUG 27 1993

WR0749NP
No. L63-11531

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/26/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LEONARD A COLLINS	05/14/1991	IRRIGATION	03-15 11-15	0.05 CFS	9.0 AFA
C	BETTY L COLLINS					
	25995 GRAPHIC LN			TOTAL DIVERSION:	0.05 CFS	9.0 AFA
	WILDER ID 83676					
	(208) 337-3014					

Water Source: HELLYER DRAIN

Tributary to: SNAKE RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.05 CFS

Point(s) of Diversion: T03N R05W S10 Lot 02(NE NE SE)

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE												
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM				
			:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:			
03N	05W	10	:											:											:	1.0		
03N	05W	11	:											:	01-01										:	1.0		
																							TOTAL ACRES				:	2.0

Pou County: CANYON

Other Rights: A63-24154

Other Water Rights Listing Overlapping Place(s) of use:
63-11531

Conditions of Approval:

R27 - This right when combined with all other rights shall provide no
- more than 4.5 afa per acre for the lands above.

Dates: App. Received: 05/14/1991 Priority Date: 05/14/1991
Proof Due Date: 07/01/1992 Proof Made Date: 06/11/1992
Exam Made Date: 05/27/1993 Exam Sent to S.O.: 06/30/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 06/12/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 07/26/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 603-11531 Date 7-26-93 Brenda Chapman

NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒	Advance? ☐ Memo to Advance ☐ Order to Reinstate Needed?
SOURCE	☐ ☒	Changes? Clarification of Originally Intended source ☐ ☒ Notice of Intent to Void - Source change.
P/D	☒ ☐	Amendment Needed? <u>CHANGE TO LOT 2 NENESE SEC 10</u> ☐ ☒ Is Overlap Analysis a Consideration?
P/U	☒ ☐	Amendment Needed? <u>ADD 2ND - LOT 2 NESE SEC 10</u> ☐ ☒ Is Overlap Analysis a Consideration?
TOTAL CFS	☐ ☒ <u>-NA-</u>	Incorrect Fee for rate recommended? <u>6 sets @</u> Disagree/Measurement <u>5 GAL BUCKET = 4.1 gpm = .05 CFS</u> Pumping Theoretical $(8.8) \times (.70) \times ()$ $(+ [2.31 \times])$ ☐ ☒ System Capacity <u>.05</u> Allowable Amount: <u>capacity of .05</u>
TOTAL VOLUME		Rate/ac <u>4.5</u> AFA Irr. Season <u>0</u> <u>3-15 to 11-15</u> Standard Irr. Season <u>Standard</u> Season Recommended ☐ ☒ Disagree with Examiner's Calculations? <u>2 @ 4.5 = 9 AFA</u> ☐ ☒ Flow limit: <u>.05 x 246 x 1.9835 = 24.4</u>
USES	☐ ☒	Change(s) in Nature of Use? ☐ ☒ Amendment Needed?
REMARKS	☐ ☒ ☐ ☒ ☐ ☒ ☐ ☒	Multiple P/Ds in 1/4 1/4? Non-Irr. Uses Special Overlap Condition Other
CONDITIONS	☐ ☒ ☐ ☒ <u>R27</u> ☐ ☒ ☐ ☒	Measuring Devices W/Master Control Irrigation Overlap Water Quality Dates/Misc ☒ Water Dist <u>5-14-91</u> App Rec'd <u>5-27-93</u> Exam Made
COMMENTS:	<u>Amend P/D + P/U ; Reduce rate</u>	

RECOMMENDED	CFS	VOL	LICENSE
Irrigation	<u>.05</u>	<u>9.0</u>	
Domestic			
Stockwater			
			AMEND ☒

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 01 1993
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-11531
1. Owner: Leonard & Betty Collins Phone No. 337-3014
Current Address: 25995 Graphic Wylder ID 83676
2. Accompanied by: Mr Collins EXAM. DATE: 5/27/93
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Hellyer Drain tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 02-2428 ☐ Copies Attached
2. Other water rights with same point of diversion: _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

2HP pump in Hellyer drain operates 3 sets of sprinklers on 1 1/2" line. Irrigation is on perimeter of property. All irrigation inside fence compound around home is from domestic well.
At time of exam, one set sprinklers was on for measurement.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	~~Water Ace~~ GE	2	ZEJ	Water Ace	9860991

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	2	NE	NE	SE	10	3N	5W	Canyon	Site Visit, Orthophoto

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	5W	10																	1
		11																	1
																			2

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5 gal bucket, hose on sprinkler head, 6 heads this set
 5 gals in 74 sec = 4.1 gpm
 4.1 gpm x 6 heads/set = 24.6 gpm = .05 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

.05 cfs ← System capacity

2. Alternate Method for Checking Purposes:

$$HP = \frac{2 \times 8.8 \times .7}{30 + (2.31 \times 50)} = .08$$

F. PUMP EFFICIENCY DATA (Optional)

ft. Creek assumed

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

allow .05 cfs for 2 ac.

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \times 4.5 = 9$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .05 \times 246 \times 1.9835 = 24.4$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 9.0$$

2. Volume Calculations for Other Uses:

RECEIVED

AUG 27 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Overlaps do not affect this permit.

Per map & parcel plat interpretation, the P/Ds ~~are~~
a portion of P/u are in lot 2 (NESE) Sec 10. Amend.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRR	3/15	11/15	.05	9.0
Totals:			.05	9.0

2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name CINDY HODGES
Signature _____
Certification Date _____
Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

X-53

63-11531

HOMEDALE QUADRANGLE
IDAHO
7.5 MINUTE SERIES (ORTHO PHOTOQUAD)

PARMA 14 MI.
WILDER 4.2 MI.

55'

507

508

509

200,000 FEET

116° 52' 30"

43° 37' 3"

HUSTON 2 MI.
CALDWELL 13 MI.

710,000
FEET


4828

4827

1955


SURVEY AND SUBDIVISION OF SECTIONS

T3N R5W
S. 11. NWSW



63-11531

T. RET
OF
VEY
PRC
THE



SEC. II.
INSTRUMENT
#881800

S 89°38'30" E (BASIS OF B)
GRAPHIC

PARCEL 4
0.62 ACRE

PARCEL 3
62 ACRES

PARCEL 1
1.06 ACRES

PARCEL 2
2.43 ACRES

20' Back
Side Corner
30' Set back
from Property line for
10' Side

APPL.
PERMIT 63-11531

6.50
3/20,000

2.24

AUG 27 1993

63-11531

5/27/93



P/u, Sec 11

1st set on crest of
hill; 2nd set
operating




P/u Sec 10

3rd set shown

RECEIVED

AUG 27 1993

63-11531
5/27/93



P/O & diversion dam
in Hellyer drain

AUG 27 1993

May 19, 1992

LEONARD A. COLLINS
BETTY L. COLLINS
10845 HORSESHOEBEND RD.
BOISE ID 83703

RE: Water Right No. 63-11531

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

RECEIVED
MAY 27 1992

AUG 27 1993

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

RECEIVED
JUN 11 1992

JUN 11 1992

June 18, 1992

LEONARD A. COLLINS
BETTY L. COLLINS
25995 GRAPHIC LN
WILDER ID 83676

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11531

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
JUN 25 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-11531

Reviewed by Alg

Date 6/12/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

irrigate - 2
Correct Uses? yes

SOURCE OF WATER

✓ Surface water source
Ground water source

NA Drilling permit required?

/ Copy in the file? Drilling Permit No. _____

/ Amount paid for permit _____ Correct?

/ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA _____
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address 25995 Graphic Lane ^{6/12/92}
Wilder, ID 83676 Alg

Proof Made 6/11/92
6/18/92 Alg

April 30, 1992

LEONARD A. COLLINS
BETTY L. COLLINS
10845 HORSESHOEBEND RD.
BOISE ID 83703

PROOF DUE NOTICE

RE: PERMIT NO. 63-11531

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

JUN 25 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 17, 1991

LEONARD A. COLLINS
BETTY L. COLLINS
10845 HORSESHOEBEND RD.
BOISE, ID 83703

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11531

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

RECEIVED
AUG 06 1991

APPLICATION FOR PERMIT REVIEW

Application #: 63-11531
Date: 7-10-91

Reviewer: Pam Skaggs ²⁸

Existing:

✓ No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

Groundwater:

GT. 0.2 cfs - 01G-P03, 01C-P03(existing well)

LT. 0.2 cfs - N/A

Drilling Permit:

Approved w/permit - P99

Not included - 046-P23(All GW, even existing wells)

Location:

✓ Water Districts - WD No. _____

Surface water - 005, 005-01H-P01(LT.2 w/pump)
005-01J-P08(GT.2)

Groundwater - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

✓ Boise Front (63) - 058 (Groundwater)

Swan Falls Flag - _____ (1, Blank or Other)

Trust - 051-052-053-P74(Consumptive Uses)

Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)

Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

✓ Beneficial Use Due Date: - 07-01-1992
Other Conditions Recommended _____

MID-LEVEL
AUG 06 1991

RECEIVED

JUN 13 1991

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

AFFIDAVIT OF PUBLICATION

Department of Water Resources
Western Regional Office

WELCH, ERLENE
WELCH, WAYNE
6156 HAPPY VALLEY RD.
KUNA, ID 836341520
Source: GROUNDWATER
Diversion Pt: LOT 3
Use: IRRIGATION

(NWSW) Sec 31 T 02N R 01W
(1.600 CFS)
Total Diversion: (1.600 CFS)

Date Filed: 5/6/1991
In: T02N R01W S31
80.0 ACRES TOTAL

Lot 3 (NWSW) Lot 4 (SWSW)

63-11530

HANSEN, HAZEL F.
HANSEN, ROSS W.
16816 GOODSON RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
DOMESTIC

SESE Sec 18 T 05N R 03W
(.120 CFS)
(.040 CFS)
Total Diversion: (.120 CFS)

Date Filed: 5/14/1991
In: T05N R03W S18
4.0 ACRES TOTAL

63-11531

COLLINS, LEONARD A.
COLLINS, BETTY L.
10845 HORSESHOE BEND RD.
BOISE, ID 83703
Source: HELLER DRAIN
Diversion Pt: LOT 1
Use: IRRIGATION

Tributary: SNAKE RIVER
(NWNWSW) Sec 11 T 03N R 05W
(.060 CFS)
Total Diversion: (.060 CFS)

Date Filed: 5/14/1991
In: T03N R05W S11
2.0 ACRES TOTAL

Lot 1 (NWSW)

63-11533

CHAMBERLAIN, KEITH J.
4316 AIRPORT RD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
DOMESTIC

NENE Sec 24 T 03N R 02W
(.280 CFS)
(.060 CFS)
Total Diversion: (.340 CFS)

Date Filed: 5/16/1991
In: T03N R02W S24
14.0 ACRES TOTAL

63-11535

WOOD FARM
18748 HOOK RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

NESW Sec 13 T 03N R 04W
(2.000 CFS)
Total Diversion: (2.000 CFS)

Date Filed: 5/8/1991
In: T03N R04W S13
100.0 ACRES TOTAL

NWNE

NENW

SENE

NESW

OF IDAHO)
)
TY OF CANYON)

is 12th day of June in the
of 1991, before me, a Notary Public, personally
ed Sharla O'Krakel, known

ified to me to be the person whose name subscribed to the
instrument, and being by me first duly sworn, declared
e statements therein are true, and acknowledged to me that

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JUNE 24, 1991.

R. KEITH HIGGINSON
Director
June 5, 12, 1991

Sharla O'Krakel

apa, Canyon County, Idaho, being first duly sworn, deposes
/S:

at I am a citizen of the United States of America, and at all
ereinafter mentioned was over the age of eighteen years,
a party to the above entitled action.

at I am the Principal Clerk of the Idaho Press-Tribune, a
(except Saturday) newspaper published in the City of
and Caldwell, in the County of Canyon, State of Idaho;
e said newspaper is in general circulation in the said
of Canyon, and in the vicinity of Nampa and Caldwell, and
en uninterruptedly published in said County during a period
nty-eight consecutive weeks prior to the first publication of
ice, a copy of which is hereto attached.

at the notice, of which the annexed is a printed copy, was
ed in said newspaper
two times
e regular and entire issue of said paper, and was printed in
vspaper proper, and not in a supplement.

at said notice was published the following dates:

June 5, 12, 1991

NENE

Sharla O'Krakel

Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

AUG 06 1991

63-11531

COLLINS, LEONARD A.
COLLINS, BETTY L.
10845 HORSESHOEBEND RD.
BOISE, ID 83703

Source: HELLYER DRAIN

Tributary: SNAKE RIVER

Diversion Pt: LOT 1 (NWNWSW) Sec 11 T 03N R 05W

Use: IRRIGATION (.060 CFS)
Total Diversion: (.060 CFS)

Date Filed: 5/14/ 1991

In: T03N R05W S11 Lot 1 (NWSW)

2.0 ACRES TOTAL

ED
AUG 06 1991