




Produced by the Geological Survey

Orthophotograph prepared from 1:80,000-scale aerial photographs taken July 8, 1981

Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (Transverse Mercator) 1000-meter Universal Transverse Mercator grid, zone 11 1927 North American Datum

To place on the predicted North American Datum 1983 move the projection lines 15 meters north and 77 meters east
 This information not
 Where double or mismatched image occur use the
 mean of image position for map

Land lines from Cloverdale, Idaho
 1:24,000-scale topographic map dated 1979
 There may be discrepancies between positions on land lines

2N1E
MICROFILMED

NORTH
JUL 15 1991



Copies Of These
 At Bonneville

THIS MAP COMPLIES
 FOR SALE BY U. S. GEOL

This map has been prepared by the Idaho Department of Water Resources pursuant to Idaho Code §42-1410 to assist claimants in filing notices of claims and objections in the Snake River Basin Adjudication. No warranty, either express or implied, is made and no legal responsibility is assumed by IDWR, its employees, its agents, contractors, and reproduction firms particularly Bonneville Blueprint Supply Co. Inc. or its employees for the accuracy, completeness, or appropriateness of any information set forth on this map.

NOTES

Setbacks in this subdivision in compliance with the applicable regulations of Ada County.

subdivision of this plat shall comply applicable Zoning Regulations at the time of the Re-subdivision.

lines common to public right-of-way exterior boundary of Ward Subdivision 0' Wide Permanent Utilities, Drainage and Easement, unless otherwise shown. this shall not preclude the construction of hard surfaced driveways for access to individual lot.

ot wide Permanent Public Utilities, and Irrigation Easement is designated entered on interior lot lines.

water has been provided for each lot and Subdivision through existing pressurized pipelines in accordance with de Section 31-3805.

shown exclude Public Road right-of-way.

of existing irrigation piping and drainage ditches reon are approximate. Any modifications to these facilities completed such that water delivery or drainage to or adjoining lands is not disrupted.

irrigation water to individual lots will be accomplished tion basis. Lot owners will be required to co-ordinate ration times and quantities with other lot owners d Subdivision.

is hereby made to the Record Conditions, Covenants, ctions of Ward Subdivision for futher irrigation and equirements and responsibilities.

ereby designated as open space and the gricultural use shall be maintained by Owners Association in accordance with y Zoning Ordinance for Non-Farm Developments.

ots 1, 2, 3 and 4 are not being used ural lands.

not be reduced in size without prior om the Central District Health Department.

al domestic water supplies shall be yond the water systems approved in y restriction release.


s hereby made to a public health letter the Ada County Recorders office dditional restrictions.


RECEIVED

ADA COUNTY
DEVELOPMENT SERVICES

PRELIMINARY PLAT SHOWING WARD SUBDIVISION

A PORTION OF THE SOUTHWEST 1/4 AND A PORTION OF THE NORTHWEST 1/4 OF SECTION 16
TOWNSHIP 2 NORTH, RANGE 1 EAST,
BOISE MERIDIAN
ADA COUNTY, IDAHO
1991





16 MI. TO U.S. 20, 26 & 30
published by the Geological Survey
and USFS
Index methods
1951
1953
American datum
Coordinate system, west zone
Indicator grid ticks,
Aerial photographs
Information not

2N1E
Sec 16
GN MN
0°28' 18"
8 MILS 320 MILS
UTM GRID AND 1979 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET


MICROFILMED

JUL 15 1991

FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER
A FOLDER DESCRIBING TOPOGRAPHIC
THIS MAP COMPLIES WITH NATIONAL
NATIONAL GEODETIC DATUM 1979
CONTOUR INTERVAL 10 FEET
SCALE 1:24000
(MORA) 2770 IV NE
1000 0 1000 2000 3000 4000 5000 6000 7000

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

See plat map for layout



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sta-Rite	5	690R ← (Subm)	Sta-Rite	1 1/4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: *Theoretical PSI = 60 (gauge on tank)*
PL = 229 (from driller report)

RECEIVED

JUN 9 0 1994





16 MI. TO U.S. 20, 26 & 30
Published by the Geological Survey
and USFS
1953

Methods
Coordinate datum
Indicator grid ticks,
Aerial photographs
Information not

UTM GRID AND 1979 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

NOT REPRODUCED

JUN 30 1994

THIS MAP COMPLIES WITH NATIONAL
A FOLDER DESCRIBING TOPOGRAPHY

CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM

(MORA)
2770 IV NE
SCALE 1:24000

RECEIVED

PRELIMINARY PLAT SHOWING
WARD SUBDIVISION
A PORTION OF THE SOUTHWEST 1/4 AND A PORTION OF THE NORTHWEST 1/4 OF SECTION 16
TOWNSHIP 2 NORTH, RANGE 1 EAST,
BOISE MERIDIAN
ADA COUNTY, IDAHO
1991

NOTES

Setbacks in this subdivision in compliance with the applicable regulations of Ada County.

subdivision of this plat shall comply with applicable Zoning Regulations at the time of the Re-subdivision.

lines common to public right-of-way exterior boundary of Ward Subdivision 10' Wide Permanent Utilities, Drainage and Easement, unless otherwise shown. This shall not preclude the construction of hard surfaced driveways for access to individual lot.

wide Permanent Public Utilities, and Irrigation Easement is designated on interior lot lines.

water has been provided for each lot and Subdivision through existing pressurized pipelines in accordance with Section 31-3805.

shown exclude Public Road right-of-way.

of existing irrigation piping and drainage ditches are approximate. Any modifications to these facilities completed such that water delivery or drainage to or from lands is not disrupted.

irrigation water to individual lots will be accomplished on a pro rata basis. Lot owners will be required to co-ordinate irrigation times and quantities with other lot owners in the Subdivision.

is hereby made to the Record Conditions, Covenants, and Restrictions of Ward Subdivision for further irrigation and other requirements and responsibilities.

are hereby designated as open space and the agricultural use shall be maintained by the Owners Association in accordance with the Zoning Ordinance for Non-Farm Developments.

lots 1, 2, 3 and 4 are not being used for agricultural lands.

not be reduced in size without prior approval from the Central District Health Department.

domestic water supplies shall be provided and the water systems approved in accordance with the restriction release.

is hereby made to a public health letter from the Ada County Recorders office for additional restrictions.

ADA COUNTY
DEVELOPMENT SERVICES

HUBBARD RESERVOIR
UNPLATTED

BLOCK 1

5

41.60AC

LOT
OUT (NOT DEV.)

HOODCO LN

E. WARD LANE
(PRIVATE LANE)
(22,885 S.F. of Hard Surface)

N. STEWART ROAD
BASIS OF BEARING

UNPLATTED

see
attached
topo for
actual
location

JUN 30 1994

RECORD OF SURVEY #13:7
UNPLATTED

E. DEER FLAT ROAD

17 16 CP&F # 8137469
20 21

N 89° 49' 31" W
2636.21

S 1/4 Corner.
SE Corner SW 1/4
21 CP&F # 8405638

63-11523



P/O



P/O, 3 homes
in background

JUN 30 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11523

Priority: April 11, 1991

Maximum Diversion Rate:

0.08 CFS

Maximum Diversion Volume:

2.4 AF

This is to certify, that WARD STABLES

5250 HOODOO LN

KUNA ID 83634

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 11, 1991; and has submitted Proof of Beneficial Use on June 18, 1993. An examination indicates that the works have a diversion capacity of .080 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.08 CFS	2.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNESW , Sec. 16, Township 02N, Range 01E
ADA County

PLACE OF USE: DOMESTIC

TWN RGE SEC

02N 01E 16

NESW


NWSW

SESW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 3 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 17TH day of MAY, 1994.

Acting for  R. Keith Higginson, Director

JUN 8 0 1994

RECEIVED
JUN 18 1993
Department of Water Resources

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 6-18-93
Receipt No. 0227883
Receipt by OA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11523 Telephone No. 208-342-6571 or 208-385-9564
2. Name(s) of Permit Holder(s): WARD STABLES
3. Mailing Address: 5208 Hoodoo Lane, Kuna, Idaho 83634
4. Source of Water: Groundwater

If **GROUNDWATER**, Well Driller's Name: CanAda Drilling Date Drilled: 1991

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 4 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation .5 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .10 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

CONLEY WARD see above
Name Telephone No.
5208 Hoodoo Lane, Kuna, Idaho 83634
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6/11/93 Conley Ward **GENERAL PARTNER**
Date Signature (and title, if on behalf of a company or organization)

AUG 27 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11523

Proposed Priority: April 11, 1991 Maximum Diversion Rate: 0.10 CFS
This is to certify, that **WARD STABLES**

5250 HOODOO LANE
KUNA, ID 83634

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.10 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		NESW Sec. 16, Township 02N, Range 01E ADA County

PLACE OF USE: DOMESTIC
TWN RGE SEC

02N 01E 16 NESW NWSW SESW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Domestic use is for 4 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

20th day of June, 1991.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

JUL 15 1991

RECEIVED
APR 11 1991

RECEIVED
APR 12 1991

Ident. No. 63-11523

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

Idaho Water Resources
Western Regional Office

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant Ward Stables Phone 385-9564
Post office address 5250 Hoodoo Lane, Kuna, ID 83634
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NE 1/4 of SW 1/4, Govt. Lot _____
Sec. 16 Township 2N Range 1E B.M. Ada County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .10 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .10 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, mainline
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 6" inches; proposed depth of well is 230 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application 2 years (minimum 1 year).
proposed beneficial use is _____

MICROFILMED

JUL 15 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 4 homes
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
* Q2N	01E	16							~~SW~~		D	D		D					

* Changed per attached maps

Total number of acres to be irrigated _____


10. Describe any other water rights used for the same purposes as described above. None Boise - Kuna

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

JUL 15 1991



Produced by the Geological Survey

Orthophotograph prepared from 1:80,000-scale aerial photographs taken July 8, 1981

Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (Transverse Mercator)

1000-meter Universal Transverse Mercator grid, zone 11

1927 North American Datum

To place on the predicted North American Datum 1983 move the projection lines 15 meters north and 77 meters east

Revisions made as required from aerial photographs taken 1975 and other source data. This information not field checked. Map edited 1979


Mean of image centers for map of Urban areas

Land lines from Cloverdale, Idaho

1:24,000-scale topographic map dated 1979

2N1E
MICROFILMED

NORTH JUL 15 1991



Copies Of These
At Bonneville

THIS MAP COMPLIES
FOR SALE BY U.S. GEOL

This map has been prepared by the Idaho Department of Water Resources pursuant to Idaho Code §42-1410 to assist claimants in filing notices of claims and objections in the Snake River Basin Adjudication. No warranty, either express or implied, is made and no legal responsibility is assumed by IDWR, its employees, its agents, contractors, and reproduction firms particularly Bonneville Blueprint Supply Co. Inc. or its employees for the accuracy, completeness, or correctness of any information set forth on this map.

RECEIVED

PRELIMINARY PLAT SHOWING WARD SUBDIVISION

A PORTION OF THE SOUTHWEST 1/4 AND A PORTION OF THE NORTHWEST 1/4 OF SECTION 16
TOWNSHIP 2 NORTH, RANGE 1 EAST,
BOISE MERIDIAN
ADA COUNTY, IDAHO
1991

NOTES

Setbacks in this subdivision
in compliance with the applicable
regulations of Ada County.

ADA COUNTY
DEVELOPMENT SERVICES

subdivision of this plat shall comply
applicable Zoning Regulations
at the time of the Re-subdivision.

nes common to public right-of-way
exterior boundary of Ward Subdivision
0' Wide Permanent Utilities, Drainage and
Easement, unless otherwise shown.
this shall not preclude the construction
hard surfaced driveways for access to
vidual lot.

st wide Permanent Public Utilities,
and Irrigation Easement is designated
ntered on interior lot lines.

water has been provided for each lot
rd Subdivision through existing pressurized
pipelines in accordance with
de Section 31-3805.

shown exclude Public Road right-of-way.

of existing irrigation piping and drainage ditches
ean are approximate. Any modifications to these facilities
ompleted such that water delivery or drainage to or
djoining lands is not disrupted.

irrigation water to individual lots will be accomplished
tion basis. Lot owners will be required to co-ordinate
tion times and quantities with other lot owners
d Subdivision.

is hereby made to the Record Conditions, Covenants,
ctions of Ward Subdivision for further irrigation and
equirements and responsibilities.


ereby designated as open space and the
gricultural use shall be maintained by
Owners Association in accordance with
Zoning Ordinance for Non-Farm Developments.

lots 1, 2, 3 and 4 are not being used
rural lands.

not be reduced in size without prior
om the Central District Health Department.

al domestic water supplies shall be
yond the water systems approved in
restriction release.

hereby made to a public health letter
the Ada County Recorders office
ditional restrictions.




17 16 CPMF # 8137469
20 21

N 89° 49' 31" W
2636.21

E. DEER FLAT ROAD

S 1/4 Corner.
SE Corner SW 1/4
CPMF # 8405638




16 MI. TO U.S. 20, 26 & 30
Published by the Geological Survey
and USFS
Index methods
1951
1953
American datum
Coordinate system, west zone
Indicator grid ticks,
Aerial photographs
Information not

2N1E
Sec
16
GN NN
0° 28' 18"
8 MILS 320 MILS
UTM GRID AND 1979 MAGNETIC
DECLINATION AT CENTER OF SHEET

MICROFILMED

JUL 15 1991

FOR SALE BY U.S. GEOLOGICAL SURVEY, DEPT. OF THE INTERIOR
THIS MAP COMPLIES WITH NATIONAL GEODETIC VERTICAL DATUM
CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

See Attached Map

Conley ward
Cotton ward
Dudley ward
Clay ward

Sons &
Partners
w/
Eloise

MICROFILMED

JUL 15 1991

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Eloise R. Stables
(Applicant)
Rep. Stables

Received by CS Date 4-11-91 Time 11:15 AM Preliminary check by CPH
Fee \$ 30.00 Receipted by CS # C020180 Date 4-11-91
Publication prepared by GG Date 4-24-91 Published in ID Statesman
Publication approved st Date 5-22-91 5/2 & 5/9/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MITT
JUL 15 1991

MAY 10 1991

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

Department of Water Resources
Western Regional Office

LEGAL ADVERTISING INVOICE

Amount Due

111.00

Account Number 47628		Identification Notice of Application for Water Right	
Ordered By Gail Garrett	P.O. Number	Rate nt	Run Dates May 2, 9, 1991
Idaho Dept. of Water Resources Western Region 2735 Airport Way Boise ID 83705		Estimated Inches	Real Inches
		# Affidavits 1	Legal Number 8300

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11505
CONNOLLY, WALLACE R.
CONNOLLY, EDA RAE
4983 BROOKSIDE LANE
BOISE, ID 83703
Source: GROUNDWATER
Diversion Pt: SWNE Sec 34 T 05N R 01E

Use: IRRIGATION (.800 CFS)
FISH PROPAGATION (2.220 CFS)
DOMESTIC (.110 CFS)
Total Diversion: (3.000 CFS)

Date Filed: 4/1/1991
In: T05N R01E S27 SWSE
S34 SWNE
40.0 ACRES TOTAL

63-11517
LATHEN, WILLIAM C.
LATHEN, REBECCA J.
3301 N. POLLARD LANE
STAR, ID 83669
Source: WASTE WATER
Tributary: BOISE RIVER
Diversion Pt: SWSW Sec 33 T 05N R 01W

Use: IRRIGATION (.100 CFS)
Total Diversion: (.100 CFS)
Date Filed: 4/11/1991
In: T05N R01W S33 SWSW
5.0 ACRES TOTAL

63-11518
WELSH, ROGER L.
RT. 3 3606 HUBBARD RD.
KUNA, ID 83634
Source: GROUNDWATER
Diversion Pt: SWNW Sec 17 T 02N R 01E
Use: IRRIGATION (2.000 CFS)
Total Diversion: (2.000 CFS)
Date Filed: 4/15/1991
In: T02N R01E S17 NWNW SWNW
S18 NENE NWNE
100.0 ACRES TOTAL

63-11519
BOISE HUNTINGTON INC.
MICHAEL D. THOMPSON TREAS.
173 E. MALLARD DR.
BOISE, ID 83706
Source: GROUNDWATER
Diversion Pt: LOT 10 (NWSE) Sec 14 T 03N R 02E
Use: IRRIGATION (.220 CFS)
Total Diversion: (.220 CFS)
Date Filed: 4/8/1991
In: T03N R02E S14 Lot 9 (NESW)
Lot 10 (NWSE)
11.0 ACRES TOTAL

63-11521
BRECKENRIDGE OWNERS
ASSOCIATION
12301 W. EXPLORER DR. #200
BOISE, ID 83704
Source: GROUNDWATER
Diversion Pt: SESW Sec 25 T 03N R 02E
Use: IRRIGATION (.090 CFS)
Total Diversion: (.090 CFS)
Date Filed: 4/15/1991
In: T03N R02E S25 SESW
2.8 ACRES TOTAL

63-11523
WARD STABLES
5250 HOODOO LANE
KUNA, ID 83634
Source: GROUNDWATER
Diversion Pt: NESW Sec 16 T 02N R 01E
Use: DOMESTIC (.100 CFS)
Total Diversion: (.100 CFS)
Date Filed: 4/11/1991
In: T02N R01E S16 NESW NWSW
SESW

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MAY 20, 1991.
R. KEITH HIGGINSON, Director
Pub. May 2, 9, 1991 8300

Jill Roberts

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for two

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of May 2, 1991

and ending with the issue of May 9, 1991

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 9th day of May in the year of 1991, before me, a Notary Public, personally appeared Jill Roberts, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Notary Public for Idaho

Residing at Boise, IDMy commission expires: 12/93

MICROFILMED

JUL 15 1991

GARY G. ALLEN
REBECCA W. ARNOLD
JOSEPH H. BAIRD
CHRISTOPHER J. BEESON
JOANN C. BUTLER
MICHAEL C. CREAMER
ROY L. EIGUREN
JEFFREY C. FEREDAY
JULIE KLEIN FISCHER
RAYMOND D. GIVENS
L. W. GRANT, III
JUDITH K. HOLCOMBE
ROBERT C. HUNTLEY, JR.
DAVID R. LOMBARDI
KENNETH R. MCCLURE
CHRISTOPHER H. MEYER
L. EDWARD MILLER
PATRICK J. MILLER
JUDSON B. MONTGOMERY
TERRY L. MYERS
RAMONA S. NEAL
STEVEN L. OLSEN
W. HUGH O'RIORDAN
KENNETH L. PURSLEY
GREGORY J. VIETZ
CONLEY WARD
STEVEN R. WEEKS
STEPHANIE C. WESTERMEIER

LAW OFFICES
GIVENS PURSLEY & HUNTLEY

SUITE 200, PARK PLACE
277 NO. 6TH STREET
POST OFFICE BOX 2720
BOISE, IDAHO 83701

JAMES A. MCCLURE
OF COUNSEL
DAVID E. MASE
LEGISLATIVE SPECIALIST

TELEPHONE
(208) 342-6571

FACSIMILE
(208) 343-9492
(208) 342-6920

RECEIVED
JUN 07 1994
Department of Water Resources

May 26, 1994

RECEIVED

JUN 01 1994

WATER RESOURCES
WESTERN REGION

Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, ID 83720-9000

Re: Ward Stables Application for Permit to Appropriate Groundwater

To Whom it May Concern:

Enclosed, please find an original and one copy of Ward Stables' Application for Permit seeking to appropriate groundwater for use in irrigating 1.5 acres of lawn associated with three homes within a multiple-ownership subdivision. Also enclosed is a check in the amount of \$30.00 to cover the statutory filing fee.

Ward Stables is submitting this Application on behalf of Eloise, Conley and Cotton Ward, who are the individual owners of three of four lots in the Ward subdivision. Ward Stables initially filed an application, and obtained permit number 63-11523 for a well drilled in 1991 to divert 0.10 cfs to serve the domestic needs of single family dwellings on each of the four lots. To date, only three homes have been built. For an unknown reason, the original application for permit did not specifically state that it was to include the irrigation of up to one-half acre of associated lawn for each lot. Ward Stables has since been informed that because of this omission, the Wards are not entitled to use water from the well for incidental lawn irrigation. This Application is intended to remedy this situation.

Ward Stables believes that this application may be processed by the Department despite the Department's continuing moratorium in the Boise River

RECEIVED

JUN 30 1994

May 26, 1994

Page 2

Basin because: 1) this Application is for the incidental lawn irrigation component which the Wards intended to obtain through their initial application for a domestic use; 2) but for the omission of the irrigation designation in the application for permit number 63-11523, the irrigation component of the domestic use probably would have been approved as a matter of course; 3) the requested irrigation use of no more than one-half acre per residential lot in a multiple-ownership subdivision satisfies the "domestic use exception" contained in the Department's moratorium order; and 4) the .03 cfs diversion rate requested is, by any standard, "*de minimus*."

*
Proof of beneficial use for Permit No. 63-11523, which covers the in-house domestic use, was submitted to the Department on June 18, 1993. I have been informed by Department personnel in the Western Region that this property may be scheduled for field exam sometime in 1994. Because the well for the domestic use also will serve the irrigation system, it would seem to be most efficient if that field exam is coordinated with a field exam for this application for the irrigation component. Ward Stables will be prepared to submit a proof of beneficial use for this application shortly after the public notice and protest period have passed.

If you require additional information regarding this Application for Permit, please feel free to contact me.

Sincerely,


Michael C. Creamer

MCC/mc
Enclosure

cc: Conley Ward
Cindy Hodges, IDWR Western Region

*
Copy filed with 63-11523 - JZ 6/2/94

MAIL ROOM

JUN 30 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 17, 1994

WARD STABLES
5250 HOODOO LN
KUNA ID 83634

RE: WATER RIGHT NO. 63-11523

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Jim Johnson', with a horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure



JUN 30 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 01 1994
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11523

1. Owner: Ward Stables Phone No. 385 9564

Current Address: 5250 Hoodoo Lane Kuna ID 83634

2. Accompanied by: Eloise Ward EXAM DATE: 10/28/93

Address: _____ Phone No. _____

Relationship to Permit Holder Co-owner, family & business

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-00161BL, 3567, 5389

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NE	SW	16	2N	1E	ADA	Plat Map, Topo Map, Site Visit


2. Place(s) of Use:

Indicate Method of Determination Above

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	1E	16									D	D		D					

RECEIVED
JUN 30 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable. *See plat map for layout*



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sta-Rite	5	690R ← (Subm)	Sta-Rite	1 1/4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: *Theoretical PSI = 60 (gauge on tank)*
PL = 229 (from driller report)

RECEIVED

JUN 8 0 1994

E. NARRATIVE/REMARKS/COMMENTS

D/3 homes, approx $\frac{1}{2}$ ac irrigated from well through common system. 5 HP pump into 2, 60 gal pressure tanks to delivery system.

P/O in Lot 2, Ward Subdivision. See attached Plat P/W Lots 2, 3, 4. Lot 1 not developed.

Overlaps: All are Surface Water, for irrigation.
May be some ^{of} same across different Source.

This project is on a family-owned parcel. Land is held jointly and dwellings are owned individually. Per 42-III, $\frac{1}{2}$ acre may be allowed for a domestic use so long as multiple ownership is not present. Since land is under single (family) ownership this should apply.

Have conditions of permit approval been met? ☒ yes ☐ no

11-11-94

JUN 30 1994

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\frac{5 \times 8.8 \times .7}{230 + (60 \times 2.31)} = .08 \text{ cfs}$$

Permit limit = .10
 3 homes = .08 (Standard)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$D/3 \text{ internal} = 3 \times .6 = 1.8$$

$$D/1 \text{ external} = \frac{.6}{2.4 \text{ AFA}}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1/1	12/31	.08	2.4
Totals:				

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Cindy Hodges Date 11/4/93

Reviewer _____ Date _____

SEAL

JUN 30 1994

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-91-C-0038 OTHER APPLICABLE NO: 63-11523

2. OWNER: Ward Stables Phone: _____
Address: _____

3. WELL LOCATION: Twp 2N, Rge. 1E, Sec. 16, NE 1/4 SW 1/4
County ADA (Provide sketch map and photo on reverse.)

4. DRILLER: Can-Ada Lic. No. 304
When Drilled? 3/28/91

5. WELL CONSTRUCTION: TD = 236
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: bolted cover ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 235 ft. Method Drilled Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:
Depth to Static Water 118 ft. Water Temperature COLD °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:
☒ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

JUN 30 1994

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

C. H. Lodees
Signature of Dept. Representative & Title


10/28/93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED


JUN 30 1994





18 MI. TO U.S. 20, 26 & 30
Published by the Geological Survey
and USFS
Index methods
1951
1953
American datum
Coordinate system, west zone
Indicator grid ticks,
Aerial photographs
Information not

2N1E
Sec 16
UTM GRID AND 1979 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET



FOR SALE BY U.S. GEOLOGICAL SURVEY, DEPT. OF THE INTERIOR
THIS MAP COMPLIES WITH NATIONAL GEOGRAPHIC VERTICAL DATUM
NATIONAL GEOGRAPHIC VERTICAL DATUM
CONTOUR INTERVAL 10 FEET
JUN 30 1994


PRELIMINARY PLAT SHOWING WARD SUBDIVISION

A PORTION OF THE SOUTHWEST 1/4 AND A PORTION OF THE NORTHWEST 1/4 OF SECTION 16
TOWNSHIP 2 NORTH, RANGE 1 EAST,
BOISE MERIDIAN
ADA COUNTY, IDAHO
1991

NOTES

- Setbacks in this subdivision in compliance with the applicable regulations of Ada County.
- Subdivision of this plat shall comply with applicable Zoning Regulations at the time of the Re-subdivision.
- Access common to public right-of-way exterior boundary of Ward Subdivision shall include Wide Permanent Utilities, Drainage and Easement, unless otherwise shown. This shall not preclude the construction of hard surfaced driveways for access to individual lot.
- Wide Permanent Public Utilities, and Irrigation Easement is designated thereon on interior lot lines.
- Water has been provided for each lot in this Subdivision through existing pressurized pipelines in accordance with Section 31-3805.
- Shown exclude Public Road right-of-way.
- Existing irrigation piping and drainage ditches shown are approximate. Any modifications to these facilities implemented such that water delivery or drainage to or from lands is not disrupted.
- Irrigation water to individual lots will be accomplished on a basis. Lot owners will be required to co-ordinate flow times and quantities with other lot owners in Subdivision.
- Whereby made to the Record Conditions, Covenants, Conditions of Ward Subdivision for further irrigation and requirements and responsibilities.
- Whereby designated as open space and the agricultural use shall be maintained by the owners Association in accordance with the Zoning Ordinance for Non-Farm Developments.
- Lots 1, 2, 3 and 4 are not being used as lands.
- Lot area may be reduced in size without prior approval from the Central District Health Department.
- Domestic water supplies shall be provided and the water systems approved in restriction release.
- Whereby made to a public health letter from the Ada County Recorders office with additional restrictions.

PLANNING
DEVELOPMENT SERVICES




17 16 CP&F # 8137469
20 21

N 89° 49' 31" W
2636.21


E. DEER FLAT ROAD

S 1/4 Corner.
SE Corner SW 1/4
21 CP&F # 8405638

63-11523



P/O



P/O, 3 homes
in background

JUN 8 0 1994

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name FINWICK, SCOTT
STEWART LN. & HUBBARD RD.
Address KUNA, ID 83634
63-11523- per data box
Owner's Permit No. 63-91-2-038

7. WATER LEVEL

Static water level 118 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 13 °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as _____ materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other (specify type)

4. METHOD DRILLED

☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>250</u> inches	<u>4</u> inches +	<u>1</u> feet	<u>235</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 12 Material used in seal: ☐ Cement grout

☐ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent


Weld

☐ Cemented between strata

Describe access port _____
SANITARY WELL CAP

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name

Lot No. _____ Block No. JUN 30 1994

County ADA

NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 16 T. 2 N ☒ S ☐ R. 1 E ☒ W ☐

10.

Work started 3/22/91 finished 3/28/91

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Can-Ada Well Drilling Firm No. 304

Address 4250 Murphy Road Date 6/1/91
Kuna, Idaho

Signed by (Firm Official) *Earl Skinner*

and 
(Operator)

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

August 6, 1993

WARD STABLES
5250 HOODOO LANE
KUNA ID 83634

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11523

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

AUG 27 1993

DEBRA ALSAKER-BURKE
REBECCA W. ARNOLD
JOSEPH H. BAIRD
NANCY A. BASKIN
CHRISTOPHER J. BEESON
JOANN C. BUTLER
MICHAEL C. CREAMER
JEFFREY C. FEREDAY
JULIE KLEIN FISCHER
RAYMOND D. GIVENS
JUDITH K. HOLCOMBE
ROBERT C. HUNTLEY, JR.
DAVID R. LOMBARDI
KENNETH R. MCCLURE
CHRISTOPHER H. MEYER
L. EDWARD MILLER
PATRICK J. MILLER
TERRY L. MYERS
STEVEN L. OLSEN
KENNETH L. PURSLEY
CONLEY WARD
STEPHANIE C. WESTERMEIER

LAW OFFICES
GIVENS PURSLEY & HUNTLEY
SUITE 200, PARK PLACE
277 NO. 6TH STREET
POST OFFICE BOX 2720
BOISE, IDAHO 83701

JAMES A. MCCLURE
OF COUNSEL
DAVID E. MABE
LEGISLATIVE SPECIALIST

RECEIVED
JUL 28 1993
Department of Water Resources

TELEPHONE
(208) 342-6571

FACSIMILE
(208) 343-9492
(208) 342-8920

July 26, 1993

Ms. Karen L. Gustafson
Records Manager
Idaho Department of Water Resources
1301 Orchard Street
Statehouse Mail
Boise, ID 83720-9000

Re: Ward Stables - Well Drilling Permit No. 63-91-C-0038-000

Dear Ms. Gustafson:

Thank you for your July 21, 1993 reminder regarding the additional fee required for the above-referenced well drilling permit. Enclosed please find Ward Stables' check in the amount of ONE HUNDRED SIXTY FIVE DOLLARS, as full payment for the well drilling permit. I apologize for any inconvenience the delay may have caused to you.

Sincerely,



Michael C. Creamer

MCC/mc
Enclosure

RECEIVED

AUG 27 1993

MEMORANDUM

June 12, 1991

FROM: Rita Fleck 

RE: Drilling Permit No. 63-91-Z-038
Water Appropriation Application No. 63-11523

Cindy from Western Regional office called. She has compared the drilling permit and water permit and notes that there is a discrepancy in the proposed uses. The drilling permit indicates domestic use, but the application for permit is for a diversion rate of 0.10 cfs for what appears to be three domestic uses.

The drilling permit fee may be inadequate. Check the file at the time proof of beneficial use is submitted on the permit.

RECEIVED

SEP 17 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 21, 1993

Ward Stables
c/o Michael Creamer
PO Box 2720
Boise, ID 83701

Re: Permit No. 63-11523
Drilling Permit No. 63-91-0038-000

Dear Mr. Creamer:

On June 21, 1993, the Department corresponded with you and explained the need to submit an additional \$165 to upgrade the drilling permit from a domestic to non domestic use. Some time later I spoke on the telephone with either you or Mr. Ward about the fee and was assured that it was forthcoming. However, as of this date the Department still has not received the additional fee.

Please note that the Department cannot accept the proof of beneficial use and continue with the field examination and eventual issuance of a water right license until this fee is received.

Please submit the additional \$165 drilling permit fee directly to me within 15 days of the date of this mailing.

If you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 21, 1993

Ward Stables
c/o Michael C Creamer
PO Box 2720
Boise, ID 83701

Re: Permit No. 63-11523
Drilling Permit No. 63-91-C-0038-000

Dear Permit Holder:

Enclosed is a copy of the Proof of Beneficial Use submitted in connection with the above referenced water right. It, and your permit to appropriate water (copy enclosed), both indicate that the water is diverted for the use of four (4) domestic homes. Also enclosed is a copy of the drilling permit for which you applied in connection with this water right. It also indicates the extent of use to be domestic. However, as you can see, domestic use constitutes the diversion of 0.04 cfs or less. In order to supply four (4) domestic homes, your water right permit was issued to allow diversion of 0.10 cfs. Therefore, your drilling permit should have been issued for non-domestic use.

You were accordingly charged \$35 for the domestic well drilling permit. However, because of the use you have indicated (domestic for four (4) homes), the drilling permit is no longer considered strictly domestic. The charge for a non-domestic drilling permit is \$200.

Before the Department can accept the proof of beneficial use as filed, you will need to pay the additional \$165 fee to upgrade the drilling permit to a non-domestic. I will hold your file for 30 days to allow you time in which to submit the additional fee. Please submit the additional \$165 drilling permit fee directly to me.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

RECEIVED

AUG 27 1993

C: IDWR Regional Office

Enclosures

DEBRA ALSAKER-BURKE
REBECCA W. ARNOLD
JOSEPH H. BAIRD
NANCY A. BASKIN
CHRISTOPHER J. BEESON
JOANN C. BUTLER
MICHAEL C. CREAMER
JEFFREY C. FEREDAY
JULIE KLEIN FISCHER
RAYMOND D. GIVENS
JUDITH K. HOLCOMBE
ROBERT C. HUNTLEY, JR.
DAVID R. LOMBARDI
KENNETH R. MCCLURE
CHRISTOPHER H. MEYER
L. EDWARD MILLER
PATRICK J. MILLER
TERRY L. MYERS
STEVEN L. OLSEN
KENNETH L. PURSLEY
CONLEY WARD
STEPHANIE C. WESTERMEIER

LAW OFFICES
GIVENS PURSLEY & HUNTLEY
SUITE 200, PARK PLACE
277 NO. 6TH STREET
POST OFFICE BOX 2720
BOISE, IDAHO 83701

RECEIVED

JUN 18 1993

Department of Water Resources
JAMES A. MCCLURE
OF COUNSEL
DAVID E. MABE
LEGISLATIVE SPECIALIST

TELEPHONE
(208) 342-6571

FACSIMILE
(208) 343-9492
(208) 342-8920

June 17, 1993

Karen L. Gustafson
Department of Water Resources
1301 No. Orchard Street
Statehouse Mail
Boise, ID 83720-9000

Re: Permit No. 63-11523

Dear Ms. Gustafson:

Enclosed please find the Proof of Beneficial Use for Ward Stables, Permit No. 63-11523, together with our check in the amount of \$50.

If you have any questions, please call me or Conley Ward at 342-6571.

Sincerely,
Dictated by Mr. Creamer
but mailed without
signature to avoid delay
Michael C. Creamer

MCC:sr
Enclosures
cc: Conley Ward

RECEIVED
JUN 22 1993
JUN 22 1993

April 30, 1993

WARD STABLES
5250 HOODOO LANE
KUNA ID 83634

PROOF DUE NOTICE

RE: PERMIT NO. 63-11523

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

336-6683

1. WELL OWNER

Name FINWICK, SCOTT
STEWART LN. & HUBBARD RD.
Address KUNA, ID 83634
Owner's Permit No. 63-91-2-038

7. WATER LEVEL

Static water level 118 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 13 °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

WR# 63-11523

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
120	229	4

3. PROPOSED USE

- ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
9"	0	2	Top Soil	No	
9"	2	18	Solid Lava Rock	No	
6"	18	80	Solid Lava Rock	No	
6"	80	120	Cemented Gravel	No	
6"	120	160	Sandstone	No	
6"	160	210	Heaving Sand	Yes	
6"	210	215	Clay	No	
6"	215	218	Sand	No	
6"	218	220	Clay	No	
6"	220	230	Heaving Sand	Yes	
6"	230	235	Clay	No	
6"	235	236	Sand	Yes	
6"	235	236	SAND	yes	

4. METHOD DRILLED

- ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness _____ Diameter _____ From _____ To _____
_____ inches _____ inches + _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation _____ inches by _____ inches

Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 18 Material used in seal: ☐ Cement grout
☐ Bentonite ☒ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth


Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld

☐ Cemented between strata

Describe access port _____
SANITARY WELL CAP

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____

County ADA

NE 1/4 SW 1/4 Sec. 16, T. 2 N ☒ S ☐ R. 1 E ☒ W ☐

10.

Work started 3/22/91 finished 3/28/91

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name Can-Ada Well Drill Firm No. 304

Address 4250 Murphy Road Date 6/1/91
Kuna, Idaho

Signed by (Firm Official) Earl Skinner

and _____
(Operator)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 25, 1991

WARD STABLES
5250 HOODOO LANE
KUNA, ID 83634

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11523

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

JUL 15 1991

Drilling Permit No. 63-91-2-038

Water Right Permit No. 63-11523

Injection Permit No. _____

RECEIVED
APR 11 1991

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

Department of Water Resources

1. Applicant (please print) PMA of IDAHO for Ward Stables

2. Mailing Address 1601 N 12th #5

Boise, ID. 83702 Telephone 336-6683

☒ Well Owner () Well Operator () Other, specify

3. Proposed well location NE 1/4 SW 1/4, or Gov't Lot No. _____

Sec. 16, Twp. 2N, Rge. 1E, County ADA

Street Address of Well Site 5250 HooDoo Lane, KUNA ID.

Lot, block and subdivision _____

4. Proposed use of well:

☒ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

() Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 4" Proposed Maximum Depth 150'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
- () 85°F to 212°F (Low temp. geothermal well)
- () 212° or more (Geothermal well)

6. Construction Start Date 3/20/91 JUL 15 1991

7. Anticipated Well Driller
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Kenneth D. [Signature] Date 3/15/91

Title Developer
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date March 15, 1991

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

MICROFILMED

JUL 15 1991

Betty D. Fleener
Signature of Authorized Department Representative

Chief, Resource Protection Bureau
Title

Receipt No. 0028290 009944 Received by lt Fee 165.00 35.00 Date 7-28-93 3-18-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

63-11523

WARD STABLES
5250 HOODOO LANE
KUNA, ID 83634

Source: GROUNDWATER

Diversion Pt: NESW Sec 16 T 02N R 01E

Use: DOMESTIC (.100 CFS)

Total Diversion: (.100 CFS)

Date Filed: 4/11/ 1991

In: T02N R01E S16 NESW NWSW SESW

APR 15 1991