



63-11506





63-11506

Kuma
main
Hwy

R1E

LOCUST gnr

plu

P10

Amity

Lake Hazel

T3N


T2N

RECORDED
JUN 04 1931

192 ACRES APPLIED FOR
290 acres total
grant lots 531-W & N only
532-NONE

S 6 lots 152

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	HS Elect	100	R-9985-01-210 R 2113092 S		16" → 10-12"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


2. Measurements:

Theoretical

JUN 29 1994

130

Handwritten title: Thompson's No. 2



Handwritten note: Duplicate filed in the U.S. ...

Microfilm

JUN 29 1994





16" well
100 HP pump

open
discharge



FROM WEN

JUN 29 1994



gravity irrig
with Boise
Kuna Water



p/u

PLANTING

JUN 29 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11506

Priority: April 1, 1991

Maximum Diversion Rate:

3.00 CFS

This is to certify, that J C MURGOITIO
5985 S LOCUST GROVE

MERIDIAN ID 83642

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 1, 1991; and has submitted Proof of Beneficial Use on April 6, 1993. An examination indicates that the works have a diversion capacity of 3.350 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	3.00 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 32, Township 03N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01E	6	Lot 1(NENE) 25	SENE 20		45
		31	NESE 28	NWSE 37	SWSE 38	
			SESE 40			143
		32	NWSW 12	SWSW 23		35

Total number of acres irrigated: 223

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with Rights 63-07944 and 63-07970 shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
5. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
6. This right is limited to the irrigation of 192 acres within the place of use described above in a single irrigation season.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9th day of MAY, 1994.

JUN 29 1994

Acting for R. Keith Higginson, Director

APPROVED

State of Idaho
Department of Water Resources

RECEIVED
MAY 03 1994
Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 63-11506

Date of Priority: April 1, 1991
Comes now J C MURGOITIO
5985 S LOCUST GROVE
MERIDIAN ID 83642

Maximum Diversion Rate: 3.00 CFS

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-11506, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	3.00 CFS	

LOCATION OF POINT(S) OF DIVERSION: SWSW , Sec. 32, Township 03N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01E	6	Lot 1(NENE) 25	SENE 20		45
		31	NESE 28	NWSE 37	SWSE 38	
			SESE 40			143
		32	NWSW 12	SWSW 23		35

Total number of acres irrigated: 223

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at _____, this 2nd day of May, 19 94.

MURGOITIO

JUN 29 1994

J. C. Murgoitio
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11506

FOR DEPARTMENT USE ONLY

Preliminary check by BE Fee = 20⁰⁰ Receipted by dw # C030203 Date 5/3/94 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 63-11506 with the following;

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with Rights 63-07944 and 63-07970 shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
5. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
6. This right is limited to the irrigation of 192 acres within the place of use described above in a single irrigation season.

Witness my hand this 9TH day of MAY, 1994.

Acting for R. Keith Higginson, Director

JUN 29 1994

RECEIVED
STATE OF IDAHO

Ident. No. 63-11506

APPROVED

Department of Water Resources

APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

Comes now J.C. MURGOITIO

Phone 888 2556

of (address) 5985 S. LOCUST GROVE RD MERIDIAN, and represents to the

Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-11506, and requests that the permit and permit map be changed as follows: (No change)

1. Point of diversion: SW 1/4 SW 1/4, Section 32, Township 3N, Range 1E, B.M., County of ADA. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.) (No change)

Amount 3.0 for IRR purposes from 3/15 to 4/15 (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)


3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	1E	31													28	37	38	40	143
		32									12	23							35
2N	1E	6	14																14

Total number of acres to be irrigated = 192

4. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or the place of use? "
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

JUL 01 1993



That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at L.C. Murgerton this 5 day of March, 1993.

(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by 20 Fee = \$20.00

Received by CY4 Date 3/5/93

Publication prepared by SL Date 4/2/93

Published in 4/15 & 4/22/1993

Publication dates Idaho Statesman

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON

, of the Department of Water Resources hereby

approve the above referenced application for amendment provided the conditions as set forth in Permit No. 63-11506 are met.

Witness my hand this

26th day of

May, 1993
L. Glen Saxton

JUL 01 1993

RECEIVED

APR - 6 1993

OFFICE USE ONLY
Amt. of Fee \$ 150.00
Date 4-6-93
Receipt No. C037149
Receipt by CA

STATE OF IDAHO Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11506 Telephone No. 888-2556
2. Name(s) of Permit Holder(s): JC Murgaito
3. Mailing Address: 5985 S Locust Grove Meridian, ID 83642
4. Source of Water: Groundwater
- If GROUNDWATER, Well Driller's Name: Pete Cope Date Drilled: 1991

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)
Irrigation 192 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 3.00 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes NO Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? Yes _____ No Installed? Yes _____ No

8. Fee Enclosed: \$ 150.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

permit holder
Name _____ Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

APR 22 1993

April 6
Date

JC Murgaito
Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11506

Proposed Priority: April 1, 1991 Maximum Diversion Rate: 3.00 CFS

This is to certify, that **J.C. MURGOITIO**
5985 S. LOCUST GROVE
MERIDIAN, ID 83642

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	3.00 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWSW Sec. 32, Township 03N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01E	31	NESE 40	NWSE 40	SWSE 40	160
		32	SESE 40	SWSW 15	SESW 2	32
			NWSW 15			

Total number of acres irrigated: 192

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **June 1, 1993**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

JUN 04 1991


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11506

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23 day of May, 1991.

for

R. Keith Higginson, Director



RECORDED
JUL 04 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: J.C. MURGOITTO 208-888-2556
Address: 5985 S. LOCUST GROVE
MERIDIAN, ID 83642

2. Source: GROUNDWATER Trib. to:

3. Location of Point of Diversion: SWSW Sec. 32, Township 03N, Range 01E
ADA County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	3.000		

5. Total quantity to be appropriated is:
3.000 CFS (and/or) AF

6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
WELL & PUMP FOR SUPPLEMENTAL IRRIGATION
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 16 inches; proposed depth of well is 400
feet.
 - d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 years.

8. Description of proposed uses:

9. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
03N 01E 31	NESE 40	NWSE 40	SWSE 40	
	SESE 40			160
32	NWSW 15	SWSW 15	SESW 2	32

Total number of acres irrigated: 192

JUN 04 1991

ACRES REDUCED FROM 290 TO 192 5/1/91 by OWNER. LW

10. Describe any other water rights used for the same purposes.
BOISE KUNA IRRIGATION DISTRICT

11. a. Who owns the property at the point of diversion?
APPLICANT

b. Who owns the land to be irrigated or place of use?
APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by SL Date 4-1-91 Time 3:12 Preliminary check by LW

Fee \$ 85 Receipted by SL # W013167 Date 4-1-91

Publication prepared by GG Date 4-10-91 Published in ID Statesman

Publication approved st Date 5-7-91 ^{4/18 & 4/25/91}

APR 04 1991

Ident. No. 63-11506

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: J.C. MURGOITIO 208-888-2556
Address: 5985 SOUTH LOCUST GROVE
MERIDIAN, ID 83642
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWSW Sec. 32, Township 03N, Range 01E
ADA County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|----|
| IRRIGATION | 03/15 | 11/15 | 3.000 | | |
5. Total quantity to be appropriated is:
3.000 CFS (and/or) AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
WELL & PUMP FOR SUPPLEMENTAL IRRIGATION
 - Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is 16 inches; proposed depth of well is 400
feet.
 - Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 years.
8. Description of proposed uses:
SUPPLEMENTAL IRRIGATION

9. Place of Use: IRRIGATION

JUN 04 1991

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
02N	01E	6	LOT 1 (NENE) 36	LOT 2 (NWNE) 10	SWNE 4	
			SENE 34			84
03N	01E	31	SWNE 10	SENE 4	NESE 40	160
			NWSE 40	SWSE 40	SESE 40	174
		32	NWSW 15	SWSW 15	SESW 2	32

Total number of acres irrigated: 290
192

* ACRES REDUCED TO 192 5/1/91. LW CHANGED IN
DATA BASE - SEE REVISED APPL.

10. Describe any other water rights used for the same purposes.
BOISE KUNA IRRIGATION DISTRICT

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

* J. C. Murphree
Applicant

Received by SL Date 4-1-91 Time 3:12 Preliminary check by W 013167


Fee \$ 85⁰⁰ Receipted by SL # 650115 Date 4-1-91


Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

APR 04 1991

63-1150





Locust Grove Sch

Gravel Pit

RIDENBAUGH

MC DONALD

Ninemeile

Flume

29

28

Locust Grove

Amity

plu

Gravel

PIT

IRVING

Columbia School

ECOLOPY

mile Communit
CH

192 ACRES
90 acres total

31-W

32-N

152



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 10, 1994

J C MURGOITIO
5985 S LOCUST GROVE
MERIDIAN ID 83642

RE: WATER RIGHT NO. 63-11506

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Jim Johnson', written over a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

JUN 29 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 28, 1994

J C MURGOITIO
5985 S LOCUST GROVE
MERIDIAN ID 83642

RE: WATER RIGHT NO. 63-11506

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur or have any questions with this information, please contact me as soon as possible. My telephone number is (208) 327-7947.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

JUN 29 1994

WR0749NP
No. L63-11506

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 04/25/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	J C MURGOITIO 5985 S LOCUST GROVE MERIDIAN ID 83642 (208) 888-2556	04/01/1991	IRRIGATION	03-15 11-15	3.00 CFS	
					TOTAL DIVERSION:	3.00 CFS

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 3.35 CFS

Point(s) of Diversion: T03N R01E S32 SWSW ADA County

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE				
T	R	S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM			
03N	01E	6	01-25					20													45.0			
03N	01E	31																28	37	38	40	143.0		
03N	01E	32												12	23							35.0		
																				TOTAL ACRES	223.0			

Pou County: ADA

Other Rights: BOISE KUNA IRRIGATION DISTRICT

Other Water Rights with Same Point(s) of Diversion and Source:
63-11506

Other Water Rights Listing Overlapping Place(s) of use:
63-07944 63-07970 63-11506

Remarks: This right when combined with Rights 63-07944 and 63-07970 shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
This right is limited to the irrigation of 192 acres within the place of use described above in a single irrigation season.

Dates: App. Received: 04/01/1991 Priority Date: 04/01/1991
Proof Due Date: 06/01/1993 Proof Made Date: 04/06/1993
Exam Made Date: 08/26/1993 Exam Sent to S.O.: 03/28/1994
Licensed Date:

Misc: Water District Number: 63 Field Exam Fee: R (Received)

Comments: Date: 05/24/1993 User-ID: ZIMMERMA Subject: AMENDED PERMIT

WR0749NP
No. L63-11506

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 04/25/94
PAGE: 2

=====
Comments: Date: 05/24/1993 User-ID: ZIMMERMA Subject: AMENDED PERMIT
This permit has been amended to change the place of use.

Audit: 04/25/94 CHAPMAN

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525

WR-NUMBER	SOURCE	NE				NW				SW				SE				NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac							
L6311506	T03N R01E S 6	GROUNDWATER																																
	: 01-25					20																												
6300198X	BOISE RIVE																																	
A6300230F	BOISE RIVE																																	
A6300231	BOISE RIVE																																	
6302133	UNNAMED ST																																	
6302388	BOISE RIVE																																	
A6302388	BOISE RIVE																																	
6302536	GROUNDWATE																																	
A6302536	GROUNDWATE																																	
A6302536A	GROUNDWATE																																	
A6303060	BOISE RIVE																																	
6305136	GROUNDWATE																																	
6309966	GROUNDWATE																																	
A6309966	GROUNDWATE																																	
6310779	GROUNDWATE																																	
6311506	GROUNDWATE																																	
A6315557	GROUNDWATE																																	
A6322818	GROUNDWATE																																	
L6311506	T03N R01E S31	GROUNDWATER																																
	:																	28				37				38				40				
6302388	BOISE RIVE																																	
A6302388	BOISE RIVE																																	
6302991	WATKINS DR																																	
6307944	WASTE WATE																																	
6307970	WASTE WATE																																	
6308042	GROUNDWATE																																	
A6308042	GROUNDWATE																																	
6311506	GROUNDWATE																																	
A6316766	GROUNDWATE																																	
A6322983	WASTEWATER																																	
L6311506	T03N R01E S32	GROUNDWATER																																
	:																	12				23												
6302388	BOISE RIVE																																	
A6302388	BOISE RIVE																																	
6304169	GROUNDWATE																																	
6304584	UNNAMED DR																																	
6309669	GROUNDWATE																																	
A6309669	GROUNDWATE																																	
6309869	GROUNDWATE																																	
6310265	GROUNDWATE																																	
6310416	GROUNDWATE																																	

POU COMPARISON

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '1' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM					
		NE		NW		SW		SE		NE		NW		SW		SE							
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac						
A6310416	GROUNDWATE :													34	:	05				40	34		113
6310780	GROUNDWATE :														:							10	10
6310998	GROUNDWATE :													03	:								3
6311026	GROUNDWATE :												03		:								3
~~6311506~~	~~GROUNDWATE :~~														:								~~35~~
A6315603	UNNAMED DR :														:								13
A6316414	TEN MILE C :														:	40	:	40			40	40	160

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11506 DATE 4-22-94



NAME Yes No ☒ Or Address Change?
 PRIORITY DATE Yes No ☒ Advance? Advanced to:
 Order to reinstate needed? NO
 Incorrect fee for rate recommended? NO

SOURCE Yes No ☒ Changes or just clarification of originally intended source?
 Notice of Intent to Void necessary? NO

POINT OF DIV Yes No ☒ Amendment needed?
☒ Overlaps?

PLACE OF USE Yes No ☒ Amendment needed? Add SENE SEC 6
☒ Overlaps? 63-7944, 07970 & 02388 In Dist
 (DIFFERENCE) SOURCE OF WATER

DIV RATE Yes No ☒ Measurement done? Pump Curve Q = 3.35 CFS
 Theoretical only? NO

all 3 rights combined come up to .02 cfs per acre

ANNUAL VOLUME Yes No ☒ Season of use: 0/4.5
 Calculations: 192 x 4.5 = 864
 Capacity: 3.35 Combined rates exceed capacity
 Allowable amount: Permit limit @ 3.0

Flow limit: 3 cfs x 246 x 1.9835 = 1463
 Combined volumes exceed capacity/allowable
 USES Yes No ☒ Change(s) in Nature of Use?
 Amendment necessary?

REMARKS W34, WB3, W27 Multiple p/d(s) in 1/4?
 Other BOISE KUWA IND DIST WATER & Waster Water

CONDITIONS Yes No ☒ Measuring/Locking Devices
☒ Watermaster control - District
☒ Irrigation Overlap
☒ Water Quality
☒ Other

COMMENTS: Permissible Place of Use Now / 192 within 223.

RECOMMENDED

CFS

VOLUME

Amend P/U

LICENSE NO

Irrigation

3

1ST AMENDMENT LETTER P41 + P38

FINAL AMENDMENT LETTER P42

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

APR 01 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11506

1. Owner: J.C. Murgaitis Phone No. 888-2556

Current Address: 5985 S Locust Grove Rd

2. Accompanied by: J.C. Murgaitis EXAM DATE: 8/26/93

Address: same Phone No. _____

Relationship to Permit Holder: owner

3. Source: Ground Water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-07944, -07970, -02388

2. Other water rights with the same point of diversion: —

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	32	3N	12	ada	USGS Quad ASCS Photo


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	12	32										12	23						35
		31													28	37	38	40	143
2N	12	06	41																45
			25			20													

JUN 29 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for Irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	LS Elect	100	R-9985-01-210 R 2113092 S		16" → 10-12"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical

JUN 29 1994

E. NARRATIVE/REMARKS/COMMENTS

A 16" well with a 100HP pump supplies water to 223 acres via gravity irrigation with cement ditches, gated pipe and 2 fine HP booster pumps. The ground water is used with Boise/Kuna Irrigation District water and waste water licenses 63-07944 and 63-07970. No other water rights are used.

This right is limited to the irrigation of 192 acres within the P/M described above in a single irrigation season.

(See attached ASCS photo for distribution diagram)

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED
JUN 29 1994

F. FLOW CALCULATIONS

Measured Method:

N/A - $\frac{100 \times 8.8 \times 7}{190} = 3.24 \text{ cfs}$

boulder set @ 200' per Layne Pump

Additional Computation Sheets Attached

Pump capacity = 1500 GPM
= 3.35 cfs

per Layne Pump
see attached curve

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 192 \times 4.5 = 864$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 3 \times 246 \times 1.9835 = 1463.8$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 864$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	3	864
Totals:			3	864

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Loi G. Garrow Date 9/1/93

Reviewer _____ Date _____


SEAL

RECEIVED

JUN 29 1994

GOULDS PROPOSAL NO.	GOULDS S.O. NO.	INQUIRY NO.	CUSTOMER P.O. NO.	P.O. DATE	ITEM NO.	CUSTOMER	Customer: <i>Joe Maggiorio</i>	
PROJECT	SERVICE		F.T. TDH		GPM CAPACITY	EFFICIENCY	RPM	
					1500		1760	
					160'			


4 stage



Curve No 1175-1	Size: 12 DHL	RPM: 1760
EFFICIENCY CHART		
STGS.	1	4
	2	2
	3	1
Perf. based on: Brz. Impellers & C.I. Vitrigloss enamelled Bowls.		
Impeller * OPEN		
K = 23.0 Lbs./Ft.		
K = 34.2 Kg./M.		
K(Bal) =		
GOULDS PUMPS VERTICAL PUMP DIVISION CITY OF INDUSTRY, ALABAMA		
Characteristic based upon pumping clear, non-aerated water. Rating point only is guaranteed. Column losses not included.		

TDH = 160 / 4 stages = 40' h/d / stage

JUN 29 1988



JUN 29 1994

COURT GROV

Columbia School

HIGWAY

ROAD

6

ENGL

GRAVE

PIT

LAT

30

T3N R1E sec 31+32
sec 6

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-91-W-190 OTHER APPLICABLE NO: 63-11506
2. OWNER: JC Murgaitis Phone: 888-2556
Address: 5985 S Locust Grove Rd Meridian
3. WELL LOCATION: Twp 3N, Rge. 1E, Sec. 32, SW 1/4 SW 1/4
County ada (Provide sketch map and photo on reverse.)
4. DRILLER: Pete Cope Lic. No. 213
When Drilled? 1991
5. WELL CONSTRUCTION:
- Casing Diameter 16 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 385 ft. Method Drilled irrigation
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
- Depth to Static Water 50 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
- | | | |
|---------------------------------------|---|-------------------------------------|
| ☐ Domestic | ☒ Irrigation | ☐ Stock |
| ☐ Test | ☐ Municipal | ☐ Industrial |
| ☐ Abandoned | ☐ Waste Disposal/Injection | ☐ Not Used |
| ☐ Other: _____ | | |

RECEIVED
JUN 29 1994

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemiga ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:** _____

Lon Guzman
Signature of Dept. Representative & Title

8/26/93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED

JUN 29 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCE
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resource, within 30 days after the completion or abandonment of the well.

USE TYPEWRITER OR
BALL POINT PEN
RECEIVED

AUG 02 1991

1. WELL OWNER Name <u>J. C. Murgoitio</u> Address <u>5985 S. Locust Grove, Meridian</u> Owner's Permit No. <u>63-91-W-190</u>		7. WATER LEVEL Department of Water Resource Western Regional Office Static water level <u>50</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____ <i>Describe artesian or temperature zones below</i>																																																																																																																																																		
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																														
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																		
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th>Bore Diam.</th><th>Depth From</th><th>To</th><th>Material</th><th>Water Yes No</th></tr></thead><tbody><tr><td>28"</td><td>0</td><td>1</td><td>topsoil</td><td>x</td></tr><tr><td> </td><td>2</td><td>6</td><td>hard pan</td><td>x</td></tr><tr><td> </td><td>6</td><td>20</td><td>sand Gravel & rock</td><td>x</td></tr><tr><td> </td><td>20</td><td>27</td><td>fine to coarse sand</td><td>x</td></tr><tr><td> </td><td>27</td><td>29</td><td>lite brn. clay</td><td>x</td></tr><tr><td> </td><td>29</td><td>32</td><td>fine to coarse sand</td><td>x</td></tr><tr><td> </td><td>32</td><td>35</td><td>lite brn clay</td><td>x</td></tr><tr><td> </td><td>35</td><td>50</td><td>fine to crse sand</td><td>x</td></tr><tr><td> </td><td>50</td><td>60</td><td>lite brn clay</td><td>x</td></tr><tr><td> </td><td>60</td><td>85</td><td>fine to med sand</td><td>x</td></tr><tr><td> </td><td>85</td><td>102</td><td>fine to crse sand</td><td>x</td></tr><tr><td> </td><td>102</td><td>122</td><td>lite brn clay</td><td>x</td></tr><tr><td> </td><td>122</td><td>131</td><td>lite brn sand</td><td>x</td></tr><tr><td> </td><td>131</td><td>138</td><td>lite brn clay</td><td>x</td></tr><tr><td> </td><td>138</td><td>140</td><td>crse black sand</td><td>x</td></tr><tr><td> </td><td>140</td><td>161</td><td>lite brn clay</td><td>x</td></tr><tr><td> </td><td>161</td><td>200</td><td>fine to med sand</td><td>x</td></tr><tr><td> </td><td>200</td><td>215</td><td>lite brn clay</td><td>x</td></tr><tr><td> </td><td>215</td><td>230</td><td>fine to med sand</td><td>x</td></tr><tr><td> </td><td>230</td><td>255</td><td>lite brn clay w/ sand</td><td>x</td></tr><tr><td> </td><td>255</td><td>282</td><td>fine to crse sand w/ pea gravel</td><td>x</td></tr><tr><td> </td><td>282</td><td>285</td><td>blue clay</td><td>x</td></tr><tr><td> </td><td>285</td><td>295</td><td>fine to med sand</td><td>x</td></tr><tr><td> </td><td>295</td><td>305</td><td>blue clay</td><td>x</td></tr><tr><td> </td><td>305</td><td>338</td><td>fine to crse sand and pea gravel</td><td>x</td></tr><tr><td> </td><td>338</td><td>341</td><td>blue clay</td><td>x</td></tr><tr><td> </td><td>341</td><td>384</td><td>fine to crse sand and 4" gravel</td><td>x</td></tr><tr><td> </td><td>384</td><td>385</td><td>boulders</td><td>x</td></tr></tbody></table>		Bore Diam.	Depth From	To	Material	Water Yes No	28"	0	1	topsoil	x		2	6	hard pan	x		6	20	sand Gravel & rock	x		20	27	fine to coarse sand	x		27	29	lite brn. clay	x		29	32	fine to coarse sand	x		32	35	lite brn clay	x		35	50	fine to crse sand	x		50	60	lite brn clay	x		60	85	fine to med sand	x		85	102	fine to crse sand	x		102	122	lite brn clay	x		122	131	lite brn sand	x		131	138	lite brn clay	x		138	140	crse black sand	x		140	161	lite brn clay	x		161	200	fine to med sand	x		200	215	lite brn clay	x		215	230	fine to med sand	x		230	255	lite brn clay w/ sand	x		255	282	fine to crse sand w/ pea gravel	x		282	285	blue clay	x		285	295	fine to med sand	x		295	305	blue clay	x		305	338	fine to crse sand and pea gravel	x		338	341	blue clay	x		341	384	fine to crse sand and 4" gravel	x		384	385	boulders	x
Bore Diam.	Depth From	To	Material	Water Yes No																																																																																																																																																
28"	0	1	topsoil	x																																																																																																																																																
	2	6	hard pan	x																																																																																																																																																
	6	20	sand Gravel & rock	x																																																																																																																																																
	20	27	fine to coarse sand	x																																																																																																																																																
	27	29	lite brn. clay	x																																																																																																																																																
	29	32	fine to coarse sand	x																																																																																																																																																
	32	35	lite brn clay	x																																																																																																																																																
	35	50	fine to crse sand	x																																																																																																																																																
	50	60	lite brn clay	x																																																																																																																																																
	60	85	fine to med sand	x																																																																																																																																																
	85	102	fine to crse sand	x																																																																																																																																																
	102	122	lite brn clay	x																																																																																																																																																
	122	131	lite brn sand	x																																																																																																																																																
	131	138	lite brn clay	x																																																																																																																																																
	138	140	crse black sand	x																																																																																																																																																
	140	161	lite brn clay	x																																																																																																																																																
	161	200	fine to med sand	x																																																																																																																																																
	200	215	lite brn clay	x																																																																																																																																																
	215	230	fine to med sand	x																																																																																																																																																
	230	255	lite brn clay w/ sand	x																																																																																																																																																
	255	282	fine to crse sand w/ pea gravel	x																																																																																																																																																
	282	285	blue clay	x																																																																																																																																																
	285	295	fine to med sand	x																																																																																																																																																
	295	305	blue clay	x																																																																																																																																																
	305	338	fine to crse sand and pea gravel	x																																																																																																																																																
	338	341	blue clay	x																																																																																																																																																
	341	384	fine to crse sand and 4" gravel	x																																																																																																																																																
	384	385	boulders	x																																																																																																																																																
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		5. WELL CONSTRUCTION See Attached Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>250 inches</td><td>16" inches +</td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches Number _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Roscoe Moss</u> Type <u>Continuous wire</u> Model No. <u>Heavy</u> Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel <u>3/8</u> - Placed from <u>60</u> feet to <u>385</u> feet Surface seal depth <u>60</u> Material used: ☐ Seal: ☐ Cement grout ☐ Bentonite ☒ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port <u>2" pipe</u>		Thickness	Diameter	From	To	250 inches	16" inches +																																																																																																																																											
Thickness	Diameter	From	To																																																																																																																																																	
250 inches	16" inches +																																																																																																																																																			
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td></td><td></td><td></td><td></td></tr><tr><td>W</td><td></td><td></td><td></td><td>E</td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>S</td><td></td><td></td><td></td><td></td></tr></table> County <u>Ada</u> <u>29</u> 1994 Subdivision Name _____ Lot No. _____ Block No. _____ Be <u> </u> % se <u> </u> % Sec <u>32</u> T. <u>3n</u> S. R. <u>1e</u> W.		N					W				E											S					10. Work started <u>7/1/91</u> Work finished <u>7/5/91</u>																																																																																																																									
N																																																																																																																																																				
W				E																																																																																																																																																
S																																																																																																																																																				
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Pete Cope Drilling</u> Firm No. <u>213</u> Address <u>505 W. Chinden</u> Date <u>7/9/91</u> Signed by (Firm Official) <u>Joseph Jones</u> and (Operator) <u>Joseph Jones</u>																																																																																																																																																				

pg. 2
C

J. C. Murgottio
5985 S. Locust Grove Rd.
Meridian ID 83642
Permit# 63-91-w-190

"16" casing record .250 wall welded

1.5	-	175	176.5
195	-	275	80
295	-	305	10
335	-	345	10
375	-	385	10
0	-	0	0

286.5 total casing

16" Screen record .40 slot Roscoe Moss Continuous wire.

175	-	195	20
275	-	295	20
305	-	335	30
345	-	375	30
0	-	0	0

100 total screen

386.5 total screen+casing

3N 1E sec 32

RECEIVED

JUN 29 1961




16" well
100 HP pump




open
discharge

RECEIVED

JUN 29 1994



gravity irrig
with Boice
Kuna Water



p/u

JUN 29 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 27, 1993

J C MURGOITIO
5985 S LOCUST GROVE
MERIDIAN ID 83642


RE: Permit No. 63-11506

Dear Water Right Holder:

Enclosed is a copy of your approved Application for Amendment submitted in connection with the above referenced permit.


If you have any questions concerning this document, please feel free to contact us.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure



JUL 01 1993

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	J C MURGOITIO 5985 S LOCUST GROVE MERIDIAN ID 83642 (208) 888-2556	04/01/1991	IRRIGATION	03-15 11-15	3.00 CFS	
TOTAL DIVERSION:					3.00 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T03N R01E S32 SW SW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE																				
				NENE		NWNE		SWNE		SENE		NENW		NWNW		SWNW		SENW		NESW		NWSW		SWSW		SESW		NESE		NWSE		SWSE		SESE		
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM		
03N	01E	6	:	14																														14.0		
03N	01E	31	:																															143.0		
03N	01E	32	:																															35.0		
																												TOTAL ACRES		:	192.0					

Pou County: ADA

Other Rights: BOISE KUNA IRRIGATION DISTRICT

Other Water Rights with Same Point(s) of Diversion and Source:
63-11506

Other Water Rights Listing Overlapping Place(s) of use:
63-07944 63-07970 63-11506

Conditions of Approval:

- 26A - Project construction shall commence within one year from the
 - date of permit issuance and shall proceed diligently to
 - completion unless it can be shown to the satisfaction of the
 - Director of the Department of Water Resources that delays were
 - due to circumstances over which permit holder had no control.
- 01G - Prior to the diversion of water under this right a flow
 - measurement port or other device as specified by the Department
 - shall be installed to provide for the installation of measuring
 - equipment and the determination of the rate of diversion by the
 - Department.
- 046 - Right holder shall comply with the drilling permit
 - requirements of Section 42-235, Idaho Code.
- 03A - The rate of diversion of water for irrigation under this right
 - and all other water rights on the same land shall not exceed 0.02
 - cubic feet per second for each acre of land.

Dates: App. Received: 04/01/1991 Priority Date: 04/01/1991
 Proof Due Date: 06/01/1993 Proof Made Date: 04/06/1993
 Exam Made Date: Exam Sent to S.O.:
 Licensed Date:

WR0749NP
No. B63-11506

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 05/24/93
PAGE: 2

Misc: Water District Number: 63 Field Exam Fee: R (Received)

Comments: Date: 05/24/1993 User-ID: ZIMMERMA Subject: AMENDED PERMIT
This permit has been amended to change the place of use.

Audit: 05/24/93 ZIMMERMA

State of Idaho
Department of Water Resources

AMENDMENT ANALYSIS SHEET

INITIAL REVIEW BY: g

Right Number 63-11506 Applicant J.C. MURGOITIO

Purpose of Amendment: ☐ Change point of diversion. ☐ Add diversion point(s).

☐ Increase amount. ☒ Change place of use. ☐ Other _____

CHECK:

☒ Description of amended point(s) of diversion.

☒ Amount, nature and period of use. If increased, delay date of priority.

☒ Description of amended places of use. If expanded, delay date of priority.

☒ Ownership of point of diversion and place of use.

☒ Map.

☒ Signature (must be permit holder).

☒ Fee.

☒ Existing water rights from the same source, amended place of use.

☐ Right number(s) _____

☒ Yes ☐ No Should amendment be advertised?

☐ Yes ☒ No Should date of priority be delayed? If yes, to what date? _____

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received.

☒ Amendment published correctly.

☒ Protests processed.

☒ Approve.

☐ Deny.

Conditions _____

By Dnr Date 5/14/1993

STATE OFFICE PROCESSING:

☒ Amendment correct and complete. By CZ Date 5/24/93

☐ Approved copy sent to applicant and to Region. By CC Date 5/27/93

RECEIVED
MAY 17 1993

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

Account Number 047628		Identification NOTICE OF APPLICATION FOR AMENDMENT NO. 63-11506	
Ordered By Gail Garrett	P.O. Number	Rate NT	Run Dates April 15, 22, 1993
State of Idaho Department of Water Resources Western Region 2735 Airport Way Boise, Idaho 83705		Estimated Inches	Real Inches
		# Affidavits 1	Legal Number 4674

CAROL PAYNE-CULPAN

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for TWO

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of APRIL 15, 19 93

and ending with the issue of APRIL 22, 19 93

Carol Payne-Culpan

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 22ND day of APRIL in the year of 1993 before me, a Notary Public, personally appeared CAROL PAYNE-CULPAN, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Notary Public for Idaho

Residing at BOISE, ID

My commission expires: 11-27-93

NOTICE OF APPLICATION FOR AMENDMENT

NO. 63-11506

Notice is hereby given that permit No. 63-11506 in the name of J. C. Murgottio was filed on 4/1/1991 for the diversion 3.0 cfs from Ground-water with a point of diversion within the SWSW T03N R01E to be used for Irrigation purposes from 3/15 to 11/15 within portions of SE1/4 Sec. 31, S1/2SW and NWSW Sec. 32, T03N R01E, 192 acres total.

The permit holder now proposes to amend the permit by changing the place of use SE1/4 Sec. 31, NWSW and SWSW Sec. 32, T03N R01E, NENE Sec. 6 T02N R01E 192 acres total.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before May 3, 1993.

R. Keith Higginson, Director
Pub. April 15, 22, 1993 4674

RECEIVED

APR 26 1993

Department of Water Resources
Western Regional Office

JUL 01 1993

NOTICE OF APPLICATION FOR AMENDMENT
NO. 63-11506

Notice is hereby given that permit No. 63-11506 in the name of J.C. Murgoitio was filed on 4/1/1991 for the diversion 3.0 cfs from Groundwater with a point of diversion within the SWSW T03N R01E to be used for Irrigation purposes from 3/15 to 11/15 within portions of SE1/4 Sec. 31, S1/2SW and NWSW Sec. 32, T03N R01E, 192 acres total.

The permit holder now proposes to amend the permit by changing the place of use SE1/4 Sec. 31, NWSW and SWSW Sec. 32, T03N R01E; NENE Sec. 6 T02N R01E 192 acres total.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before May 3, 1993.

R. Keith Higginson, Director

Published in the Idaho Statesman on 4/15 & 4/22/1993

RECEIVED

JUL 01 1993

April 9, 1993

J.C. MURGOITIO
5985 S. LOCUST GROVE
MERIDIAN ID 83642

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11506

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

APR 22 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-11506 Reviewed by Klg Date 4/7/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 63-91-W-190-000
200 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
150 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
yes Installed?
NA Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due / -
No. of days late / =
Priority Date / +
New Priority Date /

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address _____

Proof Made 4/6/93
4/9/93 Klg

Drilling Permit No.
Water Right Permit
Injection Permit No.

63-91-W-190

63-11506 (Applicator)

Approved

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) J.C. Murgotio
2. Mailing Address 5985 S. West Grove Rd McAdams ID 83642
Telephone 888-2556
- (☒) Well Owner () Well Operator () Other, specify _____
3. Proposed well location SW 1/4 SW 1/4, or Gov't Lot No. _____
Sec. 32, Twp. 3N, Rge. 1E, County Ada
Street Address of Well Site _____
Lot, block and subdivision _____
4. Proposed use of well:
- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- (☒) Non-Domestic: Any beneficial use not included within the definition of domestic. Irrigation
- () Injection
- () Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
5. Well construction information:
- A. (☒) New well () Deepen () Replace - See Condition 9
- B. Proposed Surface Diameter 16" Proposed Maximum Depth 400'
- C. Anticipated bottom hole temperature:
- (☒) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)
6. Construction Start Date June 17, 1991
7. Anticipated Well Driller Pete Coyle
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature J.C. Murgotio Date 6/6/91
Title Owner
(Owner, Firm Representative, Other)

RECEIVED

APR 22 1993

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date 6-6-91

If approved, this permit authorizes the constuction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules Regulations.

SPECIFIC CONDITIONS:

Robert B. Whitney Sr Agent For Regional Mgr.
Signature of Authorized Department Representative Title

Receipt No. W013381 Received by RW Fee \$200 Date 6-6-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date APR 22 1993

This extension is good for 60 days beyond the above extension approval date.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.RECEIVED
AUG 02 1991
Ada

1. WELL OWNER Name <u>J. C. Murgoitio</u> Address <u>5985 S. Locust Grove, Meridian</u> Owner Phone No. <u>63-91-W-190</u>		7. WATER LEVEL Static water level <u>50</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.A. flow _____ Artesian closed in pressure _____ Controlled by: ☐ Valve ☐ Check _____ Temperature <u>98</u> Quality _____ Describe character or temperature of water _____																																																																																																																																																				
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																				
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>28"</td><td>0</td><td>1</td><td>topsoil</td><td>x</td></tr><tr><td>6</td><td>6</td><td>6</td><td>hard pan</td><td>x</td></tr><tr><td>6</td><td>20</td><td>20</td><td>sand Gravel & rock</td><td>x</td></tr><tr><td>20</td><td>27</td><td>27</td><td>fine to coarse sand</td><td>x</td></tr><tr><td>27</td><td>29</td><td>29</td><td>lite brn. clay</td><td>x</td></tr><tr><td>29</td><td>32</td><td>32</td><td>fine to coarse sand</td><td>x</td></tr><tr><td>32</td><td>35</td><td>35</td><td>lite brn. clay</td><td>x</td></tr><tr><td>35</td><td>50</td><td>50</td><td>fine to crse sand</td><td>x</td></tr><tr><td>50</td><td>60</td><td>60</td><td>lite brn. clay</td><td>x</td></tr><tr><td>60</td><td>85</td><td>85</td><td>fine to med sand</td><td>x</td></tr><tr><td>85</td><td>102</td><td>102</td><td>fine to crse sand</td><td>x</td></tr><tr><td>102</td><td>122</td><td>122</td><td>lite brn. clay</td><td>x</td></tr><tr><td>122</td><td>131</td><td>131</td><td>lite brn. sand</td><td>x</td></tr><tr><td>131</td><td>138</td><td>138</td><td>lite brn. clay</td><td>x</td></tr><tr><td>138</td><td>140</td><td>140</td><td>crse black. sand</td><td>x</td></tr><tr><td>140</td><td>161</td><td>161</td><td>lite brn. clay</td><td>x</td></tr><tr><td>161</td><td>200</td><td>200</td><td>fine to med sand</td><td>x</td></tr><tr><td>200</td><td>215</td><td>215</td><td>lite brn. clay</td><td>x</td></tr><tr><td>215</td><td>230</td><td>230</td><td>fine to med sand</td><td>x</td></tr><tr><td>230</td><td>255</td><td>255</td><td>lite brn. clay w/ sand</td><td>x</td></tr><tr><td>255</td><td>282</td><td>282</td><td>fine to crse sand w/ pea gravel</td><td>x</td></tr><tr><td>282</td><td>285</td><td>285</td><td>blue clay</td><td>x</td></tr><tr><td>285</td><td>295</td><td>295</td><td>fine to med sand</td><td>x</td></tr><tr><td>295</td><td>305</td><td>305</td><td>blue clay</td><td>x</td></tr><tr><td>305</td><td>338</td><td>338</td><td>fine to crse sand and pea gravel</td><td>x</td></tr><tr><td>338</td><td>341</td><td>341</td><td>blue clay</td><td>x</td></tr><tr><td>341</td><td>384</td><td>384</td><td>fine to crse sand and 4" gravel</td><td>x</td></tr><tr><td>384</td><td>385</td><td>385</td><td>boulders</td><td>x</td></tr></tbody></table>		Bore Diam.	Depth		Material	Water Yes No	From	To	28"	0	1	topsoil	x	6	6	6	hard pan	x	6	20	20	sand Gravel & rock	x	20	27	27	fine to coarse sand	x	27	29	29	lite brn. clay	x	29	32	32	fine to coarse sand	x	32	35	35	lite brn. clay	x	35	50	50	fine to crse sand	x	50	60	60	lite brn. clay	x	60	85	85	fine to med sand	x	85	102	102	fine to crse sand	x	102	122	122	lite brn. clay	x	122	131	131	lite brn. sand	x	131	138	138	lite brn. clay	x	138	140	140	crse black. sand	x	140	161	161	lite brn. clay	x	161	200	200	fine to med sand	x	200	215	215	lite brn. clay	x	215	230	230	fine to med sand	x	230	255	255	lite brn. clay w/ sand	x	255	282	282	fine to crse sand w/ pea gravel	x	282	285	285	blue clay	x	285	295	295	fine to med sand	x	295	305	305	blue clay	x	305	338	338	fine to crse sand and pea gravel	x	338	341	341	blue clay	x	341	384	384	fine to crse sand and 4" gravel	x	384	385	385	boulders	x
Bore Diam.	Depth		Material		Water Yes No																																																																																																																																																	
	From	To																																																																																																																																																				
28"	0	1	topsoil	x																																																																																																																																																		
6	6	6	hard pan	x																																																																																																																																																		
6	20	20	sand Gravel & rock	x																																																																																																																																																		
20	27	27	fine to coarse sand	x																																																																																																																																																		
27	29	29	lite brn. clay	x																																																																																																																																																		
29	32	32	fine to coarse sand	x																																																																																																																																																		
32	35	35	lite brn. clay	x																																																																																																																																																		
35	50	50	fine to crse sand	x																																																																																																																																																		
50	60	60	lite brn. clay	x																																																																																																																																																		
60	85	85	fine to med sand	x																																																																																																																																																		
85	102	102	fine to crse sand	x																																																																																																																																																		
102	122	122	lite brn. clay	x																																																																																																																																																		
122	131	131	lite brn. sand	x																																																																																																																																																		
131	138	138	lite brn. clay	x																																																																																																																																																		
138	140	140	crse black. sand	x																																																																																																																																																		
140	161	161	lite brn. clay	x																																																																																																																																																		
161	200	200	fine to med sand	x																																																																																																																																																		
200	215	215	lite brn. clay	x																																																																																																																																																		
215	230	230	fine to med sand	x																																																																																																																																																		
230	255	255	lite brn. clay w/ sand	x																																																																																																																																																		
255	282	282	fine to crse sand w/ pea gravel	x																																																																																																																																																		
282	285	285	blue clay	x																																																																																																																																																		
285	295	295	fine to med sand	x																																																																																																																																																		
295	305	305	blue clay	x																																																																																																																																																		
305	338	338	fine to crse sand and pea gravel	x																																																																																																																																																		
338	341	341	blue clay	x																																																																																																																																																		
341	384	384	fine to crse sand and 4" gravel	x																																																																																																																																																		
384	385	385	boulders	x																																																																																																																																																		
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		10. Work started <u>7/1/91</u> at <u>10:00</u> AM Work finished <u>7/5/91</u> at <u>12:00</u> PM																																																																																																																																																				
5. WELL CONSTRUCTION See Attached Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>.250 inches</td><td>16" inches +</td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Roscoe Moss</u> Type <u>Continuous wire</u> Model No. <u>Heavy</u> Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel <u>3/8</u> - Placed from <u>60</u> feet to <u>385</u> feet Surface seal depth <u>60</u> feet (seal at 1 seal): ☐ Cement grout ☐ Bentonite ☒ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>2" pipe</u>		Thickness	Diameter	From	To	.250 inches	16" inches +																																																																																																																																															
Thickness	Diameter	From	To																																																																																																																																																			
.250 inches	16" inches +																																																																																																																																																					
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td></td><td></td><td></td><td></td></tr><tr><td>W</td><td></td><td></td><td></td><td>E</td></tr><tr><td></td><td>X</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>S</td><td></td><td></td></tr></table> County <u>Ada</u> Section <u>32</u> Range <u>3N</u> Township <u>3N</u> Range <u>3E</u> Township <u>3E</u> Lot No. _____ Block No. _____ APR 22 1993		N					W				E		X						S			11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Pete Cope Drilling</u> Firm No. <u>213</u> Address <u>6505 W. Chinden</u> Date <u>7/9/91</u> Signed by (Firm Official) <u>Joseph Jones</u> and (Operator) <u>Joseph Jones</u>																																																																																																																																
N																																																																																																																																																						
W				E																																																																																																																																																		
	X																																																																																																																																																					
		S																																																																																																																																																				

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

44
C

J. C. Murgoitio
5985 S. Locust Grove Rd.
Meridian ID 83642
Permit# 63-91-w-190

"16" casing record .250 wall welded

1.5	-	175	176.5
195	-	275	80
295	-	305	10
335	-	345	10
375	-	385	10
0	-	0	0

286.5 total casing

16" Screen record .40 slot Roscoe Moss Continuous wire.

175	-	195	20
275	-	295	20
305	-	335	30
345	-	375	30
0	-	0	0

100 total screen

386.5 total screen+casing

RECEIVED

APR 22 1993

March 31, 1993

J.C. MURGOITIO
5985 S. LOCUST GROVE
MERIDIAN ID 83642

PROOF DUE NOTICE

RE: PERMIT NO. 63-11506

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

APR 22 1993

CERTIFIED MAIL

NO. 140022



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 29, 1991

J.C. MURGOITIO
5985 S. LOCUST GROVE
MERIDIAN, ID 83642

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11506

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

JUN 04 1991

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED

JUN 04 1991

63.11506

I mentioned the Large Ord.
into requirement for this
appl. since > 200 acres.

It didn't appear that the
applicant fully understood my

point so may want to

spell this out in a letter

JUN 04 1991

to him. He might wind

up reducing application to

200 acres.

FL



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 3, 1991

Mr. J. C. Murgoitio
5985 S. Locust Grove
Meridian, ID 83642

RE: Application for Permit #63-11506
Large Diversion Information Requirement

Dear Mr. Murgoitio:

Thank you for your recent response for your application for permit. The application will be advertised and processed but cannot be approved until additional information is submitted.

Based on Idaho Code 42-203A(5)(a-e), additional information is needed for applications for permit involving irrigation of more than 200 acres and/or diversions exceeding 5.00 cfs or 500 acre-feet of storage. In your application, the irrigation of approximately 290 acres described in your application triggers the requirement in 42-203(5)(a-e). Please provide information relating to the proposed water right as outlined in the attached copy of Water Appropriation Rules 4,5,3,1 through 4,5,3,5,1. This covers the following items:

- a) effect on existing water rights,
- b) sufficiency of water supply,
- c) good faith, delay, or speculative purposes,
- d) financial resources,
- e) local public interest.

You may summarize any of the answers with a brief statement where appropriate.

Please let me know if I can do anything for you in this regard. A response within 30 days would be appreciated.

Sincerely,

Lori A White
Sr. Water Resource Agent

Enclosure: Large Diversion Information Requirement

JUN 04 1991

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

79.68

Account Number 47628		Identification Notice of Application for Water Right	
Ordered By Gail Garrett	P.O. Number	Rate nt	Run Dates April 18, 25, 1991
Idaho Dept. of Water Resources Western Region 2735 Airport Way Boise ID 83705		Estimated Inches	Real Inches
		# Affidavits 1	Legal Number 8196

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11506
MURGOITIO, J.C.
5985 SOUTH LOCUST GROVE
MERIDIAN, ID 83642
Source: GROUNDWATER
Diversion Pt: SWSW Sec 32 T 03N R 01E
Use: IRRIGATION (3.000 CFS)
Total Diversion: (3.000 CFS)
Date Filed: 4/1/1991
In: T02N R01E S06 Lot 1 (NENE)
Lot 2 (NWNE) SWNE SENE
T03N R01E S31 SWNE SENE
NESE NWSE SWSE SESE
S32 NWSW SWSW SESW
290.0 ACRES TOTAL

63-11507
MAKI, ALLAN E.
7776 PIERCE PARK
BOISE, ID 83703
Source: SPRING Tributary: SINKS
Diversion Pt: NWNW Sec 18 T 04N R 02E
Use: IRRIGATION (.140 CFS)
DOMESTIC (.040 CFS)

Total Diversion: (.180 CFS)
Date Filed: 4/1/1991
In: T04N R02E S18 SWNE NWSE
5.0 ACRES TOTAL

63-11509
PATTERSON, HEIDI M.
PATTERSON, DENNIS B.
4712 PIERCE PARK LANE
BOISE, ID 83703

Source: GROUNDWATER
Diversion Pt: SWSE Sec 19 T 04N R 02E
Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)

Date Filed: 4/8/1991
In: T04N R02E S19 SESW
0.5 ACRES TOTAL

63-11516
BARNES, EVELYN
BARNES, DALE R.
1623 S. LATAH
BOISE, ID 83705

Source: GROUNDWATER
Diversion Pt: NWNW Sec 21 T 03N R 02E
Use: IRRIGATION (.060 CFS)
Total Diversion: (.060 CFS)

Date Filed: 4/1/1991
In: T03N R02E S21 NWNW
2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MAY 6, 1991.
R. KEITH HIGGINSON, Director
Pub. Apr. 18, 25, 1991 8196

Richardson, being duly

and says: That she is the Principal Clerk of The a daily newspaper printed and published at Boise, of Idaho, and having a general circulation therein newspaper has been continuously and uninterruptedly County during a period of twelve consecutive e first publication of the notice, a copy of which is hat said notice was published in The Idaho ormity with Section 60-108, Idaho Code as

two
daily ☐ consecutive daily ☐ single ☐ odd skip
ning with the issue of Apr. 18, 1991

he issue of Apr. 25, 1991

Denise Richardson

)
)
ss.

On this 25th day of April in the year of 1991, before me, a Notary Public, personally appeared Denise Richardson, known or identified to

me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Janie Madec
Notary Public for Idaho
Residing at Boise, ID

My commission expires: 5/97

JUN 04 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

APRIL 10, 1991

The Idaho Statesman
P.O. Box 40
Boise, ID 83707

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 6, 1991.

Yours truly,

GAIL GARRETT
Secretary

Encl.

APR 04 1991

63-11506

MURGOITIO, J.C.
5985 SOUTH LOCUST GROVE
MERIDIAN, ID 83642

Source: GROUNDWATER

Diversion Pt: SWSW Sec 32 T 03N R 01E

Use: IRRIGATION (3.000 CFS)
 Total Diversion: (3.000 CFS)

Date Filed: 4/ 1/ 1991

In:	T02N R01E S06	Lot 1	(NENE)	Lot 2	(NWNE)	SWNE	SENE
	T03N R01E S31		SWNE		SENE	NESE	NWSE
			SWSE		SESE		
	S32		NWSW		SWSW	SESW	

290.0 ACRES TOTAL