


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

15 2W SEC 3
60V 4 3 in NENW




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ralph Gant
(Applicant)

JUN 04 1991

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size ^{model}
	FRANKLIN	10	N/A	Berkeley	AT10-500

*Code to correspond with No. on map and aerial photo

D. **FLOW MEASUREMENTS** *NR - Winter exam of supplemental system.*

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

APPROVED

AUG 08 1994

35' 34

35

36

35

P/M

P/D

PERMIT 03-11495 INIT RC
T. R. S. Q/Q
P/D 15 2W 3 NENW LOT 3
SCALE _____
PHOTO ID. Y-56 WALTERS BUTTE

AUG 08 1994

33 | 34
4 | 3

T 3837

T 3836

2
11.1

9.2

T3889

NW
1
5.2

T3888

2
7.8

6.1

T3887

9.5

3 2.9

2
23.7

3
19.7

5
7.0

4
6.5

5
10.3

8.6 NW

TRANSFER TO ADA

14.9

2.9

T3886

3 3.4

5 3.3

6 2.7

2 2.5

8 6.5

9 3.2

T3882

T3881

2 9.7

T3886

N/NW

2
19.5

N/NW

3 13.5

4 3.7

5 3.7

1st Range 122 West Boise meridian

(1811) Base 1810 Times				(1811)				(1811)				(1811)			
54	32.57	33.00	51	33.00	33.00	33.00	33.00	52	33.00	32.75	32.76	32.55	53	32.66	32.92
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811				1811				1811			
1811				1811											



PHOTO ONE-

View southerly of well and 6" discharge line. Well located at north edge of 5 acre field.



APPROVED FOR

AUG 08 1994

PHOTO TWO-

View westerly of 6" line point of discharge into concrete ditch. A 6" line continues west to a cmt with check valve at concrete ditch.



PHOTO THREE-

View southwest of 5 acre parcel and a portion of 19 acre field. Concrete ditch terminates at northeast corner of 5 acre field.



PHOTO FOUR-

View southerly of 37 acre field and concrete ditch. CMP with check valve shown at right.

AUG 08 1994



PHOTO FIVE-

Crmp and check ~~valve~~ with check valve at
northern Terminus of concrete ditch.

>

PHOTO SIX-

AUG 08 1994

33 | 34
4 | 3

T3889

2
11.1

1
9.2

1
5.2

T3888

2
7.8

6.1

T3887

1
9.5

3
2.9

3
19.7

5
7.0

4
16.5

8.6

TRANSFER TO ADA

14.9

2.9

4.4

T3886

JUN 04 1991

2
12.5

10

Handwritten text at the top of the page, possibly a title or header.

<i>Handwritten text in the top-left cell.</i>				<i>Handwritten text in the top-right cell.</i>			
12.94	32.57	33.00		33.00	33.00	33.00	33.00
<i>Handwritten text in the middle-left cell.</i>				<i>Handwritten text in the middle-right cell.</i>			
<i>Handwritten text in the bottom-left cell.</i>				<i>Handwritten text in the bottom-right cell.</i>			

MICROFILMED

JUN 04 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11495

Priority: March 4, 1991

Maximum Diversion Rate: 0.82 CFS
Maximum Diversion Volume: 184.5 AF

This is to certify, that RALPH GANT
91 HILL RD S
MELBA ID 83641

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 4, 1991; and has submitted Proof of Beneficial Use on April 22, 1992. An examination indicates that the works have a diversion capacity of .820 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.82 CFS	184.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NENW), Sec. 3, Township 01S, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	02W	3	Lot 3(NENW) 20	SWNW 7	SENW 14	41

Total number of acres irrigated: 41

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

AUG 08 1994

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 63-11495

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22nd
day of July, 1994.

Acting for

R. Keith Higginson, Director



RECEIVED

AUG 08 1994

RECEIVED
APR 22 1992

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 100.00
Date 4-21-92
Receipt No. 6022884
Received by WEP

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11495 Telephone No. 495-2666

2. Name(s) of Permit Holder(s): Ralph Gant

3. Post Office Address: 91 Hill Rd S Melba ID 83641

4. Source of Water: Ground

a. If ground water, well driller's name: Brad Skinner Date drilled: 4-22-91

b. Pump horsepower: 10 hp Pressure (psi): _____ Dynamic pumping level (ft.): 50'

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 62 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted .70 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Ralph Gant 495-2666
Name Telephone No.

91 Hill Rd S Melba ID
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4-21-92
Date

Ralph E Gant owner
Signature (and title if on behalf of a company or organization)

AUG 08 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11495

Proposed Priority: March 4, 1991 Maximum Diversion Rate: 1.24 CFS
This is to certify, that RALPH GANT

91 HILL RD. S.
MELBA, ID 83641

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	1.24 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: LOT 3(NENW), Sec. 3, Township 01S, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	02W	3	LOT 3(NENW) 20	SWNW 7	SEnw 35	62

Total number of acres irrigated: 62


CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1992.
2. Subject to all prior water rights.
3. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23 day of

may, 1991.

for 
R. Keith Higginson, Director

JUN 04 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant RALPH GANT Phone 495-2666
Post office address 91 HILL RD SOUTH MELBA 83641
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NE 1/4 of NW 1/4, Govt. Lot 3
Sec. 03 Township 1S Range 2W B.M. CANYON County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 1.24 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.24 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL, PUMP, GRAVITY
IRRIGATION + RE-PUMPED SPRINKLER IRRIGATION
DRILLING PERMIT 63-91-W-054
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 100 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? N
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

JUN 04 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15	2W	3					43 20		7	35									62

Total number of acres to be irrigated 62

10. Describe any other water rights used for the same purposes as described above. BOISE - KUWA
IRRIGATION WATER

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? APPLICANT


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Groundwater used as supplemental water
to canal water.

JUN 04 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

15 2W SEC 3
60V 4 3 in NENW



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Rafael Gant
(Applicant)

JUN 04 1994

Received by lw Date 3/4/91 Time 3:30pm Preliminary check by gh
Fee \$ 65 Receipted by lw # W013079 Date 3/4/91
Publication prepared by GG Date 3-27-91 Published in Press-Tribune
Publication approved st Date 4-23-91
4/3 & 4/10/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

104 1001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 25, 1994

RALPH GANT
91 HILL RD S
MELBA ID 83641

RE: WATER RIGHT NO. 63-11495

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to be 'Jim Johnson', with a horizontal line extending to the right.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

RECEIVED

AUG 08 1994

WR0749NP
No. L63-11495

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/08/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RALPH GANT 91 HILL RD S MELBA ID 83641 (208) 495-2666	03/04/1991	IRRIGATION	03-15 11-15	0.82 CFS	184.50 AFA
TOTAL DIVERSION:					0.82 CFS	184.50 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.82 CFS

Point(s) of Diversion: T01S R02W S03 Lot 03(NENW)

CANYON County

Place of use Legal Description for: IRRIGATION

												NE				NW				SW				SE				
T	R	S	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	: SUM	
01S	02W	3	:								:	03-20			07		14		:								:	41.0
																											TOTAL ACRES	41.0

Pou County: CANYON

Other Rights: BOISE-KUNA IRRIGATION WATER

Other Water Rights with Same Point(s) of Diversion and Source:
63-11495

Other Water Rights Listing Overlapping Place(s) of use:
63-02247 63-11495

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.

Dates: App. Received: 03/04/1991 Priority Date: 03/04/1991
Proof Due Date: 06/01/1992 Proof Made Date: 04/22/1992
Exam Made Date: 03/02/1994 Exam Sent to S.O.: 04/22/1994
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 04/22/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 07/08/94 BCHAPMAN

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6311495	T01S R02W S 3 GROUNDWATER																	41
	:																	
6302247	UNNAMED ST :																	30
6302251	UNNAMED ST : 01-33																	73
6302388	BOISE RIVE :																	
A6302388	BOISE RIVE :																	
6310483	GROUNDWATE :																	
A6310483	GROUNDWATE :																	
6311100	GROUNDWATE :																	
6311495	GROUNDWATE :																	
A6321342	WASTEWAY :																	70

-no overlaps-

POU COMPARISON

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11495 DATE 7-8-94



NAME	Yes ☐	No ☒	Or Address Change? ☐
PRIORITY DATE	☐	☒	Advance? ☐ Advanced to: Order to reinstate needed? ☐ Incorrect fee for rate recommended? ☐
SOURCE	☐	☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐	☒	Amendment needed? ☐ ☒ Overlaps? ☐
PLACE OF USE	☐	☒	Amendment needed? ☐ ☒ Overlaps? ☐
DIV RATE	☐	☒	Measurement Q = <u>41 acres x .02 = .82</u> Theoretical Q = <u>.72 CFS</u> <u>(but just estimate)</u> Capacity: <u>.82</u> Combined rates exceed capacity ☐ Permit/fee limits: <u>1.24</u> Allowable: <u>.82</u>
ANNUAL VOLUME	☐	☒	Season of use: <u>D/4.5 (3-15 to 11-15)</u> Calculations: <u>41 x 4.5 = 184.5</u> Flow limit: cfs x x 1.9835 = Combined volumes exceed capacity/allowable ☐
USES	☐	☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
REMARKS	<u>WB3</u>	☒	Multiple p/d(s) in 1/4 1/4? ☐ ☒ Other <u>BOISE KUNA IRR</u>
CONDITIONS	<u>R32</u>	☒	Measuring/Locking Devices ☐ ☒ Watermaster control - District ☐ ☐ Irrigation Overlap ☐ ☒ Water Quality ☐ ☒ Other ☐
COMMENTS:	<u>Reduce acres and rate. Supplemental Water</u>		

RECOMMENDED

Irrigation

CFS

.82

VOLUME

184.5

LICENSE ☒

1ST AMENDMENT LETTER ☐

FINAL AMENDMENT LETTER ☐

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAY 03 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11495

1. Owner: Ralph Gant Phone No. 495-2666

Current Address: 91 Hill Road South, Melba, ID 83641

2. Accompanied by: Ralph Gant EXAM DATE: 3/2/94

Address: Same Phone No. Same

Relationship to Permit Holder: Applicant

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02388, 63-02247

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	3		NE	NW	3	1S	2W	Canyon	Aerial Map


2. Place(s) of Use:

Indicate Method of Determination SAME AS A/D

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
1S	2W	3					Lot 3 20		7	14 15									41 42

AUG 08 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size ^{model}
	FRANKLIN	10	N/A	Berkeley	AT10-500

*Code to correspond with No. on map and aerial photo

D. **FLOW MEASUREMENTS** *NR - Winter exam of supplemental system.*

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

AUG 08 1994

E. NARRATIVE/REMARKS/COMMENTS

OVERLAPS - P/U Same QD, different areas of use.

Well is supplemental irrigation to Boise-Kuna Irrigation District water.

A 10 h.p. pump delivers water from well through a 6" iron pipe, which is buried from well to upper concrete ditch at CMP with check valve. A 6" section is Teed into concrete ditch. A screen has been welded to open bottom of 6" discharge pipe. Control valves control flow for irrigation to either lower or upper concrete ditch. All land is gravity irrigated. CMP at upper ditch contains check valve to control or stop flow.

The permit allows 0.02 cfs/acre, but since only 41 acres is presently irrigated, this would allow a flow of 0.82 cfs. The systems capacity, assuming 20 psi, is 0.72 cfs. This is slightly less than 0.02 cfs/acre. Since the actual pressure is not known, and the ^{theoretical} capacity flow is slightly less than the requested appropriation, recommend Licensing for 0.82 cfs for irrigation of 41 acres.

$$\text{THEORETICAL: } Q = \frac{(8.8)(0.7)(10)}{10 + (2.31 \times \frac{20}{1.57})} = \frac{61.6}{132.4} = 0.465 \text{ cfs}$$

NOTE: Dynamic Pumping Level determined as per office diagram. Since 6" line is not a direct discharge into concrete ditch, and is Teed at ^{100'}150'± from well, Assumed pressure of 20 psi

Have conditions of permit approval been met? ☒ yes ☐ no

Michael H. H. H.

AUG 08 1994

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

(See NARRATIVE FOR THEORETICAL SYSTEM CAPACITY CALCULATION)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 41 \times 4.5 = 184.5 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.82 \times 246 \times 1.9835 = 400.1 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 184.5 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	0.82	184.5
Totals:			0.82	184.5

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name Rick Collingwood Date 3/17/94

Reviewer _____ Date _____

SEAL

APPROVED

AUG 11 1994

94

96

PERMIT U3-11495 INIT RL
T. R. S. Q/Q
P/D 15 2W 3 NENW LOT 3
SCALE
PHOTO ID. Y-56 WALTERS BUTTE

33/34
4/3

2
111

92

NW

52

61

NW

T3887

9.5

3.29

NW

197

8.6 NW

TRANSFER TO ADA

NW

9

NW

4.4

T3886

ALL

N/NW

2

195

11/13/1947 9/13/1947

100

[illegible]

AUG 08 1994

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-91-W-054 OTHER APPLICABLE NO: _____
2. OWNER: Ralph Gant Phone: 495-2666
Address: 91 Hill Road South, Melba, ID 83641
3. WELL LOCATION: Twp 15, Rge. 2W, Sec. 3, NE 1/4 NW 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Can-Ada Well Drilling Lic. No. 304
When Drilled? 4/19/91
5. WELL CONSTRUCTION: *(small gaps he is going to weld to fill)*
Casing Diameter 12 inches Water tight cap? ☐ Yes ☒ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe 6'-8"
Depth of Casing 18 ft. Method Drilled Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving Good
Auger to a depth of 58 ft. Evidence of Annular Seal ☐ Yes ☒ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☒ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 30 ft. Water Temperature N/A °F
Flowing Artesian ☐ Yes ☒ No Pressure: N/A (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

AUG 08 1994

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: Square plate welded on Top of casing does not
completely cover casing. Two small openings are to be
welded shut as per Mr. Gant. Will check on next
Trip in area.

Rick Collingwood, Water Rights Examiner 3/2/94
Signature of Dept. Representative & Title Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED
AUG 08 1994



PHOTO ONE-

View southward of well and 6" discharge line.
Well located at north edge of 5 acre field.



AUG 08 1994

PHOTO TWO-

View westward of 6" line point of discharge into
concrete ditch. A 6" line continues west to a cmt with
check valve at concrete ditch.





PHOTO THREE-

View southwest of 5 acre parcel and a portion of 19 acre field. Concrete ditch terminates at northeast corner of 5 acre field.



AUG 08 1994 FOUR-

View southerly of 37 acre field and concrete ditch. CMP with check valve shown at right.



PHOTO FIVE-

Crmp and check ~~valve~~ with check valve at
northern Terminus of concrete ditch.

>

PHOTO SIX-

AUG 08 1994

May 22, 1992

RALPH GANT
91 HILL RD. S.
MELBA ID 83641

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11495

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
AUG 08 1994

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 4, 1992

Mr. Brad Skinner
Can Ada Well Drilling
4250 Murphy Road
Kuna, ID 83634

Re: Permit No. 63-11495 - Ralph Gant
Drilling Permit No. 63-91-W-054
Drilling Date: Marcy of 1991
Proposed Location: 01S, 02W, Section 3, NE1/4,
NW1/4.

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a well log which should have been submitted 30 days after completion of the construction of this well.

While it is possible that you have submitted the log, we have been unable to locate it. Please supply me with another copy. Please address any correspondence directly to me. Your response should be received within 20 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of the permit holders system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson

Karen L. Gustafson
Secretary/Records Manager

C: Permit Holder

RECEIVED
AUG 18 1994

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) GANT, RALPH2. Mailing Address 91 HILL RD. SOUTH MELBA 83641Telephone 495-2666☒ Well Owner ☐ Well Operator ☐ Other, specify _____3. Proposed well location NE 1/4 NW 1/4, or Gov't Lot No. 3Sec. 03, Twp. 15, Rge. 2W, County CANYON

Street Address of Well Site _____

Lot, block and subdivision _____

4. Proposed use of well:

- ☐
- Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

- ☒
- Non-Domestic: Any beneficial use not included within the definition of domestic.

☐ Injection

- ☐
- Monitoring - A well bore schematic and map is required for each well.
-
- No. of proposed wells: _____

5. Well construction information:

A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9B. Proposed Surface Diameter 8" Proposed Maximum Depth 100'

C. Anticipated bottom hole temperature:

- ☒
- 85°F or less (Cold water well)
-
- ☐
- 85°F to 212°F (Low temp. geothermal well)
-
- ☐
- 212° or more (Geothermal well)

6. Construction Start Date _____

Anticipated Well Driller BRAD SKINNER

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Ralph Gant Date 3-4-91Title owner

(Owner, Firm Representative, Other)

AUG 08 1994

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is APPROVED

Date 3-4-91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY:

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules Regulations.

SPECIFIC CONDITIONS:

See attached Request for Expedited Issuance of a Drilling Permit.

Jan Thunte, Water Resources Supervisor for Reg. Mgr.
Signature of Authorized Department Representative Title

Receipt No. W013079 Received by LW Fee \$200 Date 3/4/91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

AUG 08 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 27, 1992

Ralph Gant
91 Hill Road South
Melba, ID 83641

Re: Permit No. 63-11495

Dear Permit Holder:

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a drilling permit which should have been applied for before the opening of your well began. We have also been unable to locate a well log which should have been submitted by your well driller 30 days after completion of the construction of your well.

If you have a drilling permit or a copy of the well log, please provide this office with a copy of each. If you do not have a copy of the well log, please contact your driller and ask that he submit a copy. In your return letter, please be sure to show the above referenced permit number on any documents. Also, please address any correspondence directly to me. Your response, with both forms attached, should be received within 30 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of your system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager


AUG 08 1994

March 31, 1992

RALPH GANT
91 HILL RD. S.
MELBA ID 83641

PROOF DUE NOTICE

RE: PERMIT NO. 63-11495



Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECORDED

AUG 08 1994

May 30, 1991

RALPH GANT
91 HILL ROAD S.
MELBA, ID 83641

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11495

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED
MAY 31 1991

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11433

HENRICKSON, TIM
HENRICKSON, LEVI
HENRICKSON, GARY
HENRICKSON, JIM
RT. 3
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: LOT 6

Use: IRRIGATION

Date Filed: 12/19/1990
In: T02N R01W S06 Lot 4
66.0 ACRES TOTAL

ENGLE, FRANK
ENGLE, FRANCES
9450 FERRY RD.
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/13/1991
In: T01S R02W S15 NWNE SWNE
167.0 ACRES TOTAL

LOWE, WALTER
26911 STEWART LN.
WILDER, ID 83676
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/14/1991
In: T04N R05W S04 NESE
160.0 ACRES TOTAL

PLINE FARMS INC.
6805 LAKE HAZEL
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/21/1991
In: T02N R02W S01 Lot 1
90.0 ACRES TOTAL

SHROLL, NORMAN
7130 HWY 45
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/28/1991
In: T02N R02W S22
80.0 ACRES TOTAL

EBBERS, MERIL
11670 LONE STAR
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/12/1991
In: T03N R02W S19
192.0 ACRES TOTAL

GANT, RALPH
91 HILL RD. S.
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt: LOT 3
Use: IRRIGATION

Date Filed: 3/4/1991
In: T01S R02W S03
62.0 ACRES TOTAL

AFFIDAVIT OF PUBLICATION

OF IDAHO)
) SS.
of Canyon)

APR 12 1991

Department of Water Resources
Boise, Idaho 83725

(NWSW) Sec 6 T 02N R 01W
SESW Sec 6 T 02N R 01W
(1.320 CFS)

Total Diversion: (1.320 CFS) ja, Canyon County, Idaho, being first duly sworn, deposes

(NWNW) Lot 5 (SWNW) SENW:

I am a citizen of the United States of America, and at all hereinafter mentioned was over the age of eighteen years, a party to the above entitled action.

if I am the Principal Clerk of the Idaho Press-Tribune, a except Saturday) newspaper published in the City of (2.000 CFS) and Caldwell, in the County of Canyon, State of Idaho:

SWNE Sec 15 T 01S R 02W
(2.000 CFS)
Total Diversion: (2.000 CFS)

63-11496

GROSS, LARRY
RT. 1 HAPPY VALLEY RD.
KUNA, ID 83634
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/1/1991
In: T02N R02W S36
36.0 ACRES TOTAL

NESE Sec 36 T 02N R 02W
(.720 CFS)
Total Diversion: (.720 CFS)

NESE

SWSE Sec 4 T 04N R 05W
(3.200 CFS)
Total Diversion: (3.200 CFS)

63-11497

JOHNSON, JOHN R.
9168 PERCH LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/7/1991
In: T03N R04W S01
120.0 ACRES TOTAL

NESE NWSE SESE

SESE Sec 1 T 03N R 04W
(2.260 CFS)
Total Diversion: (2.260 CFS)

63-11489

SENE Sec 1 T 02N R 02W
(1.800 CFS)
Total Diversion: (1.800 CFS)

63-11502

BYRON GINGRICH CONSTRUCTION
-702 VISTA TERRACE
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/26/1991
In: T02N R02W S03
14.0 ACRES TOTAL

SWNW Sec 3 T 02N R 02W
(.280 CFS)
Total Diversion: (.280 CFS)

SWNW

63-11490

SENE Sec 22 T 02N R 02W
(1.600 CFS)
Total Diversion: (1.600 CFS)

63-11503

MILLER, CLEO
1910 S. MIDDLETON RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/22/1991
In: T03N R02W S32
110.0 ACRES TOTAL

SWSWSW Sec 32 T 03N R 02W
(2.200 CFS)
Total Diversion: (2.200 CFS)

SWNW NWSW SWSW

63-11494

SESW Sec 19 T 03N R 02W
(3.840 CFS)
Total Diversion: (3.840 CFS)

63-11504

KINGHORN, JOHN
9359 USTICK RD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/18/1991
In: T04N R02W S33
65.0 ACRES TOTAL

NESE Sec 33 T04N R 02W
(1.300 CFS)
Total Diversion: (1.300 CFS)

NESE NWSE SESE

63-11495

(NENW) Sec 3 T 01S R 02W
(1.240 CFS)
Total Diversion: (1.240 CFS)

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 22, 1991.
R. KEITH HIGGINSON
April 3, 10, 1991

Lot 3 (NENW) SWNW SENW

63-11495

GANT, RALPH
91 HILL RD. S.
MELBA, ID 83641

Source: GROUNDWATER

Diversion Pt: LOT 3 (NENW) Sec 3 T 01S R 02W

Use: IRRIGATION (1.240 CFS)
Total Diversion: (1.240 CFS)

Date Filed: 3/ 4/ 1991

In: T01S R02W S03 Lot 3 (NENW) SWNW SENW

62.0 ACRES TOTAL

JUN 04 1991

33 | 34
4 | 3

2

9.2

5.2

6.1

T3887

9.5

3 2.9

3

19.7

8.6

TRANSFER TO ADA

14.9

4.4

T3886

JUN 04

2

