




4838

4837

4836


4835

4834

4833

4832

720 000
FEET



4N

1W

NO GOV LHS
D P/U

MIGRATED
JUN 04 1991

LEVEE

P/D

35

26

10

20

15

18

30

29

28

27

26

25

24

23

22

21

20

19

18

17

16

15

14

13

12

11

10

9

8

7

6

5

4

3

2

1

0

-1

-2

-3

-4

-5

-6

-7

-8

-9

-10

-11

-12

-13

-14

-15

-16

-17

-18

-19

-20

-21

-22

-23

-24

-25

-26

-27

-28

-29

-30

-31

-32

-33

-34

-35

-36

-37

-38

-39

-40

-41

-42

-43

-44

-45

-46

-47

-48

-49

-50

-51

-52

-53

-54

-55

-56

-57

-58

-59

-60

-61

-62

-63

-64

-65

-66

-67

-68

-69

-70

-71

-72

-73

-74

-75

-76

-77

-78

-79

-80

-81

-82

-83

-84

-85

-86

-87

-88

-89

-90

-91

-92

-93

-94

-95

-96

-97

-98

-99

-100

-101

-102

-103

-104

-105

-106

-107

-108

-109

-110

-111

-112

-113

-114

-115

-116

-117

-118

-119

-120

-121

-122

-123

-124

-125

-126

-127

-128

-129

-130

-131

-132

-133

-134

-135

-136

-137

-138

-139

-140

-141

-142

-143

-144

-145

-146

-147

-148

-149

-150

-151

-152

-153

-154

-155

-156

-157

-158

-159

-160

-161

-162

-163

-164

-165

-166

-167

-168

-169

-170

-171

-172

-173

-174

-175

-176

-177

-178

-179

-180

-181

-182

-183

-184

-185

-186

-187

-188

-189

-190

-191

-192

-193

-194

-195

-196

-197

-198

-199

-200

-201

-202

-203

-204

-205

-206

-207

-208

-209

-210

-211

-212

-213

-214

-215

-216

-217

-218

-219

-220

-221

-222

-223

-224

-225

-226

-227

-228

-229

-230

-231

-232

-233

-234

-235

-236

-237

-238

-239

-240

-241

-242

-243

-244

-245

-246

-247

-248

-249

-250

-251

-252

-253

-254

-255

-256

-257

-258

-259

-260

-261

RECEIVED
JAN 25 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11491

1. ✓ Owner: Maerice E. Woodward Phone No. 466-6031

Phone No. 466-6031

Current Address: 18638 Prescott Lane Nampa, ID 83687

2. Accompanied by: same EXAM. DATE: 7-29-92

EXAM. DATE: 7-29-92

Address: _____ Phone No. _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. ✓ OVERLAP REVIEW

1. Other water rights with same place of use: Irrigation District surface water rights


☐ Copies Attached

2. Other water rights with same point of diversion: N/A

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____.

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more)

RECEIVED

APR 2 2 1993

SER A-5

McDermott

Phyllis

T591

23.0

T592

18" Cement
Ditch 2

T-Canyon
1986
13.7 HEL

18" Cement
Ditch 2

HEL

T-Canyon
1986

1 HEL

3

HEL

2
13.7

T-Canyon
1986
16.6 HEL

2
20.2

T2134
17
3.5

T2135
CANYON
1986
4.5 HEL

18" Cement
Ditch

CP10

16.9

3
5.5

2
7.7

3
1.2

5
16.4

4
36.9

T633

HEL

18
13.1

HEL

T640
HEL

T642

HEL

HEL

18
14.5


HEL

2
13.0

3
12.7

HEL

APR 2 1988



PERMIT 63-11491 INIT mwj

T. R. S. Q/Q

P/D 4N 1W 20 SE/SW

SCALE _____

PHOTO ID. _____



PHOTO ONE-

A 16" well with an 8"
discharge expanding into a 10" pipe
& discharging into an 18" ditch.



PHOTO TWO-

Irrig District Surface
Water entering the property
From the east facing end
From the well.

APR 22 1993



PHOTO THREE-

The 10" pipe discharging in an
18" ditch leading to the west.
P/U, facing west. Irrig. Dist. water
enters the ditch in the foreground.



PHOTO FOUR-

An 18" ditch leading to
the south from the well.
P/U, facing south.

APR 22 1993



PHOTO FIVE-

P/O, Facing North-West
as seen from the well.

>

PHOTO SIX-

RECEIVED
APR 22 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11491

Priority: March 1, 1991

Maximum Diversion Rate: 2.24 CFS
Maximum Diversion Volume: 503.6 AF

This is to certify, that MAURICE E WOODARD
18638 PRESCOTT LANE
NAMPA ID 83687

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 1, 1991; and has submitted Proof of Beneficial Use on September 4, 1991. An examination indicates that the works have a diversion capacity of 2.430 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.24 CFS	503.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 20, Township 04N, Range 01W
ADA County

PLACE OF USE: IRRIGATION
TWN RGE SEC

	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N 01W 20	NESW 13.7	NWSW 4.3	SWSW 39	
	SESW 34.7	NWSE 16.2	SWSE 4	111.9

Total number of acres irrigated: 111.9

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

RECEIVED

APR 22 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11491

CONDITIONS/REMARKS:

7. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23RD day of FEBRUARY, 1993.

Acting for R. Keith Higginson, Director

APR 22 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11491

Proposed Priority: March 1, 1991 Maximum Diversion Rate: 2.46 CFS
This is to certify, that MAURICE E. WOODARD
18638 PRESCOTT LN.
NAMPA, ID 83687

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	2.46 CFS

LOCATION OF POINT(S) OF DIVERSION: SESW Sec. 20, Township 04N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	01W	20	NESW 15	NWSW 10	SWSW 40	
			SESW 35	NWSE 18	SWSE 5	123
Total number of acres irrigated:						123

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 3, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of May, 1991

JUN 04 1991

for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant MAURICE E. WOODARD Phone 466-6031
Post office address 18638 PRESCOTT LN. NAMPA 83687
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SE 1/4 of SW 1/4, Govt. Lot _____
Sec. 20 Township 4N Range 1W B.M. ADA County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 2.46 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.46 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL, PUMP, GRAVITY
IRRIGATION
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 16" inches; proposed depth of well is 200 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? N
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

JUN 04 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	1W	20									15	10	40	35		18	05		123


Total number of acres to be irrigated 123

10. Describe any other water rights used for the same purposes as described above. SETTLERS
IRRIGATION WATER

- Who owns the property at the point of diversion? APPLICANT
- Who owns the land to be irrigated or place of use? APPLICANT, JOHN BRANT + LAIN BROWN
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. applicant leases property for farming.

12. Remarks: _____

JUN 04 1981



4838

4837

4836

4835

4834


4833

4832

720 000
FEET

4N

NO GOV LHS
D P/U



[illegible]

Walter E. Woodard
(Applicant)

Received by LW Date 3/1/91 Time 3 PM Preliminary check by CJH
Fee \$ 85 Receipted by LW # W013073 Date 3-1-91
Publication prepared by GG Date 3-27-91 Published in ID Statesman
4/4 & 4/11/91
Publication approved ST Date 4-22-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

JUN 04 1991

RECEIVED

The Idaho Statesman

APR 16 1991

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

207.00

Department of Water Resources
Western Regional Office

Account Number 47628		Identification Notice of Application(s) for Water Right	
Ordered By Gail Garrett	P.O. Number	Rate nt	Run Dates April 4, 11, 1991
Idaho Dept. of Water Resources Western Region 1735 Airport Way Boise ID 83705		Estimated Inches	Real Inches
		# Affidavits 1	Legal Number 8067

NOTICE OF APPLICATION FOR WATER RIGHT
The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11036
MC KENZIE, DOROTHY E.
MC KENZIE, KENNETH H.
4117 EDWARDS ST.
BOISE, ID 83703
Source: WASTE WATER
Tributary: Boise River
Diversion Pt: NWSWNE Sec 29 T04N R02E
Use: IRRIGATION (.030 CFS)
HEATING (.400 CFS)
Total Diversion: (.400 CFS)
Date Filed: 6/16/1989
In: T04N R02E S29 SWNE
1.0 ACRES TOTAL

63-11457
EGGERS, DREW
EGGERS, DEBRA
5101 W. LAKE HAZEL RD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt: SENE Sec 21 T03N R01W
Use: IRRIGATION (1.240 CFS)
Total Diversion (1.240 CFS)
Date Filed: 2/22/1991
In: T03N R01W S21 NENE SENE
62.0 ACRES TOTAL

63-11486
KASPER, MARGARET H.
4102 STAR VALLEY ST.
BOISE, ID 83709
Source: GROUNDWATER
Diversion Pt: NENESW Sec 4 T04N R01E
Use: IRRIGATION (.100 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.140 CFS)
Date Filed: 3/19/1991
In: T04N R01E S04 NESW
5.0 ACRES TOTAL

63-11487
CITY OF GARDEN CITY
201 E. 50TH ST.
GARDEN CITY, ID 83714
Source: GROUNDWATER
Diversion Pt: NENE Sec 27 T04N R01E
Use: IRRIGATION (4.500 CFS)
COMMERCIAL (4.500 CFS)
MUNICIPAL (4.500 CFS)
DOMESTIC (4.500 CFS)
FIRE PROTECTION (4.500 CFS)
Date Filed: 10/8/1990
IN: Municipal within the city of Garden City.
Irrigation (469 acres), Commercial, domestic, fire protection within:
T3N R2E S4 LOT 9 (SWSW)
S9 LOT 10 (NWNW)
T4N R1E S13, S14, S22, S23, S24, all tracts within these sections.
T4N R1E S25 NW1/4, NWNW, SE1/4 S26 N1/2NE1/4, SWNE, N1/2NW1/4, SENW, E1/2SE1/4 S27 N1/2N1/2
T4N R2E S18 all tracts within this section.
S19 Lots 1-4 (W1/2W1/2)

63-11491
WOODARD, MAURICE E.
18638 PRESCOTT LN.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt: SESW Sec 20 T04N R01W
Use: IRRIGATION (2.460 CFS)
Total Diversion: (2.460 CFS)
Date Filed: 3/1/1991
In: T04N R01W S20 NESW NWSW SWSW SESW
NWSE SWSE
123.0 ACRES TOTAL

63-11493
HOWARD, NUEL L.
3595 E. VICTORY
MERIDIAN, ID 83642
Source: GROUNDWATER
Diversion Pt: NWNW Sec 28 T03N R01E
Use: IRRIGATION (.080 CFS)
Total Diversion (.080 CFS)
Date Filed: 3/13/1991
In: T03N R01E S28 NWNW
4.0 ACRES TOTAL

63-11498
CHURCH OF JESUS CHRIST
LATTER DAY SAINTS
2025 CHIPPAWA PL.
BOISE, ID 83709
Source: GROUNDWATER
Diversion Pt: NWSWNW Sec 25 T03N R01E
Use: IRRIGATION (.150 CFS)
Total Diversion (.150 CFS)
Date Filed: 2/26/1991
In: T03N R01E S25 SWNW
5.0 ACRES TOTAL

63-11499
HARRINGTON, DANIEL P.
13005 TAMPICO
KUNA, ID 83634
Source: GROUNDWATER
Diversion Pt: SWSNW Sec 26 T02N R01E
Use: IRRIGATION (.380 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.440 CFS)
Date Filed: 3/18/1991
In: T02N R01E S26 SENW
19.0 ACRES TOTAL

63-11500
KELLY, SHANE M.
4728 N. PENNFIELD PL.
BOISE, ID 83704
Source: GROUNDWATER
Diversion Pt: NESW Sec 4 T02N R01E
Use: IRRIGATION (.460 CFS)
DOMESTIC (.060 CFS)
Total Diversion (.520 CFS)
Date Filed: 3/14/1991
In: T02N R01E S04 NESW
23.0 ACRES TOTAL

63-11501
NOBLE, JOHN E.
RT. 1
KUNA, ID 83634
Source: GROUNDWATER
Diversion Pt: SESW Sec 28 T02N R01W
Use: IRRIGATION (2.000 CFS)
Total Diversion (2.000 CFS)
Date Filed: 3/15/1991
In: T02N R01W S28 NWSW SWSW S29 NESE SESE S33 NENE SENE
200.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Mail, Boise, Idaho 83705 on or before APRIL 22, 1991.
R. Keith Higginson, Director
Pub. Apr. 4, 11, 1991 8067

rdson _____, being duly
That she is the Principal Clerk of The
newspaper printed and published at Boise,
o, and having a general circulation therein
r has been continuously and uninterruptedly
during a period of twelve consecutive
ublication of the notice, a copy of which is
notice was published in The Idaho
with Section 60-108, Idaho Code as
two
consecutive daily ☐ single ☐ odd skip
h the issue of Apr. 4, 1991
of Apr. 11, 1991
Denise Richardson
ss.
day of April in the year of
ne, a Notary Public, personally appeared
rdson _____, known or identified to
e name subscribed to the within instrument,
sworn, declared that the statements therein
ed to me that she executed the same.

Public for Idaho
at Boise, ID
mission expires: _____

JUN 04 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 24, 1993

MAURICE E WOODARD
18638 PRESCOTT LANE
NAMPA ID 83687

RE: WATER RIGHT NO. 63-11491

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

APR 22 1993

WRO749NP
No. L63-11491

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 02/11/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MAURICE E WOODARD 18638 PRESCOTT LANE NAMPA ID 83687 (208) 466-6031	03/01/1991	IRRIGATION	03-15 11-15	2.24 CFS	503.6 AFA
TOTAL DIVERSION:					2.24 CFS	503.6 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 2.43 CFS

Point(s) of Diversion: T04N R01W S20 SE SW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
04N	01W	20	:											13	04	39	34			:	
																			TOTAL ACRES	111.9	

Pou County: ADA

Other Rights: ~~SETTLERS IRRIGATION WATER~~

Other Water Rights with Same Point(s) of Diversion and Source:
63-04768 63-11491

Other Water Rights Listing Overlapping Place(s) of use:
63-00230C 63-00231C 63-04768 63-08023 63-11185 63-11491

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way or easement across the land of another.
- R32 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Remarks: The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

Dates: App. Received: 03/01/1991 Priority Date: 03/01/1991
Proof Due Date: 05/03/1993 Proof Made Date: 09/04/1991
Exam Made Date: 07/29/1992 Exam Sent to S.O.: 01/22/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 11/15/1991 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

36-11-90 82

7

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 25 1993

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Morris E. Woodward Permit No. 63-11491
Current Address: 18638 Prescott Lane Nampa, ID 83687 Phone No. 466-6031
2. Accompanied by: Same EXAM. DATE: 7-29-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: Irrigation District surface water rights

☐ Copies Attached
2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more)

RECEIVED
APR 22 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 16" x 305' well with a 25 h.p. pump discharges through an 8" pipe into an 18" tile cement ditch. The 18" ditch runs across the property to the west and is used for flood irrig. Another 18" cement ditch runs from the well to the southern end of the property. A 12" cement tile pipe directs the water approx 250' to the west and empties into an 18" cement ditch which runs approx 250' to the north. An 8" pipe directs water from the cement ditch near the well to another 18" cement ditch approx 200' north of the well. Another 8" pipe

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	U.S. Motors	25 h.p.			

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SW	20	4N	1W	Ada	USGS Photo Quad

6. **Place(s) of Use:**

Indicate Method of Determination Aerial Photo/Grid

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	1W	20									13.7	4.3	39.0	34.7	16.2	16.2	4.0		111.9

Do not use this space

APR 22 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>Polysonic</i>						

2. Measurements:

25 h.p.; 20' dynamic, per owner; open discharge

From Polysonic: ¹⁰⁹¹1083 GPM - See Attached

Average = 13.5 + 12.3 + 12.5 + 13.7 + 16.6 + 11.9 + 11.2 + 20.2 = 111.9 acres ✓

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

111.9 acres x .02 cfs/acre = 2.24 cfs (IRR) 1091 GPM x $\frac{1}{448.8} = 2.43 \text{ cfs}$ capacity ✓

2. Alternate Method for Checking Purposes:

25 h.p. x $\frac{70\% \times 8.8}{20'} = 2.7 \text{ cfs}$ (Too high - mis-sized facility)

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{111.9 \text{ acres} \times 4.5 = 503.6 \text{ -ft} \checkmark}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{2.24 \text{ cfs} \times 245 \times 1.9835 = 1,088.5 \text{ -ft} \checkmark}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{503.6 \text{ -ft (IRR)}}$

2. Volume Calculations for Other Uses:

RECORDED

APR 22 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

runs to the east from the point where it empties into the ditch. These pipes are portable, above ground pipes.
Irrig district water flows into the property through the cement ditch by the well. The well is used for supplemental irrig. purposes only.

The combined diversion from this permit and irrigation district water shall not exceed 2.24 cfs and 503.6 afa.

Remarks - WB3/CW Supplemental

Conditions - R32

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	2.24 cfs	503.6 afa
Totals:			2.24 cfs	503.6 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name

Mark Series

0802-11-93


Signature

Mark Series

Certification Date

Field Report Preparation Date

7-30-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

APR 22 1993

MODE SELECT
INPUT

OUTER DIAMETER
8.2280 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1071 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
5.993 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

07-29 12:4000 *R
- 1.091E 3GPM

MODE SELECT
T0 CHECK


0298.8 MMSEC
099.80 % T0

07-29 12:4100 *R
+002.90 % AI2

MWS 7-30-92

MICROFILMED

APR 22 1993



PERMIT 63-11491 INT 10/25
T. R. S. 9/10
P/D 4N/W 20 5E/5W
SCALE 1:1000
PHOTO ID. 108

APR 20

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11491

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 1W, Sec. 20, SE 1/4 Sec 1/4 or Lot _____.

2. Owner: Maurice E. Woodard

Address 18638 Prescott Lane, City Nampa, St ID

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Yes ☒ No ☐	Static Water Level:	<u>20'</u>
Pressure Gauge:	Yes ☐ No ☒	Casing Diameter:	<u>16"</u>
Flowing:	Yes ☒ No ☐	Temperature:	_____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

APR 22 1993




PHOTO ONE-

A 16" well with an 8" discharge expanding into a 10" pipe & discharging into an 18" ditch.



PHOTO TWO-

Irrig district Surface Water entering the property From the east Facing APR 22 1993 From the well.




PHOTO THREE-

The 10" pipe discharging in an
18" ditch leading to the west.
PLU, Facing west. Irrig. Dist. water
enters the ditch in the foreground.



PHOTO FOUR-

An 18" ditch leading to
the south from the well.
PLU, Facing south. APR 22 1993




PHOTO FIVE-

P/U, Facing North-West
as seen from the well.

>

PHOTO SIX-

RECEIVED
APR 22 1993

November 15, 1991

MAURICE E. WOODARD
18638 PRESCOTT LN.
NAMPA ID 83687

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11491

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Nina Shields
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

NOV 19 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11491

Date 10-4-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☐ Ground water source
☒ Drill permit req'd?
☒ Copy in file? Drill permit no. 63-91-2-003
1991 200.00 Amt paid for drilling permit? Correct?
NO Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
150.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- ☒ Measuring device or access port required?
NO Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

needs flow meas. driller ~~213~~ 213
needs well log

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due	<u>/</u>	-
No. of days late	<u>/</u>	=
Priority date	<u>/</u>	+
NEW PRIORITY DATE	<u>/</u>	=

For Office Use Only
 Amt. of Fee \$ 150.00
 Date 9-4-91
 Receipt No. W013650
 Received by C-4

RECEIVED
 SEP 4 1991

STATE OF IDAHO

Department of Water Resources
 Western Regional Office

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE SEP 06 1991

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11491 Telephone No. 466-6031
2. Name(s) of Permit Holder(s): MAURICE E. & STEPHEN E WOODARD
3. Post Office Address: 18638 Prescott Lane Nampa, Ida 83687
4. Source of Water: Ground Water
- a. If ground water, well driller's name: Cote Case Drilling Co Date drilled: June 24-1991
- b. Pump horsepower: 35 Pressure (psi): _____ Dynamic pumping level (ft.): _____
5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 123 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted 2.46 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☒ Yes ☒ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 150.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

MAURICE E. WOODARD
 Name

466-6031
 Telephone No.

18638 PRESCOTT LANE Nampa Ida 83687
 Address

10. The above information is my true statement of the extent to which the above permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

9-4-91
 Date

MAURICE E. WOODARD
 Signature (and title if on behalf of a company or organization)

NOV 19 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

RECEIVED
USE TYPEWRITER OR
BALLPOINT PEN

AUG 02 1991

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.Department of Water Resources
Western Regional Office

1. WELL OWNER

Name Leland Earnest
Address 3125 Laster Ln. Nampa 83687
Drilling Permit No. 63-91-w-121
Water Right Permit No. 63-11465

7. WATER LEVEL

Static water level 15 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Well diameter increase
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.

Pumping Level

Hours Pumped

3. PROPOSED USE

- ☐
- Domestic
- ☒
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED

- ☐
- Rotary
- ☐
- Air
- ☐
- Hydraulic
- ☒
- Reverse rotary
-
- ☐
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTION See Attached

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No

Manufacturer's name _____

Type _____ Model No. Heavy

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8-Placed from 305 feet to 18 feetSurface seal depth 18' Material used in seal: ☐ Cement grout☐ Bentonite ☒ Puddling clay ☐Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strataDescribe access port 2" Pipe

9. LITHOLOGIC LOG


Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
28"	0	9	Top Soil		x
	9	15	caliche		x
	15	37	fine to crse sand w/ clay & caliche		x
	37	62	fine to crse sand & grav	x	
	62	66	fine to crse sand	x	
	66	101	sand gravel & river rock	x	
	101	103	brn clay		x
	103	125	fine to med. sand	x	
	125	130	brn clay		x
	130	154	fine to med sand	x	
	154	177	brn clay		x
	177	185	fine to crse sand	x	
	185	209	brn clay		x
	209	212	fine to crse sand	x	
	212	220	brn clay		x
	220	223	fine to crse sand/clay	x	
	223	233	brn clay		x
	233	243	fine to crse sand	x	
	243	245	brn clay		x
	245	250	fine to med sand	x	
	250	261	brn clay		x
	261	280	fine to med sand	x	
	280	283	brn clay		x
	283	295	fine to med. sand	x	
	295	305	brn clay		x

RECEIVED
AUG 07 1991

Department of Water Resources

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

NOV 19 1991

Lot No. _____ Block No. _____

County Canyonse 1/4 se 1/4 Sec. 6, T. 3n N ☐ E ☐
S ☐ R. 2w W ☐

10.

Work started 7/13/91 finished 7/19/91

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Pete Cope Drilling Firm No. 213Address 6505 W. Chinden Date 7/24/91Signed by (Firm Official) Joseph Jones

and

(Operator) Joseph Jones

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) MAURICE E. WOODARD
2. Mailing Address 18638 PRESCOTT LN. NAMPA 83687
Telephone 466-6031

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SE 1/4 SW 1/4, or Gov't Lot No. _____
Sec. 20, Twp. 4N, Rge. 1W, County ADA
Street Address of Well Site _____
Lot, block and subdivision _____

4. Proposed use of well:

() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 16" Proposed Maximum Depth 200'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date _____

7. Anticipated Well Driller PETE COPE
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Maurice E. Woodard Date March 1, 1991

Title _____
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is

APPROVED

Date

5-20-91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Sturik A. Reed

Signature of Authorized Department Representative

MANAGER
GROUNDWATER PROTECTION SECTION

Title

Receipt No. WD13073 Received by LW Fee 200.00 Date 3-1-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 24, 1991

MAURICE E. WOODARD
18638 PRESCOTT LN.
NAMPA, ID 83687

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11491

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Also enclosed is a copy of the approved drilling permit submitted in connection with this water right.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

JUN 04 1991

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

JUN 04 1991

APPLICATION FOR PERMIT REVIEW

Application #: 63-11491
Date: 5-7-91

Reviewer: Pam Skaggs

Existing:

✓ No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - N/A

Groundwater:

✓ GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)
LT. 0.7 cfs - N/A

Drilling Permit:

✓ Approved w/permit - P99
Not included - 046-P23(All GW, even existing wells)

Location:

✓ Water Districts - WD No. 63
Surface water - 005, 005-01H-P01(LT.7 w/pump)
005-01J-P08(GT.7)
Groundwater - P05
Irrigation Districts - 023
Canal Co. Areas - 023
Drainage Districts - 024
Boise Front (63) - 058 (Groundwater)
✓ Swan Falls Flag - (1, Blank or Other)
Trust - 051-052-053-P74(Cons.), 041(DCMI, w/Irr
Non Trust - 048-049 or Irr & Dom)

River Basins:

(Surface Water) Water District Control Condition &....
Boise (63) - 05A & 11E
Payette (65) - 047-P04, 059-P71
Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)
Power - Use Power Review
Mining - 06A or 010, 09E-P10 & 054(req.)
Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)
Rec. & Aesthetic - 027(Non-Consumptive)
Domestic - 021(restricted areas)

Ownership:

✓ Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

✓ Beneficial Use Due Date: - 05-03-1993
Other Conditions Recommended

JUN 04 1991

PROCESSING

APPLICATION NO. 63-11491

Woodard

YES NO

☒

☒

In form for advertising:

☒

☒

Statewide advertising:

☒

☒

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐

☒

I.D. Health and Welfare

☐

☒

I.D. Fish and Game

☐

☒

I.D. Lands

☐

☒

Adjudication Bureau

YES NO

☐

☒

U.S. BLM

☐

☒

U.S. Forest Svc.

☐

☒

Water Dist. #

☐

☒

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒

☒

Affidavit of publication received:

☒

☒

Application published correctly: If not, record action taken.

☒

☒

Publication dates and paper recorded on application:

☒

☒

Protests received. Final date for protest

April 22, 1991

☒

☒

Protest dates, resolution of protest recorded on application:

☒

☒

Recommendations attached: Approve, DRT

☒

☒

Measuring device required:

☒

☒

Measuring port required: Flow memo

☒

☒

Water delivered by water master? District #

☒

☒

Special conditions of approval or cover letter:

26A (Allow 2 yrs), Drilling permit attached to be issued w/water re permit

☒ See below for additional information

Recommended Date or Priority 3/1/1991

Recommended by: DRT

Date DRT 4/23/91

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

P/A overlap: ~~SSSW~~ all irrigation Dist water except for a Stat claim for groundwater, SAC in SSSW Sec 20. Does not appear to be a significant overlap.

Drilling permit attached. Needs approval w/ permit

WOODARD, MAURICE E.
18638 PRESCOTT LN.
NAMP, ID 83687

Source: GROUNDWATER

Diversion Pt: SESW Sec 20 T 04N R 01W

```

Use: IRRIGATION          ( 2.460 CFS)
      Total Diversion: ( 2.460 CFS)

```

Date Filed: 3/ 1/ 1991

In: T04N R01W S20	NESW	NWSW	SWSW	SESW
	NWSE	SWSE		

123.0 ACRES TOTAL

RESEARCH DESIGN

JUN 04 1991