


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Plins Farms Inc. / By Clinton C. Plins
(Applicant) V.P.

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	10	RYJ403267	Jacuzzi	6" to 8"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical. per permit holder, bowls set @ 60'.
Dynamic level 30-60'. well log states 90' PL, however,
~~they~~ we do not know what size pump used
 for test.


DEC 29 1994

2N2W Sec 1



of the Boise Meridian

2N2W




Members of

Posts Courses Ch. Lk. Posts Cor.

63-11489



Collection basin
and gate to
buried pipe



P/O & P/U
in NENE/
SENE
looking NW



P/O in
NWNE
looking SE

DEC 29 1994

50

Meridian

b

B


n

2N 2W

RECEIVED

JUN 04 1991

Mean
Post



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11489

Priority: March 21, 1991

Maximum Diversion Rate:

1.23 CFS

This is to certify, that PLINE FARMS INC
6805 LAKE HAZEL RD
NAMPA ID 83687

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 21, 1991; and has submitted Proof of Beneficial Use on June 1, 1993. An examination indicates that the works have a diversion capacity of 1.230 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	03/15 to 11/15	1.23 CFS	
------------	----------------	----------	--

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 1, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	1	Lot 1(NENE) 36	Lot 2(NWNE) 34	SENE 9	79

Total number of acres irrigated: 79

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of water under this right may be affected by an agreement between the protestant and the right holder.
5. The right holder shall use the full allotment of appurtenant surface water rights, to the extent they are available, in conjunction with groundwater diverted pursuant to this right.
6. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 355.5 af for the lands above.

RECEIVED

DEC 29 1994


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11489

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 20TH
day of DECEMBER, 1994.

Acting for R. Keith Higginson, Director



DEC 29 1994

RECEIVED

JUN 02 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 125.00Date 6-1-93Receipt No. W016326Receipt by RW

Form 217

11/91

RECEIVED

JUN 1 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESDepartment of Water Resources
Western Regional Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11489 Telephone No. 466-6811 OR 466-8611
2. Name(s) of Permit Holder(s): PLINE FARMS INC.
3. Mailing Address: 6805 LAKE HAZEL RD. NAMPA ID 83687
4. Source of Water: GROUND WATER

If GROUNDWATER, Well Driller's Name: DOTY WELL DRILLING Date Drilled: 4-15-93

OPTIONAL:

Pump horsepower: 10 Pressure (psi): OPEN ~~DISCHARGE~~ Dynamic pumping level (ft.): 30 (EST.)

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 80 (No. of acres) 6/2/93 Klg Other _____

6. Total rate and/or volume for which proof is submitted 1.60 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ____ Yes NO Installed? ____ Yes ____ No

OR

Flow Measurement Port: Required? YES ____ No Installed? ____ Yes ____ No

8. Fee Enclosed: \$ 125 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

CLINTON PLINE 466-8611 OR 454-0408 (WAIT-TONE) 001954
Name Telephone No.

5814 E LOCUST LN. NAMPA ID 83680
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUL 08 1993

5-27-93 Clinton Pline Vice President, Pline Farms Inc
Date Signature (and title, if on behalf of a company or organization)

MICROFILMED

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11489

Proposed Priority: March 21, 1991 Maximum Diversion Rate: 1.60 CFS
This is to certify, that **PLINE FARMS INC.**

6805 LAKE HAZEL
NAMPA, ID 83687

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	1.60 CFS

LOCATION OF POINT(S) OF DIVERSION: SENE Sec. 1, Township 02N, Range 02W
CANYON County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>	
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>				
02N	02W	1	LOT 1(NENE) 30	LOT 2(NWNE) 30	SENE 20	80
Total number of acres irrigated:						80

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Use of water under this permit may be affected by an agreement between the protestant and the applicant.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23 day of May, 1991.

[Signature]
for R. Keith Higginson, Director

JUN 04 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant PLINE FARMS INC Phone 208 466 6811
Post office address 6805 LAKE HAZEL NAMPA ID. 83687

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SE 1/4 of NE 1/4, Govt. Lot _____
Sec. 1 Township 2N Range 2W B.M. Canyon County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

* Amount 1.6 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) _____ and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Drilled well with gravity
irrigation system

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 12" inches; proposed depth of well is 150 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

* Changes made per telecon w/ applicant 4-24-91
in response to protest

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
* 02N	02W	1	L.1 40	L.2 30		20													8090 Ac.
			30																

Total number of acres to be irrigated 8090 Ac.

10. Describe any other water rights used for the same purposes as described above. _____

Nampa-Meridian IRRIGATION DIST.

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: Supplemental Water

JUN 04 1991

DRILLING Permit # 63-W-91-083

See officer list - attached w/ meets & bounds description

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Plin Farms Inc. / By Clinton C. Plin
(Applicant) V.P.

Received by JFW Date 3/21/91 Time 10:00 AM Preliminary check by CJH
Fee \$ 65⁰⁰ Receipted by JFW # W013135 Date 3/21/91
Publication prepared by GG Date 3-27-91 Published in Press-Tribune
Publication approved ST Date 4-23-91
4/3 & 4/10/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

JUN 04 1991

Pres

Dale S. Pline

466-6811

6805 Lake Hazel Rd.

Nampa 83687

VP

Clinton Pline

5814 E. Locust Lane

Nampa 83686

Sec/Treas

Ellen R. Pline

6805 Lake Hazel Rd

as above

JUN 04 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 22, 1994

PLINE FARMS INC
6805 LAKE HAZEL RD
NAMPA ID 83687

RE: WATER RIGHT NO. 63-11489

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

RECEIVED
DEC 29 1994

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11489 DATE 12-15-94



NAME	Yes ☐	No ☒	Or Address Change?
PRIORITY DATE	☐	☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐	☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐	☒	Amendment needed? ☐ Overlaps? ☒
PLACE OF USE	☐	☒	Amendment needed? ☐ Overlaps? <u>Nampa-Meridian In Dist only</u>
DIV RATE	☐	☒	Permit/fee limits: <u>1.60 CFS</u> Meas Q = <u> </u> Theo Q = <u>1.23</u> Recommend: <u>1.23</u> <u>79 x .02 = 1.58</u> Combined rates exceed capacity ☐
ANNUAL VOLUME	☐	☒	Season of use: <u>D/4.5 (3-15 to 11-15)</u> Calculations: <u>79 x 4.5 = 355.5</u> Flow limit: ☐ cfs x ☐ x 1.9835 = ☐ Combined volumes exceed capacity/allowable ☐
USES	☐	☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
REMARKS	<u>WB3/WB8/WB7</u> Multiple p/d(s) in 1/4 1/4? ☐ Other <u>355.5</u>		
CONDITIONS	☐	☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ Irrigation Overlap ☒ Water Quality ☒ Other ☐ Heat/Cool/ Fish verified ☐
COMMENTS:	<u>Supplemental GW ; Reduce rate to capacity</u>		

RECOMMENDED	CFS	VOL	SRBA Claim Filed	<u>NO</u>
<u>Irrigation</u>	<u>1.23</u>	<u> </u>	Adjustment Memo Needed	<u>YES</u>
<u> </u>	<u> </u>	<u> </u>	LICENSE	☒
<u> </u>	<u> </u>	<u> </u>	1ST AMENDMENT LETTER	☐
<u> </u>	<u> </u>	<u> </u>	FINAL AMENDMENT LETTER	☐

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 31 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-114891. Owner: CLINTON PUNE/PUNE FARMS Phone No. 466 8611Current Address: 6805 Lake Hazel Rd Nampa ID 836872. Accompanied by: None EXAM DATE: 10/21/93

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-23882. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SE	NE	1	2N	2W	Canyon	Site Visit, Map


2. Place(s) of Use:

Indicate Method of Determination Above

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	2W	1	36	34		9													79
			L. 1	L. 2															

DEC 29 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for Irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	10	RYJ403267	Jacuzzi	6" to 8"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical. per permit holder, bowls set @ 60'.
Dynamic level 30-60'. well log states 90' PL, however,
they do not know what size pump used
for test.

DEC 29 1994

E. NARRATIVE/REMARKS/COMMENTS

12"X120' well discharging to cement ditch for gravity irrigation to west/northwest of well site. East of well, a small diversion basin may route water along east side of irrigated parcel via buried line to irrigate small piece in NENE from dirt ditch. (See diagram). This basin ~~is~~ also serves as main reception point for surface water from the adjacent lateral.

* No measuring device present, but portable weir could be used. Open discharge system.

Have conditions of permit approval been met? ☐ yes ☒ no *

DEC 29 1994

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\frac{10 \times 8.8 \times .7}{50} = 1.23 \text{ cfs}$$

allow 1.23 cfs.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 79 \times 4.5 = 355.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.23 \times 240 \times 1.9835 = 600.2$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 355.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRR	3/15	11/15	1.23	355.5
Totals:			1.23	355.5

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Cindy Hodges Date 3/24/94

Reviewer _____ Date _____

SEAL

* See attached memo. BC

DEC 29 1994

MEMORANDUM

TO: File 63-11489 / Pline Farms Inc.
FROM: Brenda Chapman
DATE: December 15, 1994
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

G. VOLUME CALCULATIONS

The volume recommendation has been addressed in the remarks based on current supplemental groundwater processing procedures.

H. RECOMMENDATIONS


1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3-15 to 11-15	1.23	Not Listed


See item G.


DEC 29 1994

2N2W Sec 1



ZNZW





R 2 W

T3.63

T3.63

31.5

N/NW

N/NW

12.5

2

3
65.5

T3.63

T3.63

N/NW

3
7.7

T3.62

N/NW

N/NW

2
11.7

1
7.0

N/NW

N/NW

6.4
N/NW

N/NW

4
11.8

1
17.0

N/NW

6
13.0

7
15.6

N/NW

N/NW

8 9 1994

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-W-90-083 ([?]) OTHER APPLICABLE NO: 63-11489
2. OWNER: PUNE FARMS Phone: 466 8611
Address: _____
3. WELL LOCATION: Twp ZN, Rge. ZW, Sec. 1, SE 1/4 NE 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Doty Lic. No. 42
When Drilled? 4/13/91
5. WELL CONSTRUCTION: TD = 120
Casing Diameter 12 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 29 ft. Method Drilled Rotary Air
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 22 ft. Water Temperature COLD °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

DEC 29 1994

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

C. Hodges

Signature of Dept. Representative & Title

10/21/93

Inspection Date


PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED
DEC 29 1994


State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]


63-11489



Collection basin
and gate to
buried pipe



P/O & P/U
in NENE/
SENE
looking NW



P/O in
NWNE
looking SE

DEC 29 1994

July 2, 1993

PLINE FARMS INC.
6805 LAKE HAZEL
NAMPA ID 83687

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11489

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JUL 08 1993

RECEIVED
MAR 25 1991

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) PLINE
PLINE FORMS INC.
2. Mailing Address 6805 LAKE HAZEL, Nampa ID 83687
Telephone 466-6811

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SE 1/4 NE 1/4, or Gov't Lot No. _____
Sec. 1, Twp. 2N, Rge. 2W, County Canyon
Street Address of Well Site _____
Lot, block and subdivision _____

4. Proposed use of well:

- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 12 Proposed Maximum Depth 150

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date ASAP 3-21-91

Anticipated Well Driller Doby DRILLING
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Clara Pline Date 3-21-91

Title owner PLINE FORMS INC.

RECEIVED

JUL 08 1993

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is

Approved

Date

3/21/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules Regulations.

SPECIFIC CONDITIONS:

10. Water cannot be diverted from this well until Appl. for Permit No. 63-11489 is approved by the Department.

Steve Lester Jr. Agent for Manager, Western Region
Signature of Authorized Department Representative Title

Receipt No. WO13135 Received by JFW Fee 200.00 Date 3/21/91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date JUL 08 1993

This extension is good for 60 days beyond the above extension approval date.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 2, 1993

Pline Farms Inc
6805 Lake Hazel
Nampa, ID 83687

Re: Permit No. 63-11489

Dear Permit Holder:

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a drilling permit which should have been applied for before the opening of your well began. We have also been unable to locate a well log which should have been submitted by your well driller 30 days after completion of the construction of your well.

If you have a drilling permit or a copy of the well log, please provide this office with a copy of each. If you do not have a copy of the well log, please contact your driller and ask that he submit a copy. In your return letter, please be sure to show the above referenced permit number on any documents. Also, please address any correspondence directly to me. Your response, with both forms attached, should be received within 30 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of your system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosure

JUL 08 1993

March 31, 1993

PLINE FARMS INC.
6805 LAKE HAZEL
NAMPA ID 83687

PROOF DUE NOTICE

RE: PERMIT NO. 63-11489

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

JUL 08 1993





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 30, 1991

PLINE FARMS INC.
6805 LAKE HAZEL
NAMPA, ID 83687

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11489

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water.

JUN 04 1991

Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

DEC 04 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 1, 1991

Hubert Osborne
Osborne Jersey Farm
2907 S. Happy Valley Rd.
Nampa, ID 83686

Re: Application for Permit No. 63-11489 in the Name of Pline Farms, Inc.

Dear Protestant:

This office acknowledges receipt of the withdrawal of protest against the above-referenced application.

The Department now will continue to process the application.

Sincerely,


A handwritten signature in cursive script that reads 'David R. Tuthill'.

DAVID R. TUTHILL, GR., P.E.
Manager, Western Regional Office

DRT:st

CC: Pline Farms, Inc.

JUN 04 1991



Osborne Jersey Farm

2907 S. HAPPY VALLEY ROAD • NAMPA, IDAHO 83651 • PHONE (208) 467-4928

4-24-1991

Mr. David Tutthill
Manager Western Regional Office

Mr. Clinton Pline, Mr. Dale Pline, Hubert Osborne
Charlene Osborne have had a conference today concerning
well permit No. 63-11489.

We are all in agreement that if our well has problems
because of the irrigation well it will be shut off and the procedures
for shut off have been discussed.

We believe this is satisfactory to all concerned.

Charlene L. Osborne
Hubert L. Osborne

Clinton C. Pline

RECEIVED

APR 30 1991

Department of Water Resources
Western Regional Office

RECEIVED

JUN 04 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 15, 1991

Hubert Osborne
Osborne Jersey Farm
2907 S. Happy Valley Rd.
Nampa, ID 83686

Re: Application for Permit No. 63-11489 in the Name of Pline Farms, Inc.

Dear Protestant:

This office acknowledges receipt of your protest to the issuance of a permit pursuant to the above referenced application. The Department suggests you contact the applicant(s) directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If this office has not been advised within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference. At such a conference, the following are the principle items the Department can consider in either approving or denying an application or permit (Section 42-1203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?
6. Will the proposed use be contrary to conservation of water resources within the state of Idaho?

If this office can be of further assistance, please contact us.

Sincerely,

A handwritten signature in cursive script that reads "David R. Tuthill, Jr.".

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT/st

JUN 04 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 15, 1991

Pline Farms, Inc.
6805 Lake Hazel
Nampa, ID 83687

Re: Application for Permit No. 63-11489

Dear Applicant:

Enclosed is a copy of a protest(s) filed against the issuance of a permit pursuant to the above-referenced application. The Department suggests that you contact the protestant(s) and attempt to resolve the protest(s).

If this office has not been advised within twenty (20) days that the protest(s) has been resolved, the matter will be scheduled for a conference. At such a conference, the following are the principle items the Department will review (per Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?
6. Will the proposed use be contrary to conservation of water resources within the state of Idaho?


Please contact this office if you have questions regarding this procedure.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

Enclosure: Copy of protest(s)

JUN 04 1991



Osborne Jersey Farm

2907 S. HAPPY VALLEY ROAD • NAMPA, IDAHO 83686

PHONE (208) 467-4928
Department of Water Resources
Western Regional Office

RECEIVED

APR 11 1991

April 9, 1991

To The Idaho Water Resources Board:

We have the following list of concerns about the well being drilled next to our property on Happy Valley Rd. Please review them and give consideration to our concerns and future home owners.

1. Our "domestic" well is approximately 200 ft. from new drilling,

2. Our drain field from our septic tank is less than 100 ft. from new well,

3. it doesn't appear 90 acres can be irrigated from location of new well, probably no more than 70 acres.


Water Right should be granted for the approximate 70 acres.

4. Pline Farms, Inc. are the new owners, they also have other farms, what would prevent them from pumping well here at the Happy Valley Rd. location to take surface water rights to other locations?

5. If static water drops in our domestic well "who" pays for drilling our well deeper, extra electrical costs, hauling water to our cattle, etc.?

6. Last, but not least, the new well is in the impact area of Nampa City. How will its use be resolved in the future when it is made into a

JUN 04 1991



Osborne Jersey Farm

2907 S. HAPPY VALLEY ROAD • NAMPA, IDAHO 83686 • PHONE (208) 467-4928

*Subdivision and needed for domestic use? How
Could it pass the water code with these con-
siderations?*

*Sincerely Yours,
Mr. and Mrs. Valert Osborne*

RECEIVED
JUL 04 1981

SPECIAL NOTE: _____

Application No. 63-11489

PROTEST INFORMATION SHEET

Protestant - Name(s)

Withdrawn / Hubert Osborne

Address 2907 S. Happy Valley Rd., Nampa, ID

Attorney - Name & Address _____

Date Filed 3-21-91

Protest Date 4-22-91

Issues _____

Applicant - Attorney - Name & Address _____

Dates: _____

Acknowledgement letters: _____

Hearing Notice: _____

Hearing Date: _____


Other: _____

JUN 04 1991

Protest Information submitted in Computer (following hearing): _____

BLAKLEY, BUTURLA

CONSULTING ENGINEERS



HOME OFFICE
621 SOUTH 4TH AVENUE
CALDWELL, IDAHO 83605
TEL: (208) 454-3033

DESCRIPTION FOR

RICHARD & GLENDA KRAJNICK AND PLINE FARMS, INC.

PARCEL 1

BBCE JOB NO. SC 030491

BOOK 343

MARCH 14, 1991

A parcel of land located in that portion of the S 1/2 of the NE 1/4 lying North & East of the South Nampa Lateral and that portion of Government Lots 1 and 2 lying North & East of the South Nampa lateral, all in Section 1, Township 2 North, Range 2 West, B.M., Canyon County, Idaho, and being more particularly described as follows:

Beginning at the NE Corner of said NE 1/4, Section 1, being a Brass Cap;

Thence South 0° 05' 57" East along the East line of said NE 1/4, Section 1, a distance of 355.84 feet to a point being a P.K. Nail & Washer, from whence a 1/2" x 24" steel rebar with metal washer marked LS 940 bears South 89° 52' 57" West, a distance of 25.00 feet;

Thence, leaving the East line of said NE 1/4, Section 1, South 89° 52' 57" West, parallel to the North line of said NE 1/4, Section 1, a distance of 155.00 feet to a point being a steel rebar with metal washer marked LS 940;

Thence South 0° 05' 57" East, parallel to the East line of said NE 1/4, Section 1, a distance of 114.86 feet to a point, being a 1/2" x 24" steel rebar with metal washer marked LS 940;


Thence South 89° 52' 57" West, parallel to the North line of said NE 1/4, Section 1, a distance of 470.00 feet to a point, being a 1/2" x 24" steel rebar with metal washer marked LS 940;

Thence South 0° 05' 57" East, parallel to the East line of said NE 1/4, Section 1, a distance of 355.00 feet to a point, being a 1/2" x 24" steel rebar with metal washer marked LS 940;

Thence North 89° 52' 57" East, parallel to the North line of said NE 1/4, Section 1, a distance of 295.00 feet to a point, being a 1/2" x 24" steel rebar with metal washer marked LS 940;

Thence South 0° 05' 57" East, parallel to the East line of said NE 1/4, Section 1, a distance of 180.00 feet to a point, being a steel rebar with metal washer marked LS 940;

JUN 04 1991



DESCRIPTION FOR

RICHARD & GLENDA KRAJNIK AND PLINE FARMS, INC.

BBCE JOB # SC 030491

MARCH 14, 1991

Thence North $89^{\circ} 52' 57''$ East, parallel to the North line of said NE 1/4, Section 1, a distance of 330.00 feet to a point on the East line of said NE 1/4, Section, being a P.K. Nail & Washer, from whence a $1/2'' \times 24''$ steel rebar with metal washer marked LS 940 bears South $89^{\circ} 52' 57''$ West, a distance of 25.00 feet;

Thence South $0^{\circ} 05' 57''$ East along the East line of said NE 1/4, Section 1, a distance of 1126.98 feet to a point of intersection with the Centerline of the South Nampa Lateral, being a P.K. Nail & Washer, from whence the E 1/4 Corner of said Section 1, being a Brass Cap, bears South $0^{\circ} 05' 57''$ East, a distance of 712.84 feet;

Thence North $66^{\circ} 01' 46''$ West along the Centerline of the said South Nampa Lateral, a distance of 2096.61 feet to a P.C. of a curve to the right;

Thence along the arc of said curve, a distance of 50.97 feet and having a Central angle of $14^{\circ} 10' 26''$, with a radius of 206.03 feet and whose Chord bears North $58^{\circ} 56' 33''$ West, a distance of 50.84 feet;

Thence, continuing along said Centerline of the South Nampa Lateral, North $51^{\circ} 51' 20''$ West, a distance of 877.93 feet to a point of intersection with the West line of said NE 1/4, Section 1, from whence a $1/2'' \times 24''$ steel rebar with metal washer marked LS 940 bears North $0^{\circ} 17' 27''$ East, a distance of 11.42 feet;

Thence North $0^{\circ} 17' 27''$ East along the West line of said NE 1/4, Section 1, a distance of 707.01 feet to a point on the North line of said NE 1/4, Section 1, being a Brass Cap and the N 1/4 Corner of said Section 1;

Thence North $89^{\circ} 52' 12''$ East along the North line of said NE 1/4, Section 1, a distance of 1321.39 feet to a point, being a Brass Cap and the N 1/16 Corner of said Section 1;

Thence continuing along the North line of said NE 1/4, Section 1, North $89^{\circ} 53' 42''$ East, a distance of 1321.12 feet to the POINT OF BEGINNING, containing 84.78 acres, more or less.

This parcel is subject to all easements and Rights-of-Way existing or of record.

JUN 04 1991

50

Meridian

b

B


a 2N 2W

.1

JUN 04 1991

Mean.

Index



NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11433

HENRICKSON, TIM
HENRICKSON, LEVI
HENRICKSON, GARY
HENRICKSON, JIM
RT. 3
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: LOT 6

Use: IRRIGATION

Date Filed: 12/19/1990
In: T02N R01W S06 Lot 4
66.0 ACRES TOTAL

(NWSW) Sec 6 T 02N R 01W
SESW Sec 6 T 02N R 01W
(1.320 CFS)

Total Diversion: (1.320 CFS)

(NWNW) Lot 5 (SWNW)

SESW

63-11485

ENGLE, FRANK
ENGLE, FRANCES
9450 FERRY RD.
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/13/1991
In: T01S R02W S15

NWNE

SWNE

NENW

NWNW

SESW

167.0 ACRES TOTAL

SWNE Sec 15 T 01S R 02W
(2.000 CFS)
Total Diversion: (2.000 CFS)

I am a citizen of the United States of America, and at all hereinafter mentioned was over the age of eighteen years, a party to the above entitled action.

I am the Principal Clerk of the Idaho Press-Tribune, a (except Saturday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho:

63-11496

GROSS, LARRY
RT. 1 HAPPY VALLEY RD.
KUNA, ID 83634
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 3/1/1991
In: T02N R02W S36
36.0 ACRES TOTAL

NESE Sec 36 T 02N R 02W
(.720 CFS)
Total Diversion: (.720 CFS)

NESE

LOWE, WALTER
26911 STEWART LN.
WILDER, ID 83676
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/14/1991
In: T04N R05W S04
160.0 ACRES TOTAL

NESE

NWSE

SWSE

SESE

SWSE Sec 4 T 04N R 05W
(3.200 CFS)
Total Diversion: (3.200 CFS)

63-11497

JOHNSON, JOHN R.
9168 PERCH LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

SESE Sec 1 T 03N R 04W
(2.260 CFS)
Total Diversion: (2.260 CFS)

NESE

NWSE

SESE

PLINE FARMS INC.
6805 LAKE HAZEL
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/21/1991
In: T02N R02W S01 Lot 1
90.0 ACRES TOTAL

Total Diversion:

(NENE) Lot 2 (NWNE)

SENE

SENE Sec 1 T 02N R 02W
(1.800 CFS)
Total Diversion: (1.800 CFS)

63-11502

BYRON GINGRICH CONSTRUCTION
702 VISTA TERRACE
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

SWNW Sec 3 T 02N R 02W
(.280 CFS)
Total Diversion: (.280 CFS)

SWNW

SHROLL, NORMAN
7130 HWY 45
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/28/1991
In: T02N R02W S22
80.0 ACRES TOTAL

63-11490

SESW Sec 22 T 02N R 02W
(1.600 CFS)
Total Diversion: (1.600 CFS)

SWNW

SESW

MILLER, CLEO
1910 S. MIDDLETON RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

63-11503

EBBERS, MERIL
11670 LONE STAR
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/12/1991
In: T03N R02W S19

192.0 ACRES TOTAL

63-11494

SESW Sec 19 T 03N R 02W
(3.840 CFS)
Total Diversion: (3.840 CFS)

NESW Lot 3 (NWSW) Lot 4 (SWSW)

SESW

SWSE

Date Filed: 3/22/1991
In: T03N R02W S32
110.0 ACRES TOTAL

SWSWSW Sec 32 T 03N R 02W
(2.200 CFS)
Total Diversion: (2.200 CFS)

SWNW

NWSW

SWSW

GANT, RALPH
91 HILL RD. S.
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt: LOT 3
Use: IRRIGATION

Date Filed: 3/4/1991
In: T01S R02W S03
62.0 ACRES TOTAL

63-11495

(NENW) Sec 3 T 01S R 02W
(1.240 CFS)
Total Diversion: (1.240 CFS)

Lot 3 (NENW)

SWNW

SESW

KINGHORN, JOHN
9359 USTICK RD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/18/1991
In: T04N R02W S33
65.0 ACRES TOTAL

NESE Sec 33 T 04N R 02W
(1.300 CFS)
Total Diversion: (1.300 CFS)

NESE

NWSE

SESE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 22, 1991.

R. KEITH HIGGINSON
April 3, 10, 1991

AFFIDAVIT OF PUBLICATION

OF IDAHO)
) ss.
of Canyon)

APR 11 1991

Department of Water Resources
Western Region Office

Marla O'Krakel

ja, Canyon County, Idaho, being first duly sworn, deposes

I am a citizen of the United States of America, and at all hereinafter mentioned was over the age of eighteen years, a party to the above entitled action.

I am the Principal Clerk of the Idaho Press-Tribune, a (except Saturday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho:

63-11496

GROSS, LARRY
RT. 1 HAPPY VALLEY RD.
KUNA, ID 83634
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 3/1/1991
In: T02N R02W S36
36.0 ACRES TOTAL

NESE Sec 36 T 02N R 02W
(.720 CFS)
Total Diversion: (.720 CFS)

NESE

LOWE, WALTER
26911 STEWART LN.
WILDER, ID 83676
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/14/1991
In: T04N R05W S04
160.0 ACRES TOTAL

NESE

NWSE

SWSE

SESE

SWSE Sec 4 T 04N R 05W
(3.200 CFS)
Total Diversion: (3.200 CFS)

63-11497

JOHNSON, JOHN R.
9168 PERCH LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

SESE Sec 1 T 03N R 04W
(2.260 CFS)
Total Diversion: (2.260 CFS)

NESE

NWSE

SESE

PLINE FARMS INC.
6805 LAKE HAZEL
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/21/1991
In: T02N R02W S01 Lot 1
90.0 ACRES TOTAL

Total Diversion:

(NENE) Lot 2 (NWNE)

SENE

SENE Sec 1 T 02N R 02W
(1.800 CFS)
Total Diversion: (1.800 CFS)

63-11502

BYRON GINGRICH CONSTRUCTION
702 VISTA TERRACE
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

SWNW Sec 3 T 02N R 02W
(.280 CFS)
Total Diversion: (.280 CFS)

SWNW

SHROLL, NORMAN
7130 HWY 45
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/28/1991
In: T02N R02W S22
80.0 ACRES TOTAL

63-11490

SESW Sec 22 T 02N R 02W
(1.600 CFS)
Total Diversion: (1.600 CFS)

SWNW

SESW

MILLER, CLEO
1910 S. MIDDLETON RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

63-11503

EBBERS, MERIL
11670 LONE STAR
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/12/1991
In: T03N R02W S19

192.0 ACRES TOTAL

63-11494

SESW Sec 19 T 03N R 02W
(3.840 CFS)
Total Diversion: (3.840 CFS)

NESW Lot 3 (NWSW) Lot 4 (SWSW)

SESW

SWSE

Date Filed: 3/22/1991
In: T03N R02W S32
110.0 ACRES TOTAL

SWSWSW Sec 32 T 03N R 02W
(2.200 CFS)
Total Diversion: (2.200 CFS)

SWNW

NWSW

SWSW

GANT, RALPH
91 HILL RD. S.
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt: LOT 3
Use: IRRIGATION

Date Filed: 3/4/1991
In: T01S R02W S03
62.0 ACRES TOTAL

63-11495

(NENW) Sec 3 T 01S R 02W
(1.240 CFS)
Total Diversion: (1.240 CFS)

Lot 3 (NENW)

SWNW

SESW

KINGHORN, JOHN
9359 USTICK RD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/18/1991
In: T04N R02W S33
65.0 ACRES TOTAL

NESE Sec 33 T 04N R 02W
(1.300 CFS)
Total Diversion: (1.300 CFS)

NESE

NWSE

SESE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 22, 1991.

R. KEITH HIGGINSON
April 3, 10, 1991

63-11489

PLINE FARMS INC.
6805 LAKE HAZEL
NAMPA, ID 83687

Source: GROUNDWATER

Diversion Pt: SENE Sec 1 T 02N R 02W

Use: IRRIGATION (1.800 CFS)
 Total Diversion: (1.800 CFS)

Date Filed: 3/21/ 1991

In: T02N R02W S01 Lot 1 (NENE) Lot 2 (NWNE) SENE

90.0 ACRES TOTAL

JUN 04 1991