

63-11485

775

KK-1P/D

R2W

JUN 04 1991

TIS NWNE
R2W
SEC 15

PKM

RB

Well 15

LINE

JUN 28 1965

63-11485

63-11485



P/D:
8" well
2 HP Grundfos
submersible
pump



P/U: 2 homes
yard +
corral



RECEIVED

JUN 28 1996

63-11485

7 6'94

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11485

Priority: March 13, 1991

Maximum Diversion Rate:

0.07 CFS

Maximum Diversion Volume:

5.7 AF

This is to certify, that FRANK ENGLE
FRANCES ENGLE

9450 FERRY RD
MELBA ID 83641

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 13, 1991; and has submitted Proof of Beneficial Use on May 3, 1993. An examination indicates that the works have a diversion capacity of 0.070 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	4.5 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.07 CFS	5.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 15, Township 01S, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	02W	15	NWNE	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>
01S	02W	15	NWNE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

JUN 28 1996

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**


WATER RIGHT NO. 63-11485

CONDITIONS OF APPROVAL AND REMARKS

5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Two points of Diversion are located within NWNE, S15, T01S, R02W.
7. Domestic use is for 2 homes.
8. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 26TH day of JUNE, 1996.

Acting for


KARL J. DREHER, Director

381900

\$50.00
To IDWR

RECEIVED

JUN 14 1996

Department of Water Resources

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 63-11485

Date of Priority: March 13, 1991

Maximum Diversion Rate:

Maximum Diversion Volume:

0.07
~~0.03~~ CFS
4.5 AF
5.7

Comes now

FRANK ENGLE
FRANCES ENGLE

9450 FERRY RD
MELBA ID 83641

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-11485, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION <i>JE</i>	03/15 to 11/15	0.03 CFS	4.5 AF
Domestic	1/1 to 12/31	0.04 CFS	1.2 AF <i>JE</i>

LOCATION OF POINT(S) OF DIVERSION: NWNE, Sec. 15, Township 01S, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	02W	15	NWNE	1		1

Total number of acres irrigated: 1

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Melba, this 6 day of June, 1996.

JUN 28 1996

(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11485

FOR DEPARTMENT USE ONLY

Preliminary check by SWK Fee = \$0.00 Received by RB # C035840 Date 6/14/96

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 63-11485 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Two points of Diversion are located within NWNE, S15, T01S, R02W.
7. Domestic use is for 2 homes.
8. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

Witness my hand this 26TH day of June, 1996.

Acting for


KARL J. DREHER, Director

JUN 28 1996

RECEIVED
MAY 3 1993

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 5-3-93
Receipt No. 0027377
Receipt by CA

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11485 Telephone No. 495-2701
2. Name(s) of Permit Holder(s): Frank + Frances Engle
3. Mailing Address: 9450 Ferry Rd Melba, Ida 83641
4. Source of Water: Well

If **GROUNDWATER**, Well Driller's Name: Jerald Johnston Date Drilled: 3-13-91

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic INA (No. of households) Stockwater NA 100 hd beef (No. and type of stock)

Irrigation 5 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .10 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ✓ No _____ Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? ✓ Yes _____ No _____ Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Frank Engle Telephone No. 495-2701

Address 9450 Ferry Rd Melba, Ida. 83641

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

4-30-93
Date

Frank Engle
Signature (and title, if on behalf of a company or organization)

MAY 25 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11485

Proposed Priority: March 13, 1991 Maximum Diversion Rate: 2.00 CFS
This is to certify, that **FRANK ENGLE**

FRANCES ENGLE
9450 FERRY RD.
MELBA, ID 83641

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	2.00 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNE Sec. 15, Township 01S, Range 02W
CANYON County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>					
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	02W	15	NWNE 40	SWNE 40	NENW 35	
			NWNW 25	SENE 15	NWSE 12	167
Total number of acres irrigated:						167

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 3, 1993**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

JUN 04 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11485

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23rd day of May, 1991.

R. Keith Higginson
for R. Keith Higginson, Director



JUN 04 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: FRANK ENGLE 208-495-2701
Address: 9450 FERRY RD.
MELBA, ID 83641
AND/OR
Name: FRANCES ENGLE 208-495-2701
Address: 9450 FERRY RD.
MELBA, ID 83641

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWNE Sec. 15, Township 01S, Range 02W
CANYON County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|----|
| IRRIGATION | 03/15 | 11/15 | 2.000 | | |
5. Total quantity to be appropriated is:
2.000 CFS (and/or) AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP AND PRESSURE SYSTEM
 - Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is 8 inches; proposed depth of well is 150
feet.
 - Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 years.
8. Description of proposed uses:
IRRIGATION

RECEIVED
JUN 04 1991

9. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
01S 02W 15	NWNE 40	SWNE 40	NENW 35	
	NWNW 25	SENE 15	NWSE 12	167

Total number of acres irrigated: 167

10. Describe any other water rights used for the same purposes.
BOISE-KUNA IRRIG DIST

11. a. Who owns the property at the point of diversion?
APPLICANT

b. Who owns the land to be irrigated or place of use?
APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Frank Enck
Applicant

Received by CJH Date 3-13-91 Time 3:00 Preliminary check by lw

Fee \$ 65.00 Receipted by CJH # W0013102 Date 3-13-91

Publication prepared by GG Date 3-27-91 Published in Press-Tribune
4/3 & 4/10/91

Publication approved st Date 4-23-91

JUN 04 1991



Walters Fe
(Site)

Butte
938

White
etc

21

PIPELINE

APR 24 1991

BM
2311

20



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

Deanna Boehlke Ratcliff
6848 Melba Rd
Melba, ID 83641

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

February 14, 2001

RECEIVED

FEB 16 2001

Re: Change of ownership for 63-21357 and 63-21456

Department of Water Resources

Dear Ms. Boehlke Ratcliff:

Enclosed you will find profile reports for the above mentioned water rights, which you filed a change of ownership from Engle to yourself. 63-21357 is for domestic use and stockwater from a well, and 63-21456 is for 24 acres of irrigation from wastewater. Both of these rights are not covered by the warranty deed you provided. Please see enclosed map.

Right ~~63-11485~~ is licensed for 2 homes and 1 acre of irrigation, from a well. 63-21349 is a beneficial use claim for 1 home and 100 stock, also from a well. These two rights do fall within the boundaries described by your warranty deed. Also see enclosed memo from Shelley Keen 6/6/1996, pertaining to these two rights. If you would like to change your ownership form to reflect these two rights, we can change them into your name. Without additional warranty deed information, we can not change water rights 63-21357 and 63-21456.

If you have any questions, please call.

Sincerely,

Sue Bock
Sr. Water Resource Agent
Western Region

Enclosures: Profile reports, memo, and map

RECEIVED

FEB 29 2000

WATER RESOURCES
WESTERN REGION

RECEIVED

MAR 16 1999

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
IDAHO DEPARTMENT OF WATER RESOURCES

NOTICE OF CHANGE OF WATER RIGHT OWNERSHIP

Please print or type. Attach pages with additional information. Instructions are on the back of this page.
Incomplete forms will be returned.

1. Water Right No(s).: _____
Adjudication Claim No(s).: 63-21357, 63-21456
2. The following REQUIRED information must be submitted with this form:
 - A. A copy of the most recent DEED, TITLE POLICY, CONTRACT OF SALE or other legal document indicating your ownership of the property and water rights or claims in question, WITH ATTACHED LEGAL DESCRIPTION.
AND
 - B. PLAT OF PROPERTY or SURVEY MAP for parcel of ten acres or less. (These are usually attached to your deed or on file with the county.)
OR
 - C. For water rights or adjudication claims involving ten or more irrigated acres, a USDA Farm Service Agency AERIAL PHOTO with irrigated acres outlined and point(s) of diversion clearly marked.
3. Name and Address of Former Owner/Claimant Frank + Francis Engle
9450 Ferry Rd, Melba Id 83641
4. New Owner/Claimant(s) Deanna F Boehlke Ratcliff
Name Connector (Check one): ☐ and ☐ or, ☐ and/or
New Mailing Address 6848 Melba Road
City, State and ZIP Code Melba, ID 83641
New Telephone Number (208) 495-2884
5. Date you acquired the property Feb 7, 99
6. If you have acquired only a portion of the former owner's property, IDWR may need to split the water right(s) or adjudication claim(s). If this applies, describe in detail your portion of each water right or adjudication claim in the spaces below. If necessary, attach additional pages.
Number of acres you irrigate _____ Number and type of stock _____
Diversion rate in CFS _____ Number of homes _____ Other uses _____
If a water right or adjudication claim is being split and you are not sure how to identify your portion of the original right or claim, please contact the nearest IDWR office for assistance.
7. Signature of New Owner or Claimant(s) Deanna F Boehlke Ratcliff
(Corporations or other organizations must submit a list of directors and/or officers demonstrating authority to sign form.)
8. For Snake River Basin Adjudication Claims: Please attach a Notice of Appearance completed by your attorney, if you wish IDWR to correspond with him or her for all matters related to your claims..

RECEIVED

FEB 29 2000

WATER RESOURCES
WESTERN REGION

PN 52873

WARRANTY DEED

FOR VALUE RECEIVED FRANK L. ENGLE and FRANCES D. ENGLE,
husband and wife

the Grantors, do hereby grant, bargain, sell and convey unto THE ESTATE OF HAROLD E. BOEHLKE

the Grantee, whose address is 6848 MELBA RD., MELBA, ID 83641

the following described premises, to-wit:

SEE EXHIBIT "A" ATTACHED HERETO AND MADE A PART HEREOF BY
REFERENCE:

TO HAVE AND TO HOLD the said premises, with their appurtenances unto the said Grantee, its heirs and assigns forever. And the said Grantors do hereby covenant to and with the said Grantee, that they are the owners in fee simple of said premises; that said premises are free from all encumbrances, except for general taxes and assessments for the year 1999 and subsequent years, covenants, conditions, restrictions and easements of record; and that they will warrant and defend the same from all lawful claims whatsoever.

DATED: February 2, 1999

Frank L. Engle
FRANK L. ENGLE

Frances D. Engle
FRANCES D. ENGLE

STATE OF IDAHO

COUNTY OF CANYON


On this 2nd day of February, 1999, before me a notary public, personally appeared FRANK L. ENGLE AND FRANCES D. ENGLE, known or identified to me to be the person(s) who (se) name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they have executed the same.

Jonathan M. Mabry
Notary Public

Residing at Nampa, Idaho 83651

My commission expires: 4/17/2003

4-25-2000



PIONEER TITLE COMPANY
OF CANYON COUNTY

100 10TH AVE SOUTH
NAMPA, IDAHO 83651

423 SOUTH KIMBALL
CALDWELL, ID 83605

PN 52873

Exhibit "A"

The West One-Half of the Northeast Quarter, and the Northwest Quarter of the Southeast Quarter, all in Section 15, Township 1 South, Range 2 West, Boise Meridian, Canyon County, Idaho.

EXCEPTING THEREFROM:

The South 25 acres of the Northwest Quarter of the Southeast Quarter in Section 15, Township 1 South, Range 2 West of the Boise Meridian, Canyon County, Idaho.

ALSO EXCEPTING THEREFROM:

BEGINNING at the Northeast corner of the Northwest Quarter of the Northeast Quarter of Section 15, Township 1 South, Range 2 West of the Boise Meridian, Canyon County, Idaho, which point is 1,311.75 feet on a bearing South 89° 54' East from the Northwest corner of the Northeast Quarter of said Section 15 and which described point shall be known as the TRUE POINT OF BEGINNING; thence

South 0° 38' East 508.38 feet along the Eastern boundary of said Northwest Quarter of the Northeast Quarter of said Section 15 to a point; thence

North 39° 20' West 319.44 feet to a point; thence

North 9° 47' West 265.87 feet to a point on the Northern boundary of said Northwest Quarter of the Northeast Quarter of said Section 15; thence

South 89° 54' East 242.10 feet along said Northern boundary to the TRUE POINT OF BEGINNING.

REQUEST
TYPE *Full Fee Co.*

PIONEER—NANPA

6021 HALLS
CANYON CITY RECORDER
BY *John A. Brown*

99 FEB 14 PM 4 23

RECORDED

9904491



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 27, 1996

FRANK ENGLE
FRANCES ENGLE
9450 FERRY RD
MELBA ID 83641

RE: WATER RIGHT NO. 63-11485

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

JUN 28 1996

MEMORANDUM

DATE: June 6, 1996

TO: File 63-11485

FROM: Shelley W. Keen *SWK*

RE: Adding domestic use to the right

This morning I drove out to visit with Frank Engle and to see the property associated with permit 63-11485. I discerned from my conversation with Mr. Engle that SRBA claim A63-21349 was filed to cover domestic use at the same two homes identified by the field examiner as being located at the place of use for permit 63-11485. The place of use indicated on A63-21349 is incorrect; it should be the NWNE, not the NWSE. The point of diversion is correct, however.

The 1920 priority date claimed on A63-21349 is based on historic use from an old 4" well located adjacent to the two homes. The 4" well is now the backup well for the homes. The primary well serving the domestic use and associated acre of irrigation for the two homes is the well in the SWNWNE identified by the examiner as the point of diversion for 63-11485.

Mr. Engle will amend permit 63-11485 to allow domestic use for two homes and irrigation of one acre around the homes. The amended permit will also recognize use of water from both wells. The change in nature of use will not be an expansion of the right because the diversion rate, diversion volume, and consumptive use volume authorized by the permit in its original form will not be exceeded.

Mr. Engle will consider amending claim A63-21349 to show the correct place of use. Despite the fact that claim A63-21349 essentially duplicates the water use that will be licensed under 63-11485, the claim is important to Mr. Engle because of the opportunity to establish a 1920 priority. Therefore, I believe he intends to obtain the licensed right now and hope that it will be replaced by a decree of A63-21349 in the future.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 15, 1996

FRANK ENGLE
9450 FERRY RD
MELBA ID 83641

RE: Water Right 63-11485

Dear Mr. Engle:

I wrote you last week in response to your questions about the field examiner's report for Water Right 63-11485. In my letter, I presented some information for you to evaluate so that we could determine how to proceed with licensing your water right. I have not yet received your response. If the information I sent leads you to believe that Water Right 63-11485 could be licensed differently than presented on the Application for Amendment I previously forwarded to you, please contact me right away at (208) 327-7946.

If you are now satisfied with the description of the right as presented on the Application for Amendment, please sign the amendment form and return it to me with the \$50.00 filing fee within fourteen (14) days. If I do not receive the amendment or a response within fourteen (14) days, I will assume you no longer have an interest in this water right and I will pursue cancellation of your permit.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

ENGLE.DOC

JUN 28 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 6, 1996

FRANK ENGLE
9450 FERRY RD
MELBA ID 83641

RE: Water Right No. 63-11485

Dear Frank:

Thank you for calling last week to discuss Water Right No. 63-11485. I understood your concern to be that the application for amendment I sent you does not include a year around domestic use for two homes with the irrigation use. As we discussed, I have researched the water right records to see if your domestic use is covered under other water right filings. I found some records that may or may not be associated with your domestic use. I will describe what I found in the next few paragraphs.

First, I found that you have filed two Snake River Basin Adjudication water right claims for the use of groundwater for domestic purposes. The water right numbers are A63-21357 and A63-21349. Please see the enclosed printouts showing the details of these two claims. I am not sure if they are the homes served by the well we discussed last week.

Claim A63-21357 describes a well and home in the NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 15, Township 1 South, Range 2 West, nearly a half mile west of the location indicated by our field examiner for the development under 63-11485.

Claim A63-21349 describes a well located in the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 15, Township 1 South, Range 2 West, matching our field examiner's report for 63-11485. However, the place of use (location of the home) indicated on the claim is in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 15, Township 1 South, Range 2 West, about half a mile south of where the well is claimed.

I also found claim A63-28100 filed by Freda and Sygurd Bevry for the use of groundwater for domestic purposes in the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 15, Township 1 South, Range 2 West.

For your reference, I have enclosed a photocopy of an aerial photograph on which I have marked the locations and water right numbers.

RECEIVED
JUN 11 1996

JUN 28 1996

If any of the three claims I have described correspond to the two homes we discussed last week, the claims may have errors that need to be corrected by amending your claims. If the claims are all for homes other than the two we discussed this morning, then it may be possible to include your domestic use on right 63-11485. When you have evaluated this information, please call me at 327-7946 to discuss how to proceed.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Walter Keen". The signature is written in dark ink and is positioned above the printed name.

Shelley Walter Keen
Water Rights Supervisor

Enclosures

305 2 3136



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 26, 1996

FRANK ENGLE
FRANCES ENGLE
9450 FERRY RD
MELBA ID 83641

RE: WATER RIGHT NO. 63-11485

Dear Water Right Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has been actually developed.

As of this date, I have not received the amendment. If I do not receive it within fourteen (14) days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed for your convenience is another amendment form in the event the first one was misplaced. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at (208) 327-7946

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED
JUN 28 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 8, 1996

FRANK ENGLE
FRANCES ENGLE
9450 FERRY RD
MELBA ID 83641

RE: WATER RIGHT NO. 63-11485

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

JUN 28 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11485 DATE 4-2-96



NAME Change OK ☒ Assignment Needed _____

PRIORITY DATE _____ ☒ Advance? _____ Advanced to: _____
 Order to reinstate needed? _____
 Incorrect fee for rate recommended? _____

SOURCE _____ ☒ Changes or just clarification of originally intended source? _____
 Notice of Intent to Void necessary? _____

POINT OF DIV ✓ _____ Amendment needed? Change to NW 1/4
_____ ✓ Overlaps? _____

PLACE OF USE _____ ☒ Amendment needed? _____
_____ ☒ Overlaps? _____

DIV RATE _____ ☒ Permit/fee limits: 2 CFS / .20 CFS
 Meas Q = _____ Theo Q = _____ Recommend: .03
Pump Curve @ 30 gpm or .07 CFS
 Combined rates exceed capacity _____

ANNUAL VOLUME _____ ☒ Volume Limit: _____ Season: D/4.5 (3-15 to 11-15)
_____ ✓ Calculations: 1 acre @ 4.5
 Flow limit: _____ cfs x _____ x 1.9835 = _____
 Combined volumes exceed capacity/allowable _____

USES _____ ☒ Change in Nature of Use or additional uses? _____
 Amendment necessary? _____

NEW CONDITIONS RS2 Irrigation Overlap Replaces Surface Water 050
_____ Supplemental GW 065
_____ Water Quality/Dam Safety/Heat-Cool/Fish _____
_____ WM Control- District _____ Meas/Lock Devices _____
_____ Other _____


NEW REMARKS _____ Supplemental GW [in Snake River Plain] WB8/WB7
_____ Irr/Dom Combination WB5 PPU Recommendation _____
_____ Boise River/Wood River Source Aes/Rec Uses W38
_____ Multiple p/d(s) in 1/4 1/4? _____
_____ Fire Protection WB6
_____ Other _____

COMMENTS: Lawn Irrigation Only (for 2 homes) Amend P/D

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Irrigation</u>	<u>.03</u>	<u>4.5</u>	Adjustment Memo Needed	<u>NO</u>
_____	_____	_____	LICENSE	_____
_____	_____	_____	1ST AMEND LETTER	<u>P39+ P38</u>
_____	_____	_____	2ND AMEND LETTER	<u>P47</u>

JUN 28 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		2	Grundfos	25520-11	
			submersible		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Pump curve supplied by John Woods, installer.

JUN 28 1996

E. NARRATIVE/REMARKS/COMMENTS

An 8" well equipped with a 2 HP submersible pump supplies water to 2 homes with lawns and ~100 beef stock. The permit lists 167 acres, however the well didn't meet expectations in regards to production. As a result, the groundwater is now pumped + piped ~ 1/8 mi North and used only for domestic / stock purposes. The one acre irrigation recommended is for the lawn area associated with the two homes.

A 4" well is also used, but cannot be relied upon (infrequent supplemental use). No other water pts are used.

Surface water only is used on the 167 acres originally proposed.

Have conditions of permit approval been met? ☒ yes ☐ no

JUN 28 1996

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

Per pump curve : 30 BPM = .07 cfs
psi range: 20-40

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{1} \times 4.5 = \underline{4.5}$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{.03} \times 246 \times 1.9835 = \underline{14.6}$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{4.5}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>3/15</u>	<u>11/15</u>	<u>.03</u>	<u>4.5</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.03</u>	<u>4.5</u>

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Don Corrao Date 2/21/96

Reviewer _____ Date _____

SEAL

JUL 26 1996

TIS NWNE
R2W
SEC 15

JUN 28 1966
903-11490



13906

2 8.5

18.6

16.3

16.2

HNW

HNW

TIS
R2W
Sec 15

JUN 28 1996

13 21.0

10 3.9

8 9.0

4 8.4

12 9.3

15 31.5

25.6

10 16.6

GRUNDFOS**25 GPM****MODEL
25S****SELECTION CHARTS**

(Ratings are in GALLONS PER HOUR - GPH)

FLOW RANGE
18 to 32 GPMPUMP OUTLET
1 1/2" NPT

PUMP MODEL	HP	PSI	DEPTH TO PUMPING WATER LEVEL (LIFT) IN FEET																								
			20	40	60	80	100	120	140	160	180	200	220	240	260	280	300	340	400	450	520	600	700	800	900	1000	1100
25S05-3	1/2	0			1960	1350	740																				
		20	1115	390	155																						
		30	630																								
		40																									
		50																									
		60																									
Shut-off PSI:			31	22	13	5																					
25S07-5	3/4	0				2070	1755	1435	1035																		
		20	1375	1715	1310	995	650																				
		30	1025	1360	735	120																					
		40	1170	705	350																						
		50	605																								
		60	245																								
Shut-off PSI:			57	46	38	31	22	13																			
25S10-7	1	0					1680	1710	1460	1210	780	305															
		20		1990	1320	1655	1375	1100	625	150	30																
		30	1960	1780	1530	1385	780	575	390																		
		40	1765	1595	1280	970	490																				
		50	1520	1250	855	420	210																				
		60	1130	835	420																						
Shut-off PSI:			80	74	65	57	48	39	31	22	13	5															
25S15-9	1 1/2	0						1930	1830	1675	1485	1295	975	650													
		20					1990	1760	1630	1420	1215	970	690	265													
		30				1875	1745	1585	1420	1195	850	470	50														
		40		1650	1715	1530	1355	1125	770	410	205																
		50	1365	1705	1530	1350	1045	735	370																		
		60	1170	1330	1080	1030	660	250	145																		
Shut-off PSI:			105	100	91	83	74	65	57	48	39	31	22	13													
25S20-13	2	0						1985	1865	1750	1655	1505	1350	1110	870	660											
		20						1950	1835	1725	1620	1455	1300	1035	780	495	150										
		30					1920	1820	1720	1625	1450	1255	1015	720	420	210											
		40				1910	1805	1690	1580	1400	1225	965	685	375													
		50		1890	1765	1535	1340	1095	1155	935	525	320	160														
		60	1860	1715	1555	1335	1045	1155	870	590	395																
Shut-off PSI:			125	125	113	108	100	92	83	74	65	57	48	39	31	23											
25S30-15	3	0									1935	1860	1785	1705	1625	1510	1240										
		20									1910	1835	1750	1680	1555	1475	1360	1150	910								
		30						1960	1900	1825	1750	1670	1570	1470	1365	1180	985	360									
		40					1970	1890	1815	1740	1650	1560	1440	1315	1140	965	745	295									
		50				1955	1880	1800	1720	1645	1540	1450	1330	1125	920	720	490	130									
		60		1945	1865	1790	1715	1620	1530	1430	1270	1065	900	680	435	230											
Shut-off PSI:			170	161	152	144	135	126	118	109	100	92	83	74	65	57	48										
25S50-26	5	0														1950	1810	1680	1515	1395	950	610					
		20														1925	1785	1655	1485	1350	950	300					
		30														1925	1785	1655	1485	1350	950	300					
		40														1920	1775	1630	1455	1300	1125	680					
		50													1860	1710	1570	1425	1260	1010	810						
		60												1950	1805	1660	1515	1375	1205	945	745	380					
Shut-off PSI:															235	226	208	227	219	210	193	177	161	145	130	114	

RECEIVED
JUN 28 1994

1.3 11405

IDAHO DEPARTMENT OF WATER RESOURCES
WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-91-W-071 OTHER APPLICABLE NO: 63-11485

2. OWNER: Frank Engle Phone: 495-2701
Address: _____

3. WELL LOCATION: Twp 15, Rge. 2W, Sec. 15, NW 1/4 NE 1/4
County Canyon (Provide sketch map and photo on reverse.)

4. DRILLER: Johnston Lic. No. 92
When Drilled? 4/1/91

5. WELL CONSTRUCTION:

Casing Diameter 8 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 80 ft. Method Drilled Cable
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 38 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: 30 (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☒ Domestic ☒ Irrigation ☒ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

JUN 28 1996

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

low production well

Lon Granger

Signature of Dept. Representative & Title

7/6/94

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED


JUN 28 1995

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

63-11485



P/D: ●
 8" well
 2 HP Grundfos
 submersible
 pump



P/W: 2 homer
 yard +
 concrete



63-11485

7 634

May 7, 1993

FRANK ENGLE
FRANCES ENGLE
9450 FERRY RD.
MELBA ID 83641

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11485

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
MAY 10 1993

MAY 25 1993

State of Idaho
Department of Water Resources

RECEIVED
MAR 14 1991

APPLICATION FOR DRILLING PERMIT

Department of Water Resources

1. Applicant (please print) Frank Engle
2. Mailing Address 9450 Ferry Rd Melba ID 83641
Telephone 495-2701

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SW 1/4 NE 1/4, or Gov't Lot No. _____
Sec. 15, Twp. 15, Rge. 2W, County Canyon
Street Address of Well Site —
Lot, block and subdivision _____

4. Proposed use of well:

- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

- ☒ Non-Domestic: Any beneficial use not included within the definition of domestic. Irrigation
() Injection
() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 8" Proposed Maximum Depth 150'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date 3-18-91

Anticipated Well Driller Johnston Drilling
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Frank Engle Date 3-13-91

Title _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approval

Date 3/13/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules Regulations.

SPECIFIC CONDITIONS:

10. No water may be diverted from this well for irrigation until application 63-11485 is approved.

Signature of Authorized Department Representative Steve Lister Sr. Agent for Manager, Western Region Office
Title

Receipt No. W013102 Received by GHL Fee 200.00 Date 3-13-91

MAY 25 1991

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 30, 1993

Frank and Frances Engle
9450 Ferry Rd
Melba, ID 83641

Re: Permit No. 63-11485

Dear Mr. Engle:

Per our telephone conversation this morning, enclosed is an amendment of permit form. As we discussed, it will be necessary for you to complete the form and return it to our Western Regional Office. Should you need assistance in completing the form, they will be able to assist you.

Also, as stated, I will hold the proof of beneficial use form you plan to submit until the amendment has been received and approved.

In the mean time, if you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosure

MAY 25 1993

February 28, 1993

FRANK ENGLE
FRANCES ENGLE
9450 FERRY RD.
MELBA ID 83641

PROOF DUE NOTICE

RE: PERMIT NO. 63-11485

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1993.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Frank Engle
Address 9450 Ferry Rd. Melba 83641
Drilling Permit No. 63-91-W-071
Water Right Permit No. 63-11485

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness _____ Diameter _____ From _____ To _____

4 1/2 inches 8 inches + 1 feet 89.7 feet

_____ inches _____ inches _____ feet _____ feet

_____ inches _____ inches _____ feet _____ feet

_____ inches _____ inches _____ feet _____ feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☐ No

Perforated? ☒ Yes ☐ No

How perforated? ☐ Factory ☐ Knife ☒ Torch ☐ Gun

Size of perforation 3/16 inches by 6 inches

Number _____ From _____ To _____

480 perforations 46 feet 86 feet

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth _____ Material used in seal: ☐ Cement grout

☐ Bentonite ☒ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☐ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent


Weld

☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location:



Subdivision Name _____

Lot No. 1 Block No.

County _____
 SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 15, T. 1 N ☐ E ☐
 S ☒ R. 2 W ☒

7. WATER LEVEL

Static water level 38 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped
30	insufficient for irrigation	

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
12	0	3	top soil		X
12	3	30	yellowish clay		X
12	30	42	sandy clay		X
8	42	50	coarse sanding clay yellow	X	
8	50	60	coarse and blue clay		X
8	60	72	blue clay		X
8	72	83	gravel and clay	X	
8	83	85	coarse	X	
8	85	89	coarse and blue clay		X
8	89	150	blue clay		X

10.

Work started 3-15-91 finished 4-1-91

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Johnston Drilling Firm No. 92
Address Melba Rd. Date 4-15-91
Signed by (Firm Official) Ernie D. Johnston
and
(Operator) J. Sheryl Johnston



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 30, 1991

FRANK ENGLE
FRANCES ENGLE
9450 FERRY RD.
MELBA, ID 83641

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11485

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water.

RECORDED

JUN 04 1991

Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

APR 04 1991

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11433

HENRICKSON, TIM
HENRICKSON, LEVI
HENRICKSON, GARY
HENRICKSON, JIM
RT. 3
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: LOT 6

Use: IRRIGATION

Date Filed: 12/19/1990
In: T02N R01W S06 Lot 4
66.0 ACRES TOTAL

(NWSW) Sec 6 T 02N R 01W
SESW Sec 6 T 02N R 01W
(1.320 CFS)

Total Diversion: (1.320 CFS)

(NWNW) Lot 5 (SWNW)

SENW

63-11485

ENGLE, FRANK
ENGLE, FRANCES
9450 FERRY RD.
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/13/1991
In: T01S R02W S15
167.0 ACRES TOTAL

SWNE Sec 15 T 01S R 02W
(2.000 CFS)
Total Diversion: (2.000 CFS)

NWNE

SWNE

NENW

NWNW

GROSS, LARRY
RT. 1 HAPPY VALLEY RD.
KUNA, ID 83634

Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/1/1991
In: T02N R02W S36
36.0 ACRES TOTAL

SWSE Sec 4 T 04N R 05W
(3.200 CFS)
Total Diversion: (3.200 CFS)

NESE

NWSE

SWSE

SESE

JOHNSON, JOHN R.
9168 PERCH LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/7/1991
In: T03N R04W S01
120.0 ACRES TOTAL

SENE Sec 1 T 02N R 02W
(1.800 CFS)
Total Diversion: (1.800 CFS)

Total Diversion:

(NENE) Lot 2 (NWNE)

SENE

BYRON GINGRICH CONSTRUCTION
702 VISTA TERRACE
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/26/1991
In: T02N R02W S03
14.0 ACRES TOTAL

SENW Sec 22 T 02N R 02W
(1.600 CFS)
Total Diversion: (1.600 CFS)

SWNW

SENW

MILLER, CLEO
1910 S. MIDDLETON RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/22/1991
In: T03N R02W S32
110.0 ACRES TOTAL

SESW Sec 19 T 03N R 02W
(3.840 CFS)
Total Diversion: (3.840 CFS)

NESW Lot 3 (NWSW) Lot 4 (SWSW)

SESW

SWSE

KINGHORN, JOHN
9359 LUSTICK RD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/18/1991
In: T04N R02W S33
65.0 ACRES TOTAL

(NENW) Sec 3 T 01S R 02W
(1.240 CFS)
Total Diversion: (1.240 CFS)

Lot 3 (NENW)

SWNW

SENW

GANT, RALPH
91 HILL RD. S.
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt: LOT 3
Use: IRRIGATION

Date Filed: 3/4/1991
In: T01S R02W S03
62.0 ACRES TOTAL

AFFIDAVIT OF PUBLICATION

OF IDAHO)
) ss.
of Canyon)

APR 11 1991

Department of Water Resources
Boise, Idaho 83725

Marla O'Krake

ja, Canyon County, Idaho, being first duly sworn, deposes

I am a citizen of the United States of America, and at all
ereinafter mentioned was over the age of eighteen years,
a party to the above entitled action.

I am the Principal Clerk of the Idaho Press-Tribune, a
except Saturday) newspaper published in the City of
(2.000 CFS) and Caldwell, in the County of Canyon, State of Idaho:

63-11496

GROSS, LARRY
RT. 1 HAPPY VALLEY RD.
KUNA, ID 83634

Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/1/1991
In: T02N R02W S36
36.0 ACRES TOTAL

SWSE Sec 4 T 04N R 05W
(3.200 CFS)
Total Diversion: (3.200 CFS)

NESE

NWSE

SWSE

SESE

JOHNSON, JOHN R.
9168 PERCH LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/7/1991
In: T03N R04W S01
120.0 ACRES TOTAL

SENE Sec 1 T 02N R 02W
(1.800 CFS)
Total Diversion: (1.800 CFS)

Total Diversion:

(NENE) Lot 2 (NWNE)

SENE

BYRON GINGRICH CONSTRUCTION
702 VISTA TERRACE
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/26/1991
In: T02N R02W S03
14.0 ACRES TOTAL

SENW Sec 22 T 02N R 02W
(1.600 CFS)
Total Diversion: (1.600 CFS)

SWNW

SENW

MILLER, CLEO
1910 S. MIDDLETON RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/22/1991
In: T03N R02W S32
110.0 ACRES TOTAL

SESW Sec 19 T 03N R 02W
(3.840 CFS)
Total Diversion: (3.840 CFS)

NESW Lot 3 (NWSW) Lot 4 (SWSW)

SESW

SWSE

KINGHORN, JOHN
9359 LUSTICK RD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/18/1991
In: T04N R02W S33
65.0 ACRES TOTAL

(NENW) Sec 3 T 01S R 02W
(1.240 CFS)
Total Diversion: (1.240 CFS)

Lot 3 (NENW)

SWNW

SENW

GANT, RALPH
91 HILL RD. S.
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt: LOT 3
Use: IRRIGATION

Date Filed: 3/4/1991
In: T01S R02W S03
62.0 ACRES TOTAL

NESE Sec 36 T 02N R 02W
(.720 CFS)
Total Diversion: (.720 CFS)

NESE

SESE Sec 1 T 03N R 04W
(2.260 CFS)
Total Diversion: (2.260 CFS)

NESE

NWSE

SESE

63-11502

SWNW Sec 3 T 02N R 02W
(.280 CFS)
Total Diversion: (.280 CFS)

SWNW

63-11503

SWSWSW Sec 32 T 03N R 02W
(2.200 CFS)
Total Diversion: (2.200 CFS)

SWNW

NWSW

SWSW

63-11504

NESE Sec 33 T 04N R 02W
(1.300 CFS)
Total Diversion: (1.300 CFS)

NESE

NWSE

SESE

The permit(s) will be subject to all prior water rights. Protests must be filed with
the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise,
Idaho 83705 on or before APRIL 22, 1991.

R. KEITH HIGGINSON
April 3, 10, 1991

JUN 04 1991

63-11485

ENGLE, FRANK
ENGLE, FRANCES
9450 FERRY RD.
MELBA, ID 83641

Source: GROUNDWATER

Diversion Pt: SWNE Sec 15 T 01S R 02W

Use: IRRIGATION (2.000 CFS)

Total Diversion: (2.000 CFS)

Date Filed: 3/13/ 1991

In: T01S R02W S15

NWNE
SENW

SWNE
NWSE

NENW

NWNW

167.0 ACRES TOTAL

7
RECEIVED

JUN 04 1991