

State of Idaho
DEPARTMENT OF WATER RESOURCES


UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

No Gov Lts in
SEC 20

2N 1W



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

JUN 04 1991

Ken Arnold
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		20	Submersible		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical

RECEIVED

DEC 29 1994





10" well
20 HP submersible pump

open
discharge



DEC 29 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11478

Priority: February 28, 1991

Maximum Diversion Rate:

0.66 CFS

This is to certify, that CECIL ARNOLD
1350 W AVALON
KUNA ID 83634

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 28, 1991; and has submitted Proof of Beneficial Use on March 3, 1993. An examination indicates that the works have a diversion capacity of .820 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	03/15 to 11/15	0.66 CFS	
------------	----------------	----------	--

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 20, Township 02N, Range 01W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	01W	20	SWSW	33		33

Total number of acres irrigated: 33

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-212, Idaho Code, or the applicable Idaho law.
4. The right holder shall use the full allotment of appurtenant surface water rights, to the extent they are available, in conjunction with groundwater diverted pursuant to this right.
5. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 148.5 af for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20TH day of DECEMBER, 1994.

Acting for

R. Keith Higginson, Director

DEC 29 1994

RECEIVED

MAR 3 1993

OFFICE USE ONLY
Amt. of Fee \$ 100.00
Date 3-3-93
Receipt No. C026894
Receipt by SW

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11478 Telephone No. 922-5923
2. Name(s) of Permit Holder(s): Cecil Arnold
3. Mailing Address: 1350 W. Avalon KONA, ID 83634
4. Source of Water: GROUNDWATER

If **GROUNDWATER**, Well Driller's Name: Sylvan Hansen Date Drilled: 5/93

OPTIONAL:

Pump horsepower: 20-25 Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 40 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.80 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes NO Installed? _____ Yes _____ No

Flow Measurement Port: Required? YES ~~NO~~ OR Installed? _____ Yes X No

*well discharges
to open ditch.*

8. Fee Enclosed: \$ 100.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name SAME AS ABOVE Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3-3-93
Date

Cecil Arnold

Signature (and title, if on behalf of a company or organization)

APR 22 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF CHANGING THE)
FLOW MEASUREMENT PORT OR)
MEASURING DEVICE CONDITION)
OF APPROVAL FOR PERMIT NO.)
63-11478 IN THE NAME OF)
CECIL ARNOLD)

ORDER


WHEREAS, the Department of Water Resources (department) has issued the above captioned water right permit with a condition of approval requiring the permit holder to install a flow measurement port or other device to facilitate the measurement and determination of the rate of diversion by the department; and

WHEREAS, the department has determined that the rate of diversion for certain ground water uses can be estimated by the department without the use of an installed flow measurement port; and,

WHEREAS, the department has determined that the rate of flow for the above captioned permit can be estimated without the use of a flow measurement port;

IT IS THEREFORE, hereby ordered that the condition of approval requiring the installation of a flow measurement port or other device for the above captioned permit is REMOVED.

Dated this 4th day of March, 199 .


L. GLEN SAXTON
Chief, Water Allocation Bureau

RECORDED

APR 22 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11478

Proposed Priority: February 28, 1991 Maximum Diversion Rate: 0.80 CFS
This is to certify, that CECIL ARNOLD

1350 W. AVALON
KUNA, ID 83634

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.80 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWSW Sec. 20, Township 02N, Range 01W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	01W	20	SWSW	40		40

Total number of acres irrigated: 40

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 3, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of May, 1991.

R. Keith Higginson
R. Keith Higginson, Director

JUN 04 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Cecil Arnold Phone 922-5923
Post office address 1350 W. Hvalon Kuna, Idaho 83634
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 20 Township 2N Range 1W B.M. CANYON County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.80 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.80 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well, pump & gravity flow via
ditches DRILLING PERMIT #63-91-2-020
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 12 inches; proposed depth of well is 200 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

JUN 04 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	1W	20											40						40

Total number of acres to be irrigated 40

10. Describe any other water rights used for the same purposes as described above. CANAL SHARES

in Boise - RUNA Irrig. Dist.

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____


JUN 04 1991

NO BOV LTS in
SEC 20

2N 1W



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

1004

Leslie Arnold
(Applicant)

Received by T. Luke Date 2/28/91 Time 3:35 pm Preliminary check by u
Fee \$ 45.00 Received by lt # 0019783 Date 2-28-91
Publication prepared by GG Date 3-13-91 Published in Press-Tribune
Publication approved st Date 4-12-91
3/20 & 3/27/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED
JUN 04 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 22, 1994

CECIL ARNOLD
1350 W AVALON
KUNA ID 83634

RE: WATER RIGHT NO. 63-11478

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

DEC 29 1994

LICENSE REVIEW CHECKLIST

PERMIT NO. 103-11473 DATE 12-15-94



NAME	Yes ☐ No ☒	Or Address Change? ☐
PRIORITY DATE	☐ ☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐ ☒	Amendment needed? ☐ Overlaps? ☐
PLACE OF USE	☐ ☒	Amendment needed? ☐ Overlaps? <u>BOISE-KUNA IRR DIST SHARES</u>
DIV RATE	☐ ☒	Permit/fee limits: <u>.80 CFS</u> Meas Q = ☐ Theo Q = <u>.82</u> Recommend: <u>.66</u> <u>33 x .02 = .66</u> Combined rates exceed capacity ☐
ANNUAL VOLUME	☐ ☒	Season of use: <u>(3/15 to 11-15) D/4.5</u> Calculations: <u>33 x 4.5 = 148.5</u> Flow limit: ☐ cfs x ☐ x 1.9835 = ☐ Combined volumes exceed capacity/allowable ☐
USES	☐ ☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
REMARKS	<u>WB3/WB7/WB7</u> ☒	Multiple p/d(s) in 1/4 1/4? ☐ Other ☐
CONDITIONS	☐ ☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ Irrigation Overlap ☐ Water Quality ☐ Other ☐ Heat/Cool/ Fish verified ☐
COMMENTS: <u>Supplemental GW; Reduce acres and rate.</u>		

RECOMMENDED	CFS	VOL	SRBA Claim Filed	<u>NO</u>
<u>Irrigation</u>	<u>.66</u>	<u>—</u>	Adjustment Memo Needed	<u>YES</u>
_____	_____	_____	LICENSE	☒
_____	_____	_____	1ST AMENDMENT LETTER	_____
_____	_____	_____	FINAL AMENDMENT LETTER	_____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 31 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11478

1. Owner: Cecil Arnold Phone No. 922-5923

Current Address: 1350 W Avalon Kuna 83634

2. Accompanied by: Cecil EXAM DATE: 10/25/93

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02388

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	20	2N	1W	Canyon	USGS Quad, ASCS Photo


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	1W	20											33						33

DE 6 8 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		20	Submersible		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical

RECEIVED
DEC 29 1984

DEC 29 1984

E. NARRATIVE/REMARKS/COMMENTS

A 10" well with a 20HP submersible pump
supplies water to 33 acres via concrete
ditch and gated pipe. Boise / Kuna
Irrigation water is also used on
the property. No other water rights
are used.

APPROVED
DEC 29 1994

Have conditions of permit approval been met? ☐ yes ☒ no

not necessary for
exam. (Condition
removed from permit
per order)

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$\frac{20 \times 8.8 \times .7}{150} = .82 \text{ cfs}$$

Estimate from owner - pump set near bottom due to heavy drawdown - depth = 165', static = 80'

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 33 \times 4.5 = 148.5$$

$$V_{D.R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .66 \times 246 \times 1.9835 = 322$$

$$V = \text{Smaller of } V_{I.R} \text{ and } V_{D.R} = 148.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* Irrigation	3/15	11/15	.66	148.5
Totals:			.66 cfs	148.5 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Loi Guaver Date 3/24/94

Reviewer _____ Date _____

SEAL

* See attached memo. BC

RECEIVED

DEC 29 1994

MEMORANDUM

TO: File 63-11478 / Cecil Arnold
FROM: Brenda Chapman
DATE: December 15, 1994
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

G. VOLUME CALCULATIONS

The volume recommendation has been addressed in the remarks based on current supplemental groundwater processing procedures.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3-15 to 11-15	.66	Not Listed

See item G.

DEC 20 1994




State of Idaho
DEPARTMENT OF WATER RESOURCES

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



DEC 29 1994

T2N
T1N



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-91-Z-020 OTHER APPLICABLE NO: 63-11478
2. OWNER: Cecil Arnold Phone: 922-5923
Address: 1350 W Avalon Kuna Id 83634
3. WELL LOCATION: Twp 2N, Rge. 1W, Sec. 20, SW 1/4 SW 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Domestic pump & DR Lic. No. 483
When Drilled? 1991
5. WELL CONSTRUCTION:
- Casing Diameter 10 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 18 ft. Method Drilled Rotary air
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
- Depth to Static Water 80 ft. Water Temperature 59 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
- | | | |
|---------------------------------------|---|-------------------------------------|
| ☐ Domestic | ☒ Irrigation | ☐ Stock |
| ☐ Test | ☐ Municipal | ☐ Industrial |
| ☐ Abandoned | ☐ Waste Disposal/Injection | ☐ Not Used |
| ☐ Other: _____ | | |

DEC 29 1994

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☒ Yes ☐ No

If yes, what Type? surface water

How far away from the well is this source? 5'

9.

REMARKS:

Lon Craven
Signature of Dept. Representative & Title

10/25/93
Inspection Date


PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

MISSOURI

DEC 29 1994



10" well
20 HP submersible pump



open
discharge

DEC 25 1994

March 5, 1993

CECIL ARNOLD
1350 W. AVALON
KUNA ID 83634

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11478

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

March 11 1993

Drilling Permit No. 63-91-2-020Water Right Permit No. _____
Injection Permit No. pendingState of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Cecil Arnold
 2. Mailing Address 1350 W. Avalon Kuna Idaho 83634
 Telephone 922-5923

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SW 1/4 SW 1/4, or Gov't Lot No. _____
 Sec. 20, Twp. 2N, Rge. 1W, County Canyon
 Street Address of Well Site 8/30 Robinson Rd.
 Lot, block and subdivision _____

4. Proposed use of well:

- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

- ☒ Non-Domestic: Any beneficial use not included within the definition of domestic. Irrigation

() Injection

- () Monitoring - A well bore schematic and map is required for each well.
 No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 12" Proposed Maximum Depth _____

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
 () 85°F to 212°F (Low temp. geothermal well)
 () 212° or more (Geothermal well)

6. Construction Start Date _____

7. Anticipated Well Driller Townson
 NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Cecil Arnold Date 2-28-91

Title owner
 (Owner, Firm Representative, Other)

APR 22 1993

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is APPROVED

Date 2/28/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

10. Applicant accepts all risks and responsibilities set forth and agreed to in the request for expedited issuance of a drilling permit.

Bary Spackman
Signature of Authorized Department Representative

Water Right Permits Mgr.
Title

Receipt No. C019783 Received by DT Fee 200⁰⁰ Date 2-28-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

RECEIVED
APR 22 1993

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	COUNTY
63-91-C-0020-000	O	CECIL ARNOLD 1350 W AVALON KUNA, ID 83634 (208) 922-5923	02N	01W	20	SW SW		CANYON

Subdivision Location and Description:

Subdivision Name:
Well Site Address:
City, State:Lot(s):
Block(s):

Geographic Location:

Accuracy Code:
Lat: : : N
Long: : : W

Proposed Use of Well: Irrigation Proposed Casing Diameter: In. Proposed Depth: Ft.

Well Use Comments:

Driller License No: 0483

Firm Name: DOMESTIC PUMP & DRILLING
Official: SYLVAN K ADAMSON

Permit Status:

Verbal Issue Date:	Receipt No.	Receipt Date	Fee
Date Received:			\$
Date Approved: 02/23/1991			
Proposed Start Date:			
Extension Date:			
Extension Expiration:			

Permit Remarks:

WELL DRILLER'S LOG REPORT

Drilling Permit No: 63-91-C-0020-000 Water Right No: 63-11478
Injection Permit No:

Nature of Work: NEW WELL	Construction Method: ROTARY & AIR	Number of Monitor Wells:
Casing Diameter: 10 In.	Static Water Level: 80 Ft.	Actual Start Date: 06/03/1991
Depth of Casing: 18 Ft.	Temperature: 59 F.	Well Finish Date: 06/06/1991
Total Depth: 165 Ft.	Production Rate: 600.00 GPM	Log Received Date: 06/21/1991
Screen Installed?		Certification Date:
		Field Inspection Date:

Well Log Remarks:

Inspector:

APR 22 1993

February 28, 1993

CECIL ARNOLD
1350 W. AVALON
KUNA ID 83634

PROOF DUE NOTICE

RE: PERMIT NO. 63-11478

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



APR 22 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 16, 1991

CECIL ARNOLD
1350 W. AVALON
KUNA, ID 83634

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11478

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

5-17-91

RECEIPT
For Monies Paid
to the
IDAHO DEPARTMENT OF WATER RESOURCES

Receipt No: D019783

Date: 2/28/1991
Time: 14:36:23

Received

From: ARNOLD CONSTRUCTION & EXC

Type of Payment	Program Acct Class	Amount
DRILLING PERMIT 63-91-Z-020	570350 1238 6390	200.00
WATER RIGHT APPLICATION	510199 1238 6390	45.00

Total \$245.00

CHECK: 3354

Region: STATE

Signature: Linda Yancy

JUN 04 1991

Drilling Permit No. 63-91-2-020
Water Right Permit No. 63-11478 *pending*
Injection Permit No. _____

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Cecil Arnold
2. Mailing Address 1350 W. Avalon Kuna Idaho 83634
Telephone 922-5923

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SW 1/4 SW 1/4, or Gov't Lot No. _____
Sec. 20, Twp. 2N, Rge. 1W, County Canyon
Street Address of Well Site 8130 Robinson Rd.
Lot, block and subdivision _____

4. Proposed use of well:
() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
☒ Non-Domestic: Any beneficial use not included within the definition of domestic. *- Irrigation*
() Injection
() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:
A. ☒ New well () Deepen () Replace - See Condition 9
B. Proposed Surface Diameter 12" Proposed Maximum Depth _____
C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date _____
7. Anticipated Well Driller Johnson
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Cecil Arnold Date 2-28-91
Title owner
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is APPROVED

Date 2/28/91

approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

0. Applicant accepts all risks and responsibilities set forth and agreed to in the request for expedited issuance of a drilling permit.

Gary Spackman
Signature of Authorized Department Representative

Water Right Permits Mgr.
Title

Receipt No. C019783 Receipted by DX Fee 200⁰⁰ Date 2-28-91

EXTENSION OF DRILLING PERMIT

JUN 04 1991

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

Drilling Permit No. 63-91-2-020

Water Right No. 63-11478 pending

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

David Arnold, Applicant, requests issuance of Drilling Permit prior to approval of a water right. The request is made for the following reason(s):

Driller availability

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

Feb. 28-91

Date

David Arnold

Applicant's Signature

owner

Applicant's Title

[Faint handwritten notes and stamps in the bottom right corner]

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

AFFIDAVIT OF PUBLICATION

63-11462
 SYMMS FRUIT RANCH INC.
 14068 SUNNY SLOPE RD.
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 2/19/1991
 In: T03N R04W S14
 S23
 100.0 ACRES TOTAL

63-11463
 SYMMS FRUIT RANCH INC.
 14068 SUNNY SLOPE RD.
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 2/19/1991
 In: T03N R04W S04
 113.0 ACRES TOTAL

63-11464
 PIRNIE, CLIFF
 PIRNIE, CANDESS
 6425 LOLA LN.
 NAMPA, ID 83686
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 2/27/1991
 In: T02N R02W S36
 60.0 ACRES TOTAL

63-11465
 EARNEST, LELAND
 3125 LASTER LN.
 NAMPA, ID 83687
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 2/12/1991
 In: T03N R02W S06 Lot 1
 T04N R02W S31
 194.0 ACRES TOTAL

63-11472
 WADE, KEITH L.
 8514 HAPPY VALLEY RD.
 NAMPA, ID 83686
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 3/4/1991
 In: T02N R02W S13
 75.0 ACRES TOTAL

63-11474
 RIM RANCHES INC.
 24034 BATT CORNER RD.
 PARMA, ID 83660
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 2/8/1991
 In: T04N R05W S10
 S11
 160.0 ACRES TOTAL

63-11475
 WHITAKER, STEVEN M.
 15861 MC DERMOTT RD.
 NAMPA, ID 83687
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 3/1/1991
 In: T03N R01W S07
 118.0 ACRES TOTAL

63-11478
 ARNOLD, CECIL
 1350 W. AVALON
 KUNA, ID 83634
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 2/28/1991
 In: T02N R01W S20
 40.0 ACRES TOTAL

63-11480
 FLOYD, HAROLD
 9703 CHICKEN DINNER RD.
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 3/4/1991
 In: T02N R04E S14
 23.0 ACRES TOTAL

NWNW Sec 23 T 03N R 04W
 (2,000 CFS)
 Total Diversion: (2,000 CFS)

NWNW SWSW
 SWSW SWSW

NESE Sec 4 T 03N R 04W
 SESE Sec 4 T 03N R 04W
 (2,000 CFS)
 Total Diversion: (2,000 CFS)

NESE SWSE SESE

SWSE Sec 36 T 02N R 02W
 (1,200 CFS)
 Total Diversion: (1,200 CFS)

SESW SWSW

NESESE Sec 6 T 03N R 02W
 (3,880 CFS)
 Total Diversion: (3,880 CFS)

(NENE) Lot 3 (NENW) NESE
 NWSE SESE
 NESE NWSE SWSW

SESW Sec 13 T 02N R 02W
 (1,500 CFS)
 Total Diversion: (1,500 CFS)

NESW SESW NWSE SWSW

SENE Sec 10 T 04N R 05W
 (3,200 CFS)
 Total Diversion: (3,200 CFS)

SWNE SENE
 SWSW SENW

SESESW Sec 7 T 03N R 01W
 (2,360 CFS)
 Total Diversion: (2,360 CFS)

NESW Lot 3 (NWSW) Lot 4 (SWSW) SESW

SWSW Sec 20 T 02N R 01W
 (.800 CFS)
 Total Diversion: (.800 CFS)

SWSW

NENE Sec 14 T 02N R 04W
 SENE Sec 14 T 02N R 04W
 (.760 CFS)
 Total Diversion: (.760 CFS)

NENE SENE

OF IDAHO)
) ss.
 of Canyon)

Charla O'Krakel

pa, Canyon County, Idaho, being first duly sworn, deposes s:

it I am a citizen of the United States of America, and at all
 ereinafter mentioned was over the age of eighteen years,
 a party to the above entitled action.

at I am the Principal Clerk of the Idaho Press-Tribune, a
 (except Saturday) newspaper published in the City of
 and Caldwell, in the County of Canyon, State of Idaho;
 e said newspaper is in general circulation in the said
 of Canyon, and in the vicinity of Nampa and Caldwell, and
 n uninterruptedly published in said County during a period
 ty-eight consecutive weeks prior to the first publication of
 ce, a copy of which is hereto attached.

at the notice, of which the annexed is a printed copy, was
 ed in said newspaper

regular and entire issue of said paper, and was printed in
 paper proper, and not in a supplement.

at said notice was published the following dates:

March 20, 27, 1991

Charla O'Krakel

OF IDAHO)
)
 TY OF CANYON)

27th day of March
 1991, before me, a Notary Public, personally
 ed Sharla O'Krakel, known

tified to me to be the person whose name subscribed to the
 instrument, and being by me first duly sworn, declared
 e statements therein are true, and acknowledged to me that

63-11481
 FLOYD, JERRY
 9159 RIVERSIDE RD.
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION
 Date Filed: 3/4/1991
 In: T03N R04W S35
 105.0 ACRES TOTAL

63-11483
 SWARTHOUT, C.R.
 4925 MOUNTAIN VIEW DR.
 BOISE, ID 83704
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION
 Date Filed: 3/7/1991
 In: T01S R01W S07
 R02W S01
 S12
 142.0 ACRES TOTAL

63-11484
 NEIDER, JAY C.
 NEIDER, CONNIE
 5821 MORNING DOVE DR.
 NAMPA, ID 83686
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION
 Date Filed: 3/4/1991
 In: T01N R02W S02 Lot 3
 S03
 225.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with
 the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise,
 Idaho 83705 on or before APRIL 8, 1991.
 R. KEITH HIGGINSON
 Director

63-11478

ARNOLD, CECIL
1350 W. AVALON
KUNA, ID 83634

Source: GROUNDWATER

Diversion Pt: SWSW Sec 20 T 02N R 01W

Use: IRRIGATION (.800 CFS)
Total Diversion: (.800 CFS)

Date Filed: 2/28/ 1991

In: T02N R01W S20 SWSW

40.0 ACRES TOTAL