



Photobase from 1957-64 aerial pl

CANYON AREA, IDAHO NO. 25



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	N/A	25	N/A	Hitachi	6"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

N/A - Winter Exam


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

AUG 08 1994

PERMIT U3-11476 INIT RC
T. R. S. Q/Q
P/D 4N 4W 36 SE NW
SCALE
PHOTO ID. X-4 NOTAS



AUG 08 1994







PHOTO ONE-

View northwest of well, 6" discharge lines, irrigation box or sump, and 2 15 h.p. pumps used to distribute water through 2 service lines.



RECEIVED
AUG 08 1994

PHOTO TWO-

View north of well and 6" discharge line to sump or irrigation box. The other 6" line discharges into irrigation ditch to irrigate adjacent 24 acres.



PHOTO THREE-

View easterly of gravity irrigated 24 acres. Headgate of Wilder Irrigation District ditch is shown at right. Headgate controls flow to irrigation box or sump.



AUG 08 1994

PHOTO FOUR-

View southerly of western portion of 10.6 acre tract, which is irrigated by handlines. Fence posts mark risers.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11476

Priority: March 6, 1991

Maximum Diversion Rate: 1.00 CFS
Maximum Diversion Volume: 405.0 AF

This is to certify, that SCHUYLER ENOCHS
LOU ANN ENOCHS

PO BOX 1212
CALDWELL ID 83606

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 6, 1991; and has submitted Proof of Beneficial Use on May 11, 1993. An examination indicates that the works have a diversion capacity of 1.000 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.00 CFS	405.0 AF

LOCATION OF POINT(S) OF DIVERSION: SENW , Sec. 36, Township 04N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N 04W 36	NWNE 13	SWNE 15	NENW 28	90
	SENE 34			

Total number of acres irrigated: 90

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

AUG 08 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11476

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29TH
day of JULY, 1994.

Acting for  R. Keith Higginson, Director



AUG 08 1994

RECEIVED

MAY 11 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 125.00
Date 5-11-93
Receipt No. C927472
Receipt by CASTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11476 Telephone No. 459-3241 459-1671 WK
2. Name(s) of Permit Holder(s): Schuyler Enochs Lou Ann Enochs
3. Mailing Address: P.O. Box 1212 Caldwell, Idaho
4. Source of Water: Groundwater 83606
If **GROUNDWATER**, Well Driller's Name: David Adamson Date Drilled: 3/27/91
Bill Doty
OPTIONAL:
Pump horsepower: 25 Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)
Irrigation 90 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 1.8 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No8. Fee Enclosed: \$ 125.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Schuyler Enochs DVM 459-3241 or 459-1671
Name Telephone No.
18785 Weitz Rd Caldwell, Idaho 83605
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

5-10-93
DateSchuyler Enochs DVM
Signature (and title, if on behalf of a company or organization)

JUL 01 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11476

Proposed Priority: March 6, 1991 Maximum Diversion Rate: 1.80 CFS
This is to certify, that SCHUYLER ENOCHS

LOU ANN ENOCHS
P.O. BOX 1212
CALDWELL, ID 83606

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

BENEFICIAL USE PERIOD OF USE RATE OF DIVERSION

IRRIGATION 03/15 to 11/15 1.80 CFS

LOCATION OF POINT(S) OF DIVERSION: SENW Sec. 36, Township 04N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u> <u>RGE</u> <u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N 04W 36	NWNE 13	SWNE 15	NENW 28	90
	SENE 34			

Total number of acres irrigated: 90

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

20th day of June, 1991.

MINISTERIAL

JUL 15 1991

for

R. Keith Higginson
R. Keith Higginson, Director

RECEIVED
MAR 07 1991

Ident. No. 63-11476

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: SCHUYLER ENOCHS 208-459-3241
Address: P.O. BOX 1212
CALDWELL, ID 83606
X AND/or
Name: LOU ANN ENOCHS 208-459-3241
Address: P.O. BOX 1212
CALDWELL, ID 83606

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SENW Sec. 36, Township 04N, Range 04W
CANYON County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	1.800		

5. Total quantity to be appropriated is:
1.800 CFS (and/or) AF

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc.
12 INCH WELL, 20HP MOTOR
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is 12 inches; proposed depth of well is 250 feet. *
d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 years.

8. Description of proposed uses:

MICROFILMED
JUL 15 1991

* changed in data base 4/4/91. Confirmed in data entry
error.

* drilling permit 63-91-2-025

gc 4/4/91

9. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
04N 04W 36	NWNE 13	SWNE 15	NENW 28	90
	SENE 34			

Total number of acres irrigated: 90

10. Describe any other water rights used for the same purposes.

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Schuyler Enoch DDM
Applicant


Received by Jim J. Date 3-6-91 Time 10:20 Preliminary check by Jim

Fee \$ 65.00 Receipted by SC # CD19835 Date 3/6/91

Publication prepared by GG Date 4-10-91 Published in Press-Tribune


Publication approved st Date 5-7-91 ^{4/17 & 4/24/91}

MICROFILMED
JUL 15 1991



Photobase from 1957-64 aerial pl

CANYON AREA, IDAHO NO. 25





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 1, 1994

SCHUYLER ENOCHS
LOU ANN ENOCHS
PO BOX 1212
CALDWELL ID 83606

RE: WATER RIGHT NO. 63-11476

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

MAILED 11/11/94

AUG 08 1994

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6311476	T04N R04W S36	GROUNDWATER																90
			13	15				28				34						
A6300166A	BOISE RIVE :	40	20			10		10										80
A6300167A	BOISE RIVE :	40	20			10		10										80
A6300179A	BOISE RIVE :	40	20			10		10										80
A6300224	BOISE RIVE :	40	20			10		10										80
A6300225	BOISE RIVE :	40	20			10		10										80
A6300294	BOISE RIVE :	40	20			10		10										80
A6300295	BOISE RIVE :	40	20			10		10										80
A6300371	BOISE RIVE :	40	20			10		10										80
A6302275	WILSON SLO :	40	20			10		10										80
A6302276	MASON CREE :	40	20			10		10										80
A6302294	FIVE MILE :	40	20			10		10										80
6302388	BOISE RIVE :																	
A6302388	BOISE RIVE :																	
6302529	GROUNDWATE :																	
A6302529	GROUNDWATE :	40	20			10		10										80
6302891	WILSON SLO :																	
A6302891	WILSON SLO :	40	20			10		10										80
A6302891A	WILSON SLO :	40	20			10		10										80
6303098	GROUNDWATE :																40	40
A6303098A	GROUNDWATE :																36	36
6303496	GROUNDWATE :									32								32
A6305199	GROUNDWATE :	40	20			10		10										80
A6305200	GROUNDWATE :	40	20			10		10										80
A6305219	INDIAN CRE :	40	20			10		10										80
A6305237	INDIAN CRE :	40	20			10		10										80
A6305255	INDIAN CRE :	40	20			10		10										80
A6309109	GROUNDWATE :	40	20			10		10										80
~~6311476~~	~~GROUNDWATE :~~	~~40~~	~~20~~	~~13~~	~~15~~	~~10~~	~~10~~	~~28~~	~~34~~	<del></del>	<del></del>	<del></del>	<del></del>	<del></del>	<del></del>	<del></del>	<del></del>	~~90~~
A6321731	FIVE MILE :	40	20			10		10										80
A6321739	ELIJAH DRA :	40	20			10		10										80

*All overlaps
are Pioneer's Dist*

POU COMPARISON

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11476 DATE 7-7-94



NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐ ☒	Amendment needed? ☐ Overlaps? ☐
PLACE OF USE	☐ ☒	Amendment needed? ☐ Overlaps? ☐
DIV RATE	☒ ☐	Measurement Q = <u>90 x .02 = 1.8</u> Theoretical Q = <u>1.2</u>
<i>Raise the pt to give them a little more (from 100 to 130)</i>		Capacity: <u>1.0</u> Combined rates exceed capacity ☐ Permit/fee limits: <u>1.8</u> Allowable: <u>1.2</u>
ANNUAL VOLUME	☐ ☒	Season of use: <u>0/4.5 3/15 to 11/15</u> Calculations: <u>90 x 4.5 = 405</u> Flow limit: ☐ cfs x ☐ x 1.9835 = ☐ Combined volumes exceed capacity/allowable ☐
USES	☐ ☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
REMARKS	☒	Multiple p/d(s) in <u>1/4 1/4</u> Other <u>Wilden In Dist</u>
CONDITIONS	☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ Irrigation Overlap ☐ Water Quality ☐ Other ☐

COMMENTS: Supplemental Water ; Reduce rate to capacity.

RECOMMENDED	CFS	VOLUME	LICENSE ☒
<u>Irrigation</u>	<u>1.0</u>	<u>405</u>	
<u> </u>	<u> </u>	<u> </u>	1ST AMENDMENT LETTER <u> </u>
<u> </u>	<u> </u>	<u> </u>	FINAL AMENDMENT LETTER <u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAY 03 1994

Department of Water Resources

A. GENERAL INFORMATIONPermit No. 63-114761. Owner: Schuyler & Lou Ann Enochs Phone No. 459-3241Current Address: P.O. Box 1212, Caldwell, ID 836062. Accompanied by: Schuyler Enochs EXAM DATE: 2/10/94Address: SAME Phone No. SAMERelationship to Permit Holder: Applicant3. Source: Groundwater tributary to _____**B. OVERLAP REVIEW**1. Other water rights with the same place of use: 63-02388, 63-02529, 63-028912. Other water rights with the same point of diversion: NONE**C. DIVERSION AND DELIVERY SYSTEM**

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	36	4N	4W	Canyon	Aerial Map


2. Place(s) of Use:

Indicate Method of Determination Same as P/D

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	4W	36		13	15		28			34									90

AUG 08 1994

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = N.T.S.

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	N/A	25	N/A	HITACHI	6"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS N/A - Winter Exam

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

AUG 08 1994

E. NARRATIVE/REMARKS/COMMENTS

OVERLAPS - P/K Same QQ, different areas of use.

Well is supplemental only. Main source of irrigation is the Wilder Irrigation District.

~~Well~~ A 25 h.p. pump discharges well water through a 6" line which discharges into a concrete sump or irrigation box. The water is then pumped from the sump by (2) 15 h.p. pumps to be distributed to acreage being irrigated.

The 6" discharge line usually has a flow meter, but has since been removed for repair. Ditch water is supplied to sump by headgate at ditch.

A second 6" discharge line discharges into adjacent ~~field~~ which is irrigation ditch for gravity irrigation of the 24 acres.

The theoretical capacity of the 25 h.p. pump is only 1.0 cfs, which is considerably less than the requested allocation of 1.80 cfs. Therefore, recommend licensing for 1.0 cfs for 90 acres.

$$\text{Theoretical: } Q = \frac{(8.8)(0.7)(25)}{160 + (231 \times 40)} = \frac{154}{2524} = \frac{0.96 \approx 1.0}{0.61 \text{ cfs}}$$

Note: Assumed 40 psi as per pump size.

Estimated dynamic pump level as per diagram.

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED

AUG 08 1994

F. FLOW CALCULATIONS

NONE - WINTER EXAM

Additional Computation Sheets Attached

d: (see narrative for Theoretical Calculation)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 90 \times 4.5 = 405.0 \text{ AFA}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{1.80}{1.80} \times 246 \times 1.9835 = 278.3 \text{ AFA}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 405.0 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	0.6 + 1.0	485.0
Totals:			0.6 + 1.0	485.0

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ✓ None
 ___ Change P.U. as reflected above ___ Add P.U. as reflected above Other

I. AUTHENTICATION

Field Examiner's Name Rick Collingsworth Date 2/18/94

Reviewer _____ Date _____

10-10-68

AUG 08 1994

PERMIT U3-11476 INIT RC
T. R. S. Q/Q
P/D 4N 4W 36 SE NW
SCALE
PHOTO ID. X-4 NOTAS

UNION Do

East Ridge Cemetery

RIDGE

Pleasant Ridge School

DEER

CANAL

SUBS LATERAL R 4

516

47' 30" 517

518

2487

519000mE

AUG 08 1960

1 MILE

118° 45'

43° 37'

T 3 N

T 4 N

31

4832

30

4833

4835

40'

4834

4836

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-91-2-025 OTHER APPLICABLE NO: _____

2. OWNER: Schuyler Enochs Phone: 459-3241
Address: P.O. Box 1212, Caldwell, ID 83606

3. WELL LOCATION: Twp 4N, Rge. 4W, Sec. 36, SE 1/4 NW 1/4
County Canyon (Provide sketch map and photo on reverse.)

4. DRILLER: Adams Pump & Drilling Lic. No. 457
When Drilled? 3-27-91

5. WELL CONSTRUCTION

Casing Diameter 10 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☐ No

Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____

Depth of Casing 178 ft. Method Drilled Rotary & Air

Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____

Control Valve? ☐ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No

Condition of Piping and Valving Good - Flow meter out for repair

Auger to a depth of 226 ft. Evidence of Annular Seal ☐ Yes ☐ No

Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION

Depth to Static Water 114 ft. Water Temperature N/A °F

Flowing Artesian ☐ Yes ☒ No Pressure: N/A (psi)

Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____

Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic	☒ Irrigation	☐ Stock
☐ Test	☐ Municipal	☐ Industrial
☐ Abandoned	☐ Waste Disposal/Injection	☐ Not Used
☐ Other: _____		

RECEIVED
AUG 08 1994

9.

REMARKS:

Rick Collingwood, Water Rights Examiner
Signature of Dept. Representative & Title

2/10/94
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

AUG 08 1994




PHOTO ONE-

View northwest of well, 6" discharge lines, irrigation box or sump, and 2 15 h.p. pumps used to distribute water through 2 service lines.



RECEIVED
AUG 08 1994

PHOTO TWO-

View northwesterly of well and 6" discharge line to sump or irrigation box. The other 6" line discharges into irrigation ditch to irrigate adjacent 24 acres.




PHOTO THREE-

View easterly of gravity irrigated 24 acres.
Headgate of Wilder Irrigation District ditch
is shown at right. Headgate controls flow
to irrigation box or sump.



AUG 08 1994

PHOTO FOUR-

View southerly of western portion of 10.6 acre
tract, which is irrigated by handlines. Fence
posts mark rows.

June 25, 1993

SCHUYLER ENOCHS
LOU ANN ENOCHS
P.O. BOX 1212
CALDWELL ID 83606

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11476

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

JUL 01 1993

INTER-DEPARTMENT MEMO

TO: File no 63-11476

SUBJECT: 2nd Well Log

FROM: K. Gustafson

DATE: 5/12/93

A copy of the prog of Beneficial Use & Drilling Permit were forwarded to John Carlson in the Ground Water Protection Bureau of this Dept. He will pursue the well log with Bill Doty and notify as to the need to obtain a 2nd drilling permit when the well was deepened.

6/14/93 - info to John again

6/23/93 - Per ROB Whitney - Bill Doty cleaned & cased deeper. He did not do any work requiring a permit or log. accept prog.

() For your information

() Response required

Karen L. Gustafson
signature

01 1993

7/90

State OfficeWater Right Permit No. 63-11476
Injection Permit No. _____State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Enochs, Schuyler and Lou Ann2. Mailing Address P.O. Box 1212Caldwell, ID 83606 Telephone 459-9241 Hm☒ Well Owner () Well Operator () Other, specify _____3. Proposed well location SE 1/4 NW 1/4, or Gov't Lot No. _____Sec. 36, Twp. 4N, Rge. 4W, County CanyonStreet Address of Well Site Near Northside of Deer Flat North Canal

Lot, block and subdivision _____

4. Proposed use of well:

- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

- ☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

- () Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9B. Proposed Surface Diameter 12" Proposed Maximum Depth 250'

C. Anticipated bottom hole temperature: _____

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date March / April7. Anticipated Well Driller Not Known

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Schuyler Enoch Date 3-6-91Title Owner

(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is

APPROVED

Date

3-6-91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Letwick A. Reed

Signature of Authorized Department Representative

MANAGER

GROUNDWATER PROTECTION SECTION

Title

Receipt No. C019835 Received by SL Fee 200⁰⁰ Date 3/6/91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date

JUL 01 1993

This extension is good for 60 days beyond the above extension approval date.

RECEIVED

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>SCHUYLER CONOCHS</u> Address <u>P.O. Box 1212 Caldwell</u> Drilling Permit No. <u>63-91-2-025</u> Water Right Permit No. <u>63-11476</u>	7. WATER LEVEL Static water level <u>114</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ <i>Describe artesian or temperature zones below</i>																																																																																																																																								
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td><u>3-400 GPM</u></td> <td><u>—</u></td> <td><u>1-1 HOUR</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>3-400 GPM</u>	<u>—</u>	<u>1-1 HOUR</u>																																																																																																																																		
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																							
<u>3-400 GPM</u>	<u>—</u>	<u>1-1 HOUR</u>																																																																																																																																							
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>10"</td> <td>1</td> <td>4</td> <td>TOP SOIL</td> <td></td> <td></td> </tr> <tr> <td></td> <td>4</td> <td>10</td> <td>HARD PAN</td> <td></td> <td></td> </tr> <tr> <td></td> <td>10</td> <td>37</td> <td>GRAVEL</td> <td></td> <td></td> </tr> <tr> <td></td> <td>37</td> <td>82</td> <td>TAN CLAY</td> <td></td> <td></td> </tr> <tr> <td></td> <td>82</td> <td>92</td> <td>SANDY CLAY</td> <td></td> <td></td> </tr> <tr> <td></td> <td>92</td> <td>97</td> <td>TAN CLAY</td> <td></td> <td></td> </tr> <tr> <td></td> <td>97</td> <td>117</td> <td>SAND & CLAY LAYERS</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>117</td> <td>126</td> <td>TAN CLAY</td> <td></td> <td></td> </tr> <tr> <td></td> <td>126</td> <td>128</td> <td>SAND</td> <td></td> <td></td> </tr> <tr> <td></td> <td>128</td> <td>165</td> <td>TAN CLAY</td> <td></td> <td></td> </tr> <tr> <td></td> <td>165</td> <td>174</td> <td>SAND</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>174</td> <td>182</td> <td>BLUE CLAY</td> <td></td> <td></td> </tr> <tr> <td></td> <td>182</td> <td>184</td> <td>SOFT BLUE SAND</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>184</td> <td>190</td> <td>BLUE CLAY</td> <td></td> <td></td> </tr> <tr> <td></td> <td>190</td> <td>191</td> <td>SOFT BLUE SAND</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>191</td> <td>193</td> <td>BLUE CLAY</td> <td></td> <td></td> </tr> <tr> <td></td> <td>193</td> <td>199</td> <td>BLUE SAND</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>199</td> <td>217</td> <td>HARD BLUE CLAY</td> <td></td> <td></td> </tr> <tr> <td></td> <td>217</td> <td>222</td> <td>SAND</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>222</td> <td>226</td> <td>BLUE CLAY</td> <td></td> <td></td> </tr> <tr> <td></td> <td>226</td> <td> </td> <td>BLUE SAND</td> <td></td> <td>X</td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	10"	1	4	TOP SOIL				4	10	HARD PAN				10	37	GRAVEL				37	82	TAN CLAY				82	92	SANDY CLAY				92	97	TAN CLAY				97	117	SAND & CLAY LAYERS		X		117	126	TAN CLAY				126	128	SAND				128	165	TAN CLAY				165	174	SAND		X		174	182	BLUE CLAY				182	184	SOFT BLUE SAND		X		184	190	BLUE CLAY				190	191	SOFT BLUE SAND		X		191	193	BLUE CLAY				193	199	BLUE SAND		X		199	217	HARD BLUE CLAY				217	222	SAND		X		222	226	BLUE CLAY				226		BLUE SAND		X
Bore Diam.	Depth		Material	Water																																																																																																																																					
	From	To		Yes	No																																																																																																																																				
10"	1	4	TOP SOIL																																																																																																																																						
	4	10	HARD PAN																																																																																																																																						
	10	37	GRAVEL																																																																																																																																						
	37	82	TAN CLAY																																																																																																																																						
	82	92	SANDY CLAY																																																																																																																																						
	92	97	TAN CLAY																																																																																																																																						
	97	117	SAND & CLAY LAYERS		X																																																																																																																																				
	117	126	TAN CLAY																																																																																																																																						
	126	128	SAND																																																																																																																																						
	128	165	TAN CLAY																																																																																																																																						
	165	174	SAND		X																																																																																																																																				
	174	182	BLUE CLAY																																																																																																																																						
	182	184	SOFT BLUE SAND		X																																																																																																																																				
	184	190	BLUE CLAY																																																																																																																																						
	190	191	SOFT BLUE SAND		X																																																																																																																																				
	191	193	BLUE CLAY																																																																																																																																						
	193	199	BLUE SAND		X																																																																																																																																				
	199	217	HARD BLUE CLAY																																																																																																																																						
	217	222	SAND		X																																																																																																																																				
	222	226	BLUE CLAY																																																																																																																																						
	226		BLUE SAND		X																																																																																																																																				
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>3-25-91</u> finished <u>3-27-91</u>																																																																																																																																								
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>10"</u> inches</td> <td><u>2</u> feet</td> <td><u>178</u> feet</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☒ Pudding clay ☐ _____ Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Cemented between strata Describe access port <u>TOP OF WELL</u>	Thickness	Diameter	From	To	<u>250</u> inches	<u>10"</u> inches	<u>2</u> feet	<u>178</u> feet													Number	From	To										11. DRILLERS CERTIFICATION I/we certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>ADAMSON PUMP DRILL</u> Firm No. <u>4457</u> Address <u>11411A W 10th</u> Date _____ Signed by (Firm Official) <u>Dave Adamson</u> and _____ (Operator) <u>Dave Adamson</u>																																																																																																								
Thickness	Diameter	From	To																																																																																																																																						
<u>250</u> inches	<u>10"</u> inches	<u>2</u> feet	<u>178</u> feet																																																																																																																																						
Number	From	To																																																																																																																																							
6. LOCATION OF WELL Sketch map location must agree with written location. N <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">W</td> <td style="width: 25%; text-align: center;">X</td> <td style="width: 25%; text-align: center;">36</td> <td style="width: 25%;">E</td> </tr> <tr> <td colspan="4" style="text-align: center;">S</td> </tr> </table> County <u>CANYON</u> Subdivision Name _____ Lot No. _____ Block No. _____ SE 1/4 NW 1/4 Sec. <u>36</u> T. <u>4</u> N. <u>4</u> S. R. <u>4</u> E. <u>4</u> W. <u>4</u>	W	X	36	E	S				11. DRILLERS CERTIFICATION I/we certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>ADAMSON PUMP DRILL</u> Firm No. <u>4457</u> Address <u>11411A W 10th</u> Date _____ Signed by (Firm Official) <u>Dave Adamson</u> and _____ (Operator) <u>Dave Adamson</u>																																																																																																																																
W	X	36	E																																																																																																																																						
S																																																																																																																																									

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT 199

April 30, 1993

SCHUYLER ENOCHS
LOU ANN ENOCHS
P.O. BOX 1212
CALDWELL ID 83606

PROOF DUE NOTICE

RE: PERMIT NO. 63-11476

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



JUL 01 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 27, 1991

SCHUYLER ENOCHS
LOU ANN ENOCHS
P.O. BOX 1212
CALDWELL, ID 83606

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11476

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED

JUL 15 1991

Water Right File

Drilling Permit No. 63-91-2-025
Water Right Permit No. 63-11476 (Pending)
Injection Permit No. _____

REC 91 70P
JUL 15 1991

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Enochs, Schuyler and Lou Ann

2. Mailing Address P.O. Box 1212

Caldwell, ID 83606 Telephone 459-9241 Hm

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SE 1/4 NW 1/4, or Gov't Lot No. _____

Sec. 36, Twp. 4N, Rge. 4W, County Canyon

Street Address of Well Site Near North side of Deer Flat North Canal

Lot, block and subdivision _____

4. Proposed use of well:

() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 12" Proposed Maximum Depth 250'

C. Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

MICROFILMED

6. Construction Start Date March / April JUL 15 1991

7. Anticipated Well Driller Not Known
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Schuyler Enochs DDM Date 3-6-91

Title Owner
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

APPROVED

This Permit is

Date

3-6-91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:**MICROFILMED****JUL 15 1991***Stuik A. Reed*

Signature of Authorized Department Representative

MANAGER

GROUNDWATER PROTECTION SECTION

Title

Receipt No. C019835 Received by SC Fee 200⁰⁰ Date 3/6/91**EXTENSION OF DRILLING PERMIT**

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

Call

63-11416
April 8th
Mr. Tim Johnson

Drilling Permit No. 63-91-2-025

Water Right No. 63. 11 476

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Mr. Schuyler Enoch, Applicant, requests issuance of Drilling Permit prior to approval of a water right. The request is made for the following reason(s):

Timely drilling of irrigation well for use
by early summer.

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

3-6-91
Date

Schuyler Enoch DDM
Applicant's Signature

Owner
Applicant's Title

MICROFILMED
JUL 15 1991

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

AFFIDAVIT OF PUBLICATION

02-07442

NICHOLSON, THOMAS T.
P.O. BOX 703
MERIDIAN, ID 83642
Source: SNAKE RIVER
Diversión Pt:

IDAHO)
) ss.

Tributary: COLUMBIA RIVER Canyon
LOT 7 (SWNE) Sec 36 T 01N R 03W
LOT 2 (NESE) Sec 6 T 01S R 02W

Use: IRRIGATION
STOCKWATER

(12.820 CFS)
(.120 CFS)
Total Diversión: (12.820 CFS) Sharla O'Krakel

Date Filed: 4/9/1991

In: T01N R03W S22
S25
S26

Lot 8 (SWSE) Lot 9 (SESE)
NWSW SWSW
NWNW Lot 2 (SWNW) Lot 3 (NWSW) Lot 4 (SESW)
NESE Lot 4 (SESW) Lot 5 (NENE)
Lot 6 (NENE)
Lot 5 (NWNW) Lot 6 (SESW)

Canyon County, Idaho, being first duly sworn, deposes

S27
S35
S36

443.0 ACRES TOTAL

63-11476

ENOCHS, SCHUYLER
ENOCHS, LOU ANN
P.O. BOX 1212
CALDWELL, ID 83606
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SENE Sec 36 T 04N R 04W
(1.800 CFS)
Total Diversión: (1.800 CFS)

Date Filed: 3/6/1991

In: T04N R04W S36
90.0 ACRES TOTAL

NWNE SWNE NENW SENW

63-11510

ROBINSON, DENNIS PAUL
24732 RODEO LANE
PARMA, ID 83660
Source: WASTE WATER
Diversión Pt:
Use: IRRIGATION

Tributary: SNAKE RIVER
SENE Sec 33 T 05N R 05W
(2.300 CFS)
Total Diversión: (2.300 CFS)

Date Filed: 4/1/1991

In: T05N R05W S33
115.0 ACRES TOTAL

NENE NWNE SWNE SENE

63-11511

CITY OF NAMPA
411 3RD ST. SO.
NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt:
Use: MUNICIPAL

SWNW Sec 17 T 03N R 02W
(1.500 CFS)
Total Diversión: (1.500 CFS)

Date Filed: 3/28/1990

Place of Use within the City limits of Nampa

63-11512

SORRELL, ELIZABETH, A.
SORRELL, WILLIAM R.
29249 W. HOWE
WILDER, ID 83676
Source: UNNAMED DRAIN
Diversión Pt:
Use: IRRIGATION

Tributary: EAST ARENA DRAIN
NWNENW Sec 7 T 04N R 05W
(1.200 CFS)
Total Diversión: (1.200 CFS)

Date Filed: 3/22/1991

In: T04N R05W S07

NENE NWNE SWNE SENE
NENW SESE

S06
240.0 ACRES TOTAL

63-11515

HAENSLI, RICHARD A.
HAENSLI, LYNNE
16191 FROST RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NENE Sec 10 T 03N R 04W
(2.200 CFS)
Total Diversión: (2.200 CFS)

Date Filed: 4/9/1991

In: T03N R04W S03

S10
110.0 ACRES TOTAL

NENE SWSE
NWNW

am the Principal Clerk of the Idaho Press-Tribune, a (sept Saturday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho; said newspaper is in general circulation in the said Canyon, and in the vicinity of Nampa and Caldwell, and uninterruptedly published in said County during a period of eight consecutive weeks prior to the first publication of a copy of which is hereto attached.

re notice, of which the annexed is a printed copy, was said newspaper

two times

ular and entire issue of said paper, and was printed in per proper, and not in a supplement.

id notice was published the following dates:

April 17, 24, 1991

IDAHO)

F CANYON)

24th day of April in the 1991, before me, a Notary Public, personally Sharla O'Krakel, known to me to be the person whose name subscribed to the document, and being by me first duly sworn, declared oments therein are true, and acknowledged to me that utted the same.

Sharla O'Krakel
Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MAY 6, 1991.
R. KEITH HIGGINSON, Dir.
April 17, 24, 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

APRIL 10, 1991

Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 6, 1991.

Yours truly,

GAIL GARRETT
Secretary

Encl.

MICROFILMED
JUL 15 1991

63-11476

ENOCHS, SCHUYLER
ENOCHS, LOU ANN
P.O. BOX 1212
CALDWELL, ID 83606

Source: GROUNDWATER

Diversion Pt: SENW Sec 36 T 04N R 04W

Use: IRRIGATION (1.800 CFS)
 Total Diversion: (1.800 CFS)

Date Filed: 3/ 6/ 1991

In: T04N R04W S36 NWNE SWNE NENW SENW

90.0 ACRES TOTAL

RECORDED

JUL 15 1991