



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible		25		Berkeley	G280391
				Model # 10524H1-25	

*Code to correspond with No. on map and aerial photo

(pump info inside control panel on power pole)

D. FLOW MEASUREMENTS


1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Ultrasonic Flowmeter						

2. Measurements: ~830 GPM or 1.85 cfs


NOTED

AUG 08 1994





10" well
 25 HP submersible
 pump
 6" discharge into
 gated pipe system




surface water
 also used on
 here

Measuring
 AUG 08 1994

←
 to gated pipe above
 canal or discharge
 to the 10" pipe
 that crosses the
 canal for gated
 pipe irrigation
 below the canal





Discharge into
10" buried pipe
system

Control valve for 10" pipe
that crosses the canal



Sediment
collection
pond for
waste water
below the
canal

AUG 08 1994



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11472

Priority: March 4, 1991

Maximum Diversion Rate: 1.50 CFS
Maximum Diversion Volume: 337.5 AF

This is to certify, that KEITH L WADE
8514 HAPPY VALLEY RD
NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 4, 1991; and has submitted Proof of Beneficial Use on June 7, 1991. An examination indicates that the works have a diversion capacity of 1.850 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.50 CFS	337.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 13, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N 02W 13	NESW 5	SESW 10	NESE 5	
	NWSE 25	SWSE 25	SESE 5	75

Total number of acres irrigated: 75

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

AUG 08 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11472

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22nd
day of July, 1994.

Acting for


R. Keith Higginson, Director




AUG 9 1994

RECEIVED

JUN 07 1991

STATE OF IDAHO

For Office Use Only
 Amt. of Fee \$ 125.00
 Date 6-10-91
 Receipt No. 002097
 Received by my

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11472 Telephone No. 467-5058

2. Name(s) of Permit Holder(s): Keith L. Wade

3. Post Office Address: 8514 Happy Valley Rd. Nampa, Id. 83686

4. Source of Water: Ground water

a. If ground water, well driller's name: Skinner ³⁰⁴ ₂₁₂ Date drilled: 3/20/91

b. Pump horsepower: 25 Pressure (psi): _____ Dynamic pumping level (ft.): 80'

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 100 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted 1.50 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

8. Fee Enclosed: \$ 125.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Keith L. Wade
Name

467-5058
Telephone No.

8514 Happy Valley Rd.
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6/4/91
Date

Keith L. Wade
Signature (and title if on behalf of a company or organization)

JAN 23 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11472

Proposed Priority: March 4, 1991 Maximum Diversion Rate: 1.50 CFS
This is to certify, that KEITH L. WADE

8514 HAPPY VALLEY RD.
NAMPA, ID 83686

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	1.50 CFS

LOCATION OF POINT(S) OF DIVERSION: SESW Sec. 13, Township 02N, Range 02W
CANYON County

<u>PLACE OF USE:</u> IRRIGATION				
<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N 02W 13	NESW 16	SESW 16	NWSE 17	75
	SWSE 26			
				75

Total number of acres irrigated: 75

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1992.
2. Subject to all prior water rights.
3. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of May, 1991.

R. Keith Higginson
for R. Keith Higginson, Director

JUN 12 1991

RECEIVED

MAR 05 1991

RECEIVED
MAR 04 1991

Ident. No. 63-11472

Department of Water Resources
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant Keith L. Wade Phone 467-5058

Post office address 8514 Happy Valley Rd., Nampa, ID 83686

2. Source of water supply Groundwater which is a tributary of —

3. Location of point of diversion is — 1/4 of SE 1/4 of SW 1/4, Govt. Lot —
Sec. 13 Township 02N Range 02W B.M. Canyon County; additional
points of diversion if any: —

4. Water will be used for the following purposes:

Amount 1.5 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.5 and/or (b) —
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, pipeline
Drilling Permit # 63-91-2-022.

b. Height of storage dam — feet; active reservoir capacity — acre-feet; total
reservoir capacity — acre-feet; period of year when water will be diverted to storage:
— to — inclusive.

c. Proposed well diameter is 10" inches; proposed depth of well is 130' feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

ponding place of use below. See instructions for standard symbols.

16 Acres each, no fractions

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	2W	13									16			16		17	26	~~26~~	75

Total number of acres to be irrigated 75


10. Describe any other water rights used for the same purposes as described above. Nampa-Meridian Irr. District Shares & Boise Kuna Irr. District

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

* SWSE instead of SESE per topo; no fractional acres in SW¼ per total acres shown. 82 3/7/91

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Received by CS Date 3-4-91 Time 2:15 PM Preliminary check by SL
Fee \$ 65.00 Receipted by QY # C019807 Date 3-4-91
Publication prepared by GG Date 3-13-91 Published in Press-Tribune
3/20 & 3/27/91
Publication approved st Date 4-12-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

JUN 04 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 25, 1994

KEITH L WADE
8514 HAPPY VALLEY RD
NAMPA ID 83686

RE: WATER RIGHT NO. 63-11472

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in dark ink, appearing to be 'Jim Johnson', written over a horizontal line.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

RECEIVED

AUG 08 1994

WR0749NP
No. 163-11472

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/08/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	KEITH L WADE 8514 HAPPY VALLEY RD NAMPA ID 83686 (208) 467-5058	03/04/1991	IRRIGATION	03-15 11-15	1.50 CFS	337.50 AFA
TOTAL DIVERSION:					1.50 CFS	337.50 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 1.85 CFS

Point(s) of Diversion: T02N R02W S13 SESW CANYON County

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE						
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
			:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	
02N	02W	13	:					:						:	05			10	:	05	25	25	05	:	75.0	
TOTAL ACRES																								75.0		

Pou County: CANYON

Other Rights: NAMPA-MERIDIAN IRRIGATION DISTRICT, BOISE-KUNA IRR. DISTRICT

Other Water Rights with Same Point(s) of Diversion and Source:
63-11472

Other Water Rights Listing Overlapping Place(s) of use:
63-11472

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.

Dates: App. Received: 03/04/1991 Priority Date: 03/04/1991
Proof Due Date: 05/01/1992 Proof Made Date: 06/07/1991
Exam Made Date: 07/14/1993 Exam Sent to S.O.: 08/27/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Audit: 07/08/94 BCHAPMAN

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

[illegible]

NO OVERLAPS

POLL COMPARISON

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11472 DATE 7-8-94



NAME	Yes ___	No ☒	Or Address Change? _____
PRIORITY DATE	___	☒	Advance? ___ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	___	☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	___	☒	Amendment needed? _____
	___	☒	Overlaps? _____
PLACE OF USE	___	☒	Amendment needed? _____
	___	☒	Overlaps? _____
DIV RATE	___	☒	Measurement Q = <u>1.85</u> Theoretical Q = _____ <u>75 x .02 = 1.5</u>
			Capacity: <u>1.85</u> Combined rates exceed capacity _____ Permit/fee limits: <u>1.50</u> Allowable: <u>1.5 CFS</u>
ANNUAL VOLUME	___	☒	Season of use: <u>0/4.5 (3-15 to 11-15)</u> Calculations: <u>75 x 4.5 = 337.5</u>
			Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	___	☒	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	<u>WB3</u>	☒	Multiple p/d(s) in 1/4 1/4? _____ Other <u>BOISE KUWA IRR DIST</u>
CONDITIONS	<u>R32</u>	☒	Measuring/Locking Devices _____
	___	☒	Watermaster control - District _____
	___	☒	Irrigation Overlap _____
	___	☒	Water Quality _____
	___	☒	Other _____

COMMENTS: _____

RECOMMENDED	CFS	VOLUME	LICENSE ☒
<u>Irrigation</u>	<u>1.5</u>	<u>337.5</u>	
_____	_____	_____	1ST AMENDMENT LETTER _____
_____	_____	_____	FINAL AMENDMENT LETTER _____



MEMO

DATE: 7/16/1993

TO: Complaint File & 63-11472

FROM: Lori Graves

RE: Audrey Crosberg Complaint

On 7/14/1993, I investigated Audry Crosberg's complaint that Keith Wade was diverting in excess of his water rights and thereby causing water related damage to her property.

Keith has a total of three wells that he uses for irrigation. Two of his wells, which have been licensed have not been used this year because of sufficient surface water supply from Boise/Kuna Irrigation District. The third well is represented by permit 63-11472 for 75 acres in Sec 13. This well is located in T2N R2W, Sec 13, SESESW. The ground water from this well can be diverted across the Ridenbaugh Canal through a 10" pipe to ~60-70 acres or used on 20 acres above the canal. If used across the canal, the water is tributary to the drain ditch. If used above the canal, the water is tributary to the canal. This season, the water has only been used on the 20 acres above the canal.

Mrs. Crosberg's problems are related to the drain ditch, not the canal. The drain ditch collects waste water from two other farmers besides Mr. Wade (Mr. Troutman and Mr. Patton with property in Sec 24). The ditch originates in the NE quarter of Sec 24. The reason for the abundance of water is because the farmers involved are irrigating like normal, not like the previous six years during the drought. Mrs. Crosberg built her home four years ago during the drought season and is not used to a normal year of run-off irrigation water. Besides water from the drain ditch entering her property, water from a farmer, Mr. Barsbee, with property in the SWNW, Sec 13 also drains onto her property.

During the field visit, I measured the discharge from Mr. Wade's ground water well in Sec 13. The ultrasonic flowmeter measured ~830 GPM or 1.85 cfs. Mr. Wade is limited to 1.5 cfs as listed on permit 63-11472. As mentioned before, the run-off water from this well flows directly into the Ridenbaugh Canal and does not effect Mrs. Crosberg this irrigation season.

Based on the findings of the field exam, Mrs. Crosberg's complaint is a surface water/run-off problem and outside the jurisdiction of IDWR.

Ly

7/20/93

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORTRECEIVED
SEP 01 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-114721. Owner: Keith Wade Phone No. 467-5058Current Address: 8514 Happy Valley Rd Nampa 836862. Accompanied by: Keith EXAM DATE: 7/14/93Address: same Phone No. _____

Relationship to Permit Holder: _____

3. Source: Ground Water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02388, 63-11469

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	SW	13	2N	2W	Canyon	USGS Quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	2W	13									5			10	5	25	25	5	75

AUG 08 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible		25		Berkeley	G280391
				Model # 10524H1-25	

*Code to correspond with No. on map and aerial photo

(pump info inside control panel on power pole)

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Ultrasonic Flowmeter						

2. Measurements: ~830 GPM on 1.85 cfs

AUG 08 1994

E. NARRATIVE/REMARKS/COMMENTS

A 10" well with a 25 HP submersible pump supplies water to 89 acres in Sec 13 via gravity irrigation with gated pipe. The ground water can be diverted to acres above the Ridenbaugh Canal or valved into a 10" pipe that crosses the canal to acres below the canal. The run-off water from the acres below the canal drains into a drain ditch which flows into a sediment collection pond in the NWNWSE, Sec 13, then into a neighbors collection pond in the SWSE, Sec 13 via an 18" culvert pipe.

This permit lists 75 acres irrigation, however the water can be applied to 89 acres. The 75 acres recommended are proportionably dispersed throughout the 89 acres.

Boise/Kuna Irrigation water is the primary water source for the acres. No other water uss are used.

Have conditions of permit approval been met? ☒ yes ☐ no

AUG 08 1994

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\frac{25 \times 8.8 \times .7}{100} = 1.54 \text{ cfs}$$

area est

1.85 cfs per ultrasonic Flowmeters

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 75 \times 4.5 = 337.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.5 \times 246 \times 1.9835 = 731.9$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 337.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	1.5	337.5
Totals:			1.5	337.5

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Lori G. Bramer Date 7/19/93

Reviewer _____ Date _____

SEAL

AUG 08 1994

7/14/93
11:00 AM

MODE SELECT
INPUT

OUTER DIAMETER
6.7638 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
.26100 IN

INNER LINING
? NO LING.

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
4.978 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

ZERO MODE
ZERO OPR

00-00 00:2300 *R
+002.20 % AI2

MODE SELECT
T0 CHECK

0233.6 MMSEC
100.16 % T0

AI DO SET
SCANNER

SCAN PERIOD
03 MIN


00-00 00:2500 *R
+835.048E 00GPM


00-00 00:2500 *R
+827.915E 00GPM

00-00 00:2600 *R
+848.256E 00GPM

~ 830 GPM = 1.85 CAS

RECEIVED
AUG 11 1994





Neighbors pond
Mr. Wader's sediment
collection pond

Aug 08 1992

4
16.6

5
14.5

T3349

4
(25.8)

NNW
to canal

(2.8)

(22.8)

6
3.7

5
(20.6)

NNW

NNW

NNW

NNW

NNW

NNW

5
6.8

T3355

T5396

T5051

8.7

5.5

5.8

20

2
4.8

3
12.7

4

16.6

5

14.5

T3349

4
(25.8)

NNW
to canal

(2.8)

(22.8)

6
3.7

5
(20.6)

NNW

NNW

NNW

NNW

NNW

NNW

5
6.8

T3355

T5396

T5051

8.7

5.5

5.8

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-91-Z-022 OTHER APPLICABLE NO: 63-11472
2. OWNER: Keith Wade Phone: 467-5058
Address: 8514 Happy Valley Rd Nampa 83686
3. WELL LOCATION: Twp 2N, Rge. 2W, Sec. 13, Se 1/4 Sw 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Cam-Ada Lic. No. 304
When Drilled? '91
5. WELL CONSTRUCTION:
Casing Diameter 10 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 110 ft. Method Drilled Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious constuction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 74 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

RECEIVED
AUG 08 1994

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:**

Loi Graver
Signature of Dept. Representative & Title

7/14/93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED

AUG 08 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>WADE, KEITH</u> Address <u>514 HAPPY VALLEY RD.</u> <u>NAMPA, ID 83686</u> Drilling Permit No. <u>ID 83686</u> Water Right Permit No. <u>91-7-022</u>		7. WATER LEVEL Static water level <u>4</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ of, Quality _____ Describe artesian or temperature zones below.																																																											
2. NATURE OF WORK ☐ New well ☐ Deepened ☐ Replacement ☒ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☒ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td>400</td><td>205</td><td>4</td></tr><tr><td>800</td><td>195</td><td>4</td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	400	205	4	800	195	4																																																	
Discharge G.P.M.	Pumping Level	Hours Pumped																																																											
400	205	4																																																											
800	195	4																																																											
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>13"</td><td>0</td><td>15</td><td>Gravel</td><td>No</td><td></td></tr><tr><td>13"</td><td>15</td><td>18</td><td>Solid Rock</td><td>No</td><td></td></tr><tr><td>10"</td><td>18</td><td>30</td><td>Solid Rock</td><td>No</td><td></td></tr><tr><td>10"</td><td>30</td><td>35</td><td>Cinders</td><td>Yes</td><td></td></tr><tr><td>10"</td><td>35</td><td>185</td><td>Solid Rock</td><td>No</td><td></td></tr><tr><td>10"</td><td>185</td><td>190</td><td>Cinders</td><td>Yes</td><td></td></tr><tr><td>10"</td><td>190</td><td>200</td><td>Solid Rock</td><td>No</td><td></td></tr><tr><td>10"</td><td>200</td><td>210</td><td>Rock/Gravel</td><td>Yes</td><td></td></tr></tbody></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	13"	0	15	Gravel	No		13"	15	18	Solid Rock	No		10"	18	30	Solid Rock	No		10"	30	35	Cinders	Yes		10"	35	185	Solid Rock	No		10"	185	190	Cinders	Yes		10"	190	200	Solid Rock	No		10"	200	210	Rock/Gravel	Yes	
Bore Diam.	Depth		Material		Water																																																								
	From	To		Yes	No																																																								
13"	0	15	Gravel	No																																																									
13"	15	18	Solid Rock	No																																																									
10"	18	30	Solid Rock	No																																																									
10"	30	35	Cinders	Yes																																																									
10"	35	185	Solid Rock	No																																																									
10"	185	190	Cinders	Yes																																																									
10"	190	200	Solid Rock	No																																																									
10"	200	210	Rock/Gravel	Yes																																																									
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		RECEIVED DEC 13 1991 Department of Water Resources RECEIVED DEC 17 1991																																																											
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>250 inches</td><td>10 inches</td><td>+ 1 feet</td><td>110 feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port <u>SANITARY WELL CAP</u>				Thickness	Diameter	From	To	250 inches	10 inches	+ 1 feet	110 feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																										
Thickness	Diameter	From	To																																																										
250 inches	10 inches	+ 1 feet	110 feet																																																										
_____ inches	_____ inches	_____ feet	_____ feet																																																										
_____ inches	_____ inches	_____ feet	_____ feet																																																										
_____ inches	_____ inches	_____ feet	_____ feet																																																										
Number	From	To																																																											
_____ perforations	_____ feet	_____ feet																																																											
_____ perforations	_____ feet	_____ feet																																																											
_____ perforations	_____ feet	_____ feet																																																											
6. LOCATION OF WELL Sketch map location must agree with written location. N W E S Subdivision Name _____ Lot No. _____ Block No. _____ County <u>CANYON</u> SE 1/4 SW 1/4 Sec. <u>13</u> , T. <u>2</u> N. R. <u>2</u> E. W. <u>1</u>		10. Work started <u>3/18/91</u> finished <u>3/20/91</u>																																																											
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Can-Add Well Drilling</u> Firm No. <u>304</u> Address <u>4250 Murphy Road</u> Date <u>4/10/91</u> <u>Kuna, Idaho</u> Signed by (Firm Official) <u>Earl Skinner</u> and <u>_____</u> (Operator)		RECEIVED AUG 08 1994																																																											
12. ADDITIONAL NOTES _____																																																													

10" well
25 HP submersible
pump
6" discharge into
gated pipe system




surface water
also used on
acres

AUG 08 1974


←
to gated pipe above
canal or discharge
to the 10" pipe
that crosses the
canal for gated
pipe irrigation
below the canal






Discharge into
10" buried pipe
system

Control valve for 10" pipe
that crosses the canal



Sediment
collection
pond for
waste water
below the
canal

AUG 08 1994



11/1/93

December 31, 1991

KEITH L. WADE
8514 HAPPY VALLEY RD.
NAMPA ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11472

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
DEC 31 1991
IDWR

Copy

State law req

From <u>KAREN GUSTAFSON</u>		To <u>M. MINIER</u>	
Co. <u>State Office</u>		Co. <u>WESTERN</u>	
Dept. <u>IDWR</u>		Phone # <u>334 2190</u>	
Fax # <u>327-7866</u>		Fax # <u>334 2348</u>	

Resources

1. WELL OWNER

Name WADE, KEITH
Address 514 HAPPY VALLEY RD.
NAMPA, ID 83686
Drilling Permit No. _____
Water Right Permit No. W-81-7-022

Static water level 7.4 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature OF. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☐ New well ☐ Deepened ☐ Replacement
☒ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☒ Pump ☐ Baller ☒ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped
400	205	4
500	195	4

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Wat Yes
	From	To		
13"	0	15	Dir	No
13"	15	18	Solid Rock	No
10"	18	30	Solid Rock	No
10"	30	35	Cinders	Yes
10"	35	185	Solid Rock	No
10"	185	190	Cinders	Yes
10"	190	200	Solid Rock	No
10"	200	210	Rock/Gravel	Yes

RECEIVED
DEC 13 1991
Department of Water Resources
DEC 17 1991

4. METHOD DRILLED

- ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness	Diameter	From	To
250 inches	10 inches	+ 1 feet	110 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was casing drive shoe used? ☐ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18 Material used in seal: ☐ Cement grout

☐ Bentonite ☐ Pudding clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth


Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld

☐ Cemented between strata

Describe access port SANITARY WELL CAP

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name JAN 23 1992

Lot No. _____ Block No. _____

10.

Work started 3/18/91 finished 3/20/91

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Can-Ado Well Drilling Firm No. 304

Address 4250 Murphy Road Date 4/10/91

Signed by (Firm Official) Earl Skinner

and

(Operator) Earl Skinner

ACTION REQUIRED

FROM:

Karen Gustafson

TO:

LoB Whitney

12/26/91 -

LoB - I have tried unsuccessfully to obtain a well log. It has supposedly been submitted. However, I cannot locate - Can you help? I'll call this up again in 30 days.

Thanks,
Karen

12/30/91 - Maria @ Western - has located copy of the well log - She will send it to me

1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 6, 1991

Earl F. Skinner
Can Ada Well Drilling
4250 Murphy Road
Kuna, ID 83634

Re: Permit No. 63-11472 - Keith L. Wade
Drilling Permit No. 63-91-Z-022
Drilling Date: March 1991
Proposed Location: 4N, 2W, Section 13, NE1/4,
SW1/4.

Per my telephone conversation with Mr. Wade, you have already submitted the well log to this office. However, after my third search, I am still unable to locate a copy. I would ask you once again to submit a copy of the well directly to me. My card is enclosed for your convenience. Please address any correspondence directly to me. Your response should be received within 20 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of the permit holders system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

C: Permit Holder

JAN 23 1992

INTER-DEPARTMENT MEMO

TO: FileSUBJECT: well logFROM: KarenDATE: 12/6/91

Call from Mr. Wade - driller is Earl Skinner
@ Can Ada - Per Mr. Skinner - he sent well
log 2 wks ago - I do not have it - did another
search - no luck - will write to Can Ada 1
more time + request to send direct to me

MICROFILMED

JAN 8 3 1992

☐ For your information☐ Response requiredKYA
signature



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 3, 1991

Frank Skinner
SOS Well Drilling
4145 North Blackcat Road
Meridian, ID 83642

Re: Permit No. 63-11472 - Keigh L. Wade
Drilling Permit No. 63 91 Z 022
Drilling Date: March 1991
Proposed Location: 2N, 2W, Section 13, NE1/4,
SW1/4.

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a well log which should have been submitted 30 days after completion of the construction of this well.

While it is possible that you have submitted the log, we have been unable to locate it. Please supply me with another copy. Also, please supply me with a copy of the drilling permit as well. Please address any correspondence directly to me. Your response should be received within 20 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of the permit holders system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

C: Permit Holder

RECORDED

JAN 23 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 12, 1991

Keith L. Wade
8514 Happy Valley Road
Nampa, ID 83686

Re: Permit No. 63-11472

Dear Permit Holder:

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a drilling permit which should have been applied for before construction of your well began. We have also been unable to locate a well log which should have been submitted by your well driller 30 days after completion of the construction of your well.

If you have a drilling permit or a copy of the well log, please provide this office with a copy of each. If you do not have a copy of the well log, please contact your driller and ask that he submit a copy. In your return letter, please be sure to show the above referenced permit number on any documents. Also, please address any correspondence directly to me. Your response, with both forms attached, should be received within 20 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of your system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

RECEIVED

JAN 23 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 17, 1991

KEITH L. WADE
8514 HAPPY VALLEY RD.
NAMPA, ID 83686

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11472

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED
MAY 20 1991
WATER RIGHTS SECTION

7/90

Drilling Permit No.

63-91-2-022

Water Right Permit No.

Injection Permit No.

63-11472 pending

State of Idaho
Department of Water Resources**RECEIVED**
MAR 04 1991**APPLICATION FOR DRILLING PERMIT**

Department of Water Resources

1. Applicant (please print) Keith L. Wade2. Mailing Address 8514 Happy Valley Rd. Nampa Id. 83686Telephone 467-5058☒ Well Owner ☐ Well Operator ☐ Other, specify _____3. Proposed well location SE 1/4 SW 1/4, or Gov't Lot No. _____Sec. 13, Twp. T2N, Rge. R2W, County CanyonStreet Address of Well Site Deerp Flat Rd

Lot, block and subdivision _____

4. Proposed use of well:

- ☐ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

- ☒ Non-Domestic: Any beneficial use not included within the definition of domestic. dring

☐ Injection☐ Monitoring - A well bore schematic and map is required for each well.

No. of proposed wells: _____

5. Well construction information:

A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9B. Proposed Surface Diameter 10" Proposed Maximum Depth 130'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212° or more (Geothermal well)

6. Construction Start Date Skinner or Davis7. Anticipated Well Driller ←

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Keith L. Wade Date 3/4/91

Title _____

(Owner, Firm Representative, Other)

RECORDED
JUN 04 1991

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date 3/4/91


If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

10. THE APPLICANT ACCEPTS ALL RISKS AND RESPONSIBILITIES SET FORTH AND AGREED TO IN THE REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT.
11. THE APPLICANT MUST IDENTIFY THE DRILLER PRIOR TO DRILLING (CALL 334-2190).



JUN 04 1991

Stuart J. Reed
Signature of Authorized Department Representative

GP Menden
Title

Receipt No. 0019807 Received by 74 Fee 200.00 Date 3-4-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

Drilling Permit No. 63-91-2-002

Water Right No. 63-11472 pending

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Keith L. Wade, Applicant, requests issuance of Drilling Permit prior to approval of a water right. The request is made for the following reason(s):

Sweet Corn Contract & A/E
driller Availability

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

8/11/91
Date

Keith L. Wade
Applicant's Signature

owner
Applicant's Title

RECEIVED
FEB 04 1991

RECEIPT
For Monies Paid
to the
IDAHO DEPARTMENT OF WATER RESOURCES

Receipt No: 0019807

Date: 3/ 4/1991
Time: 14:25:07

Received
From: WADE, KEITH

Type of Payment	Program Acct Class	Amount
DRILLING PERMIT (63 91 Z 022)	530350 1238 6390	200.00
APPLICATION FOR PERMIT	510199 1238 6390	65.00
Total		\$265.00

CHECK 2521

Region: STATE

Signature:

J. Yarbrough

JUN 04 1991

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11462

SYMMS FRUIT RANCH INC.
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/19/1991
In: T03N R04W S14
S23
100.0 ACRES TOTAL

NWNW Sec 23 T 03N R 04W
(2.000 CFS)
Total Diversion: (2.000 CFS)

NWNW

SWSW
SWNW Charla O'Krakel

AFFIDAVIT OF PUBLICATION

OF IDAHO)
) ss.
of Canyon)

MAR 29 1991

pa, Canyon County, Idaho, being first duly sworn, deposes
s:

SYMMS FRUIT RANCH INC.
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:

Use: IRRIGATION

Date Filed: 2/19/1991
In: T03N R04W S04
113.0 ACRES TOTAL

NESE Sec 4 T 03N R 04W
SESE Sec 4 T 03N R 04W
(2.000 CFS)
Total Diversion: (2.000 CFS)

NESE

SWSE

SESE

63-11464

PIRNIE, CLIFF
PIRNIE, CANDESS
6425 LOLA LN.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/27/1991
In: T02N R02W S36
60.0 ACRES TOTAL

SWSE Sec 36 T 02N R 02W
(1.200 CFS)
Total Diversion: (1.200 CFS)

SESW

SWSE

63-11465

EARNEST, LELAND
3125 LASTER LN.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/12/1991
In: T03N R02W S06 Lot 1

T04N R02W S31
194.0 ACRES TOTAL

SESW

(NENE) Lot 3

(NENW)

NESE

NESE

NWSE

SESE

NESESE Sec 6 T 03N R 02W
(3.880 CFS)
Total Diversion: (3.880 CFS)

it said notice was published the following dates:

March 20, 27, 1991

OF IDAHO)
)
TY OF CANYON)

63-11472

WADE, KEITH L.
8514 HAPPY VALLEY RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/4/1991
In: T02N R02W S13
75.0 ACRES TOTAL

NESW

SESW

NWSE

SWSE

SESW Sec 13 T 02N R 02W
(1.500 CFS)
Total Diversion: (1.500 CFS)

s 27th day of March 1991, before me, a Notary Public, personally
ed Charla O'Krakel, known
tified to me to be the person whose name subscribed to the
instrument, and being by me first duly sworn, declared
statements therein are true, and acknowledged to me that

63-11474

RIM RANCHES INC.
24034 BATT CORNER RD.
PARMA, ID 83660
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/8/1991
In: T04N R05W S10
S11
160.0 ACRES TOTAL

SENE Sec 10 T 04N R 05W
(3.200 CFS)
Total Diversion: (3.200 CFS)

SWNE

SENE

SWNW

SENW

FLOYD, JERRY
9159 RIVERSIDE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/4/1991
In: T03N R04W S35
105.0 ACRES TOTAL

SWSW Sec 35 T 03N R 04W
(1.050 CFS)
Total Diversion: (1.050 CFS)

NESW

SWSW

SESW

63-11475

WHITAKER, STEVEN M.
15861 MC DERMOTT RD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/1/1991
In: T03N R01W S07
118.0 ACRES TOTAL

NESW Lot 3

(NWSW) Lot 4

(SWSW)

SESW

SESESW Sec 7 T 03N R 01W
(2.360 CFS)
Total Diversion: (2.360 CFS)

SWARTHOUT, C.R.
4925 MOUNTAIN VIEW DR.
BOISE, ID 83704
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/7/1991
In: T01S R01W S07
R02W S01
S12
142.0 ACRES TOTAL

SESE Sec 1 T 01S R 02W
(2.000 CFS)
Total Diversion: (2.000 CFS)

NENE

NWNE
SESE
NWNE

63-11478

ARNOLD, CECIL
1350 W. AVALON
KUNA, ID 83634
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/28/1991
In: T02N R01W S20
40.0 ACRES TOTAL

SWSW Sec 20 T 02N R 01W
(.800 CFS)
Total Diversion: (.800 CFS)

SWSW

NEIDER, JAY C.
NEIDER, CONNIE
5821 MORNING DOVE DR.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/4/1991
In: T01N R02W S02 Lot 3
S03
225.0 ACRES TOTAL

NWSW Sec 2 T 01N R 02W
(2.000 CFS)
Total Diversion: (2.000 CFS)

63-11484

FLOYD, HAROLD
9703 CHICKEN DINNER RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:

Use: IRRIGATION

Date Filed: 3/4/1991
In: T02N R04E S14
80.0 ACRES TOTAL

NENE Sec 14 T 02N R 04W
SENE Sec 14 T 02N R 04W
(.760 CFS)
Total Diversion: (.760 CFS)

NENE

SENE

The permit(s) will be subject to all prior water rights. Protests must be filed with
the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise,
Idaho 83705 on or before APRIL 8, 1991.

R. KEITH HIGGINSON

Director

March 27 1991

63-11472

WADE, KEITH L.
8514 HAPPY VALLEY RD.
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: SESW Sec 13 T 02N R 02W

Use: IRRIGATION (1.500 CFS)
 Total Diversion: (1.500 CFS)

Date Filed: 3/ 4/ 1991

In: T02N R02W S13 NESW SESW NWSE SWSE

75.0 ACRES TOTAL