




3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	USELEC	50	6232/403401 0R015R-9	Layne	8"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: NONE 3-stage, set ~140' open discharge to ditch
Well not operating

SEP 22 1994





24" casing, but pump column not that large - gaps
existed between pump base & p - may or may
not be sealed. Suspect not, as air blowing up
around pump base.

Cj Hodges

Signature of Dept. Representative & Title

8/11/93

Inspection Date


PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



RECEIVED 8/22/93

SEP 22 1993

63-11466



P/O



P/u N $\frac{1}{2}$ NW

SEP 22 1994

63-11466



P/a N $\frac{1}{2}$ NW,
(1st)
Discharge
point by canal



P/a S $\frac{1}{2}$ NW
2nd discharge
in lower
left corner

SEP 22 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11466

Priority: February 13, 1991

Maximum Diversion Rate:

2.00 CFS

Maximum Diversion Volume:

472.5 AF

This is to certify, that MARLEN PYWELL
JOAN PYWELL

6282 LYNWOOD RD
NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 13, 1991; and has submitted Proof of Beneficial Use on March 9, 1993. An examination indicates that the works have a diversion capacity of 2.200 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.00 CFS	472.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 11, Township 01N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	02W	11	NENW 17	NWNW 39	SWNW 38	105
			SENW 11			

Total number of acres irrigated: 105

CONDITIONS/REMARKS:


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11466

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9th
day of SEPTEMBER, 1994.

Acting for  R. Keith Higginson, Director



SEP 14 1994

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11466

Date of Priority: February 13, 1991

Maximum Diversion Rate: 2.00 CFS

Maximum Diversion Volume: 472.5 AF

Comes now

MARLEN PYWELL
JOAN PYWELL

6282 LYNWOOD RD
NAMPA ID 83686

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the

State of Idaho No. 63-11466, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.00 CFS	472.5 AF

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 11, Township 01N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	02W	11	NENW 17	NWNW 39	SWNW 38	105
			SEnw 11			

Total number of acres irrigated: 105

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Nampa, Idaho, this 11 day of Aug, 1994.

Marlen Pywell
(Signature)

SEP 22 1994

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11466

FOR DEPARTMENT USE ONLY

Preliminary check by BC Fee = \$0⁰⁰ Received by RT # C031046 Date 8-15-94 ✓


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 63-11466 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

Witness my hand this 9TH day of September, 1994.


Acting for R. Keith Higginson, Director

SEP 22 1994

RECEIVED

MAR 3 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESOFFICE USE ONLY 125.00
Amt. of Fee \$ 150.00
Date 3-5-93
Receipt No. C026936
Receipt by Jui

RECEIVED

MAR 9 1993

PROOF OF BENEFICIAL USE Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11466 Telephone No. (208) 466-2035
2. Name(s) of Permit Holder(s): JOAN PYWELL MARLEN PYWELL
3. Mailing Address: 6282 Lynwood Rd. Nampa, Id. 83686
4. Source of Water: ground water

MARTIN'S WELL SERVICE

If GROUNDWATER, Well Driller's Name: MARTIN FRANDSEN Date Drilled: 4-18-91

OPTIONAL:

Pump horsepower: 50 Pressure (psi): _____ Dynamic pumping level (ft.): 226

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 111 (No. of acres) Other 120 minors in.

6. Total rate and/or volume for which proof is submitted
- 2.20
- cfs OR _____ acre/feet

2.00 m

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes NO Installed? X Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes NO Installed? _____ Yes X No

8. Fee Enclosed: \$
- 150.00
- (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

MARLEN PYWELL

466-2035

Name Telephone No.

6282 Lynwood Rd. Nampa Id. 83686

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2-1-93
Date

Signature (and title, if on behalf of a company or organization)

APR 22 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11466

Proposed Priority: February 13, 1991 Maximum Diversion Rate: 2.00 CFS

This is to certify, that **JOAN PYWELL**
MARLEN PYWELL
6282 LYNWOOD RD.
NAMPA, ID 83686

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	2.00 CFS
------------	----------------	----------

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	SWNW Sec. 11, Township 01N, Range 02W CANYON County
---	--

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	02W	11	NENW 17	NWNW 40	SWNW 40	111
			SEnw 14			

Total number of acres irrigated: 111

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 3, 1993**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

25th day of April, 1991

MICROFILMED

MAY 08 1991

R. Keith Higginson
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Marlen & Joan Pyrcell ^{for / Joan per applicant 4-22-91} Phone 466-2035

Post office address 6282 Lynwood Rd. Nampa, Id. 83686

2. Source of water supply Ground water which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SW 1/4 of NW 1/4, Govt. Lot _____

Sec. 11 Township 1N Range 2W B.M. Canyon County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.0 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 2.0 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & gravity flow.
Drilling Permit 63-91-2-015

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 12" inches; proposed depth of well is 250 feet. ^{from drilling permit 2/27/91}

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MAY 08 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.


TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1N	2W	11					17	40	40	14									111

Total number of acres to be irrigated 111

10. Describe any other water rights used for the same purposes as described above. Boise - KUNA
Irrig. Dist.
11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MAY 08 1991



prepared per applicant's
DISC photo-map in
application
82 2/27/91

TIN
R2W
5N

MICROFILMED
MAY 08 1991

Substation


POWER BUTT

Siphon

CANAL

R2W

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



the State of Idaho as herein set forth.

Marlon Lywell
(Applicant)

Received by T. Luke Date 2/14/91 Time 3:00pm Preliminary check by SL
Fee \$ 65.00 Received by lt # 2019641 Date 2-13-91
Publication prepared by GG Date 2/28/91 Published in Press-Tribune
3/6 & 3/13/91
Publication approved lt Date 3-28-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MAY 08 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 12, 1994

MARLEN PYWELL
JOAN PYWELL
6282 LYNWOOD RD
NAMPA ID 83686

RE: WATER RIGHT NO. 63-11466

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

SEP 22 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CÉCIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 12, 1994

MARLEN PYWELL
JOAN PYWELL
6282 LYNWOOD RD
NAMPA ID 83686

RE: WATER RIGHT NO. 63-11466

Dear Water Right Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, I have not received the amendment. If I do not receive it within fourteen (14) days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

If you have any questions, please contact me. My telephone number is (208) 327-7947.

Sincerely,

A handwritten signature in black ink, appearing to be 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

SEP 22 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 22, 1994

MARLEN PYWELL
JOAN PYWELL
6282 LYNWOOD RD
NAMPA ID 83686

RE: WATER RIGHT NO. 63-11466

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur or have any questions with this information, please contact me as soon as possible. My telephone number is (208) 327-7947.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Jim Johnson', with a horizontal line extending to the right.

JIM JOHNSON, Manager
Water Right Permits Section


JJ:dc

Enclosure

817 32 1072

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11466 DATE 7-21-94



NAME	Yes <u> </u> No <u>✓</u>	Or Address Change?
PRIORITY DATE	<u> </u> <u>✓</u>	Advance? <u> </u> Advanced to: <u> </u> Order to reinstate needed? <u> </u> Incorrect fee for rate recommended? <u>NO</u>
SOURCE	<u> </u> <u>✓</u>	Changes or just clarification of originally intended source? <u> </u> Notice of Intent to Void necessary? <u> </u>
POINT OF DIV	<u>✓</u> <u> </u>	Amendment needed? <u>CHANGE TO: NENW</u> Overlaps? <u> </u>
PLACE OF USE	<u> </u> <u>✓</u>	Amendment needed? <u> </u> Overlaps? <u> </u>
DIV RATE	<u> </u> <u>✓</u>	Measurement Q = <u>NONE</u> Theoretical Q = <u>2.2</u> <u>105 x .02 = 2.1</u>
Capacity: <u>2.2</u> Combined rates exceed capacity <u> </u> Permit/fee limits: <u>2.0</u> Allowable: <u>2.0 CFS</u>		
ANNUAL VOLUME	<u> </u> <u>✓</u>	Season of use: <u>P/4.5 (3-15 to 11-15)</u> Calculations: <u>105 x 4.5 = 472.5</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable <u> </u>
USES	<u> </u> <u>✓</u>	Change in Nature of Use or additional uses? <u> </u> Amendment necessary? <u> </u>
REMARKS	<u>WB3</u> <u>✓</u>	Multiple p/d(s) in 1/4 1/4? <u> </u> Other <u>BOISE-KUNA IRR DIST</u>
CONDITIONS	<u> </u> <u>✓</u> <u>R32</u> <u>✓</u>	Measuring/Locking Devices <u> </u> Watermaster control - District <u> </u> Irrigation Overlap <u> </u> Water Quality <u> </u> Other <u> </u>

COMMENTS: Reduce acres
Supplemental Water Amend P/D

RECOMMENDED	CFS	VOLUME	LICENSE
<u>Irrigation</u>	<u>2.0</u>	<u>472.5</u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u>1ST AMENDMENT LETTER P39+P38</u>
<u> </u>	<u> </u>	<u> </u>	<u>FINAL AMENDMENT LETTER P47</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 01 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11466

1. Owner: Marlen &/or Jean Pywell Phone No. 466 2035

Current Address: 6282 Lynwood Nampa ID 83686

2. Accompanied by: Marlen EXAM DATE: 8/11/93

Address: above Phone No. _____

Relationship to Permit Holder: _____

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-8477

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NW	11	1N	2W	Canyon	Site Visit, Orthoquad


2. Place(s) of Use:

Indicate Method of Determination above ASCS

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
1N	2W	11					17	39	38	11									105

SEP 22 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	USELEC	50	6232/403401 ORDSR-9	Layne	8"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: NONE 3-stage, set ~140' open discharge to ditch.
Well not operating

SEP 22 1994

E. NARRATIVE/REMARKS/COMMENTS

24" x 245' well, 8" buried main to open discharge in concrete ditch at 2 points for gravity irrigation on approx 100 acres. Well used Supplemental to Boise-Kuna - Not in use this year.

From well, mainline travels ^{South} ~~North~~ 1000' to canal and discharges to ditch running west along north side of canal. Line crosses over canal and is buried again, continuing South 1300' to discharge into ditch running back South; continues to west 800' to 2nd ditch running South. All gravity flows.

Overlap does not affect this permit - Separate acres. Permit Supplemental to Boise-Kuna I.D.

Measuring device requirement not necessary - open discharge system. (Port on pipe is available, But not in adequate position to measure) see photo.

Have conditions of permit approval been met? ☒ yes ☐ no

SEP 22 1984

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\frac{50 \times 8.8 \times .7}{140 + 0} = 2.2 \quad \text{System capacity}$$

G. VOLUME CALCULATIONS

allow 2.0 per permit limit

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 105 \times 4.5 = 472.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2 \times 246 \times 1.9835 = 975.9$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 472.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRR	3/15	11/15	2.0	472.5
Totals:			2.0	472.5

2. Recommended Amendments


☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name C. J. Hodges Date 8/13/83

Reviewer _____ Date _____

SEAL

SEI



0.5

N/NW

9

37.5

NW

T3713

H/NW

T3714

NW

10

2.3

2

10.0

3

10.6

4.7

2

4.2

3

5.5

1

32.5

12

17.0

2

H/NW

Gippe

Ditch

3

16.4

8th MAIN

6

42.0

2

10.6

H/NW

4

3.1

13

1.8

3959

T3745

NW

2

6.2

T3744

H/NW

H/NW

H/NW

3

9.6

4

18.1

T3716

NW

NW

T3755

H/NW

H/NW

W

3

~~Yester~~

~~Private~~

~~Joe Parker - Utility Worker~~

336 0138



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

ORIGINAL TO ROB WHITNEY

1. DRILLING PERMIT NO: 63-91-2-015 OTHER APPLICABLE NO: 63-11466
2. OWNER: Marlen Rywell Phone: 466-2035
Address: 6282 Lynwood Rd Nampa ID 83686
3. WELL LOCATION: Twp 1N, Rge. 2W, Sec. 11, NE 1/4 NW 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Martins Lic. No. 478
When Drilled? 4/18/91
5. WELL CONSTRUCTION TD=245 ? see back
Casing Diameter 24 inches Water tight cap? ☒ Yes ☒ No Access Port: ☐ Yes ☒ No
Casing ≥ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 245 ft. Method Drilled Cable
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☒ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION
Depth to Static Water 96 ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☐ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

SEP 22 1994

24" casing, but pump column not that large - gaps
existed between pump base & p - may or may
not be sealed. Suspect not, as air blowing up
around pump base.

CJ Hodges

Signature of Dept. Representative & Title

8/11/93

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



65

MAY - 3 1991

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Marlen E. Pywell
 Address Nampa, Idaho
 Drilling Permit No. 63-91-2-015
 Water Right Permit No. 63-11466

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	24 inches	+ 1 feet	18 feet
.250 inches	16 inches	+ 1 feet	24.5 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
 Was a packer or seal used? ☐ Yes ☒ No
 Perforated? ☒ Yes ☐ No
 How perforated? ☐ Factory ☒ Knife ☐ Torch ☐ Gun
 Size of perforation 1/2 inches by 3 inches

Number	From	To
<u>504</u> perforations	<u>240</u> feet	<u>127</u> feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18' Material used in seal: ☐ Cement grout
☒ Bentonite ☒ Puddling clay ☐Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing
☐ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
 Weld☐ Cemented between strataDescribe access port pump base

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____

Lot No. _____ Block No. _____

County Canyon

NE 1/4 NW 1/4 Sec. 11, T. 1 N 2 S 1 R. 2 E 1 W 1

7. WATER LEVEL

Static water level 96 feet below land surface.
 Flowing? ☐ Yes ☒ No G.P.M. flow _____
 Artesian closed-in pressure _____ p.s.i.
 Controlled by: ☐ Valve ☐ Cap ☐ Plug
 Temperature 67 °F. Quality Excellent
 Describe artesian or temperature zones below _____

8. WELL TEST DATA

☒ Pump ☐ Bailor ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
24"	0'	2'	Top soil		X
	2'	3'	Red ~~shale~~ shale		
	3'	10'	Brown clay		
	10'	20'	Broken Gray Lava		
	20'	40'	Broken Loose Red Lava		
	40'	55'	Red firm lava		
	55'	75'	Brown clay		
	75'	85'	Broken Black Lava		
	85'	90'	Gray sand black lava crevice		
	90'	100'	Red lava		
	100'	103'	Red lava & Red Cinders		X
	103'	110'	Red lava		
	110'	120'	Black lava & Black Sand crevice		
	120'	130'	Black lava		
	130'	140'	Gray lava		
	140'	150'	Gray hard lava		
	150'	155'	Gray soft lava		
	155'	157'	Gray lava & Green Sandstone		
	157'	162'	Gray lava & Green Sandstone		
	162'	195'	Brown clay		
	195'	205'	Sharp Pea Gravel		X
	205'	212'	2" Gravel & Brown Clay		X
	212'	215'	Sharp Pea Gravel		X
16"	215'	223'	Brown sand & Tan clay		X
	223'	230'	3/4" Gravel & white sand		X
	230'	235'	white coarse sand & 1/2 gravel		X
	235'	240'	2" gravel & white coarse sand		X
	240'	243'	white coarse sand		X
	243'	244'	2" gravel		X
	244'	245'	white sand coarse sand fine		X

10.

Work started 3-9-91 finished 4-18-91

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Martin's Well Service Firm No. 478

PO Box 923

Address Rexburg, Id. 83440 Date 4-30-91Signed by (Firm Official) into [Signature]

and

(Operator) [Signature]

63-11466




P/O



P/u N $\frac{1}{2}$ NW

SEP 2 1984

63-11466



Pu N $\frac{1}{2}$ NW,
(1st)
Discharge
point by canal



Pu S $\frac{1}{2}$ NW
2nd discharge
in lower
left corner

SEP 22 1994

March 12, 1993

JOAN PYWELL
MARLEN PYWELL
6282 LYNWOOD RD.
NAMPA ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11466

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

APR 22 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 4, 1993

Joan and Marlen Pywell
6282 Lynwood Rd
Nampa, ID 83686

Re: Permit No. 63-11466

Dear Permit Holder:

Returned is the proof of beneficial use and check for \$150. Unfortunately, it is unacceptable as filed.

First of all, the check you sent was unsigned. In order to be acceptable, the check must be signed. However, your permit was issued for 2.00 cfs. You cannot now apply for more water than was authorized on the permit. Therefore, I have adjusted #6 (Total rate or volume) to read 2.00 cfs. The license exam fee for 2.00 cfs is \$125. That is \$25 less than the unsigned check you have enclosed.

Please return the original proof of beneficial use and a signed check in the amount of \$125 on or before May 3, 1993.

In the meantime, if you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Karen L. Gustafson".

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED

APR 22 1993

7/90

Drilling Permit No. 63-91-2-015Water Right Permit No. Pending
Injection Permit No. _____State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Marlen & Joan Pywell
2. Mailing Address 6282 Lynwood Rd
Nampa, Idaho 83686 Telephone 461-2035
- ☒ Well Owner ☐ Well Operator ☒ Other, specify Farm owner
3. Proposed well location NW SW 1/4 NW 1/4, or Gov't Lot No. _____
Sec. 11, Twp. 1N, Rge. 2W, County Canyon
Street Address of Well Site Stagecoach Rd between South Powerline & Track Rds.
Lot, block and subdivision _____
4. Proposed use of well:

☐ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic. Irrigation

☐ Injection

☐ Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
5. Well construction information:

A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9

B. Proposed Surface Diameter 12" Proposed Maximum Depth 250'

C. Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)

☐ 85°F to 212°F (Low temp. geothermal well)

☐ 212° or more (Geothermal well)
6. Construction Start Date Spring 1991
7. Anticipated Well Driller
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Marlen Pywell Date 2-13-91
Title Owner
(Owner, Firm Representative, Other)

RECEIVED
APR 22 1991

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 2/13/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Stephen J. Rive
Signature of Authorized Department Representative

GP Manager
Title

Receipt No. 2019641 Received by ht Fee 200.00 Date 2-13-91

RECEIVED

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date APR 22 1993

This extension is good for 60 days beyond the above extension approval date.

PERMIT NUMBER 63-91-C-0015-000
OWNER CODE 0
NAME & ADDRESS MARLEN PYWELL
JOAN PYWELL
6282 LYNNWOOD RD
NANPA, ID 83686
(208) 466-2035
TWP RGE SEC TRACT LOT COUNTY
01N 02W 11 NE NW CANYON

Subdivision Location and Description:
Subdivision Name:
Well Site Address:
City, State:
Proposed Use of Well: Irrigation
Proposed Casing Diameter: In.
Proposed Depth: Ft.
Geographic Location:
Accuracy Code:
Lot(s):
Block(s):
Lat.: N
Long.: W

Well Use Comments:
Driller License No: 0478
Firm Name: MARTINS WELL SERVICE
Official: MARTIN FRANSEN
Permit Status:
Verbal Issue Date:
Date Received:
Date Approved: 02/13/1991
Proposed Start Date:
Extension Date:
Extension Expiration:

Permit Remarks: WATER RIGHT PENDING

WELL DRILLER'S LOG REPORT

Drilling Permit No: 63-91-C-0015-000
Water Right No: 63-11466
Injection Permit No:

Nature of Work: NEW WELL
Construction Method: CABLE
Number of Monitor Wells:
Casing Diameter: 24 In.
Depth of Casing: 245 Ft.
Total Depth: 245 Ft.
Screen Installed?
Static Water Level: 96 Ft.
Temperature: 67 F.
Production Rate: GPM
Actual Start Date: 03/09/1991
Well Finish Date: 04/18/1991
Log Received Date: 05/03/1991
Certification Date:
Field Inspection Date:

Well Log Remarks:

APR 22 1993

February 28, 1993

JOAN PYWELL
MARLEN PYWELL
6282 LYNWOOD RD.
NAMPA ID 83686

PROOF DUE NOTICE

RE: PERMIT NO. 63-11466

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

APR 22 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 3, 1991

JOAN PYWELL
MARLEN PYWELL
6282 LYNWOOD RD.
NAMPA, ID 83686

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11466

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MAY 06 1991

Drilling Permit No. 63-91-2-015

Water Right No. 63-11466 Pending

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Marten Pywell, Applicant, requests issuance of Drilling Permit prior to approval of a water right. The request is made for the following reason(s):

Driller availability

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

2-13-91

Date

Marten Pywell

Applicant's Signature

Owner

Applicant's Title

MICROFILMED

MAY 08 1991

RECEIPT
For Monies Paid
to the
IDAHO DEPARTMENT OF WATER RESOURCES

Receipt No: 0019641

Date: 2/13/1991
Time: 11:31:43

Received


From: PYWELL, MARLEN E.

Type of Payment	Program Acct Class	Amount
DRILLING PERMIT 63-91-Z-015	570350 1238 6390	200.00
WATER RIGHT APPLICATION FOR PERMIT	510199 1238 6390	65.00

CHECK 3806

Total \$265.00

Region: STATE

Signature: 

MICROFILMED
MAY 08 1991

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been made to appropriate the public waters of the State of Idaho:

AFFIDAVIT OF PUBLICATION

MAR 13 1991

MARTINEAU, STEVEN L.
7472 HWY 45
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

NWSE Sec 33 T 02N R 02W
(1.600 CFS)
Total Diversion: (1.600 CFS)

Date Filed: 2/19/1991
In: T02N R02W S33
80.0 ACRES TOTAL

NWSE SWSE

Sharla O'Krakel

BLICKENSTAFF, DOUG
7248 LYNWOOD RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

NWSE Sec 29 T 02N R 02W
(2.000 CFS)
Total Diversion: (2.000 CFS)

Date Filed: 2/22/1991
In: T02N R02W S29
110.0 ACRES TOTAL

SWNE NESE

NWSE

npa, Canyon County, Idaho, being first duly sworn, deposes
ys:

that I am a citizen of the United States of America, and at all
hereinafter mentioned was over the age of eighteen years,
a party to the above entitled action.

that I am the Principal Clerk of the Idaho Press-Tribune, a
(except Saturday) newspaper published in the City of
and Caldwell, in the County of Canyon, State of Idaho;
he said newspaper is in general circulation in the said
y of Canyon, and in the vicinity of Nampa and Caldwell, and
en uninterruptedly published in said County during a period
enty-eight consecutive weeks prior to the first publication of
tice, a copy of which is hereto attached.

that the notice, of which the annexed is a printed copy, was
hed in said newspaper
two times

ne regular and entire issue of said paper, and was printed in
wspaper proper, and not in a supplement.

that said notice was published the following dates:

March 6, 13, 1991

FLOYD, LLOYD W.
12703 CHINDEN DINNER RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:

NENW Sec 17 T 03N R 03W
NWNW Sec 17 T 03N R 03W
(1.140 CFS)
Total Diversion: (1.140 CFS)

Use: IRRIGATION:

Date Filed: 2/20/1991
In: T03N R03W S17
57.0 ACRES TOTAL

NWNW

SWNW

PYWELL, MARLEAN
PYWELL, JEAN
6282 LYNWOOD RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

SWNW Sec 11 T 01N R 02W
(2.000 CFS)
Total Diversion: (2.000 CFS)

Date Filed: 2/13/1991
In: T01N R02W S11
111.0 ACRES TOTAL

NENW

NWNW

SWNW

SENW

HAWKER, B. EUGENE
HAWKER, DONNA M.
11140 CHICKEN DINNER DR.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
STOCKWATER

SWSE Sec 1 T 02N R 04W
(2.140 CFS)
(.020 CFS)
Total Diversion: (2.140 CFS)

Date Filed: 2/15/1991
In: T02N R04W S01
107.0 ACRES TOTAL

SWSW

SESW

SWSE

his 13th day of March in the
of 1991, before me, a Notary Public, personally
red Sharla O'Krakel, known
ntified to me to be the person whose name subscribed to the
1 instrument, and being by me first duly sworn, declared
he statements therein are true, and acknowledged to me that
e executed the same.

Sharla O'Krakel

E OF IDAHO)
)
ITY OF CANYON)

Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

MILLER, MONTE
MILLER, ALICE
6156 DEERFLAT DR.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

SESE Sec 13 T 02N R 02W
(.500 CFS)
Total Diversion: (.500 CFS)

Date Filed: 2/13/1991
In: T02N R02W S13
25.0 ACRES TOTAL

SESE

HILL, ENOS V.
HILL, ELTON D.
302 S. DEWEY LN.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
STOCKWATER
DOMESTIC

NWSE Sec 29 T 03N R 01W
(2.400 CFS)
(.130 CFS)
(.060 CFS)
Total Diversion: (2.590 CFS)

Date Filed: 2/8/1991
In: T03N R01W S29
120.0 ACRES TOTAL

SWNE

SENW

SWSE

SHROLL, NORMAN
7130 HWY. 45
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

NENE Sec 28 T 02N R 02W
(1.420 CFS)
Total Diversion: (1.420 CFS)

Date Filed: 2/21/1991
In: T02N R02W S28
71.0 ACRES TOTAL

SENE

SENE

KENDALL, A. WILLIAM
418 ALUMBAUGH
BOISE, ID 83704
Source: SPRINGS
Diversion Pt:
Use: STOCKWATER

Tributary: EAST HARTLEY GULCH
NWNENE Sec 35 T 05N R 03W
(.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 2/19/1991
In: T05N R03W S35

NENE

The permit(s) will be subject to all prior water rights. Protests must be filed with
the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise,
Idaho 83705 on or before MARCH 25, 1991.

R. KEITH HIGGINSON, Director
March 6, 13, 1991

63-11466

PYWELL, MARLEN
PYWELL, JEAN
6282 LYNWOOD RD.
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: SWNW Sec 11 T 01N R 02W

Use: IRRIGATION (2.000 CFS)
 Total Diversion: (2.000 CFS)

Date Filed: 2/13/ 1991

In: T01N R02W S11 NENW NWNW SWNW SENW
 111.0 ACRES TOTAL

MICROFILMED

MAY 08 1991