


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



MICROFILMED
JUN 04 1991

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Leland Earnest
(Applicant)

CURVE NO.
18-134
3-15-84


No. Stages	Eff. Change	MATERIAL	Eff. Change
1	-2	IMP.—C.I.	-1
2	-1	IMP.—NI-RI	-1
3	0	BOWL—BRZ.	-2
4		BOWL—NI-R.	-1

13CM


1770 R.P.M.


SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS. EFFICIENCY SHOWN FOR 3 OR MORE STAGES. HORSE POWER SHOWN FOR ONE STAGE BASED ON 3 STAGE EFFICIENCY. CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL.

ONE ()
STAGE STAGES



EYE AREA — SQ. IN. = 25.5	IMPELLER WT.—LBS. = 17.5
WR ² PER IMPELLER = 1.45 LB.-FT. ²	ONE STAGE WT.—LBS. = 278
MAX. SPHERE SIZE = 1.00 in.	ADD'L STAGE WT.—LBS. = 116
MAX. NO. STD. STAGES = 8	IMPELLER NUMBER = 65C15
MAX. OPERATING P.S.I. = 400	DISCH. SIZES = 8, 10
STD. LATERAL = .64 in.	SUCTION SIZES = 10
STD. SHAFT DIA. = 1.887 in.	MAX. LATERAL = 1.00 in.
MAX. SHAFT DIA. = 1.937 in.	BOWL CONN. FLANGED — COLLET
MIN. SUBMERGENCE = 41 in.	ADD 11.38" PER ADDITIONAL STAGE.





RECORDED

APR 22 1993

T4
T3

4835

40'

4834

20

WEYMOUTH

Middens

PERMIT 63-11465 INIT DI
P/D T. R. S. Q/Q
3m 2w C Sase
SCALE _____
PHOTO ID. _____

31

32

OLDWELL

DRAIN

T3N

OLDWELL

E10

DOLETON


2448

Midway

4830000N

30
←

Township 3° 3' North Range



Handwritten note: *High water level with 10.00 ft. of water*

APR 22 1993

RECEIVED

A

39.28 N. 89° 38' E.	79.64	S. 89° 52' W.	S. 89° 41'
(19.64) (20.00)	40.00	79.78	79.56
39.31	80	160	
2			
39.35	Sec. 30	Sec. 29	Sec. 2
3			
39.38	80	160	
4			
39.42 N. 89° 48' E.	79.71	N. 89° 54' W.	S. 89° 55'
(19.71) (20.00)	40.00	80.00	79.96
39.42	80	160	
2			
39.19	Sec. 31	Sec. 32	Sec. 3
3			
38.98	80	160	
4			
38.73	(19.25) (20.00)	40.00	

79.25
NO LOTS

MADE FROM THE OFF

APR 22 1993
MICROFILMED

10 0 10 20 40 80
SCALE - 40 CHAINS TO AN INCH

63-11465



VIEW OF WELL & PIPELINES
TO THE P.M.'S. THE LONG
STRAIGHT PIPE IS TO THIS
FIELD AS WELL AS MORE FIELDS
TO THE ^{north} ~~south~~. THE CROOKED
PIPE IN THE LEFT OF THE
PICTURE IS TO THE SOUTH.
FIELDS. THE PIPELINE GOES
UNDERGROUND TO A DITCH
SYSTEM.



VIEW TO THE NORTH.

APR 22 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11465

Priority: February 12, 1991

Maximum Diversion Rate:

3.88 CFS

Maximum Diversion Volume:

873.0 AF

This is to certify, that LELAND EARNEST
3125 LASTER LANE
NAMPA ID 83687

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 12, 1991; and has submitted Proof of Beneficial Use on August 16, 1991. An examination indicates that the works have a diversion capacity of 4.050 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	3.88 CFS	873.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE, Sec. 6, Township 03N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION
TWN RGE SEC

	<u>ACRES</u>		<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N 02W 6 Lot 1(NENE)	20.7	Lot 3(NENW)	17.3	SENE 14.8	
	NESE 23.6	NWSE 19.6		SESE 7.3	103.3
04N 02W 31	SESW 20.3	NESE 16.4		NWSE 17.2	
	SWSE 36.8				90.7

Total number of acres irrigated: 194

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

RECORDED

APR 22 1991

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 63-11465

CONDITIONS/REMARKS:

6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 18TH day of MARCH, 1993.

Acting for R. Keith Higginson, Director 

APR 2 1993

State of Idaho
Department of Water Resources

APPROVED

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11465

RECEIVED
MAR 4 1993
Department of Water Resources

Date of Priority: February 12, 1991

Maximum Diversion Rate: 3.88 CFS
Maximum Diversion Volume: 873.0 AF

Comes now
3125 LASTER LANE
NAMPA ID 83687

LELAND EARNEST

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-11465, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	3.88 CFS	873.0 AF

LOCATION OF POINT(S) OF DIVERSION: SESE, Sec. 6, Township 03N, Range 02W
CANYON County

<u>PLACE OF USE:</u>		<u>IRRIGATION</u>		<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>					
03N	02W	6	Lot 1(NENE)	20.7	Lot 3(NENW)	17.3	
			NESE	23.6	NWSE	19.6	
04N	02W	31	SESW	20.3	NESE	16.4	
			SWSE	36.8			

Total number of acres irrigated: 194

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Nampa, Id., this 3 day of March, 1993.

Leland Earnest
(Signature)

APPROVED

APR 22 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11465

FOR DEPARTMENT USE ONLY

Preliminary check by CS Fee = \$20.00 Received by JW # C026899 Date 3-4-93

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-11465 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

Witness my hand this 17TH day of March, 1993.

Acting for Norm C. Young
R. Keith Higginson, Director

RECORDED

APR 22 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11465

Proposed Priority: February 12, 1991 Maximum Diversion Rate: 3.88 CFS

This is to certify, that **LELAND EARNEST**
3125 LASTER LANE
NAMPA, ID 83687

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	3.88 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NESESE Sec. 6, Township 03N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02W	6	LOT 1(NENE) 25	LOT 3(NENW) 18	NESE 24	
			NWSE 20	SESE 16		103
04N	02W	31	SESW 18	NESE 13	NWSE 20	
			SWSE 40			91

Total number of acres irrigated: 194

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1992**.
2. Subject to all prior water rights.
3. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of May, 1991.

R. Keith Higginson
for R. Keith Higginson, Director

JUN 04 1991

Ident. No. 63-11465

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: LELAND EARNEST 208-466-6068
Address: 3125 LASTER LN
NAMPA, ID 83687
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NESESE Sec. 6, Township 03N, Range 02W
CANYON County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|----|
| IRRIGATION | 03/15 | 11/15 | 3.880 | | |
5. Total quantity to be appropriated is:
3.880 CFS (and/or) AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP, GRAVITY IRRIGATION SYSTEM
 - Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is 16 inches; proposed depth of well is 200
feet.
 - Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
IRRIGATION
9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
03N	02W	6	LOT 1(NENE) 25	LOT 3(NENW) 18	NESE 24	
			NWSE 20	SESE 16		103
04N	02W	31	SESW 18	NESE 13	NWSE 20	
			SWSE 40			91

Total number of acres irrigated: 194

REVISED APPL

10. Describe any other water rights used for the same purposes.
PIONEER IRRIGATION DISTRICT

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒]

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

See original

Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ _____ Receipted by _____ # _____ Date _____

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

RECEIVED

J. 04 1967

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Leland Earnest Phone 466-6068
Post office address 3125 Laster Ln. Nampa 83687
2. Source of water supply Groundwater which is a tributary of N/A
3. Location of point of diversion is NE ¼ of SE ¼ of SE ¼, Govt. Lot _____
Sec. 6 Township 3N Range 2W B.M. Canyon County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

* Amount ~~4.0~~ ^{3.88} for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) ~~4.0~~ ^{3.88} and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well w/pump to
gravity irrigation system

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 16 inches; proposed depth of well is 200 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

JUN 04 1991

* Changed per conversation with applicant 3-1-91 gH
ORIGINAL AP - Data entered & Database
Changed 3-1-91 gH

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

* Changed per conversation with applicant 3-1-91 CJH

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2W	6	~~24~~ ^{L.1}	~~3~~ ^{L.2}	~~18~~	~~40~~	^{L.3} 18								24	20		16	~~77~~ 103
4N	2W	31											18	13	20	40	~~40~~		~~13~~ 91


Total number of acres to be irrigated 310 194

10. Describe any other water rights used for the same purposes as described above. Pioneer Irrigation district
11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant et al
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Part of it is rental ground

12. Remarks: Supplemental well - Drilling Permit Appl. Attached

JUN 04 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Leland Earnest
(Applicant)

Received by RW Date 2-12-91 Time 3:00pm Preliminary check by SJH
Fee \$ 105⁰⁰ Receipted by RW # W012999 Date 2-12-91
Publication prepared by GG Date 3/13/91 Published in Press-Tribune
3/20 & 3/27/91
Publication approved JT Date 4-12-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
JUL 14 1991

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

AFFIDAVIT OF PUBLICATION

63-11462
 SYMMS FRUIT RANCH INC.
 14068 SUNNY SLOPE RD.
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 2/19/1991
 In: T03N R04W S14
 S23
 100.0 ACRES TOTAL

63-11463
 SYMMS FRUIT RANCH INC.
 14068 SUNNY SLOPE RD.
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 2/19/1991
 In: T03N R04W S04
 113.0 ACRES TOTAL

63-11464
 PIRNIE, CLIFF
 PIRNIE, CANDESS
 6425 LOLA LN.
 NAMPA, ID 83686
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 2/27/1991
 In: T02N R02W S36
 60.0 ACRES TOTAL

63-11465
 EARNEST, LELAND
 3125 LASTER LN.
 NAMPA, ID 83687
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 2/12/1991
 In: T03N R02W S06 Lot 1
 T04N R02W S31
 194.0 ACRES TOTAL

63-11472
 WADE, KEITH L.
 8514 HAPPY VALLEY RD.
 NAMPA, ID 83686
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 3/4/1991
 In: T02N R02W S13
 75.0 ACRES TOTAL

63-11474
 RIM RANCHES INC.
 24034 BATT CORNER RD.
 PARMA, ID 83660
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 2/8/1991
 In: T04N R05W S10
 S11
 160.0 ACRES TOTAL

63-11475
 WHITAKER, STEVEN M.
 15861 MC DERMOTT RD.
 NAMPA, ID 83687
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 3/1/1991
 In: T03N R01W S07
 118.0 ACRES TOTAL

63-11478
 ARNOLD, CECIL
 1350 W. AVALON
 KUNA, ID 83634
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 2/28/1991
 In: T02N R01W S20
 40.0 ACRES TOTAL

63-11480
 FLOYD, HAROLD
 9703 CHICKEN DINNER RD.
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 3/4/1991
 In: T02N R04E S14
 80.0 ACRES TOTAL

NWNW Sec 23 T 03N R 04W
 (2.000 CFS)
 Total Diversion: (2.000 CFS)

NWNW SWSW
 SWSW
 SWSW

NESE Sec 4 T 03N R 04W
 SESE Sec 4 T 03N R 04W
 (2.000 CFS)
 Total Diversion: (2.000 CFS)

NESE SWSE SESE

SWSE Sec 36 T 02N R 02W
 (1.200 CFS)
 Total Diversion: (1.200 CFS)

SESW SWSW

NESESE Sec 6 T 03N R 02W
 (3.880 CFS)
 Total Diversion: (3.880 CFS)

(NENE) Lot 3 (NENW) NESE
 NWSE SESE
 NESE NWSE SWSW

SESW Sec 13 T 02N R 02W
 (1.500 CFS)
 Total Diversion: (1.500 CFS)

NESW SESW NWSE SWSW

SENE Sec 10 T 04N R 05W
 (3.200 CFS)
 Total Diversion: (3.200 CFS)

SWNE SENE
 SWNW SENW

SESESW Sec 7 T 03N R 01W
 (2.360 CFS)
 Total Diversion: (2.360 CFS)

NESW Lot 3 (NWSW) Lot 4 (SWSW) SESW

SWSW Sec 20 T 02N R 01W
 (.800 CFS)
 Total Diversion: (.800 CFS)

SWSW

NENE Sec 14 T 02N R 04W
 SENE Sec 14 T 02N R 04W
 (.760 CFS)
 Total Diversion: (.760 CFS)

NENE SENE

OF IDAHO)

) ss.

of Canyon)

Charla O'Krakel

pa, Canyon County, Idaho, being first duly sworn, deposes s:

it I am a citizen of the United States of America, and at all ereinafter mentioned was over the age of eighteen years, a party to the above entitled action.

at I am the Principal Clerk of the Idaho Press-Tribune, a (except Saturday) newspaper published in the City of and Caldwell, in the County of Canyon, State of Idaho: e said newspaper is in general circulation in the said of Canyon, and in the vicinity of Nampa and Caldwell, and n uninterruptedly published in said County during a period ty-eight consecutive weeks prior to the first publication of ce, a copy of which is hereto attached.

at the notice, of which the annexed is a printed copy, was ed in said newspaper two times

regular and entire issue of said paper, and was printed in spaper proper, and not in a supplement.

it said notice was published the following dates:

March 20, 27, 1991

Charla O'Krakel

OF IDAHO)

OF CANYON)

SESW Sec 13 T 02N R 02W
 (1.500 CFS)
 Total Diversion: (1.500 CFS)
 s 27th day of March 1991, before me, a Notary Public, personally ed Sharla O'Krakel, known

tified to me to be the person whose name subscribed to the instrument, and being by me first duly sworn, declared e statements therein are true, and acknowledged to me that e)

63-11481
 FLOYD, JERRY
 9159 RIVERSIDE RD.
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 3/4/1991
 In: T03N R04W S35
 105.0 ACRES TOTAL

SWSW Sec 35 T 03N R 04W
 (1.050 CFS)
 Total Diversion: (1.050 CFS)

NESW SWSW SESW

63-11483
 SWARTHOUT, C.R.
 4925 MOUNTAIN VIEW DR.
 BOISE, ID 83704
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 3/7/1991
 In: T01S R01W S07
 R02W S01
 S12
 142.0 ACRES TOTAL

SESE Sec 1 T 01S R 02W
 (2.000 CFS)
 Total Diversion: (2.000 CFS)

NWNE SESE
 NENE NWNE

63-11484
 NEIDER, JAY C.
 NEIDER, CONNIE
 5821 MORNING DOVE DR.
 NAMPA, ID 83686
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 3/4/1991
 In: T01N R02W S02 Lot 3
 S03
 225.0 ACRES TOTAL

NWSW Sec 2 T 01N R 02W
 (2.000 CFS)
 Total Diversion: (2.000 CFS)

(NENW) Lot 4 (NWNW) SWSW
 NESW NWSW SESW
 NESE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 8, 1991.

R. KEITH HIGGINSON
 Director
 March 27 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 18, 1993

LELAND EARNEST
3125 LASTER LN
NAMPA ID 83687

RE: WATER RIGHT NO. 63-11465

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

APR 11 1993

APR 12 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 19, 1993

LELAND EARNEST
3125 LASTER LANE
NAMPA ID 83687

RE: WATER RIGHT NO. 63-11465

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

APR 22 1993

WR0749NP
No. L63-11465

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 02/12/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LELAND EARNEST 3125 LASTER LANE NAMPA ID 83687 (208) 466-6068	02/12/1991	IRRIGATION	03-15 11-15	3.88 CFS	873.0 AFA
TOTAL DIVERSION:					3.88 CFS	873.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 4.05 CFS

Point(s) of Diversion: T03N R02W S06 SE SE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE							
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM		
03N	02W	6	:	01-20						03-17								23	19		07	103.3	
04N	02W	31	:													20		16	17	36		90.7	
																				TOTAL ACRES		194.0	

Pou County: CANYON

Other Rights: ~~PIONEER-IRRIGATION DISTRICT~~

Other Water Rights with Same Point(s) of Diversion and Source:
63-07556

Other Water Rights Listing Overlapping Place(s) of use:
63-02276 63-10501 63-11158 63-11465

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.

Dates: App. Received: 02/12/1991 Priority Date: 02/12/1991
Proof Due Date: 05/01/1992 Proof Made Date: 08/16/1991
Exam Made Date: 08/12/1882 Exam Sent to S.O.: 01/22/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 11/15/1991 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

08 03-12-93

(A)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT**RECEIVED**
JAN 25 1993

Department of Water Resources

A. GENERAL INFORMATIONPermit No. 63-114651. Owner: Leland Earnest Phone No. 466-6068Current Address: 3125 LASTER LN. NANIPA TDA. 836872. Accompanied by: Leland Earnest EXAM DATE: 8-12-92Address: same Phone No. sameRelationship to Permit Holder: same3. Source: groundwater tributary to NA**B. OVERLAP REVIEW**1. Other water rights with the same place of use: 63-02276 Pioneer Irr, 63-07556 Christensen motor.2. Other water rights with the same point of diversion: 63-07556**C. DIVERSION AND DELIVERY SYSTEM**

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		ne	se	se	6	3n	2w	Canjon	Quads; Aerials; Field Exam

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3n	2w	6	Lot 1 26.7				Lot 3 17.3			14.8 11.1					23.6	19.6		7.3	103.3 107.6
3n	2w	31											20.3		16.4	17.2	36.8		90.7
																			198.3

Permit limit 194 acres

TOTAL 194.0

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____



Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).



Aerial Photo Attached (required for irrigation of 10+ acres)



Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
IRRIGATION	GE	30	5K1247X61/A	-	-

*Code to correspond with No. on map and aerial photo

RECORDED

D. FLOW MEASUREMENTS

1.

APR 22 1993

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. **Measurements:** Theoretical; ditch was full at time of examination; Polysonic was checked out, but would not work anywhere because of turbulence.
 Adn * Polysonic available Sept 11, 1992 Note: Polysonic measurement results shown below.

E. NARRATIVE/REMARKS/COMMENTS

This system makes use of a 30 hp motor : a 16" well. The well is 265' deep : has a static of 23' : a dynamic of 70' (well logs? prob). The well can either irrigate by dumping into a concrete ditch or it can be dumped into the irrigation canal : pulled out again later on.

IN U

OUTER DIAMETER
8.2768 IN

PIPE MATERIAL
? AL, DI

WALL THICKNESS
.13500 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
5.993 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

ZERO MODE
ZERO OPR

00-00 00:1600 *R
+ 1.087E 5GPH

00-00 00:1800 *R
+ 1.094E 5GPH

00-00 00:1900 *R
+ 1.102E 5GPH

00-00 00:1900 *R

Have conditions of permit approval been met? ☒ yes ☐ no

APR 22 1993

APR 22 1993

F. FLOW CALCULATIONS

Measured Method: 20' SWL 40'-55' draw down + loss per pump test (Layne) @ 50' = 3.7 cfs ✓

$$\text{Theoretical} = \frac{30 \times 8.8 \times .70}{70 + (2.3 \times 0)} = \frac{184.8}{70} = 2.64 \text{ cfs}$$

Sept 11, 1992 Polysonic = 203 inches 4.05 cfs capacity need 198.3 x .02 = 3.97 cfs Allow

Also see Attached Pump info. 194 x .02 = 3.88 cfs (IRR)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{194}{198.3} \times 4.5 = \frac{873}{892.35} \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{3.88}{3.97} \times 245 \times 1.9835 = \frac{1885.5}{1921.35} \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \frac{873}{892.35} \text{ AFA (IRR)}$$

2. Volume Calculations for Other Uses:

Remarks - WB3/CW Supplemental
Conditions - R32

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Disregard Aug 12, 1992 Irrigation	3-15	11-15	2.64 cfs	1282.93 AFA
Sept 11, 1992 IRRIGATION	3-15	11-15	3.88-3.97 cfs	873.0-892.35 AFA
			3.88 cfs	873.0 AFA
			Totals: 3.97 cfs	892.35 AFA


2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name David J. Tuthill Date 8-17-92

Reviewer Cam Skaggs Date 2-12-93



RECORDED

APR 22 1993



P.O. Box 1005

Nampa, Idaho 83651

208-466-7376

LELAND EARNEST
3125 LASTER LANE
NAMPA, IDAHO 83687

SEPTEMBER 9, 1992

DEAR LELAND;

THE FOLLOWING INFORMATION APPLIES TO THE PUMP WE INSTALLED ON JULY 24, 1991.

30 HP GE MOTOR 100' X 8" X 2" X 1 3/16" COL. TUBE & SHAFT
1 STAGE 13 CM BOWL UNIT WITH A 65C15 IMPELLER

ON SEPTEMBER 9, 1992, I MEASURED THE PUMPING LEVEL WITH AN ELECTRIC DRAW DOWN GAUGE. THE MEASUREMENT WAS 40'. THE MOTOR NAME PLATE AMP IS 37.7 AT 460 VOLT. THE ACTUAL MOTOR LOAD WAS MEASURED AT 40 AMPS, 41 AMPS, 40 AMPS. THIS INDICATES A SLIGHT OVERLOAD.

BASED ON THE PERFORMANCE CURVE AND THE ABOVE MEASUREMENTS I HAVE MADE THE FOLLOWING CALCULATIONS:

40' PUMPING LEVEL (LIFT OUT OF THE WELL)
4' COLUMN PIPE LOSS
1.8' DISCHARGE HEAD LOSS
2' LOSS TO DISCHARGE PIPE & FITTINGS
7' ELEVATION LOSS (FROM PUMP UP TO CANAL)

54.8 = 55' TDH

RECEIVED
APR 22 1993

PAGE 2

55' ON THE PERFORMANCE CURVE (ENCLOSED) INDICATES THE PUMP SHOULD PRODUCE 1800 - 1840 GPM (200" - 204"). THE HP CURVE INDICATES 32 HP REQUIRED AT 1800 GPM WHICH FITS THE SLIGHT OVERLOAD THAT I MEASURED WITH THE AMP GAUGE.

IF I CAN BE OF FURTHER ASSISTANCE, PLEASE CALL.


SINCERELY;

JERRY O. WEBB
ASSISTANT MANAGER


APR 22 1993


CURVE NO. 18-134 3-15-84	No. Stages	Eff. Change	MATERIAL	Eff. Change	13CM	1770 R.P.M.
	1	-2	IMP.—C.I.	-1	SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS. EFFICIENCY SHOWN FOR 3 OR MORE STAGES. HORSE POWER SHOWN FOR ONE STAGE BASED ON 3 STAGE EFFICIENCY. CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL.	
	2	-1	IMP.—NI-R1	-1		
	3	0	BOWL—BRZ.	-2		
	4		BOWL—NI-R.	-1		

ONE ()
STAGE STAGES




EYE AREA — SQ. IN. = 25.5	IMPELLER WT.-LBS. = 17.5
WR ² PER IMPELLER = 1.45 LB.-FT. ²	ONE STAGE WT.-LBS. = 278
MAX. SPHERE SIZE = 1.00 in.	ADD'L STAGE WT.-LBS. = 118
MAX. NO. STD. STAGES = 8	IMPELLER NUMBER = 65C15
MAX. OPERATING P.S.I. = 400	DISCH. SIZES = 8, 10
STD. LATERAL = .64 in.	SUCTION SIZES = 10
STD. SHAFT DIA. = 1.687 in.	MAX. LATERAL = 1.00 in.
MAX. SHAFT DIA. = 1.937 in.	BOWL CONN. FLANGED — COLLET
MIN. SUBMERGENCE = 41 in.	ADD 11.25" PER ADDITIONAL STAGE.





148.3 (Acres Found)
 - 144.0 (Permit) 4.3
4.3
14.8

KEY
 X Ditch system
 198.3 ACRES



APR 22 1993

4835

40'

4834

PERMIT 63-11465 INIT DI
T. R. S. Q/Q
P/D 3m 2m 4 Sage
SCALE _____
PHOTO ID. _____

2 1993

T4
T3

4830000N

APR 22 1993

0000000000

10 0 10 20 40 80

SCALE - 40 CHAINS TO AN INCH

39.28 N. 89° 38' E. (19.64) (20.00)	79.64 40.00	S. 89° 52' W. 79.78	S. 89° 4'	79.56
39.31 2 39.35	80 180	NORTH	Sec. 30	Sec. 29
3 39.38	80 180			Sec. 2
4 39.42 N. 89° 48' E. (19.71) (20.00)	79.71 40.00			
1 39.42	80 180			
2 39.19		NORTH	Sec. 31	Sec. 32
3 38.98	80 180			Sec. 3
4 38.73 (19.25) (20.00)	40.00			
	79.25			

NO LOTS

MADE FROM THE OF

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11465

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3n, Rge 2w, Sec. 6, se 1/4 se 1/4 or Lot _____.

2. Owner: Zeland Ewert

Address 3125 Carter Ln, City Winn, St. MT

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes ☒ No _____ Static Water Level: 20'
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 16"
Flowing: Yes ☒ No _____ Temperature: PA


5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.


Remarks: _____

APR 22 1993

63-11465



VIEW OF WELL & PIPELINES
TO THE P.M.'S. THE LONG
STRAIGHT PIPE IS TO THIS
FIELD AS WELL AS MORE FIELDS
TO THE ^{north}~~south~~. THE CROOKED
PIPE IN THE LEFT OF THE
PICTURE IS TO THE SOUTH.
FIELDS. THE PIPELINE GOES
UNDERGROUND TO A DITCH
SYSTEM.



VIEW TO THE NORTH.

APR 22 1993

November 15, 1991

LELAND EARNEST
3125 LASTER LANE
NAMPA ID 83687

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11465

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Nina Shields
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

NOV 19 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11465

Date 10-4-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
☒ Copy in file? Drill permit no. 63-91-W-121
1991 200.00 Amt paid for drilling permit? ☒ Correct?
NO Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
175.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- ☒ Measuring device or access port required?
☒ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

needs w.c. drillin #213

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

17
RECEIVED
AUG 16 1991

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 175.00
Date 8-19-91
Receipt No. 0021518
Received by JS

Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11465 Telephone No. 466-6068
2. Name(s) of Permit Holder(s): Leland Earnest
3. Post Office Address: 3125 Laster Ln. Nampa Id 83687
4. Source of Water: Brownwater
 - a. If ground water, well driller's name: Pete Lopez Date drilled: 7/19/91
 - b. Pump horsepower: 30 Pressure (psi): _____ Dynamic pumping level (ft.): 20'
5. Extent of Use:

Domestic _____ (No. of households)	Irrigation <u>194</u> (No. of acres)
Stockwater _____ (No. and type of stock)	Other _____
6. Total rate and/or volume for which proof is submitted 3.88 cfs _____ acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device:	Required? ☒ Yes ☐ No	Installed? ☒ Yes ☐ No
OR		
<u>Flow Measurement Port</u>	Required? ☒ Yes ☐ No	Installed? ☒ Yes ☐ No
8. Fee Enclosed: \$ 175.00 (See License Examination Fee Schedule)
9. Person to contact to accompany the Department representative during the field examination:

<u>Leland Earnest</u>	<u>466-6068</u>
Name	Telephone No.
<u>3125 Laster Ln. Nampa Id 83687</u>	
Address	

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8/15/91
Date

Leland Earnest 0 AUG 19 1991
Signature (and title if on behalf of a company or organization)

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Maurice E. Woodard
Address 18638 Prescott Ln Nampa 83687
Owner's Permit No. 63-91-z-083

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION See attached

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
_____ inches	_____ inches + _____	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Type of perforation _____ inches by _____ inches
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? ☒ Yes ☐ No
Manufacturer's name Roscoe Moss
Type Continuous wire Model No. Heavy
Diameter _____ Slot size .46 Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8
Placed from 18 feet to 265 feet
Surface seal depth 18 Material used in seal: ☐ Cement grout
☐ Bentonite ☒ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port 2" Pipe

7. WATER LEVEL

Static water level 20 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
28"	0	5	topsoil	x	
	5	7	hardpan		x
	7	13	fine to coarse sand		x
	13	36	river gravel	x	
	36	50	brn. clay		x
	50	85	fine to med. sand	x	
	85	95	brn clay		x
	95	101	fine to med. sand	x	
	101	105	brn clay		x
	105	115	fine to med. sand	x	
	115	131	brown fine to med. sand	x	
	131	149	brn. clay		x
	149	155	fine to coarse sand	x	
	155	158	brn clay		x
	158	171	fine to med. sand	x	
	171	190	brn clay		x
	190	198	fine to med sand	x	
	198	215	brn clay		x
	215	225	blue clay		x
	225	230	brn clay		x
	230	235	fine sand	x	
	235	238	blue clay		x
	238	241	fine sand	x	
	241	249	brn clay		x
	249	255	fine to med sand	x	
	255	260	blue clay		x
	260	262	fine sand w/ clay strks.	x	
	262	265	Blue clay		

RECEIVED
JUL 3 1991


Department of Water Resources
Western Regional Office

10.

Work started 6/19/91 finished 6/24/91

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Ada

Section 20 T. 4n S. 1w W. 1w

NOTED

NOV 19 1991

DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name Pete Cope Drilling Firm No. 213

Address 6505 W. Chinden Date 7/1/91

Signed by (Firm Official) Joseph [Signature]

and

(Operator) Kevin [Signature]

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Leland Earnest
2. Mailing Address 3125 Laster Ln Nampa 83687
Telephone 466-6068

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location NE⁴ SE 1/4 SE 1/4, or Gov't Lot No. _____

Sec. 6, Twp. 3N, Rge. 2W, County Canyon

Street Address of Well Site _____

Lot, block and subdivision _____

4. Proposed use of well:

- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic. Irrigation (supp.)

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 16" Proposed Maximum Depth 200-300'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date May 1991

7. Anticipated Well Driller Pete Cope
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Leland Earnest Date 2-12-91

Title Owner
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is

Approved

Date

4/15/91

If approved, this permit authorizes the constuction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules & Regulations.

SPECIFIC CONDITIONS:

David R. Tuttle
Signature of Authorized Department Representative

Mgr, Western Reg Off
Title

Receipt No. W012999 Received by RW Fee \$200 Date 2-12-91

EXTENSION OF DRILLING PERMIT

JUN 04 1991

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 17, 1991

LELAND EARNEST
3125 LASTER LANE
NAMPA, ID 83687

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11465

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED
JUN 04 1991

APPLICATION FOR PERMIT REVIEW

Application #: 63-11465
Date: 5-9-91

Reviewer: Pam Skaggs

- ✓ Existing:
- ✓ No - 26A-P17
 - ✓ Complete in 1 year - P16
 - Yes
 - Proof not submitted - P16
 - Proof submitted - N/A
 - ✓ Groundwater:
 - ✓ GT. 0.7 cfs - 01G-P03, 01C-P03 (existing well)
 - LT. 0.7 cfs - N/A
 - ✓ Drilling Permit:
 - Approved w/permit *already approved* - P99
 - Not included *already approved* - 046-P23 (All GW, even existing wells)
 - ✓ Location:
 - ✓ Water Districts - WD No. 63
 - Surface water - 005, 005-01H-P01 (LT.7 w/pump)
 - 005-01J-P08 (GT.7)
 - ✓ Groundwater *existing* - P05
 - Irrigation Districts - 023
 - Canal Co. Areas - 023
 - Drainage Districts - 024
 - Boise Front (63) - 058 (Groundwater)
 - ✓ Swan Falls Flag - (1, Blank or Other)
 - Trust - 051-052-053-P74 (Cons.), 041 (DCMI, w/Irr
 - Non Trust - 048-049 or Irr & Dom)
 - ✓ River Basins:
 - (Surface Water) Water District Control Condition &....
 - Boise (63) - 05A & 11E
 - Payette (65) - 047-P04, 059-P71
 - SNAKE (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)
 - Use:
 - Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One), 042(req.), 002-P06(MD), 07A(Spec.), 044(Policy 5G)
 - Power - Use Power Review
 - Mining - 06A or 010, 09E-P10 & 054(req.)
 - Storage - 18A-for multiple measuring devices(In WD), 18B-P09(Size)
 - Rec. & Aesthetic - 027(Non-Consumptive)
 - Domestic - 021(restricted areas)
 - Ownership:
 - Non land owner - 004
 - Protested:
 - Agreement - 020
 - Minimum Stream Flow:
 - Overlapping uses - 029-P20
 - ✓ Beneficial Use Due Date: - 05-01-1992
 - Other Conditions Recommended

JUN 04 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

(Earnest)

INITIAL REVIEW BY: GH DATE: 2-25-91 APPLICATION: 63-11465

REQUIRED INFORMATION

7/ Name: (If applicant is a corporation or partnership, names and addresses for the
7/ director, officers, and other partners must be included.)

7/ Address:

7/ Source: (See USGS Quad for names of water sources)

7/ Point of Diversion: (10 acres for spring, lot & block descriptions for
7/ Subdivisions, local name)

7/ County:

7/ Quantity: (flow and/or volume)

7/ Period of use:

7/ Nature of proposed use: (Include description of use)

7/ Description of diverting works:

7/ Time required for beneficial use of water:

7/ Place of use or acres irrigated:

7/ Map:

7/ Signature: (If applicant is corp., partnership, or municipality, title of
7/ signatory is required)

7/ Fee:

7/ Yes ☐ No* In form to receipt:

Gov't. Lots:

no P/D

yes P/U

ADDITIONAL INFORMATION

YES NO

7/ ☒ Overlapping place of use: (Describe source & relationship to present
7/ application on the back.)

7/ Overlapping point of diversion:

7/ Field check required: Field check by: _____

7/ Field report attached:

7/ Critical groundwater area:

7/ Groundwater management area:

7/ Diversion within interim protected river area

7/ Send dam safety information:

7/ Send power requirement letter:

7/ Send fish farm requirement letter:

7/ Power residency affidavit:

7/ Power efficiency form:

7/ Within trust water boundary: (If yes, attach Trust Water Supplementary
7/ Analysis Sheet.)

7/ Diversion greater than 5 cfs or 500 af or irrigation greater than 200
7/ acres: (If yes, attach Large Diversion supplementary analysis sheet.)

7/ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED
APR 25 1991

Department of Water Resources

DATE REQUESTED: _____

7/ Additional information on reverse side:

Drilling Permit Appl. ATTACHED

(Earnest)

PROCESSING

APPLICATION NO. 63-11465

YES NO

☒ ☒
☐ ☒
☒ ☐

In form for advertising: ~~has been approved~~ SEE NOTE BELOW
Statewide advertising:
Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare
I.D. Fish and Game
I.D. Lands
Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM
U.S. Forest Svc.
Water Dist. #
Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☐

Affidavit of publication received:
Application published correctly: If not, record action taken.

☒ ☐
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒

Publication dates and paper recorded on application:
Protests received. Final date for protest April 8, 1991
Protest dates, resolution of protest recorded on application:
Recommendations attached: Approve, OK
Measuring device required:
Measuring port required:
Water delivered by water master? District #
Special conditions of approval or cover letter:
(Well drilling permit issued)

See below for additional information

Recommended Date or Priority 2/12/1991

Recommended by: One Date 4/18/91

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

P/D overlap with 63-07556 is inconsequential

P/D overlap with 63-08754 in SEGE SEC 31 G- SHORE, SEGE SEC 6
is troublesome. Is this part of the leased land?
The overlap is also w/ water lang. dist.

Do not forward to S.O. until LA Division info is obtained.

3-1-91 See conversation memo - Applicant no longer is
classified as large diversion yet

CONVERSATION MEMORANDUM

DATE 3-1-91FILE 63-11465NAME OF PARTY Leland EarnestEMPLOYEE Cindy Hodges

RE: Applicant called to discuss large irrigation diversion req'ment. He has opted to alter the number of acres irrigated in order to avoid the extra information requirement. He has dropped acreage claimed which he leases and which is covered by a separate license & well. In addition, he dropped some less critical acres to bring his total down below 200 acres. He understands he is limited to supplementing only the acres claimed.

I have modified database per our conversation. No refund is necessary based on original amount filed for (4.0 cfs)

JUN 04 1991

3-1-91

Steve -

He called in response
to my letter - See
conversation memo.
No longer large divers.

C.

✓ By R 3/1/91

February 25, 1991

Leland Earnest
3125 Laster Ln.
Nampa, ID 83687

RE: Application for Permit submitted 2-12-91

Dear Mr. Earnest:

I am currently reviewing your Application for Permit which you recently submitted. Before this permit can be approved, more information is required. Based on Idaho Code 42-203A(5)(a-e) and 42-203C(2), additional information is needed for applications for permit involving irrigation of more than 200 acres and/or diversions exceeding 5.00 cfs or 500 acre-feet of storage. Please provide information relating to your proposed water right as outlined in the attached copy of Water Appropriation Rules 4,5,3,1 through 4,5,3,5,1. This covers the following items:

- a) effect on existing water rights,
- b) sufficiency of water supply,
- c) good faith, delay, or speculative purposes,
- d) financial resources, and
- e) local public interest

I have also included a copy of our Large Diversion Analysis sheet to help you interpret how these requirements apply to your application. Department records are available to assist you if necessary and may be especially helpful in completing item a) and portions of item b).

Also in reference to your application, a portion of the lands you are filing on have a water right license established for them in the name of Keffer. In particular, acreages in SWNE Sec 6, SENE Sec 6, and SESE Sec 31 appear on both the Keffer license and your application. Based on the Keffer field exam in 1987 during which you accompanied the examiner, I assume these are a part of your leased lands. Also based on that exam, I assume you are utilizing the license to water those lands.

JUN 04 1991

Page 2, Earnest

I will need to know more about the present irrigation system and the system you propose to install before the permit can be processed further. Specifically, are the systems to be integrated to irrigate the entire parcel, or will they operate independently? Under certain conditions, your proposed development may constitute an expansion of Keffer's license, requiring a transfer as well as a new application.

Please contact me at 334-2190 as soon as possible concerning the proposed irrigation system. As soon as I receive that information, I can arrange for any necessary modifications and send the application for advertising. When the balance of the information concerning the large diversion is submitted, the application can be sent for final permit approval.

If I can be of help concerning the large diversion requirement, please let me know when you contact me.

Sincerely,

Cindy Hodges
Water Resource Agent

Enclosures

RECEIVED
JUN 14 1994

Form No.
7/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Earnest
63-11465

CHECKLIST OF REQUIREMENTS
LARGE DIVERSION SUPPLEMENTARY
ANALYSIS SHEET*

EFFECT ON EXISTING RIGHTS

- ☐ Yes ☒ No Springs/surface streams with 5 or less existing users
☐ Identify number of impacted rights
☐ Name and address of users
☐ Location of points of diversion
☐ Nature of use of the existing rights
- ☒ Yes ☐ No Groundwater
☐ Plat showing proposed well and any other wells &/or
springs within $\frac{1}{4}$ mile radius
- ☒ Yes ☐ No Statement of design construction, or operation techniques
which will be used to reduce impact on existing rights

SUFFICIENCY OF WATER SUPPLY

Water Requirements of Proposed Project

- ☒ Required diversion rate during peak use (Maximum rate)
☒ Required diversion rate during average use period
☒ Annual volume
☒ Season of use
☒ Volume to be consumptively used/year

Quantity of Water Available from Source

- ☐ Flow rates for surface water sources available during peak
and average water demand period
☒ Properties of aquifers
☒ Other sources available for supplementation

GOOD FAITH, DELAY OR SPECULATION

- ☒ Copies of deeds, leases, easements, and right-of-ways from _____
- ☐ Power applications affidavit form 205/206 is required
☐ Yes ☐ No Other needed permits, licenses, or approvals required. If
yes, _____

FINANCIAL RESOURCES

- ☒ Current certified financial statement
☐ Financial commitment letter/financial statement from
committed party
☐ Project design/plans along with cost estimation to
complete project

*For applications of more than 5 cfs. or more than 500 AF.

63-11465

LOCAL PUBLIC INTEREST

Comments received from:


- | | | |
|--|---|---|
| ☐ City | ☐ Idaho Fish & Game | ☒ Irrigation District |
| ☒ County | ☐ Idaho Health & Welfare | ☐ Canal Company |
| ☐ Reservations | Division of Environment | ☐ Other _____ |

Project impacts/implications report

COMMENTS

[Handwritten signature]

3N20



63-11465

EARNEST, LELAND
3125 LASTER LN.
NAMPA, ID 83687

Source: GROUNDWATER

Diversion Pt: NESESE Sec 6 T 03N R 02W

Use: IRRIGATION (3.880 CFS)
Total Diversion: (3.880 CFS)

Date Filed: 2/12/ 1991

In: T03N R02W S06 Lot 1 (NENE)	Lot 3 (NENW)	NESE	NWSE
	SESE		
T04N R02W S31	SESW	NESE	NWSE
			SWSE

194.0 ACRES TOTAL

00004