





3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☐ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		25	submersible		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical

JUN 29 1994

ALBA QUADRANGLE
IDAHO
7.5-MINUTE SERIES (ORTHOPHOTOGRAPHIC)

536

32' 30"

538

539

R W N W



4815

4814

660 000
FEET

4813


T2N
R2W
Sec 36
4812
T. 2 N.
no gov
lts

27' 30"
T. 1 N.

4811

RECEIVED

JUN 29 1994





10" well
25 HP submersible pump
open discharge

open discharge
in cement
catch basin



2/11/93

9 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11464

Priority: February 27, 1991

Maximum Diversion Rate: 0.81 CFS

Maximum Diversion Volume: 229.5 AF

This is to certify, that CANDESS PIRNIE
CLIFF PIRNIE

6425 LOLA LN
NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 27, 1991; and has submitted Proof of Beneficial Use on May 27, 1992. An examination indicates that the works have a diversion capacity of .810 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.81 CFS	229.5 AF

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 36, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	36	SESW 39	SWSE 12		51

Total number of acres irrigated: 51

CONDITIONS/REMARKS:


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

JUN 29 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-11464

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 10TH
day of MAY, 1994.

Acting for  R. Keith Higginson, Director



JUN 29 1994

RECEIVED

MAY 27 1992

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Western Regional Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11464 Telephone No. 466-3148
2. Name(s) of Permit Holder(s): Candess & for Cliff Pirnie
3. Post Office Address: 6425 Lola Ln., Nampa, ID 83686
4. Source of Water: groundwater
 - a. If ground water, well driller's name: Skinner Date drilled: 3-14-91
 - b. Pump horsepower: 25 Pressure (psi): _____ Dynamic pumping level (ft.): 189'
5. Extent of Use:

Domestic _____ (No. of households)	Irrigation <u>60</u> (No. of acres)
Stockwater _____ (No. and type of stock)	Other _____
6. Total rate and/or volume for which proof is submitted 1.2 cfs _____ acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device:	Required? <u>Yes</u> ☒ No	Installed? <u>Yes</u> ☒ No
OR		
Flow Measurement Port:	Required? ☒ Yes <u>No</u>	Installed? <u>Yes</u> ☒ No
8. Fee Enclosed: \$ 125. (See License Examination Fee Schedule)
9. Person to contact to accompany the Department representative during the field examination:

same as above

Name

Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5-27-92
Date

Cliff Pirnie
Signature (and title if on behalf of a company or organization)

UNRECORDED
JUN 12 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11464

Proposed Priority: February 27, 1991 Maximum Diversion Rate: 1.20 CFS
This is to certify, that CANDESS PIRNIE

CLIFF PIRNIE
6425 LOLA LN.
NAMPA, ID 83686

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	1.20 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSE Sec. 36, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	36	SESW 40	SWSE 20		60

Total number of acres irrigated: 60

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 3, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of

May, 1991

JUN 04 1991

for 
R. Keith Higginson, Director

Ident. No. 63-11464

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: CLIFF PIRNIE 208-466-3148
Address: 6425 LOLA LANE
NAMPA, ID 83686
AND/OR
Name: CANDESS PIRNIE 208-466-3148
Address: 6425 LOLA LANE
NAMPA, ID 83686

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWSE Sec. 36, Township 02N, Range 02W
CANYON County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	1.200		

5. Total quantity to be appropriated is:
1.200 CFS (and/or) AF

6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP, DITCHES FOR SUPPLEMENTAL IRRIGATION
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 12 inches; proposed depth of well is 200
feet.
 - d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 years.

8. Description of proposed uses:
SUPPLEMENTAL IRRIGATION

RECEIVED
JUN 04 1964

9. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
02N 02W 36	SESW 40	SWSE 20		60

Total number of acres irrigated: 60

10. Describe any other water rights used for the same purposes.
BOISE-KUNA IRRIGATION DISTRICT

11. a. Who owns the property at the point of diversion?
APPLICANT

b. Who owns the land to be irrigated or place of use?
APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Cliff Finnie
Applicant

Received by SL Date 2/27/91 Time 12:24 Preliminary check by W

Fee \$ 65⁰⁰ Received by SL # W013056 Date 2/27/91

Publication prepared by GG Date 3-13-91 Published in Press-Tribune

Publication approved et Date 4-12-91 ^{3/20 & 3/27/91}

JUN 04 1991





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 10, 1994

CANDESS PIRNIE
CLIFF PIRNIE
6425 LOLA LN
NAMPA ID 83686

RE: WATER RIGHT NO. 63-11464

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in dark ink, appearing to be 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

JUN 29 1994

DATE: 05/05/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CANDESS PIRNIE	02/27/1991	IRRIGATION	03-15 11-15	0.81 CFS	229.50 AFA
C	CLIFF PIRNIE					
	6425 LOLA LN					
	NAMPA ID 83686			TOTAL DIVERSION:	0.81 CFS	229.50 AFA
	(208) 466-3148					

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.81 CFS

Point(s) of Diversion: T02N R02W S36 SWSE CANYON County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE										
				NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:			
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
02N	02W	36	:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:													

Pou County: CANYON

Other Rights: BOISE-KUNA IRRIGATION DISTRICT

Other Water Rights with Same Point(s) of Diversion and Source:
63-11464

Other Water Rights Listing Overlapping Place(s) of use:
63-11464

Conditions of Approval:

R32 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Remarks: The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

Dates: App. Received: 02/27/1991 Priority Date: 02/27/1991
Proof Due Date: 05/03/1993 Proof Made Date: 05/27/1992
Exam Made Date: 11/02/1993 Exam Sent to S.O.: 04/12/1994
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 05/29/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd


(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6311464	T02N R02W S36 GROUNDWATER																	
	:													39			12	:
6302388	BOISE RIVE :																	:
A6302388	BOISE RIVE :																	:
6310423	GROUNDWATE :																	:
6311149A	GROUNDWATE :													06	39	38		:
6311149B	GROUNDWATE :																	:
6311464	GROUNDWATE :																	:
6311496	GROUNDWATE :																	:
														40			20	:
																	36	:

No Overlaps

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11464 DATE 5-5-94



NAME	Yes ☐ No ☒	Or Address Change? ☐
PRIORITY DATE	☐ ☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐ ☒	Amendment needed? ☐ Overlaps? ☐
PLACE OF USE	☒ ☒	Amendment needed? ☐ Overlaps? <u>In Dist Right</u>
DIV RATE	☐ ☒	Measurement done? ☐ Theoretical only? ☒ <u>Q = .81</u> <u>51 x .02 = 1.02</u>
		Capacity: <u>.81</u> Combined rates exceed capacity ☐ Allowable amount: <u>.81</u>
ANNUAL VOLUME	☐ ☒	Season of use: <u>D/4.5</u> Calculations: <u>51 x 4.5 = 229.5</u>
		Flow limit: ☐ cfs x ☐ x 1.9835 = ☐ Combined volumes exceed capacity/allowable ☐
USES	☐ ☒	Change(s) in Nature of Use? ☐ Amendment necessary? ☐
REMARKS	☒	Multiple p/d(s) in 1/4 1/4? ☐ <u>WB3</u> Other <u>Boise Run In Dist</u>
CONDITIONS	☐ ☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ <u>R32</u> Irrigation Overlap ☐ Water Quality ☐ Other ☐
COMMENTS:	<u>Reduce acres & rate; Supplemental water</u>	

RECOMMENDED	CFS	VOLUME	LICENSE ☒
<u>Irrigation</u>	<u>.81</u>	<u>229.5</u>	
<u> </u>	<u> </u>	<u> </u>	1ST AMENDMENT LETTER <u> </u>
<u> </u>	<u> </u>	<u> </u>	FINAL AMENDMENT LETTER <u> </u>



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

APR 21 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11464

1. Owner: Canders + Cliff Pierre Phone No. 466-3148

Current Address: 6425 Lola Ln Nampa 83686

2. Accompanied by: — EXAM DATE: 11/2/93

Address: — Phone No. —

Relationship to Permit Holder: —

3. Source: Ground water tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02388

2. Other water rights with the same point of diversion: —

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	36	2N	2W	Canyon	USGS Quad, ASCS Map


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	2W	36												39			12		51

JUN 29 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" =

Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		25	submersible		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical

JUN 20 1994

E. NARRATIVE/REMARKS/COMMENTS

A 10" well equipped with a 25 HP submersible pump supplies water to 51 acres via ~~concrete~~ ditch, siphon tubes and gated pipe. Boise/Kuna Irrigation water is also used on the property. No other water ~~its~~ are used.

(The direction of gravity flow indicated on the ASCS photo is assumed - the owner was not present at the time of the exam and the crops had been harvested.)

Have conditions of permit approval been met? ☐ yes ☒ no

not necessary
for exam
JUN 29 1994

JUN 29 1994

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

$$\frac{25 \times 8.8 \times .7}{189} = .81 \text{ cfs}$$

per owner + well log estimate - (depth = 309
static = 85)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 51 \times 4.5 = 229.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .81 \times 246 \times 1.9835 = 395.2$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 229.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	.81	229.5
Totals:			.81	229.5

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATIONField Examiner's Name Loi Guaver Date 3/29/94

Reviewer _____ Date _____

SEAL

00119 784

ALBA QUADRANGLE
IDAHO
7.5-MINUTE SERIES (ORTHO) PHOTOGRAPH


336

32' 30"

336

339

R. W. H. A.



660 000
FEET


4813

T2N
R2W
Sec 36
4812
T. 2 N.
no gov
lts

27' 30"
T. 1 N.

4811

JUN 29 1994



**USE TYPEWRITER OR
BALLPOINT PEN**

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-91-W-043 OTHER APPLICABLE NO: 63-11464
2. OWNER: Candess + Cliff Pirnie Phone: 466-3148
Address: 6425 Lola Ln Nampa 83686
3. WELL LOCATION: Twp 2N, Rge. 2W, Sec. 36, SW 1/4 SE 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Skinner Lic. No. 304
When Drilled? 1991
5. WELL CONSTRUCTION:
- Casing Diameter 10 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 20 ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
- Depth to Static Water 85 ft. Water Temperature 57 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
- | | | |
|---------------------------------------|---|-------------------------------------|
| ☐ Domestic | ☒ Irrigation | ☐ Stock |
| ☐ Test | ☐ Municipal | ☐ Industrial |
| ☐ Abandoned | ☐ Waste Disposal/Injection | ☐ Not Used |
| ☐ Other: _____ | | |
- JUN 29 1994

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☒ Yes ☐ No

If yes, what Type? surface water

How far away from the well is this source? _____

9. REMARKS:

Loi Gnaner
Signature of Dept. Representative & Title

11/2/93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:


RECEIVED

JUN 29 1994


10" well
25 HP submersible pump
open discharge



open discharge
in cement
catch basin



1994



HUBBLE ENGINEERING, INC.

9550 Bethel Court ■ Boise, Idaho 83709

208/322-8992 ■ Fax 208/378-0329

January 8, 1993

Mr. John Carlson
Idaho Department of Water Resources
1301 North Orchard
Boise, Idaho 83706

RECEIVED

JAN 11 1993

Department of Water Resources

RE: Island Woods Well Locations

Dear John,

As we discussed over the phone, the location of the two wells drilled for Island Woods Subdivision may have been incorrectly described in a previous project narrative. I have reviewed our files and verified the location of the wells on this project.

One well location is in Government Lot 5 of Section 16, T.4N., R.1E., B.M., and one is in Government Lot 4 of Section 21, T.4N., R.1E., to otherwise convert those to the nearest 40 acres would be the NW1/4 of the SW1/4 of Section 16, and the NW1/4 of the NW1/4 of Section 21.

Within our files I have found copies of the application for drilling permit (No. 63-91-Z-190) proposing a 6-inch-diameter test well in the SW1/4 of the SW1/4 of Section 16. This well is actually in Government Lot 4 (NW1/4 of the NW1/4) of Section 21 and lies approximately 5,000 feet North of Chinden Boulevard. The well drillers report for this well also erroneously refers to the SW1/4 of the SW1/4 of Section 16.

Our copy of the permit to appropriate water (No. 63-11467) describes the location of the points of diversion as the SW1/4 of the SW1/4 of Section 16, and the NW1/4 of the SW1/4 of Section 16 or Government Lot 5. As I noted previously, the Southerly well is actually 120 feet South of the section line between Sections 16 and 21 placing it in Government Lot 4 of Section 21, not in the SW1/4 of the SW1/4 of Section 16.

If you have any further questions about the locations of these wells or other information is needed, please give me a call.

Sincerely,

Todd R. Waite

Todd R. Waite, L.S.
HUBBLE ENGINEERING, INC.

TRW/EDH/dkg/557.ltr

cc: Dennis Baker
MONTE MARCHUS

RECEIVED

JUN 29 1994

June 4, 1992

CANDESS PIRNIE
CLIFF PIRNIE
6425 LOLA LN.
NAMPA ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11464

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECORDED
JUN 12 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-11464 Reviewed by Keg Date 5/29/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 63-91-W-043
300 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
125 Amount Submitted
yes Correct?
yes Required?
no Installed?
NA Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due -
No. of days late =
Priority Date +
New Priority Date

DEFICIENCIES OR ACTION ITEMS

proof acceptable

needs a flow

DATA ENTRY

New Address

Proof Made 5/27/92
6/4/92 Keg

Drilling Permit No. 63.91-W-043
Water Right Permit No. 63-11464 (App. Pending)
Injection Permit No. _____

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT FEB 28 1991

Department of Water Resources

RECEIVED

1. Applicant (please print) Cliff & Candace Pinnie
2. Mailing Address 6425 WOLA LANE Nampa ID 83686
Telephone 466-3148

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SW 1/4 SE 1/4, or Gov't Lot No. _____
Sec. 36, Twp. 2N, Rge. 2W, County Canyon
Street Address of Well Site _____
Lot, block and subdivision _____

4. Proposed use of well:

() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 12" Proposed Maximum Depth 200'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date A.S.A.P.

7. Anticipated Well Driller Bill Doty (tentatively)
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature X Cliff Pinnie Date 2/27/91

Title Owner

(Owner, Firm Representative, Other)

MICROFILMED

JUN 12 1992

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 2/27/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

10. Water cannot be diverted from this well until Appl. for Permit No. 63-11464 is approved.
11. The applicant must call to identify the driller prior to drilling. (call 334-2190).

Stan Foster Jr. Agent for
Signature of Authorized Department Representative

Manager, Western Region
Title

Receipt No. W013056 Received by RL Fee \$200 Date 2/27/91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

MICROFILMED
JUN 12 1992

USE TYPEWRITER OR
BALL POINT PEN

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECEIVED
JUN 10 1991

~~JUN 10 199~~

Department of Water Resources

RECEIVED

~~JUN 11 199~~

Department of Water Resources
Western Regional Office

Department of Water Resources
Western Regional Office

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

USE ADDITIONAL SHEETS IF NECESSARY. FORWARD THE WHITE COPY TO THE DEPARTMENT.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 17, 1991

CANDESS PIRNIE
CLIFF PIRNIE
6425 LOLA LN.
NAMPA, ID 83686

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11464

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as

JUN 04 1991

far as possible from surface water channels and casing your well so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

AFFIDAVIT OF PUBLICATION

63-11462
 SYMMS FRUIT RANCH INC.
 14068 SUNNY SLOPE RD.
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 2/19/1991
 In: T03N R04W S14
 S23
 100.0 ACRES TOTAL

63-11463
 SYMMS FRUIT RANCH INC.
 14068 SUNNY SLOPE RD.
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 2/19/1991
 In: T03N R04W S04
 113.0 ACRES TOTAL

63-11464
 PIRNIE, CLIFF
 PIRNIE, CANDESS
 6425 LOLA LN.
 NAMPA, ID 83686
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 2/27/1991
 In: T02N R02W S36
 60.0 ACRES TOTAL

63-11465
 EARNEST, LELAND
 3125 LASTER LN.
 NAMPA, ID 83687
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 2/12/1991
 In: T03N R02W S06 Lot 1
 T04N R02W S31
 194.0 ACRES TOTAL

63-11472
 WADE, KEITH L.
 8514 HAPPY VALLEY RD.
 NAMPA, ID 83686
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 3/4/1991
 In: T02N R02W S13
 75.0 ACRES TOTAL

63-11474
 RIM RANCHES INC.
 24034 BATT CORNER RD.
 PARMA, ID 83660
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 2/8/1991
 In: T04N R05W S10
 S11
 160.0 ACRES TOTAL

63-11475
 WHITAKER, STEVEN M.
 15861 MC DERMOTT RD.
 NAMPA, ID 83687
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 3/1/1991
 In: T03N R01W S07
 118.0 ACRES TOTAL

63-11478
 ARNOLD, CECIL
 1350 W. AVALON
 KUNA, ID 83634
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 2/28/1991
 In: T02N R01W S20
 40.0 ACRES TOTAL

63-11480
 FLOYD, HAROLD
 9703 CHICKEN DINNER RD.
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 3/4/1991
 In: T02N R04E S14
 22.0 ACRES TOTAL

NWNW Sec 23 T 03N R 04W
 (2.000 CFS)
 Total Diversion: (2.000 CFS)

NWNW SWSW
 SWSW
 SWSW

NESE Sec 4 T 03N R 04W
 SESE Sec 4 T 03N R 04W
 (2.000 CFS)
 Total Diversion: (2.000 CFS)

NESE SWSE SESE

SWSE Sec 36 T 02N R 02W
 (1.200 CFS)
 Total Diversion: (1.200 CFS)

SESW SWSW

NESESE Sec 6 T 03N R 02W
 (3.880 CFS)
 Total Diversion: (3.880 CFS)

(NENE) Lot 3 (NENW) NESE
 NWSE SESE
 NWSE SWSW

SESW Sec 13 T 02N R 02W
 (1.500 CFS)
 Total Diversion: (1.500 CFS)

SESW NWSE SWSW

SENE Sec 10 T 04N R 05W
 (3.200 CFS)
 Total Diversion: (3.200 CFS)

SWNE SENE
 SWSW SENW

SESESW Sec 7 T 03N R 01W
 (2.360 CFS)
 Total Diversion: (2.360 CFS)

NESW Lot 3 (NWSW) Lot 4 (SWSW) SESW

SWSW Sec 20 T 02N R 01W
 (.800 CFS)
 Total Diversion: (.800 CFS)

SWSW

NENE Sec 14 T 02N R 04W
 SENE Sec 14 T 02N R 04W
 (.760 CFS)
 Total Diversion: (.760 CFS)

NENE SENE

OF IDAHO)
) SS.
 of Canyon)

Charla O'Krakel

pa, Canyon County, Idaho, being first duly sworn, deposes s:

it I am a citizen of the United States of America, and at all ereinafter mentioned was over the age of eighteen years, a party to the above entitled action.

at I am the Principal Clerk of the Idaho Press-Tribune, a except Saturday) newspaper published in the City of and Caldwell, in the County of Canyon, State of Idaho; e said newspaper is in general circulation in the said of Canyon, and in the vicinity of Nampa and Caldwell, and n uninterruptedly published in said County during a period ty-eight consecutive weeks prior to the first publication of ce, a copy of which is hereto attached.

at the notice, of which the annexed is a printed copy, was ed in said newspaper two times

regular and entire issue of said paper, and was printed in spaper proper, and not in a supplement.

at said notice was published the following dates:

March 20, 27, 1991

Charla O'Krakel

OF IDAHO)
)
 TY OF CANYON)

27th day of March in the 1991, before me, a Notary Public, personally ed Sharla O'Krakel, known

tified to me to be the person whose name subscribed to the instrument, and being by me first duly sworn, declared e statements therein are true, and acknowledged to me that e)

63-11481
 FLOYD, JERRY
 9159 RIVERSIDE RD.
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 3/4/1991
 In: T03N R04W S35
 105.0 ACRES TOTAL

63-11483
 SWARTHOUT, C.R.
 4925 MOUNTAIN VIEW DR.
 BOISE, ID 83704
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 3/7/1991
 In: T01S R01W S07
 R02W S01
 S12
 142.0 ACRES TOTAL

63-11484
 NEIDER, JAY C.
 NEIDER, CONNIE
 5821 MORNING DOVE DR.
 NAMPA, ID 83686
 Source: GROUNDWATER
 Diversion Pt:
 Use: IRRIGATION

Date Filed: 3/4/1991
 In: T01N R02W S02 Lot 3
 S03
 225.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 8, 1991.

R. KEITH HIGGINSON
 Director
 ch 27 1 1

63-11464

PIRNIE, CLIFF
PIRNIE, CANDESS
6425 LOLA LN.
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: SWSE Sec 36 T 02N R 02W

Use: IRRIGATION (1.200 CFS)
Total Diversion: (1.200 CFS)

Date Filed: 2/27/ 1991

In: T02N R02W S36 SESW SWSE

60.0 ACRES TOTAL

JUN 04 1991