





13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

R. A. Johnson
(Applicant)
PRESIDENT

RECEIVED
SEP 01 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-11463
Phone No. 459 4821
1. Owner: Symms Fruit Ranch
Current Address: 14068 Sunny Slope Rd Caldwell, ID 83605
2. Accompanied by: Dick Symms EXAM. DATE: 6/8/93
Address: _____ Phone No. _____
Relationship to Permit Holder: President
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: 63-2995, 3268, 5171 in SWSE Sec 4

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)


3N4W

AUG 08 1994



SEE
G-9A

SEE
G-9A



RECEIVED
AUG 08 1994

63-11463

6/8/93 cy4



1. P/D & P/u in
SESE - view to the
east



2. P/u in SESE & NESE.
Cement ditch
runs to the
northwest.

AUG 08 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11463

Priority: February 19, 1991

Maximum Diversion Rate:

0.72 CFS

Maximum Diversion Volume:

351.3 AF

This is to certify, that SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL ID 83605

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated February 19, 1991; and
has submitted Proof of Beneficial Use on March 17, 1991. An examination indicates
that the works have a diversion capacity of .720 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.72 CFS	351.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 4, Township 03N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	04W	4	NESE 39	SWSE 31	SESE 32	102

Total number of acres irrigated: 102

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The issuance of this right in no way grants any right-of-way or easement across the land of another.
7. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.


AUG 08 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-11463

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22ND
day of July, 1994.

Acting for


R. Keith Higginson, Director

1994 JUL 22
10 08 1994

MAR 17 1992

Department of Water Resources
Western Regional OfficeSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCESOFFICE USE ONLY
Amt. of Fee \$ 125.00
Date 3-17-92
Receipt No. 0014330
Receipt by SDL

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11463 Telephone No. 208-459-4821
2. Name(s) of Permit Holder(s): SYMMS FRUIT RANCH
3. Mailing Address: 14068 SUNNY SLOPE ROAD CALDWELL IDAHO 83605
4. Source of Water: WELL

If **GROUNDWATER**, Well Driller's Name: COPE DRILLING Date Drilled: APRIL 1991

OPTIONAL:

Pump horsepower: 50 Pressure (psi): OPEN Dynamic pumping level (ft.): 350'

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 90+ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 2 cfs OR 4 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No ☒ Installed? FH 400 R Yes _____ No _____

OR
Flow Measurement Port: Required? ☒ Yes _____ No _____ Installed? FH 400 R Yes ☒ No _____

8. Fee Enclosed: \$ _____ (See License Fee Schedule on back of Instruction Sheet)
9. Person to contact to accompany the Department representative during field examination of the water system.

Name

Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

16 MARCH 92
Date Signature (and title, if on behalf of a company or organization) R.A. Symms PRES. APR 14 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11463

Proposed Priority: February 19, 1991 Maximum Diversion Rate: 2.00 CFS
This is to certify, that SYMMS FRUIT RANCH INC.

14068 SUNNY SLOPE RD.

CALDWELL, ID 83605

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	2.00 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESE	Sec. 4, Township 03N, Range 04W
NESE	Sec. 4, Township 03N, Range 04W
	CANYON County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>	
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>				
03N	04W	4	NESE 40	SWSE 33	SESE 40	113
Total number of acres irrigated:						113

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1992.
2. Subject to all prior water rights.
3. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. Single point of diversion located on or near line between NESE and SESE, S04, T03N, R04W.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of May, 1991.

for 
R. Keith Higginson, Director

JUN 04 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant SYMMS FRUIT RANCH, INC. Phone 459-4821
Post office address 14068 SUNNY SLOPE ROAD, CALDWELL, IDAHO 83605

2. Source of water supply GROUNDWATER (LW)
~~Well~~ which is a tributary of _____

3. Location of point of diversion is ~~SE~~ SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 4 Township 3N Range 4W B.M. Canyon County; additional

* points of diversion if any: NE SE SEC 4 3N 4W

4. Water will be used for the following purposes:

* Amount 2.0 for Irrigation purposes from 1 ¹⁵ March to 30 ¹⁵ Nov. (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 2.0 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well -- water delivered to
fields via PVC pipe

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 16" inches; proposed depth of well is 500' feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

* P/D between NESE + SESE QTRS. LW
* Recommended irrigation season - confirmed with
Ruth, Symms Fruit Ranch Rep., 2/28/91. LW
JUN 04 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.


TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	4W	4													40		33	40	113

Total number of acres to be irrigated 113


10. Describe any other water rights used for the same purposes as described above. Boise Project

- Who owns the property at the point of diversion? Leased by Symms Fruit Ranch: Owned by Simplot Co.
- Who owns the land to be irrigated or place of use? Leased by Symms Fruit Ranch: Owned by Simplot Co.
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Property on long term lease

12. Remarks: _____



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

R. L. Johnson
(Applicant)
PRESIDENT

Received by Ms. Date 2/19/91 Time 11:20am Preliminary check by W
Fee \$ 65.00 Receipted by JD # 0013017 Date 2-19-91
Publication prepared by GG Date 3-13-1991 Published in Press-Tribune
Publication approved J Date 4-12-91 3/20 & 3/27/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:



SYMMS FRUIT RANCH, INC.

*Growers and Shippers of Apples,
Peaches, Cherries, Plums, Pears, Nectarines,
Grapes, Onions and Potatoes.*

14068 Sunny Slope Road, Caldwell, Idaho 83605

Telephone (208) 459-4821 / L.D. 459-8064

Fax: (208) 459-6932

CORPORATION OFFICERS AND PARTNERS LISTED BELOW

ADDRESS FOR ALL: 14068 Sunny Slope Road
Caldwell, Idaho 83605
Telephone: 208-459-4821

SYMMS FRUIT RANCH, INC.

R. A. Symms	President
James P. Mertz	Secretary
Myrtle Symms	Treasurer
Irene Symms	Vice-President
Kathryn Symms Mertz	Vice-President
Steven D. Symms	Director
Shirley S. Maggard	Director

SUNNY SLOPE FRUIT COMPANY

James P. Mertz	President
Shirley Symms Maggard	Secretary/Treasurer
James P. Mertz	Director
Shirley Symms Maggard	Director
R. A. Symms	Director

STE. CHAPELLE, INC.

R. A. Symms	President
James P. Mertz	Secretary/Treasurer
Kathryn S. Mertz	Director

SYMMS CANYON LTD. PARTNERSHIP

Myrtle Symms	General Partner
Irene Symms	General Partner
R. A. Symms	Administrator
James P. Mertz	Administrator





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 25, 1994

SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11463

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

RECEIVED

AUG 08 1994

WR0749NP
No. L63-11463

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/08/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	SYMMS FRUIT RANCH INC 14068 SUNNY SLOPE RD CALDWELL ID 83605 (208) 459-4821	02/19/1991	IRRIGATION	03-15 11-15	0.72 CFS	351.30 AFA
TOTAL DIVERSION:					0.72 CFS	351.30 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.72 CFS

Point(s) of Diversion: T03N R04W S04 SESE CANYON County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE														
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
				Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	
03N	04W	4	:					:						:					:						:	
															39							31	32		102.0	
TOTAL ACRES																							102.0			

Pou County: CANYON

Other Rights: BOISE PROJECT

Other Water Rights with Same Point(s) of Diversion and Source:
63-11463

Other Water Rights Listing Overlapping Place(s) of use:
63-02995 63-03268 63-11463

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
- 004 - The issuance of this right in no way grants any right-of-way or easement across the land of another.

Remarks: The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

Dates: App. Received: 02/19/1991 Priority Date: 02/19/1991
Proof Due Date: 05/01/1992 Proof Made Date: 03/17/1991
Exam Made Date: 06/08/1993 Exam Sent to S.O.: 08/27/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 03/18/1992 User-ID: GUSTAFSO Subject: Proof of Beneficial Use Rcvd

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6311463	T03N R04W S 4 GROUNDWATER																	
	:																	
6302388	BOISE RIVE :																	
A6302388	BOISE RIVE :																	
6302881	GROUNDWATE :																	
6302899	GROUNDWATE :																	
A6302899	GROUNDWATE :																	
6302908	GROUNDWATE :																	
A6302908A	GROUNDWATE :																	
6302995	GROUNDWATE :																	
6303102	GROUNDWATE :																	
A6303102A	GROUNDWATE :																	
6303268	GROUNDWATE : (Permit)																	
6311103	GROUNDWATE :																	
6311463	GROUNDWATE :																	

POU COMPARISON

LICENS REVIEW CHECKLIST

PERMIT NO. 63-11463 DATE 7-7-94
Symms Fruit Ranch



NAME ☒ Or Address Change?

PRIORITY DATE ☒ Advance? Advanced to:
 Order to reinstate needed?
 Incorrect fee for rate recommended? ☒ No

SOURCE ☒ Changes or just clarification of originally intended source?
 Notice of Intent to Void necessary?

POINT OF DIV ☒ Amendment needed? Delete NESE - is NOT ON LINE
 ☒ Overlaps?

PLACE OF USE ☒ Amendment needed?
 ☒ Overlaps?

DIV RATE ☒ Measurement Q = Theoretical Q = .72
102 x .02 = 2.04
(Pump only rated at 300 gpm or .60 cfs)
Capacity: .72 Combined rates exceed capacity
Permit/fee limits: 2.0 Allowable: .72 cfs

ANNUAL VOLUME Season of use: 0/4.5 (3-15 to 11-15)
 Calculations: 102 x 4.5 = 459 gfa
 Flow limit: .72 cfs x 244 x 1.9835 = 351.3
 Combined volumes exceed capacity/allowable

USES ☒ Change in Nature of Use or additional uses?
 Amendment necessary?

REMARKS WB3 ☒ Multiple p/d(s) in 1/4 1/4?
 Other Delete CONDITION #6

CONDITIONS ☒ Measuring/Locking Devices
R32 ☒ Watermaster control - District
 ☒ Irrigation Overlap
004 ☒ Water Quality
 ☒ Other

COMMENTS: Supplemental Water; Reduce acres and rate to capacity.

RECOMMENDED	CFS	VOLUME	LICENSE ☒
<u>Irrigation</u>	<u>.72</u>	<u>351.3</u>	
<u> </u>	<u> </u>	<u> </u>	1ST AMENDMENT LETTER <u> </u>
<u> </u>	<u> </u>	<u> </u>	FINAL AMENDMENT LETTER <u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 01 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Symms Fruit Ranch Permit No. 63-11463
Current Address: 14068 Sunny Slope Rd Caldwell, ID 83605 Phone No. 459 4821
2. Accompanied by: Dick Symms EXAM. DATE: 6/8/93
Address: _____ Phone No. _____
Relationship to Permit Holder: President
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-2995, 3268, 5171 in SWSE Sec 4 ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

AUG 8 1994

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

16" x 725', 50 HP Submersible, 12 Stage 6T325 300gpm rated
425' TDH 6" bowls set @ 441' 3450 rpm
Well discharges into cement ditch, or into 10" mainline or
6" mainline feeding 8" collapsible gated pipe. All irrigation
is for orchard under corrugate gravity system.
→ from layne pump installation records.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	~~Butler-Hammer~~ Franklin	50	2366186010	Layne	6"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE		4	3N	4W	Canyon	Site Visit, Orthophoto

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	4W	4													39	31	32		102

Do not use this space

AUG 08 1984

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None. Well not in use. Theoretical HP equation using Owner records.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{50 \times 8.8 \times .7}{425} = .72 \text{ cfs System capacity}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 102 \times 4.5 = 459$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .72 \times 246 \times 1.9835 = 351.3$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 351.3$$

2. Volume Calculations for Other Uses:

AUG 08 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Overlaps do not affect this permit. 63-2995 & 3268 are used to the SW of Mora Canal.
~~Only one of 2 P/D's developed.~~ P/D developed in SESE only.
Water use is supplemental to irrigation district.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRR	3/15	11/15	.72	351.3
Totals:				

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name CINDY HODGES
Signature CJ Hodges
Certification Date _____
Field Report Preparation Date 6/23/93

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

AUG 08 1994

3N4W

44-38861-100



SEE
G-9A

T4050

H/NW

T4652

NW

28.4

31.9

T3280

2

36

H/NW

10.9

SEE
G-9A

H/NW

H/NW

H/NW

2

9.5

8

40

9

2.5

32

13

38

12

40

11

13.0

14

37

15

5.3

H/NW

T4861

H/NW

H/NW

T2478

H/NW

2

30

4.5

3.8

H/NW

31.4

Aug 08 1994

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 63-11463

2. OWNER: Symms fruit ranch Phone: _____
Address: _____

3. WELL LOCATION: Twp 3N, Rge. 4W, Sec. 4, SE 1/4 SE 1/4
County _____ (Provide sketch map and photo on reverse.)

4. DRILLER: COPE Lic. No. 213
When Drilled? 4/25/91

5. WELL CONSTRUCTION TD 725'
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing ≥ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving GOOD
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☒ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION Pumping level 400'
Depth to Static Water 174 ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:
☐ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

AUG 08 1994

9. REMARKS:

Access port needs cap

Signature of Dept. Representative & Title

Inspection Date


PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

AUG 08 1994

63-11463
6/8/93 cy4



1. P/D & P/u in
SESE - view to the
east



2. P/u in SESE & NESE.
Cement ditch
runs to the
northwest.

AUG 08 1994

March 20, 1992

SYMMS FRUIT RANCH INC.
14068 SUNNY SLOPE RD.
CALDWELL ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11463

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECORDED

APR 14 1992

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Symms Fruit Ranch - Dick Symms
Address Rural Rt. #4 - Box 775
Caldwell, ID 83605
Owner's Permit No. 63-11463 (App.Pending)
63-91-W-126

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary
☐ Cable ☐ Aug ☐ Other _____

5. WELL CONSTRUCTION (See attached sheet)

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness _____ inches Diameter _____ inches From _____ feet To _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☒ Yes ☐ No (See attach)
Manufacturer's name Roscoe Moss
Type Wirewrap Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8" & 3/16"
Placed from _____ feet to _____ feet
Surface seal depth 18" Sealing used: ☐ Cement grout
☐ Bentonite ☒ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port 2"

6. LOCATION OF WELL

Sketch map location must agree with written location.

N
W
E
S

X

Subdivision Name _____
Lot No. _____ Block No. _____
County Canyon
SE ¼ SE ¼ Sec. 4 T. 3N S. 1 R. 4W W. 1

7. WATER LEVEL

Static water level 174 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____
Discharge G.P.M. Pumping Level Hours Pumped
300 400 4

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
28"	0	5	Top Soil		
	5	15	Caliche -		
	15	20	Sandy Clay		
	20	25	Hard Pan-Clay-Sand		
	25	45	Sandy Clay		
	45	55	Coarse Sand & Clay		
	55	65	Fine Sand and Sandstone		
	65	75	Clay (sme sand mixed in)		
	75	77	Fine/coarse sand-Gravel		
	77	97	Sand & River Rock (6"-)		
	97	115	Brn. Clay		
	115	125	Lt. Brn. Clay		
	125	145	Stks. of Blue & Drk. Brn. Clay		
	145	149	Drk. Gray Clay		
	149	160	Lt. Brn. Clay		
	160	172	Fine Sand w/sme lt.brn.clay		
	172	175	Lt.Brn.Clay		
	175	185	Blue Clay		
	185	192	Fne Sandy blue clay		
	192	195	Fne blue sand / Blu SS		
	195	212	Blu Clay		
	212	233	Fne Sand w/sme blu clay		
	233	269	Blu Clay		
	269	273	" " w/sme fine sand		
	273	285	Blu Clay		
	285	287	" " w/sme fine sand		
	287	302	Blu Clay		
	302	305	Fine Sand w/sme blu clay		
	305	335	Blu Clay w/sme fne sand		
	335	355	" " " " "		
	355	385	" " w/sme drk.brn.clay		
	385	395	Blu Clay		
	395	435	" "		
	435	439	" " w/sme fne sand		
	439	442	" " & Brn.Veg.Matter		
	442	445	Brn.Vegetable Matter		

10.

Work started 4/16/91 finished 4/25/91

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
PETE COPE DRILLING CO., INC.
Firm Name _____ Firm No. 213
Address 6505 W. Chinden
Meridian, ID Date 5/3/91
Signed by (Firm Official) Joseph Jones
and
(Operator) Kevin Chastain

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Symms Fruit Ranch

Address _____

Owner's Permit No. _____

2. NATURE OF WORK

- ☐ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☐ NoWas a packer or seal used? ☐ Yes ☐ NoPerforated? ☐ Yes ☐ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☐ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth _____ Material used for seal: ☐ Cement grout☐ Bentonite ☐ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☐ Overbore to seal depthMethod of joining casing: ☐ Threaded ☐ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port _____

7. WATER LEVEL

Static water level _____ feet below land surface.

Flowing? ☐ Yes ☐ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
_____	_____	_____
_____	_____	_____
_____	_____	_____

9. LITHOLOGIC LOG


Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
28"	445	448	Brn.Veg.Matter w/ fine sand		
	448	452	" " " w/blu clay		
	452	459	Blu Clay		
	459	461	Fne sand & sme clay mxd		
	461	465	Brn.Clays		
	465	505	Gray clay w/stks.brn.clay		
	505	515	Brn.Clays w/stks.gry.clay		
	515	517	Gry.Clays		
	517	520	Fne Sand		
	520	522	Brn.Clays & Vegetation		
	522	525	Gry Clay w/sme brn.clay		
	525	527	Fne Sand		
	527	535	Fne Sand & gry & brnclay mxd		
	535	538	Gry Clay & sme fine sand		
	538	549	Gry Clay		
	549	553	Fne Sand		
	553	555	Gray clay & fine sand		
	555	559	Fne sand		
	559	562	Fne sand & soft sandstone		
	562	565	fne sand & vegetation		
	565	570	Fne/med.sand		
	570	575	Gray Clay		
	575	585	Fne Sand (Drilling hard)		
	585	589	Fne Sand (Softer Drilling)		
	589	595	Fne/sm.crse.sand		
	595	608	Fne Sand		
	608	613	Fne/sm.crse.sand w/ sand- stone balls & Pea gvl.		
	613	615	Gry.Clays		
	615	625	Gry.Clays w/very sm. amt. fne sand in spots.		
	625	628	Gry.Clays		
	628	631	Fne.Sand		
	631	641	Gry.Clays		
	641	655	Fne.Sand		
	655	662	Fne sand w/sm.amts Silt- stone & Sandstone.		

10.

Work started _____ finished _____

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County _____

_____ 1/4 _____ 1/4 Sec. _____, T. _____ S. _____ R. _____ W. _____

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name _____ Firm No. _____

Address _____ Date _____

Signed by (Firm Official) _____

and

(Operator) _____

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

CASING SCHEDULE

SYMMS FRUIT RANCH - # 1

CASING - 16" .250

18" - 550'
610' - 640'
670' - 690'
710' - 720'

Roscoe Moss Wirewrap Screens -
16" - .040 Slot

550' - 610'
640' - 670'
690' - 710'

Casing - 5"

+18" - 84'
94' - 104'

Johnson Stainless Steel - 5"

84' - 94'

APR 14 1992

February 28, 1992

SYMMS FRUIT RANCH INC.
14068 SUNNY SLOPE RD.
CALDWELL ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11463

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



APR 14 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 17, 1991

SYMMS FRUIT RANCH INC.
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11463

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of of measuring device options.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

RECEIVED

FEB 19 1991

Department of Water Resources
Western Regional Office

1. Applicant (please print) SYMMS FRUIT RANCH, INC.

2. Mailing Address 14068 SUNNY SLOPE ROAD

CALDWELL, IDAHO 83605 Telephone 208-459-4821

☒ Well Owner ☐ Well Operator ☐ Other, specify _____

3. Proposed well location SE 1/4 1/4, or Gov't Lot No. _____

Sec. 4, Twp. 3N, Rge. 4W, County CANYON

Street Address of Well Site PLUM ROAD - HOMEDALE ROAD

Lot, block and subdivision _____

4. Proposed use of well:

- ☐ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic. IRRIGATION

☐ Injection

☐ Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9

B. Proposed Surface Diameter 16" Proposed Maximum Depth 500'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212° or more (Geothermal well)

6. Construction Start Date MARCH, 1991

7. Anticipated Well Driller PETE COPE WELL DRILLING

NOTE: The actual well driller must be identified prior to drilling.

3. Applicant's signature [Signature] Date FEBRUARY 14, 1991

Title PRESIDENT/SYMMS FRUIT RANCH, INC.
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date 4/17/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

JUN 04 1991

David R. Tuttle
Signature of Authorized Department Representative

Mgr. Western Reg
Title

Receipt No. W013016 Received by JH Fee \$200.00 Date 2-19-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11462

AFFIDAVIT PUBLICATION

SYMMS FRUIT RANCH INC.
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/19/1991
In: T03N R04W S14
S23
100.0 ACRES TOTAL

SYMMS FRUIT RANCH INC.
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:

Use: IRRIGATION

Date Filed: 2/19/1991
In: T03N R04W S04
113.0 ACRES TOTAL

PIRNIE, CLIFF
PIRNIE, CANDESS
6425 LOLA LN.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/27/1991
In: T02N R02W S36
60.0 ACRES TOTAL

EARNEST, LELAND
3125 LASTER LN.
NAMPA, ID 83687
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/12/1991
In: T03N R02W S06 Lot 1

T04N R02W S31
194.0 ACRES TOTAL

WADE, KEITH L.
8514 HAPPY VALLEY RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 3/4/1991
In: T02N R02W S13
75.0 ACRES TOTAL

RIM RANCHES INC.
24034 BATT CORNER RD.
PARMA, ID 83660
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/8/1991
In: T04N R05W S10
S11
160.0 ACRES TOTAL

WHITAKER, STEVEN M.
15861 MC DERMOTT RD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 3/1/1991
In: T03N R01W S07
118.0 ACRES TOTAL

ARNOLD, CECIL
1350 W. AVALON
KUNA, ID 83634
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/28/1991
In: T02N R01W S20
40.0 ACRES TOTAL

FLOYD, HAROLD
9703 CHICKEN DINNER RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:

Use: IRRIGATION

Date Filed: 3/4/1991
In: T02N R04E S14

NWNW Sec 23 T 03N R 04W
(2.000 CFS)
Total Diversión: (2.000 CFS)

NWNW SWSW
SWSW SWSW

Sharla O'Krakel

pa, Canyon County, Idaho, being first duly sworn, deposes

it I am a citizen of the United States of America, and at all
ereinafter mentioned was over the age of eighteen years,
a party to the above entitled action.

at I am the Principal Clerk of the Idaho Press-Tribune, a
(except Saturday) newspaper published in the City of
and Caldwell, in the County of Canyon, State of Idaho;
a said newspaper is in general circulation in the said
of Canyon, and in the vicinity of Nampa and Caldwell, and
n uninterruptedly published in said County during a period
ty-eight consecutive weeks prior to the first publication of
ce, a copy of which is hereto attached.

at the notice, of which the annexed is a printed copy, was
ed in said newspaper

regular and entire issue of said paper, and was printed in
spaper proper, and not in a supplement.

at said notice was published the following dates:

March 20, 27, 1991

NESESE Sec 6 T 03N R 02W
(3.880 CFS)
Total Diversión: (3.880 CFS)

(NENE) Lot 3 (NENW)
NWSE
NESE NWSE

NESE
SESE
SWSW

Sharla O'Krakel

63-11472

OF IDAHO)
)
TY OF CANYON)

SESW Sec 13 T 02N R 02W
(1.500 CFS)
Total Diversión: (1.500 CFS)

27th day of March
1991, before me, a Notary Public, personally
ed Sharla O'Krakel, known
tified to me to be the person whose name subscribed to the
instrument, and being by me first duly sworn, declared
a statements therein are true, and acknowledged to me that

FLOYD, JERRY
9159 RIVERSIDE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Date Filed: 3/4/1991
In: T03N R04W S35
105.0 ACRES TOTAL

SWSW Sec 35 T 03N R 04W
(1.050 CFS)
Total Diversión: (1.050 CFS)

NESW SWSW SESW

63-11475

SENE Sec 10 T 04N R 05W
(3.200 CFS)
Total Diversión: (3.200 CFS)

SWNE SENE
SWSW SENW

SWARTHOUT, C.R.
4925 MOUNTAIN VIEW DR.
BOISE, ID 83704
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SESE Sec 1 T 01S R 02W
(2.000 CFS)
Total Diversión: (2.000 CFS)

Date Filed: 3/7/1991
In: T01S R01W S07
R02W S01
S12
142.0 ACRES TOTAL

NWNE
SESE
NWNE

63-11478

SESESW Sec 7 T 03N R 01W
(2.360 CFS)
Total Diversión: (2.360 CFS)

NESW Lot 3 (NWSW) Lot 4 (SWSW) SESW

SWSW Sec 20 T 02N R 01W
(.800 CFS)
Total Diversión: (.800 CFS)

SWSW

NEIDER, JAY C.
NEIDER, CONNIE
5821 MORNING DOVE DR.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NWSW Sec 2 T 01N R 02W
(2.000 CFS)
Total Diversión: (2.000 CFS)

Date Filed: 3/4/1991
In: T01N R02W S02 Lot 3
S03
225.0 ACRES TOTAL

(NENW) Lot 4 (NWNW)
NESW NWSW SWSW
SESE NESE

NENE Sec 14 T 02N R 04W
SENE Sec 14 T 02N R 04W
(.760 CFS)
Total Diversión: (.760 CFS)

NENE SENE

The permit(s) will be subject to all prior water rights. Protests must be filed with
the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise,
Idaho 83705 on or before APRIL 8, 1991.
R. KEITH HIGGINSON
Director

63-11463

SYMMS FRUIT RANCH INC.
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt:	NESE	Sec 4 T 03N R 04W
	SESE	Sec 4 T 03N R 04W

Use: IRRIGATION	(2.000 CFS)
Total Diversion:	(2.000 CFS)

Date Filed: 2/19/ 1991

In: T03N R04W S04	NESE	SWSE	SESE
-------------------	------	------	------

113.0 ACRES TOTAL