





13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RA [Signature]
(Applicant)

RECORDED
JUN 04 1924

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 01 1993
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-11462
1. Owner: Symms Fruit Ranch Inc Phone No. 459 4821
Current Address: 4068 Sunny Slope Rd Caldwell ID 83605
2. Accompanied by: Dick Symms EXAM. DATE: 6/8/93
Address: _____ Phone No. _____
Relationship to Permit Holder: Pres.
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-5172 ☐ Copies Attached
2. Other water rights with same point of diversion: 63-5172 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED
AUG 27 1993



Huston School

Huston

Chalk Hills
Gravel Pit

unnyslope

AUG 27 1992

8" pipeline to here
12" main

6" pipeline to here

f/b



T2778

63-11462

T2809

14.7

AUG 27 1993

18.8

T2810

T2813

5.0

7.8

4.3

6.6

3.2

T5309

6.6

7.5

6.4

3.5

2.7

2.5

2.3

2.1

2.0

1.9

1.8

1.7

1.6

1.5

1.4

1.3

1.2

1.1

1.0

0.9

0.8

0.7

0.6

0.5

0.4

0.3

0.2

0.1

0.0

-0.1

-0.2

-0.3

-0.4

-0.5

-0.6

-0.7

-0.8

-0.9

-1.0

-1.1

-1.2

-1.3

-1.4

-1.5

-1.6

-1.7

-1.8

-1.9

-2.0

-2.1

-2.2

-2.3

-2.4

-2.5

-2.6

-2.7

-2.8

-2.9

-3.0

-3.1

-3.2

-3.3

-3.4

-3.5

-3.6

-3.7

-3.8

-3.9

-4.0

-4.1

-4.2

-4.3

-4.4

-4.5

-4.6

-4.7

-4.8

-4.9

-5.0

-5.1

-5.2

-5.3

-5.4

-5.5

-5.6

-5.7

-5.8

-5.9

-6.0

-6.1

-6.2

-6.3

-6.4

-6.5

-6.6

-6.7

-6.8

-6.9

-7.0

-7.1

-7.2

-7.3

-7.4

-7.5

-7.6

-7.7

-7.8

-7.9

-8.0

-8.1

-8.2

-8.3

-8.4

-8.5

-8.6

-8.7

-8.8

-8.9

-9.0

-9.1

-9.2

-9.3

-9.4

-9.5

-9.6

-9.7

-9.8

-9.9

-10.0

-10.1

-10.2

-10.3

-10.4

-10.5

-10.6

-10.7

-10.8

-10.9

-11.0

-11.1

-11.2

-11.3

-11.4

-11.5

-11.6

-11.7

-11.8

-11.9

-12.0

-12.1

-12.2

-12.3

-12.4

-12.5

-12.6

-12.7

-12.8

-12.9

-13.0

-13.1

-13.2

-13.3

-13.4

-13.5

-13.6

-13.7

-13.8

-13.9

-14.0

-14.1

-14.2

-14.3

-14.4

-14.5

-14.6

-14.7

-14.8

-14.9

-15.0

-15.1

-15.2

-15.3

-15.4

-15.5

-15.6

-15.7

-15.8

-15.9

-16.0

-16.1

-16.2

-16.3

-16.4

-16.5

-16.6

-16.7

-16.8

-16.9

-17.0

-17.1

-17.2

-17.3

-17.4

-17.5

-17.6

-17.7

-17.8

-17.9

-18.0

-18.1

-18.2

-18.3

-18.4

-18.5

-18.6

-18.7

-18.8

-18.9

-19.0

-19.1

-19.2

-19.3

-19.4

-19.5

-19.6

-19.7

-19.8

-19.9

-20.0

-20.1

-20.2

-20.3

-20.4

-20.5

-20.6

-20.7

-20.8

-20.9

-21.0

-21.1

-21.2

-21.3

-21.4

-21.5

-21.6

-21.7

-21.8

-21.9

-22.0

-22.1

-22.2

-22.3

-22.4

-22.5

-22.6

-22.7

-22.8

-22.9

-23.0

-23.1

-23.2

-23.3

-23.4

-23.5

-23.6

-23.7

-23.8

-23.9

-24.0

-24.1

-24.2

-24.3

-24.4

-24.5

-24.6

-24.7

-24.8

-24.9

-25.0

-25.1

-25.2

-25.3

-25.4

-25.5

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11462

Priority: February 19, 1991

Maximum Diversion Rate: 1.56 CFS
Maximum Diversion Volume: 351.0 AF

This is to certify, that SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 19, 1991; and has submitted Proof of Beneficial Use on March 17, 1992. An examination indicates that the works have a diversion capacity of 2.100 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.56 CFS	351.0 AF

LOCATION OF POINT(S) OF DIVERSION: NWNW , Sec. 23, Township 03N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	04W	14	SWSW 7			7
		23	NWNW 34	SWNW 37		71

Total number of acres irrigated: 78

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The issuance of this right in no way grants any right-of-way or easement across the land of another.

NOTIFIED

AUG 27 1993

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 63-11462

CONDITIONS/REMARKS:

7. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23RD day of June, 1993.

Acting for  R. Keith Higginson, Director

AUG 27 1993

RECEIVED

MAR 17 1992

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 125.00
Date 3-17-92
Receipt No. W014320
Received by JH

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Western Regional Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11462 Telephone No. 208-459-4821
2. Name(s) of Permit Holder(s): SYMMES FRUIT RANCH
3. Post Office Address: 14068 SUNNY SLOPE RD. CALDWELL, IDAHO 83605
4. Source of Water: WELL
 - a. If ground water, well driller's name: COPE DRILLING Date drilled: APRIL, 1991
 - b. Pump horsepower: 75 HP Pressure (psi): OPEN Dynamic pumping level (ft.): 240

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 90 + (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 2 cfs 4 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☒ Yes ☐ No Installed? FM 400R Yes ☐ No
OR
Flow Measurement Port: Required? ☒ Yes ☐ No Installed? FM 400R Yes ☐ No

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

R. A. SYMMES 459-4821
Name Telephone No.
14068 SUNNY SLOPE ROAD CALDWELL, IDAHO
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

16 MAR 92
Date

R. A. Symmes PRES.
Signature (and title if on behalf of a company or organization)

APR 14 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11462

Proposed Priority: February 19, 1991 Maximum Diversion Rate: 2.00 CFS
This is to certify, that SYMMS FRUIT RANCH INC.

14068 SUNNY SLOPE RD.

CALDWELL, ID 83605

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	2.00 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNW Sec. 23, Township 03N, Range 04W
CANYON County


<u>PLACE OF USE:</u>	<u>IRRIGATION</u>					
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	04W	14	SWSW 20			20
		23	NWNW 40	SWNW 40		80
Total number of acres irrigated:						100

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1992.
2. Subject to all prior water rights.
3. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of May, 1991.

for 
R. Keith Higginson, Director

JUN 04 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant SYMMS FRUIT RANCH, INC. Phone 208-459-4821
Post office address 14068 SUNNY SLOPE ROAD, CALDWELL, IDAHO 83605
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot _____
Sec. 23 Township 3N Range 4W B.M. CANYON County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
- * Amount 2.0 for Irrigation purposes from 15 March to 15 Nov. (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.0 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. _____
Well -- water delivered to fields via PVC pipe
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Proposed well diameter is 16" inches; proposed depth of well is 500' feet.
- d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

IDWR
* Recommended irrigation season - confirmed
with Ruth, Symms Fruit Ranch Rep., 2/28/91. LW

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.


TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	4W	23						40	40										80
3N	4W	14										20							20

Total number of acres to be irrigated 100


10. Describe any other water rights used for the same purposes as described above. _____

- Who owns the property at the point of diversion? J. R. Simplot Co. owns the land: leased on long term lease to Symms Fruit Ranch.
- Who owns the land to be irrigated or place of use? J. R. Simplot Co. owns the land: leased on long term lease to Symms Fruit Ranch.
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Long Term Lease

12. Remarks: _____



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

R. C. Johnson
(Applicant)

Received by 76. Date 2/19/91 Time 11:20 am Preliminary check by lw
Fee \$ 65⁰⁰ Received by JDL # W013015 Date 2-19-91
Publication prepared by GG Date 3-13-1991 Published in Press-Tribune
Publication approved WJL Date 4-12-91 3/20 & 3/27/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

APR 19 1991



SYMMS FRUIT RANCH, INC.

*Growers and Shippers of Apples,
Peaches, Cherries, Plums, Pears, Nectarines,
Grapes, Onions and Potatoes.*

14068 Sunny Slope Road, Caldwell, Idaho 83605
Telephone (208) 459-4821 / L.D. 459-8064
Fax: (208) 459-6932

CORPORATION OFFICERS AND PARTNERS LISTED BELOW
ADDRESS FOR ALL: 14068 Sunny Slope Road
Caldwell, Idaho 83605
Telephone: 208-459-4821

SYMMS FRUIT RANCH, INC.

R. A. Symms	President
James P. Mertz	Secretary
Myrtle Symms	Treasurer
Irene Symms	Vice-President
Kathryn Symms Mertz	Vice-President
Steven D. Symms	Director
Shirley S. Maggard	Director

SUNNY SLOPE FRUIT COMPANY

James P. Mertz	President
Shirley Symms Maggard	Secretary/Treasurer
James P. Mertz	Director
Shirley Symms Maggard	Director
R. A. Symms	Director

STE. CHAPELLE, INC.

R. A. Symms	President
James P. Mertz	Secretary/Treasurer
Kathryn S. Mertz	Director

SYMMS CANYON LTD. PARTNERSHIP

Myrtle Symms	General Partner
Irene Symms	General Partner
R. A. Symms	Administrator
James P. Mertz	Administrator





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 26, 1993

SYMMS FRUIT RANCH INC
14068 SUNNY SLOPE RD
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11462

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

AUG 27 1993

WR0749NP
No. L63-11462

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/20/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	SYMMS FRUIT RANCH INC 14068 SUNNY SLOPE RD CALDWELL ID 83605 (208) 459-4821	02/19/1991	IRRIGATION	03-15 11-15	1.56 CFS	351.0 AFA
TOTAL DIVERSION:					1.56 CFS	351.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 2.10 CFS

Point(s) of Diversion: T03N R04W S23 NW NW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S		NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	SUM
				Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
03N	04W	14	:												07					7.0
03N	04W	23	:					34	37											71.0
TOTAL ACRES																				78.0

Pou County: CANYON

Other Water Rights with Same Point(s) of Diversion and Source:
63-05172 63-11462

Other Water Rights Listing Overlapping Place(s) of use:
63-11462 63-11678 M63-11678

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
- 004 - The issuance of this right in no way grants any right-of-way or easement across the land of another.

Remarks: The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

Dates: App. Received: 02/19/1991 Priority Date: 02/19/1991
Proof Due Date: 05/01/1992 Proof Made Date: 03/17/1992
Exam Made Date: 06/08/1993 Exam Sent to S.O.: 06/30/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 03/18/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT
(REGIONAL)

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6311462	T03N R04W S14 GROUNDWATER																	7
	:									07								
6302388	BOISE RIVE :																	
A6302388	BOISE RIVE :																	
6302814	GROUNDWATE :													40			40	80
A6302814	GROUNDWATE :																40	40
6302962	GROUNDWATE :													40			40	80
A6302962	GROUNDWATE :													40			40	40
6303281	GROUNDWATE :													40			40	80
6308062	GROUNDWATE :													40			40	80
A6308062	GROUNDWATE :																40	40
6310013A	GROUNDWATE :	40				10				40								90
6310013B	GROUNDWATE :					30												30
6310432	GROUNDWATE :									15						38	38	91
A6310432	GROUNDWATE :									15						40	40	95
6311099	GROUNDWATE :				04													4
6311286	GROUNDWATE :							05										5
~~6311462~~	~~GROUNDWATE :~~											20						20
6311678	GROUNDWATE :							28		40		32						100
~~M6311678~~	~~GROUNDWATE :~~							28		40		32						100
6311803	GROUNDWATE :															15		15
6311871	GROUNDWATE :							05	25									30
M6311871	GROUNDWATE :							05	25									30
A6328920	SPRING											12						12
L6311462	T03N R04W S23 GROUNDWATER							34	37									71
	:																	
6300161AT	BOISE RIVE :																	
6302388	BOISE RIVE :																	
A6302388	BOISE RIVE :																	
6302814	GROUNDWATE :	40				40										16		96
A6302814	GROUNDWATE :	40				40										16		96
6302875	GROUNDWATE :																	
A6302875	GROUNDWATE :													37			24	61
6302962	GROUNDWATE :	40				40											24	61
6303281	GROUNDWATE :	40				40												96
6308062	GROUNDWATE :	40				40												96
A6308062	GROUNDWATE :	40				40												96
6308469	GROUNDWATE :															16		96
A6308469	GROUNDWATE :													40				40
6310432	GROUNDWATE :													40				40
A6310432	GROUNDWATE :				38													38
~~6311462~~	~~GROUNDWATE :~~				40													40
6311676	GROUNDWATE :															40	40	120
M6311676	GROUNDWATE :															40	40	120

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '1' ARE ADJUDICATION CLAIMS)

[illegible]

LICENSE REVIEW CHECKLIST

Permit # 63-11462 Date 7-20-93 Brenda Chapman

NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒	Advance? ☐ Memo to Advance ☐
	☐ ☒	Order to Reinstate Needed?
SOURCE	☐ ☒	Changes? Clarification of Originally Intended source
	☐ ☒	Notice of Intent to Void - Source change.
P/D	☒ ☒	Amendment Needed? ☐
	☒ ☐	Is Overlap Analysis a Consideration?
P/U	☒ ☒	Amendment Needed? ☐
	☒ ☐	Is Overlap Analysis a Consideration?
TOTAL CFS	☐ ☒	Incorrect Fee for rate recommended?
	☐ ☒	Disagree/Measurement <u>NONE</u>
	☐ ☒	Pumping Theoretical $(8.8) \times (.70) \times (75 \text{ HP})$
		$(220 + [2.31 \times 60]) = 1.9$
	☐ ☒	System Capacity <u>2.1</u> (pump records)
		Allowable Amount: $78 \times .02 = 1.56 \text{ CFS}$
TOTAL VOLUME		Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
		<u>3-15 to 11-15</u> Standard Irr. Season
		<u>Standard</u> Season Recommended
	☐ ☒	Disagree with Examiner's Calculations?
	☐ ☒	$78 \times 4.5 = 351 \text{ AFA}$
		Flow limit: $1.56 \times 246 \times 1.9835 = 761$
USES	☐ ☒	Change(s) in Nature of Use? ☐
	☐ ☒	Amendment Needed? ☐
REMARKS	☐ ☒	Multiple P/Ds in 1/4 1/4? ☐
	☐ ☒	Non-Irr. Uses ☐
	<u>WB3</u> ☐ ☒	Special Overlap Condition ☐
	☐ ☒	Other ☐
CONDITIONS	☐ ☒	Measuring Devices
	☐ ☒	W/Master Control
	<u>R32</u> ☐ ☒	Irrigation Overlap
	☐ ☒	Water Quality
		Dates/Misc
		☒ Water Dist
		☒ App Rec'd
		☐ Exam Made
COMMENTS:	<u>REDUCE RATE AND ACRES</u>	

RECOMMENDED	CFS	VOL	LICENSE
Irrigation	<u>1.56</u>	<u>351</u>	☒
Domestic	☐	☐	
Stockwater	☐	☐	
	☐	☐	AMEND ☐

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 01 1993
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11462

1. Owner: Symms Fruit Ranch Inc

Phone No. 459 4821

Current Address: 4068 Sunny Slope Rd Caldwell ID 83605

2. Accompanied by: Dick Symms

EXAM. DATE: 6/8/93

Address: _____

Phone No. _____

Relationship to Permit Holder: Pres.

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-5172

☐ Copies Attached


2. Other water rights with same point of diversion: 63-5172

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

AUG 27 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

75 HP Motor, ^{set} pump ~ 400' well TD 735' to approx 100 ac orchard.
8" discharge to 12" main to ditch - corrugate irrigation.
may be commingled w/ welder I.D. Not in operation now.

Delivered directly to ditch for NWNW; piped through 6" to concrete ditch for SWNW; piped through 8" to Sec 14.

3 stage 12 RKEH 1750 rpm rated @ 900 gpm 220' TDH 69 BHP
- From layne pump installation records. ☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	US Elec	75	6327A	layne	8"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	23	3N	4W	Canyon		Site Visit, orthogquad

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	4W	14										7							7
		23					34	37											71
																			<u>78</u>

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None - theoretical HP equation - Pump not in use

(Note: well log test pump states P.L. of 285'; = 1.62 cfs, still adequate)

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$75 \times 8.8 \times .7 = 2.1$ System capacity
220 - from Layne Pump records
(open discharge)

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi $\times 2.31 =$ _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 8.8 =$ _____ (5)

Meter Input KW: $3.6 \times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)

Meter Input HP: (6) $\times 1.34 =$ _____ (7)

Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732 =$ _____ (6)

Panel Input HP: (6) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %

G. VOLUME CALCULATIONS

allow 1.56 for 78 acres

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ $78 \times 4.5 = 351$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ $1.56 \times 246 \times 1.9835 = 761$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ 351

2. Volume Calculations for Other Uses:

RECORDED

AUG 27 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Overlaps do not affect this permit.

Use is Supplemental to irrigation district water.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	1.56	351
Totals:			1.56	351

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name CINDY HODGES
Signature Cj Hodges
Certification Date _____
Field Report Preparation Date 6/15/93


CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

NOTED

AUG 27 1993





IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 63-11462

2. OWNER: Symms Hunt Ranch Phone: _____
Address: _____

3. WELL LOCATION: Twp 3N, Rge. 4W, Sec. 23, NW 1/4 NW 1/4
County Canyon (Provide sketch map and photo on reverse.)

4. DRILLER: COPE Lic. No. 213
When Drilled? 5/2/91

5. WELL CONSTRUCTION TD = 735
Casing Diameter 16 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing ≥ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving GOOD
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☒ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION
Depth to Static Water 85 ft. Water Temperature COLD °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

AUG 27 1991

9.

REMARKS:

Access pot needs cap - owner advised.

Signature of Dept. Representative & Title

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED

AUG 27 1993

March 20, 1992

SYMMS FRUIT RANCH INC.
14068 SUNNY SLOPE RD.
CALDWELL ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11462

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

APR 14 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-11462 Reviewed by Klg Date 3/18/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 63-91-W-125
200 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
125 Amount Submitted
yes Correct?
yes Required?
yes Installed?
NA Waiver requested?

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due	<u>/</u>	-
No. of days late	<u>/</u>	=
Priority Date	<u>/</u>	+
New Priority Date	<u>/</u>	

DEFICIENCIES OR ACTION ITEMS

driller 213

proof acceptable

DATA ENTRY

New Address _____

Proof Made 3/17/92
3/20/92 Klg

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

MAY 23 1991

1. WELL OWNER

Name SYMMS FRUIT RANCH, INC.
14068 Sunny Slope Road
Address Caldwell, ID 83605
63-11462 (App. Pending)
Owner's Permit No. 63-91-W-125

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION (See attached sheet)

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
_____ inches	_____ inches + _____	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No (See Attach.)Manufacturer's name Roscoe MossType Wirewrap Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8-

Placed from _____ feet to _____ feet

Surface seal depth 18' Material used for seal: ☐ Cement grout☐ Bentonite ☒ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld☐ Cemented between strataDescribe access port 2"

7. WATER LEVEL

Department of Water Resources
Western Regional OfficeStatic water level 85 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ of. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>1200</u>	<u>285</u>	<u>5</u>

9. LITHOLOGIC LOG


Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
28"	0	5	Top Soil		
	5	20	Caliche		
	20	25	Caliche (w/sme.crse.sand		
	25	32	" (w/sme.lite brn.		
			clay & Gravel		
	32	35	Caliche (w/Fn.-crse sand		
			& Lg.Gravel (4"-)		
	35	42	" " " " "		
	42	45	Fine Sand		
	45	71	Fne/crse.sand w/gvl. &		
			Riverrock w/sm.amt.clay		
	71	73	Fne/crse.Sand		
	73	75	" " "w/gvl.&Rvirk/Clay		
	75	105	Fne/crse.Sand w/gvl. &		
			Lt. Brn.Cl.ay mxd.		
	105	125	Conglomeration		
	125	131	Gray Clay w/sme.fne/crse		
			Sand		
	131	145	Brn. Clay w/sme.Fne.Sand		
	145	150	Lt.Br. Clay " " "		
	150	152	Fne/crse.sand w/Grvl.		
	152	155	Gray Sandy Clay w/sme.Gvl.		
	155	163	Gray Clay		
	163	165	" " & Dk.Br. Clay		
	165	175	Dk.Br. Clay w/sme.Blu		
			Clay Stks.		
	175	185	Dk.Br. Clay & Blu Clay		
	185	213	Sandy Blu Clay w/sme.		
			fne. sand.		
	213	215	Fne./crse.sand w/sme.blu		
			Clay		
	215	218	Fne. sand & sandy blu cly.		
	218	225	Sandy Blu Cly w/sme.		
			fne.sand & brn. clay		
	225	240	GryCly.w/stks.Br. Clay		
	240	247	Sandy Gr. Clay & fne.sand		

10.

Work started 4/25/91 finished 5/2/91

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Canyon

NW 1/4 NW 1/4 Sec. 23, T. 3N S 1/4 R. 4W W 1/4

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

PETE COPE DRILLING CO., INC.


Firm Name _____ Firm No. 213Address 6505 West ChindenMeridian, ID Date May 3, 1991Signed by (Firm Official) Joseph Jones

and

(Operator) Kevin Chastain


WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>SYMMS FRUIT RANCH</u> Address _____ Owner's Permit No. _____	7. WATER LEVEL Static water level _____ feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ <i>Describe artesian or temperature zones below.</i>																																																																																																																																																																						
2. NATURE OF WORK ☐ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th style="width:33%;">Discharge G.P.M.</th> <th style="width:33%;">Pumping Level</th> <th style="width:33%;">Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																			
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																					
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width:5%;">Bore Diam.</th> <th colspan="2" style="width:10%;">Depth</th> <th rowspan="2" style="width:55%;">Material</th> <th colspan="2" style="width:10%;">Water</th> </tr> <tr> <th style="width:5%;">From</th> <th style="width:5%;">To</th> <th style="width:5%;">Yes</th> <th style="width:5%;">No</th> </tr> </thead> <tbody> <tr><td> </td><td>247</td><td>253</td><td>Fne.Sand w/sme.veg.mttr. & Gry Clay</td><td> </td><td> </td></tr> <tr><td> </td><td>253</td><td>255</td><td>Gry Clay & stks.brn.clay w/sme.fne sand</td><td> </td><td> </td></tr> <tr><td> </td><td>255</td><td>258</td><td>Gry.Clay & fne.sand</td><td> </td><td> </td></tr> <tr><td> </td><td>258</td><td>265</td><td>Gry.Clay & stks.Drk.Brn. clay w/sme.fne.sand</td><td> </td><td> </td></tr> <tr><td> </td><td>265</td><td>275</td><td>Gry.Clay w/sme.fne.sand</td><td> </td><td> </td></tr> <tr><td> </td><td>275</td><td>285</td><td>Sandy blu clay w/stks. Blck.Clay w/sme.fne.sand</td><td> </td><td> </td></tr> <tr><td> </td><td>285</td><td>292</td><td>Sandy blu.clay w/" " "</td><td> </td><td> </td></tr> <tr><td> </td><td>292</td><td>295</td><td>Fne.Sand & blu clay mxd.</td><td> </td><td> </td></tr> <tr><td> </td><td>295</td><td>305</td><td>Fne-Med-crse.sand mxd. w/sme.sandy blu clay.</td><td> </td><td> </td></tr> <tr><td> </td><td>305</td><td>315</td><td>Fne./Med. Sand w/sme.crse.sd.</td><td> </td><td> </td></tr> <tr><td> </td><td>315</td><td>317</td><td>Fne./Crse.sand w/sme. Gry.Clay mxd.</td><td> </td><td> </td></tr> <tr><td> </td><td>317</td><td>325</td><td>Lt.blu Clay w/sme.fne.sand</td><td> </td><td> </td></tr> <tr><td> </td><td>325</td><td>345</td><td>Sandy blu clay & fne.sand</td><td> </td><td> </td></tr> <tr><td> </td><td>345</td><td>355</td><td>Blu Clay</td><td> </td><td> </td></tr> <tr><td> </td><td>355</td><td>385</td><td>Gry.Clay w/blu & Brn.clay stks.</td><td> </td><td> </td></tr> <tr><td> </td><td>385</td><td>395</td><td>Gry.Clay w/sme.brn.clay stks.</td><td> </td><td> </td></tr> <tr><td> </td><td>395</td><td>405</td><td>Gry.Clay & Fne.Sand</td><td> </td><td> </td></tr> <tr><td> </td><td>405</td><td>415</td><td>Gry.Clay & Sandstone w/sme.fne.sand</td><td> </td><td> </td></tr> <tr><td> </td><td>415</td><td>425</td><td>Gry.Clay & brn.clay</td><td> </td><td> </td></tr> <tr><td> </td><td>425</td><td>435</td><td>Sandy blu.Clay w/sme.fne.sand</td><td> </td><td> </td></tr> <tr><td> </td><td>435</td><td>448</td><td>Fne.Sand w/sme.sandstone & vegetation matter.</td><td> </td><td> </td></tr> <tr><td> </td><td>448</td><td>451</td><td>Fne/Med.Sand w/sme.sm. Grvl. & Sandstone</td><td> </td><td> </td></tr> <tr><td> </td><td>451</td><td>457</td><td>Soft Sandstone & Sandy Cly. Brn. & Blu Clay mxd. w/sme.fne.sand</td><td> </td><td> </td></tr> <tr><td> </td><td>457</td><td>459</td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td>459</td><td>472</td><td>Blu Clay w/sme.fne.sand</td><td> </td><td> </td></tr> <tr><td> </td><td>472</td><td>475</td><td>Blu & brn.Clayw/fne.sand</td><td> </td><td> </td></tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No		247	253	Fne.Sand w/sme.veg.mttr. & Gry Clay				253	255	Gry Clay & stks.brn.clay w/sme.fne sand				255	258	Gry.Clay & fne.sand				258	265	Gry.Clay & stks.Drk.Brn. clay w/sme.fne.sand				265	275	Gry.Clay w/sme.fne.sand				275	285	Sandy blu clay w/stks. Blck.Clay w/sme.fne.sand				285	292	Sandy blu.clay w/" " "				292	295	Fne.Sand & blu clay mxd.				295	305	Fne-Med-crse.sand mxd. w/sme.sandy blu clay.				305	315	Fne./Med. Sand w/sme.crse.sd.				315	317	Fne./Crse.sand w/sme. Gry.Clay mxd.				317	325	Lt.blu Clay w/sme.fne.sand				325	345	Sandy blu clay & fne.sand				345	355	Blu Clay				355	385	Gry.Clay w/blu & Brn.clay stks.				385	395	Gry.Clay w/sme.brn.clay stks.				395	405	Gry.Clay & Fne.Sand				405	415	Gry.Clay & Sandstone w/sme.fne.sand				415	425	Gry.Clay & brn.clay				425	435	Sandy blu.Clay w/sme.fne.sand				435	448	Fne.Sand w/sme.sandstone & vegetation matter.				448	451	Fne/Med.Sand w/sme.sm. Grvl. & Sandstone				451	457	Soft Sandstone & Sandy Cly. Brn. & Blu Clay mxd. w/sme.fne.sand				457	459					459	472	Blu Clay w/sme.fne.sand				472	475	Blu & brn.Clayw/fne.sand		
Bore Diam.	Depth		Material	Water																																																																																																																																																																			
	From	To		Yes	No																																																																																																																																																																		
	247	253	Fne.Sand w/sme.veg.mttr. & Gry Clay																																																																																																																																																																				
	253	255	Gry Clay & stks.brn.clay w/sme.fne sand																																																																																																																																																																				
	255	258	Gry.Clay & fne.sand																																																																																																																																																																				
	258	265	Gry.Clay & stks.Drk.Brn. clay w/sme.fne.sand																																																																																																																																																																				
	265	275	Gry.Clay w/sme.fne.sand																																																																																																																																																																				
	275	285	Sandy blu clay w/stks. Blck.Clay w/sme.fne.sand																																																																																																																																																																				
	285	292	Sandy blu.clay w/" " "																																																																																																																																																																				
	292	295	Fne.Sand & blu clay mxd.																																																																																																																																																																				
	295	305	Fne-Med-crse.sand mxd. w/sme.sandy blu clay.																																																																																																																																																																				
	305	315	Fne./Med. Sand w/sme.crse.sd.																																																																																																																																																																				
	315	317	Fne./Crse.sand w/sme. Gry.Clay mxd.																																																																																																																																																																				
	317	325	Lt.blu Clay w/sme.fne.sand																																																																																																																																																																				
	325	345	Sandy blu clay & fne.sand																																																																																																																																																																				
	345	355	Blu Clay																																																																																																																																																																				
	355	385	Gry.Clay w/blu & Brn.clay stks.																																																																																																																																																																				
	385	395	Gry.Clay w/sme.brn.clay stks.																																																																																																																																																																				
	395	405	Gry.Clay & Fne.Sand																																																																																																																																																																				
	405	415	Gry.Clay & Sandstone w/sme.fne.sand																																																																																																																																																																				
	415	425	Gry.Clay & brn.clay																																																																																																																																																																				
	425	435	Sandy blu.Clay w/sme.fne.sand																																																																																																																																																																				
	435	448	Fne.Sand w/sme.sandstone & vegetation matter.																																																																																																																																																																				
	448	451	Fne/Med.Sand w/sme.sm. Grvl. & Sandstone																																																																																																																																																																				
	451	457	Soft Sandstone & Sandy Cly. Brn. & Blu Clay mxd. w/sme.fne.sand																																																																																																																																																																				
	457	459																																																																																																																																																																					
	459	472	Blu Clay w/sme.fne.sand																																																																																																																																																																				
	472	475	Blu & brn.Clayw/fne.sand																																																																																																																																																																				
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started _____ finished _____																																																																																																																																																																						
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table style="width:100%; margin-top: 5px;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ inches</td> <td>_____ inches + _____</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☐ No Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table style="width:100%; margin-top: 5px;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☐ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth _____ Material used for seal: ☐ Cement grout ☐ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	_____ inches	_____ inches + _____	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name _____ Firm No. _____ Address _____ Date _____ Signed by (Firm Official) _____ and (Operator) _____																																																																																																																																						
Thickness	Diameter	From	To																																																																																																																																																																				
_____ inches	_____ inches + _____	_____ feet	_____ feet																																																																																																																																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																				
Number	From	To																																																																																																																																																																					
_____ perforations	_____ feet	_____ feet																																																																																																																																																																					
_____ perforations	_____ feet	_____ feet																																																																																																																																																																					
_____ perforations	_____ feet	_____ feet																																																																																																																																																																					
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County _____ _____% ____% Sec. _____, T. _____ S ☐ E ☐ S ☐ R. _____ W ☐	APR 14 1992																																																																																																																																																																						

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>SYMMS FRUIT RANCH</u> Address _____ Owner's Permit No. _____	7. WATER LEVEL Static water level _____ feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ <i>Describe artesian or temperature zones below.</i>																																																																																																																																																				
2. NATURE OF WORK ☐ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																	
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																			
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td> </td><td>475</td><td>478</td><td>Blu.Clay w/sme.fne.sand</td><td> </td><td> </td></tr> <tr><td> </td><td>478</td><td>485</td><td>Fne.Sand w/blu.clay</td><td> </td><td> </td></tr> <tr><td> </td><td>485</td><td>505</td><td>Fne.Sand w/vegetation mttter.</td><td> </td><td> </td></tr> <tr><td> </td><td>505</td><td>515</td><td>Fne.Sand</td><td> </td><td> </td></tr> <tr><td> </td><td>515</td><td>519</td><td>Fne.Sand w/sme.Blu Clay</td><td> </td><td> </td></tr> <tr><td> </td><td>519</td><td>521</td><td>Blu.Clay & Fne.Sand</td><td> </td><td> </td></tr> <tr><td> </td><td>521</td><td>525</td><td>Fne.Sand & Siltstone w/ Sm.amt.Blu.Clay</td><td> </td><td> </td></tr> <tr><td> </td><td>525</td><td>533</td><td>Gry.Clay w/siltone & Sm./smt.Fne.Sand</td><td> </td><td> </td></tr> <tr><td> </td><td>533</td><td>535</td><td>Fne.Sand w/siltstone & sm.amt.Gry.Clay</td><td> </td><td> </td></tr> <tr><td> </td><td>535</td><td>543</td><td>Fne.Sand</td><td> </td><td> </td></tr> <tr><td> </td><td>543</td><td>545</td><td>Blu.Siltstone & clay w/fne.sand</td><td> </td><td> </td></tr> <tr><td> </td><td>545</td><td>552</td><td>Fne.sand w/sme.blu clay</td><td> </td><td> </td></tr> <tr><td> </td><td>552</td><td>558</td><td>Fne.sand w/slt,stone & Blue clay</td><td> </td><td> </td></tr> <tr><td> </td><td>558</td><td>575</td><td>Gry.Cly & siltstone w/sme.fne.sand</td><td> </td><td> </td></tr> <tr><td> </td><td>575</td><td>625</td><td>Sndy.gry.clay w/sme.fne.sand</td><td> </td><td> </td></tr> <tr><td> </td><td>625</td><td>635</td><td>Gry.Clay w/sme.fne.sand</td><td> </td><td> </td></tr> <tr><td> </td><td>635</td><td>675</td><td>Gry.Clay</td><td> </td><td> </td></tr> <tr><td> </td><td>675</td><td>679</td><td>Gry.Clay & Fne.sand mxcd.</td><td> </td><td> </td></tr> <tr><td> </td><td>679</td><td>690</td><td>Gry.Cly.</td><td> </td><td> </td></tr> <tr><td> </td><td>690</td><td>691</td><td>Siltstone</td><td> </td><td> </td></tr> <tr><td> </td><td>691</td><td>705</td><td>Gry.Clay</td><td> </td><td> </td></tr> <tr><td> </td><td>705</td><td>720</td><td>Gry.Clay & soft sandstone & fne.sand</td><td> </td><td> </td></tr> <tr><td> </td><td>720</td><td>735</td><td>Gry.Clay</td><td> </td><td> </td></tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No		475	478	Blu.Clay w/sme.fne.sand				478	485	Fne.Sand w/blu.clay				485	505	Fne.Sand w/vegetation mttter.				505	515	Fne.Sand				515	519	Fne.Sand w/sme.Blu Clay				519	521	Blu.Clay & Fne.Sand				521	525	Fne.Sand & Siltstone w/ Sm.amt.Blu.Clay				525	533	Gry.Clay w/siltone & Sm./smt.Fne.Sand				533	535	Fne.Sand w/siltstone & sm.amt.Gry.Clay				535	543	Fne.Sand				543	545	Blu.Siltstone & clay w/fne.sand				545	552	Fne.sand w/sme.blu clay				552	558	Fne.sand w/slt,stone & Blue clay				558	575	Gry.Cly & siltstone w/sme.fne.sand				575	625	Sndy.gry.clay w/sme.fne.sand				625	635	Gry.Clay w/sme.fne.sand				635	675	Gry.Clay				675	679	Gry.Clay & Fne.sand mxcd.				679	690	Gry.Cly.				690	691	Siltstone				691	705	Gry.Clay				705	720	Gry.Clay & soft sandstone & fne.sand				720	735	Gry.Clay		
Bore Diam.	Depth		Material	Water																																																																																																																																																	
	From	To		Yes	No																																																																																																																																																
	475	478	Blu.Clay w/sme.fne.sand																																																																																																																																																		
	478	485	Fne.Sand w/blu.clay																																																																																																																																																		
	485	505	Fne.Sand w/vegetation mttter.																																																																																																																																																		
	505	515	Fne.Sand																																																																																																																																																		
	515	519	Fne.Sand w/sme.Blu Clay																																																																																																																																																		
	519	521	Blu.Clay & Fne.Sand																																																																																																																																																		
	521	525	Fne.Sand & Siltstone w/ Sm.amt.Blu.Clay																																																																																																																																																		
	525	533	Gry.Clay w/siltone & Sm./smt.Fne.Sand																																																																																																																																																		
	533	535	Fne.Sand w/siltstone & sm.amt.Gry.Clay																																																																																																																																																		
	535	543	Fne.Sand																																																																																																																																																		
	543	545	Blu.Siltstone & clay w/fne.sand																																																																																																																																																		
	545	552	Fne.sand w/sme.blu clay																																																																																																																																																		
	552	558	Fne.sand w/slt,stone & Blue clay																																																																																																																																																		
	558	575	Gry.Cly & siltstone w/sme.fne.sand																																																																																																																																																		
	575	625	Sndy.gry.clay w/sme.fne.sand																																																																																																																																																		
	625	635	Gry.Clay w/sme.fne.sand																																																																																																																																																		
	635	675	Gry.Clay																																																																																																																																																		
	675	679	Gry.Clay & Fne.sand mxcd.																																																																																																																																																		
	679	690	Gry.Cly.																																																																																																																																																		
	690	691	Siltstone																																																																																																																																																		
	691	705	Gry.Clay																																																																																																																																																		
	705	720	Gry.Clay & soft sandstone & fne.sand																																																																																																																																																		
	720	735	Gry.Clay																																																																																																																																																		
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started _____ finished _____																																																																																																																																																				
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ inches</td> <td>_____ inches + _____</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☐ No Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☐ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth _____ Material used to seal: ☐ Cement grout ☐ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	_____ inches	_____ inches + _____	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name _____ Firm No. _____ Address _____ Date _____ Signed by (Firm Official) _____ and (Operator) _____																																																																																																																				
Thickness	Diameter	From	To																																																																																																																																																		
_____ inches	_____ inches + _____	_____ feet	_____ feet																																																																																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																		
Number	From	To																																																																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																																																																			
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County _____ T. _____ S. _____ E. _____ W. _____	APR 14 1992																																																																																																																																																				

CASING SCHEDULE
SYMMS FRUIT RANCH #2

16" Casing .250

+2'	-	80'
100'	-	210'
220'	-	300'
320'	-	430'
450'	-	490'
510'	-	520'
540'	-	550'
560'	-	570'

16" Roscoe Moss Wirewrap .40 slot
Screens

80'	-	100'
210'	-	220'
300'	-	320'
430'	-	450'
490'	-	510'
520'	-	540'
550'	-	560'

APR 14 1992

February 28, 1992

SYMMS FRUIT RANCH INC.
14068 SUNNY SLOPE RD.
CALDWELL ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11462

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



APR 14 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 17, 1991

SYMMS FRUIT RANCH INC.
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11462

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of of measuring device options.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

Form No. 202a.
10/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: lu DATE: 2/26/91 APPLICATION: 63-11462

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.) *Attachment*
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map:
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Fee:
- ☒ Yes ☐ No* In form to receipt:
- Gov't. Lots:
☒ P/D
☒ P/U

ADDITIONAL INFORMATION

YES NO

- ☐ ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
- ☐ ☒ Overlapping point of diversion:
- ☐ ☐ Field check required: Field check by: _____
- ☐ ☐ Field report attached:
- ☐ ☒ Critical groundwater area:
- ☐ ☒ Groundwater management area:
- ☐ ☒ Diversion within interim protected river area
- ☐ ☒ Send dam safety information:
- ☐ ☒ Send power requirement letter:
- ☐ ☒ Send fish farm requirement letter:
- ☐ ☒ Power residency affidavit:
- ☐ ☒ Power efficiency form:
- ☐ ☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
- ☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☐ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED
APR 25 1991

Department of Water Resources

DATE REQUESTED: _____
☒ Additional information on reverse side:

Drilling permit Appl. Attached

PROCESSING

APPLICATION NO.

63-11462

YES NO

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES / NO

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest April 8, 1991

Protest dates, resolution of protest recorded on application:

Recommendations attached: *Approve, DNR*

Measuring device required:

Measuring port required: *Flow memo*

Water delivered by water master? District #

Special conditions of approval or cover letter:

(Drilling Permit issued)

See below for additional information

Recommended Date or Priority *2/19/1991*

Recommended by:

Date 4/18/1991

STATE OFFICE REVIEW

See below for additional information. By

Date _____

ADDITIONAL INFORMATION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

MARCH 13, 1991

Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 8, 1991.

Yours truly,

GAIL GARRETT
Secretary

Encl.

JUN 04 1991

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

RECEIVED

FEB 19 1991

Department of Water Resources
Western Regional Office

1. Applicant (please print) SYMMS FRUIT RANCH, INC.
2. Mailing Address 14068 SUNNY SLOPE ROAD
CALDWELL, IDAHO 83605 Telephone 208-459-4821
- (☒) Well Owner () Well Operator () Other, specify _____
3. Proposed well location NW 1/4 NW 1/4, or Gov't Lot No. _____
Sec. 23, Twp. 3N, Rge. 4W, County CANYON
Street Address of Well Site HIGHWAY 55 AND APRICOT ROAD
Lot, block and subdivision _____
4. Proposed use of well:
- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- (☒) Non-Domestic: Any beneficial use not included within the definition of domestic. IRRIGATION
- () Injection
- () Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
5. Well construction information:
- A. (☒) New well () Deepen () Replace - See Condition 9
- B. Proposed Surface Diameter 16" Proposed Maximum Depth 500'
- C. Anticipated bottom hole temperature:
- (☒) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)
6. Construction Start Date MARCH, 1991
7. Anticipated Well Driller PETE COPE WELL DRILLING
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature [Signature] Date FEBRUARY 14, 1991
Title PRESIDENT/SYMMS FRUIT RANCH, INC.
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date 4/17/91

If approved, this permit authorizes the constuction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

David R. Tuttle
Signature of Authorized Department Representative

Mgr, Western Reg Off
Title

Receipt No. W013014 Received by JH Fee \$200⁰⁰ Date 2-19-91

JUN 04 1991

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

MAR 28 1991

Sharla O'Krakel

DEPT. of Water Resources
Nampa Regional Office

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper
two times

—in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

March 20, 27, 1991

Sharla O'Krakel

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 27th day of March in the year of 1991, before me, a Notary Public, personally appeared Sharla O'Krakel, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

Janet Fisk
Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

FLOYD, JERRY
9159 RIVERSIDE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 3/4/1991
In: T03N R04W S35
105.0 ACRES TOTAL

NESW SWSW SESW

63-11483

SWARTHOUT, C.R.
4925 MOUNTAIN VIEW DR.
BOISE, ID 83704
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 3/7/1991
In: T01S R01W S07
R02W S01
S12
142.0 ACRES TOTAL

SESE Sec 1 T 01S R 02W
(2.000 CFS)
Total Diversión:(2.000 CFS)

NWNE
SESE
NWNE

NENE

63-11484

NEIDER, JAY C.
NEIDER, CONNIE
5821 MORNING DOVE DR.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 3/4/1991
In: T01N R02W S02 Lot 3
S03
225.0 ACRES TOTAL

SENW

(NENW) Lot 4 (NWNW)
NESW NWSW

SWNW
SESW
NESE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 8, 1991.
R. KEITH HIGGINSON
Director
March 20, 27, 1991

The following are
the State of Idaho:

63-11482

SYMMS FRUIT RANCH INC.
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/19/1991
In: T03N R04W S14
S23
100.0 ACRES TOTAL

NWNW Sec 23 T 03N R 04W
(2.000 CFS)
Total Diversión:(2.000 CFS)

NWNW SWSW
SWNW

63-11483

SYMMS FRUIT RANCH INC.
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:

Use: IRRIGATION

Date Filed: 2/19/1991
In: T03N R04W S04
113.0 ACRES TOTAL

NESE Sec 4 T 03N R 04W
SESE Sec 4 T 03N R 04W
(2.000 CFS)
Total Diversión:(2.000 CFS)

NESE SWSE SESE

63-11464

PIRNIE, CLIFF
PIRNIE, CANDESS
6425 LOLA LN.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/27/1991
In: T02N R02W S36
60.0 ACRES TOTAL

SWSE Sec 36 T 02N R 02W
(1.200 CFS)
Total Diversión:(1.200 CFS)

SESW SWSE

63-11465

EARNEST, LELAND
3125 LASTER LN.
NAMPA, ID 83687
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/12/1991
In: T03N R02W S06 Lot 1

NESESE Sec 6 T 03N R 02W
(3.880 CFS)
Total Diversión:(3.880 CFS)

(NENE) Lot 3 (NENW)
NWSE NESE
NWSE SESE
SWSE

T04N R02W S31 SESW
194.0 ACRES TOTAL

63-11472

WADE, KEITH L.
8514 HAPPY VALLEY RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 3/4/1991
In: T02N R02W S13
75.0 ACRES TOTAL

NESW

SESW

NWSE SWSE

63-11474

RIM RANCHES INC.
24004 BATT CORNER RD.
PAUMA, ID 83660
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/8/1991
In: T04N R05W S10
S11
160.0 ACRES TOTAL

SENE Sec 10 T 04N R 05W
(3.200 CFS)
Total Diversión:(3.200 CFS)

SWNE SENE
SWNW SENW

63-11475

WHITAKER, STEVEN M.
15001 MC DERMOTT RD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 3/1/1991
In: T03N R01W S07
118.0 ACRES TOTAL

NESW Lot 3 (NWSW) Lot 4 (SWSW) SESW

63-11478

ARNOLD, CECIL
1350 W. AVALON
KUNA, ID 83634
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/28/1991
In: T02N R01W S20
40.0 ACRES TOTAL

SWSW Sec 20 T 02N R 01W
(.800 CFS)
Total Diversión:(.800 CFS)

SWSW

63-11480

FLOYD, HAROLD
9703 CHICKEN DINNER RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:

Use: IRRIGATION

Date Filed: 3/4/1991
In: T02N R04E S14
80.0 ACRES TOTAL

NENE Sec 14 T 02N R 04W
SENE Sec 14 T 02N R 04W
(.760 CFS)
Total Diversión:(.760 CFS)

NENE SENE

Source: GROUNDWATER

```

Use: IRRIGATION          ( 2.000 CFS)
      Total Diversion: ( 2.000 CFS)

```

In: T03N R04W S14 SWSW
S23 NWNW SWNW

JUN 04 1991